



Appendix P: Test Data for SA-N41

Product Name: Volla Phone Quintus

Test Model: Quintus

Environmental Conditions

|                    |            |
|--------------------|------------|
| Temperature:       | 23.8° C    |
| Relative Humidity: | 52.1%      |
| ATM Pressure:      | 100.0 kPa  |
| Test Engineer:     | Paddi Chen |
| Supervised by:     | Nick Peng  |





## P.1 Conducted Output Power Data

### TestResult

| Band | Bandwidth | SCS   | Channel | TestID | TestConfig                               | Value | LowLimit | UpLimit | Result |
|------|-----------|-------|---------|--------|------------------------------------------|-------|----------|---------|--------|
| n41  | 10MHz     | 30kHz | 500202  | 1      | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 25.54 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 2      | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.51 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 3      | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.66 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 4      | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 22.20 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 5      | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 22.18 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 6      | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 25.19 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 7      | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 25.38 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 8      | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.47 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 9      | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.58 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 10     | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 22.21 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 11     | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 22.22 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 12     | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.69 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 13     | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 24.44 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 14     | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.56 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 15     | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.75 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 16     | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 23.20 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 17     | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 23.14 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 18     | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 23.32 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 19     | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 21.19 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 20     | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 21.14 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 21     | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 21.45 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 22     | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 24.44 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 23     | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 24.16 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 24     | CP-OFDM QPSK^Inner_Full:PC2              | 23.97 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 25     | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 23.58 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 26     | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.50 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 27     | CP-OFDM 16QAM^Inner_Full:PC2             | 23.67 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 28     | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 22.40 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 29     | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 22.32 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 30     | CP-OFDM 64QAM^Inner_Full:PC2             | 22.35 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 31     | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 19.35 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 32     | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 19.29 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 33     | CP-OFDM 256QAM^Inner_Full:PC2            | 19.36 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 1      | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.67 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 2      | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.63 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 3      | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.75 | -99.90   | 33.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 4      | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 22.20 | -99.90   | 33.00   | PASS   |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 10MHz | 30kHz | 500202 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 22.14 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 22.25 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.62 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.66 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.77 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.69 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.70 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.71 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 21.75 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.60 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.80 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 20.37 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.36 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 20.34 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 18.16 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 18.19 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 18.49 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 21.07 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 21.00 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 21.14 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.76 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.59 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.69 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 19.37 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 19.25 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 19.41 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 16.40 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 16.21 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 500202 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 16.36 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 24.93 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.15 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.04 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.54 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.77 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.64 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 24.99 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.17 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.14 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.62 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.84 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.11 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 24.07 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.33 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 10MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.14 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.60 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.92 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.73 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.63 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.82 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 21.00 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.32 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.49 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.50 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 23.08 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.12 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.26 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.64 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.87 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.80 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.73 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 18.92 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.78 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.02 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.19 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.23 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.50 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.75 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.75 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.07 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.24 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.28 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.04 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.33 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.22 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 21.01 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.23 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.28 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.71 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.00 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.89 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.65 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.85 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 18.10 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.46 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.79 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.61 | -99.90 | 33.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 10MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.00 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.63 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.14 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.90 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 19.22 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.89 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.73 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 15.90 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.96 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 24.96 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.07 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.01 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.60 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.70 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.61 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 24.87 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.02 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.10 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.60 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.72 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.15 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 24.19 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.44 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.12 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.54 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.70 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.78 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.56 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.66 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.91 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.72 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.85 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.33 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.89 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.09 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.01 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.63 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.73 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.73 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.73 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 18.78 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.78 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.05 | -99.90 | 33.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 10MHz | 30kHz | 537000 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.12 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.18 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.54 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.61 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.68 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.00 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.14 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.23 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.03 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.21 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.18 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 21.09 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.18 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.15 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.62 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 19.87 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.76 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.55 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.73 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.89 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.39 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.53 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.45 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.03 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.13 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.10 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.71 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.87 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.71 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.82 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 15.90 | -99.90 | 33.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.88 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 25.54 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.47 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.53 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 22.19 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 22.11 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 25.19 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 25.38 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.40 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.55 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 22.20 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 22.09 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 15MHz | 30kHz | 500700 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.67 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 24.74 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.56 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.75 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 23.27 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 23.22 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 23.41 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 21.19 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 21.08 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 21.26 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 24.41 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.92 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 24.34 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 23.40 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.22 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.72 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 22.26 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 22.09 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 22.25 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 19.34 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 19.11 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 19.39 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.63 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.53 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.73 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 22.17 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 22.06 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 22.23 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.60 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.48 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.73 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.66 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.54 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.74 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 21.72 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.54 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.77 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 20.48 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.38 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 20.36 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 18.17 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 18.14 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 18.24 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 15MHz | 30kHz | 500700 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.98 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.82 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 21.27 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.65 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.55 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.78 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 19.29 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 19.11 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 19.25 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 16.29 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 16.15 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 16.31 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 24.80 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.11 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.05 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.34 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.73 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.58 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 24.79 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.09 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 24.99 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.43 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.76 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.09 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 23.85 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.20 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.13 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.51 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.94 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.81 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.47 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.75 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.69 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.10 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.39 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.65 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.86 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.09 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.13 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.47 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.78 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.73 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.54 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 15MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 18.84 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.76 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 21.81 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.18 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.27 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.32 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.67 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.68 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 21.88 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.18 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.18 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 20.87 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.22 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.22 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 20.91 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.09 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.20 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.60 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 19.98 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.84 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.48 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.83 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.72 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.19 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.44 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.67 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 19.83 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.23 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.21 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.51 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.76 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.77 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.59 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 15.87 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.83 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 24.71 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 24.94 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 24.81 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.31 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.57 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.44 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 24.54 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 24.76 | -99.90 | 33.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 15MHz | 30kHz | 536496 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 24.70 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.27 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.59 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 23.94 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 24.06 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.14 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.03 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.23 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.58 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.62 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.23 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.53 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.54 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.43 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.67 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.66 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.43 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 22.81 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 22.98 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.31 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.65 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.53 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.39 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 18.70 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.59 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 21.74 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 21.99 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.01 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.23 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.51 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.49 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 21.75 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 21.99 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 21.94 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 20.76 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.07 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.01 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 20.70 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 20.97 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.05 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.44 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 19.83 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.68 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 15MHz | 30kHz | 536496 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.33 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.61 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.43 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.07 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.32 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.62 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 19.76 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 19.98 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 19.99 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.39 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.60 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.56 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.43 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 15.69 | -99.90 | 33.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.50 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 25.52 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.34 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.66 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 22.21 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 22.05 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 25.17 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 25.31 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.27 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.61 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 22.22 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 22.05 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.67 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 25.04 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.61 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.72 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 23.23 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 23.20 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 23.33 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 21.15 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.93 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 21.28 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 24.39 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.96 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 24.15 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 23.33 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.30 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.70 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 22.28 | -99.90 | 33.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 20MHz | 30kHz | 501204 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 22.23 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 22.29 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 19.27 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 19.15 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 19.26 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.63 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.44 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.71 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 22.17 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.96 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 22.20 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.54 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.43 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.72 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.65 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.45 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.69 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 21.79 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.42 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.73 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 20.47 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.33 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 20.21 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 18.19 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 18.00 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 18.19 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.98 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.85 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 21.21 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.59 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.59 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.70 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 19.18 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.94 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 19.26 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 16.28 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 16.17 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 16.27 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 24.72 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.10 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.05 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.29 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.71 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 20MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.58 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 24.68 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.14 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.11 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.32 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.74 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.10 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 23.71 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.23 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.07 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.58 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.96 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.67 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.33 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.79 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.60 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.00 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.41 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.57 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.80 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.11 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.11 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.33 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.78 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.75 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.42 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 18.87 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.75 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 21.72 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.17 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.17 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.27 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.68 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.71 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 21.78 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.19 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.21 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 20.76 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.17 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.20 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 20.74 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.08 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.12 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 20MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.68 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.14 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.70 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.27 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.81 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.69 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.07 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.38 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.63 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 19.71 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.17 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.15 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.37 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.86 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.87 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.47 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 15.89 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.78 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 24.63 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 24.88 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 24.91 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.23 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.61 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.40 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 24.40 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 24.78 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 24.80 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.19 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.60 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 23.95 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 23.93 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.35 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.00 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.22 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.66 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.60 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.15 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.55 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.42 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.00 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.45 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.48 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.50 | -99.90 | 33.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 20MHz | 30kHz | 535998 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 22.79 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.11 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.28 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.67 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.56 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.27 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 18.64 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.50 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 21.67 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.04 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 21.98 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.18 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.53 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.45 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 21.61 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 21.96 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 21.98 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 20.60 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.03 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 20.99 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 20.69 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.09 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.01 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.42 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 19.91 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.54 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.25 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.65 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.43 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 19.94 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.33 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.47 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 19.63 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 19.98 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.05 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.34 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.71 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.52 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.34 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 15.68 | -99.90 | 33.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.51 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 25.40 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.35 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 30MHz | 15kHz | 502200 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.44 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 22.03 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 22.04 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 25.03 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 25.36 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.31 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.47 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 22.05 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 22.00 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.56 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 24.43 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.54 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.57 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 23.13 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 23.09 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 23.08 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.98 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.76 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 21.01 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.92 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.69 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 24.00 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 23.56 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.55 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.47 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.97 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 22.19 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 22.06 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 19.08 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 19.10 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 19.01 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.45 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.45 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.52 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.98 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 22.00 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 22.07 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.42 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.49 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.53 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.55 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.51 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.59 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 30MHz | 15kHz | 502200 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 21.52 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.66 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.54 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 20.02 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 19.83 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 20.06 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.81 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.87 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 18.03 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.95 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.87 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 21.03 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.71 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.53 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.51 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 19.13 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 19.15 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 19.05 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 16.13 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 16.03 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 16.00 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 24.47 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 24.95 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 24.98 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.05 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.52 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.39 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 24.52 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 24.96 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 24.99 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.06 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.49 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 23.91 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 23.15 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.00 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.04 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 21.80 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.50 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.60 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 19.96 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.41 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.56 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 22.90 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 30MHz | 15kHz | 518601 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.33 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.54 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.57 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 22.96 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.01 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.20 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.59 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.57 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.18 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 18.55 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.55 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 21.59 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.00 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.07 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.04 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.52 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.48 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 21.55 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.04 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.05 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 20.57 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.03 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 20.97 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 20.52 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 20.96 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.05 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.10 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 19.57 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.61 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 16.97 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.42 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.60 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 19.96 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.35 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.61 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 19.79 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.02 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.09 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.20 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.65 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.61 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.10 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 15.58 | -99.90 | 33.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 30MHz | 15kHz | 518601 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.57 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 24.31 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 24.85 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 24.64 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.02 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.54 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.26 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 24.41 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 24.96 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 24.68 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 20.98 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.47 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 23.78 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 23.44 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 23.95 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 23.89 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.27 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.67 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.34 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 19.88 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.45 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.26 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 22.99 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.55 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.23 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.47 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 22.99 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 22.71 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.06 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.64 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.32 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.07 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 18.60 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.25 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 21.43 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 21.95 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 21.78 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 20.96 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.48 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.30 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 21.41 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 21.92 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 21.80 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 30MHz | 15kHz | 534999 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 20.46 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.00 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 20.78 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 20.38 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.07 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 20.81 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 18.95 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 19.36 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.33 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 16.76 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.38 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.28 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 19.82 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.48 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.28 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 19.44 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.10 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 19.75 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.00 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.61 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.33 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.00 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 15.48 | -99.90 | 33.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.21 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 25.63 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.30 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.54 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 22.11 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.90 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 25.12 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 25.35 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.28 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.53 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 22.16 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.95 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.64 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 24.81 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.31 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.59 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 23.21 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 23.13 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 23.14 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 21.09 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 40MHz | 30kHz | 503202 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.92 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 21.09 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 24.02 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.74 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 24.01 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 23.24 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.27 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.61 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 22.16 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 22.10 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 22.12 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 19.23 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 19.06 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 19.23 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.61 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.37 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.64 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 22.11 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.86 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 22.17 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.54 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.38 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.63 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.61 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.40 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.68 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 21.54 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.26 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.62 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 20.27 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.09 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 20.16 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 18.21 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.98 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 18.14 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.97 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.71 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 21.12 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.49 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.45 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.60 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 19.10 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.89 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 40MHz | 30kHz | 503202 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 19.17 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 16.26 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 16.04 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 16.22 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 24.69 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.13 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.10 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.28 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.68 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.51 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 24.69 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.09 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.12 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.31 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.75 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.01 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 23.56 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.05 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.09 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.45 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.85 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.64 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.30 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.74 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.67 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.05 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.50 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.59 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.59 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.00 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.13 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.30 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.76 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.72 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.35 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 18.76 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.78 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 21.72 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.12 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.20 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.25 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.66 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.59 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 40MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 21.76 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.17 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.18 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 20.74 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.22 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.09 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 20.61 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.01 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.17 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.37 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 19.99 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.69 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.34 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.77 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.71 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.14 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.44 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.72 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 19.72 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.11 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.21 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.34 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.75 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.83 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.45 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 15.82 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.81 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 24.56 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.26 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 24.68 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.10 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.75 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.33 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 24.47 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.01 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 24.78 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.14 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.73 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 23.88 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 23.44 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.20 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 23.89 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.20 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 40MHz | 30kHz | 534000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.82 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.48 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.04 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.69 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.36 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 22.93 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.86 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.23 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.37 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 22.93 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 22.83 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.26 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.82 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.33 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.19 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 18.81 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.42 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 21.54 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.18 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 21.84 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.06 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.68 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.38 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 21.55 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.18 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 21.87 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 20.55 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.15 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 20.91 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 20.45 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.13 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 20.85 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.40 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.06 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.36 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.17 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.75 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.35 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 19.82 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.55 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.31 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 19.52 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.09 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 40MHz | 30kHz | 534000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 19.82 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.14 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.72 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.37 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.18 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 15.75 | -99.90 | 33.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.46 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 25.61 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.05 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.67 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 22.15 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.57 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 25.06 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 25.48 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.06 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.68 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 22.16 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.64 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.57 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 24.65 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 23.94 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.67 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 23.22 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.78 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 23.26 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 21.14 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.59 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 21.27 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 24.41 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.45 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 24.09 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 23.29 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 22.90 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.70 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 22.25 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.69 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 22.22 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 19.22 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 18.69 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 19.25 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.63 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.00 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.76 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 50MHz | 30kHz | 504204 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 22.12 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.54 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 22.11 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.56 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.09 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.75 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.62 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.08 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.64 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 21.52 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 20.90 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.65 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 20.50 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 19.91 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 20.28 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 18.21 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.66 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 18.28 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 21.05 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.39 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 21.20 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.52 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.06 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.71 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 19.29 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.62 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 19.28 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 16.19 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 15.74 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 16.24 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 24.92 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.34 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.24 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.49 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.94 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.66 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 24.87 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.23 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.24 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.51 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.95 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.15 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 23.78 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 50MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.09 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.15 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.60 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.98 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.79 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.46 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.84 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.85 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.28 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.69 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.69 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.78 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.12 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.28 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.62 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 22.04 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.84 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.60 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 19.01 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.90 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 21.89 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.33 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.37 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.44 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.85 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.78 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 21.97 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.36 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.37 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.01 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.38 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.25 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 20.81 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.17 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.25 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.86 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.24 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.88 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.59 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.96 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.90 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.29 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.62 | -99.90 | 33.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 50MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.84 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 19.99 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.36 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.38 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.53 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.85 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.92 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.62 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 16.04 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.94 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 24.70 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.29 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 24.85 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.20 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.88 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.39 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 24.66 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.21 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 24.98 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.17 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.93 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 23.96 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 23.26 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.49 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 23.98 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.36 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.91 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.55 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.20 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.90 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.57 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 22.95 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 24.15 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.30 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.36 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.06 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.03 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.22 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.97 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.52 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.30 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 19.04 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.56 | -99.90 | 33.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 50MHz | 30kHz | 532998 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 21.67 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.34 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.02 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.15 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.86 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.53 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 21.67 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.33 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.04 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 20.70 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.37 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.04 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 20.53 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.34 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 20.98 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.57 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.27 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.53 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.28 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.95 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.54 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 19.93 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.78 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.43 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 19.70 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.35 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.00 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.25 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.96 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.54 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.33 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 16.08 | -99.90 | 33.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.56 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 25.68 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.15 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.57 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 22.20 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.73 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.98 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 25.44 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.12 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.62 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 22.21 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 60MHz | 30kHz | 505200 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.81 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.54 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 24.98 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.09 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.67 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 23.24 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.93 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 23.17 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 21.15 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.73 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 21.17 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 24.56 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.50 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 24.07 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 23.42 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 22.99 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.61 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 22.27 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.75 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 22.16 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 19.25 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 18.83 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 19.21 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.71 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.17 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.67 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 22.18 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.70 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 22.04 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.55 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.18 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.65 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.67 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.25 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.59 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 21.60 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.10 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.66 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 20.31 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.00 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 20.22 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 18.24 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.78 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 60MHz | 30kHz | 505200 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 18.20 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 21.27 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.51 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 21.12 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.52 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.23 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.60 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 19.34 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.89 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 19.16 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 16.29 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 15.88 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 16.22 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 25.02 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.46 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.22 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.60 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 22.00 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.58 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 25.05 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.28 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.21 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.62 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 22.06 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.08 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 23.98 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.28 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.18 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.68 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 23.05 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.76 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.62 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 21.00 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.78 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.34 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.87 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.67 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.97 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.37 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.20 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.66 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 22.10 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.75 | -99.90 | 33.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 60MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.74 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 19.19 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.84 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.07 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.44 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.29 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.57 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.98 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.66 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.09 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.46 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.27 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.10 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.48 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.18 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 20.99 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.28 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.28 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.86 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.07 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.90 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.62 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 18.06 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.84 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.41 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.83 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.78 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.07 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.48 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.30 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.72 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 19.11 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.79 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.76 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 16.20 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.85 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 24.77 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.40 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 24.98 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.44 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 22.00 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.47 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 24.78 | -99.90 | 33.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 60MHz | 30kHz | 531996 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.18 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 24.93 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.45 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 22.01 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.02 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 23.61 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.06 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.08 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.60 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 23.01 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.56 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.40 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.96 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.54 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.36 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.97 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.40 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.60 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.01 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 22.96 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.43 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.98 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.55 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.51 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 18.98 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.58 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 21.88 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.44 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.02 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.39 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.97 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.52 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 21.90 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.36 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.01 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 20.94 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.43 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.08 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 20.74 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.38 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.03 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.74 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.16 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 60MHz | 30kHz | 531996 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.56 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.46 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 18.01 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.55 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.17 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.74 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.46 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 19.80 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.31 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.01 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.46 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 19.00 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.56 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.52 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 16.01 | -99.90 | 33.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.56 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 25.70 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.00 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.45 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 22.36 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.62 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.94 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 25.41 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 24.98 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.40 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 22.39 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.68 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.49 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 25.04 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 23.99 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.57 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 23.37 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.86 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 23.08 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 21.30 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.66 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 21.09 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 24.70 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.39 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.94 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 23.58 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.14 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.52 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 80MHz | 30kHz | 507204 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 22.40 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.70 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 22.07 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 19.39 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 18.80 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 19.11 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.78 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.14 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.56 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 22.33 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.61 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 22.01 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.71 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.17 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.56 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.82 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.17 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.56 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 21.73 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.04 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.58 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 20.51 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.04 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 20.10 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 18.30 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.70 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 18.12 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 21.22 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.46 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 21.02 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.77 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.12 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.55 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 19.38 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.69 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 19.10 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 16.45 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 15.76 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 16.14 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 25.03 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.38 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.21 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.63 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 80MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 22.10 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.71 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 25.01 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.31 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.16 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.70 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 22.13 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.28 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 24.07 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.58 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.25 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.77 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 23.23 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.81 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.67 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 21.05 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.86 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.54 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.92 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.67 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.96 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.30 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.29 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.76 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 22.12 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.84 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.79 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 19.17 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.87 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.15 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.51 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.27 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.62 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 22.04 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.83 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.15 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.55 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.26 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.12 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.54 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.39 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 21.00 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.45 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 80MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.32 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.93 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.37 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.86 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.72 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 18.14 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.90 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.43 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.79 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.79 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.08 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.43 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.35 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.72 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 19.15 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.85 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.77 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 16.18 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.93 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 24.90 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.49 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 24.95 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.59 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 22.14 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.61 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 24.89 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.26 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 24.97 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.71 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 22.10 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.17 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 23.95 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.33 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.17 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.75 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 23.14 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.67 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.63 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 21.06 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.65 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.38 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 24.42 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.52 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 80MHz | 30kHz | 529998 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.91 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.37 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.07 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.73 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 22.21 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.61 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.77 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 19.16 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.64 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.11 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.61 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.11 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.57 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 22.08 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.72 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.10 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.52 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.13 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.16 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.54 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.23 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 20.99 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.47 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.14 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.82 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.32 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.68 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.63 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 18.11 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.62 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.38 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.97 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.56 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.16 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.45 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.10 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.74 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 19.20 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.62 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.83 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 16.21 | -99.90 | 33.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.63 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 25.65 | -99.90 | 33.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 90MHz | 30kHz | 508200 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.17 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.44 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 22.36 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.80 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.86 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 25.38 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.16 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.44 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 22.36 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.86 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.43 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 24.38 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.12 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.55 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 23.38 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.90 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 23.04 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 21.28 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.78 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 21.10 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 24.80 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.59 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.93 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 23.50 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.09 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.50 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 22.42 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.84 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 22.01 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 19.44 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 18.94 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 19.09 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.82 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.22 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.53 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 22.32 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.76 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.92 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.72 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.25 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.51 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.81 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.34 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 90MHz | 30kHz | 508200 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.48 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 21.76 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.16 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.55 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 20.43 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.16 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 20.05 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 18.36 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.89 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 18.11 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 21.28 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.60 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.99 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.62 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.32 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.48 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 19.48 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 19.10 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 19.02 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 16.39 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 15.93 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 16.08 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 25.02 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.30 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.16 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.61 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.94 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.78 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 25.00 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.18 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.20 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.64 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 22.01 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.32 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 23.96 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.42 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.29 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.73 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 23.08 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.85 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.60 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.96 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.89 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 90MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.26 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.83 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.73 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.90 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.22 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.28 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.62 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 22.10 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.81 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.68 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 19.05 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.89 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.06 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.37 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.31 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.56 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.91 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.85 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.06 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.40 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.31 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.08 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.42 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.39 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 20.92 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.12 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.36 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.92 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.19 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.91 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.62 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.91 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.89 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.42 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.77 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.86 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.03 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.35 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.35 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.67 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 19.04 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.84 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.70 | -99.90 | 33.00 | PASS |





|     |       |       |        |    |                                          |       |        |       |      |
|-----|-------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 90MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 16.05 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.90 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 25.03 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.54 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 24.96 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.65 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 22.11 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.67 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 25.00 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.26 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 24.97 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.70 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 22.10 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.24 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 24.07 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.71 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.26 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.81 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 23.11 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.70 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.68 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 21.08 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.71 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.42 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 24.46 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.49 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.97 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.33 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.11 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.77 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 22.27 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.64 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.79 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 19.28 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.67 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.11 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.59 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.18 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.64 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 22.06 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.77 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.12 | -99.90 | 33.00 | PASS |
| n41 | 90MHz | 30kHz | 528996 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.52 | -99.90 | 33.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |        |       |        |    |                                          |       |        |       |      |
|-----|--------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 90MHz  | 30kHz | 528996 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.17 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.20 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.57 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.24 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 21.04 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.49 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.18 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.88 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.27 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.66 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.73 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 18.16 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.69 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.48 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 21.01 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.58 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.11 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.53 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.11 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.78 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 19.27 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.65 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.83 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 16.30 | -99.90 | 33.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.67 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 25.76 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.51 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.27 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 22.36 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 22.12 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.86 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 25.48 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.51 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.29 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 22.35 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 22.17 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.43 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 24.94 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.50 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.49 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 23.27 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 23.20 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 23.02 | -99.90 | 33.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |        |       |        |    |                                          |       |        |       |      |
|-----|--------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 100MHz | 30kHz | 509202 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 21.28 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 21.16 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 21.03 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 24.69 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.81 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.81 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 23.50 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.33 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.43 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 22.33 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 22.14 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.98 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 19.36 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 19.21 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 19.02 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.78 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.56 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.51 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 22.29 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 22.06 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.92 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.72 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.61 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.46 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.77 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.64 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.47 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 21.79 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.43 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.50 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 20.56 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.45 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 20.03 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 18.33 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 18.21 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 18.05 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 21.25 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.86 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.92 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.68 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.55 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.45 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 19.36 | -99.90 | 33.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |        |       |        |    |                                          |       |        |       |      |
|-----|--------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 100MHz | 30kHz | 509202 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 19.16 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 19.00 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 16.37 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 16.17 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 16.02 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 24.97 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.24 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.11 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.58 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 21.82 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.75 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 25.00 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.22 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.05 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.65 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 21.88 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.30 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 23.95 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.12 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.26 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.68 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 22.91 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.83 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.63 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 20.86 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.87 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.34 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 23.80 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.63 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.90 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.14 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.26 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.64 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 21.93 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.79 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.67 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 18.95 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.86 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.05 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.31 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.29 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.58 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 21.78 | -99.90 | 33.00 | PASS |





|     |        |       |        |    |                                          |       |        |       |      |
|-----|--------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 100MHz | 30kHz | 518598 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.86 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.08 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.32 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.27 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.11 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.33 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.36 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 20.92 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.13 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.35 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.82 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.08 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.90 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.65 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 17.88 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.92 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.35 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 20.63 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.77 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.03 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3        | 20.25 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 27 | CP-OFDM 16QAM^Inner_Full:PC3             | 20.31 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3         | 18.67 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3        | 18.92 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 30 | CP-OFDM 64QAM^Inner_Full:PC3             | 18.82 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3        | 15.72 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3       | 15.99 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 33 | CP-OFDM 256QAM^Inner_Full:PC3            | 15.84 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC2  | 24.98 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC2 | 25.60 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC2      | 25.01 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC2   | 21.55 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC2  | 22.20 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2      | 24.69 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC2       | 24.92 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC2      | 25.36 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC2           | 25.00 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC2        | 21.59 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC2       | 22.20 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC2           | 24.24 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC2      | 23.97 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC2     | 24.91 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC2          | 24.25 | -99.90 | 33.00 | PASS |





|     |        |       |        |    |                                          |       |        |       |      |
|-----|--------|-------|--------|----|------------------------------------------|-------|--------|-------|------|
| n41 | 100MHz | 30kHz | 528000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC2      | 22.74 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC2     | 23.21 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC2          | 22.78 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC2     | 20.60 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC2    | 21.12 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC2         | 20.79 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC2          | 23.40 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC2         | 24.51 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 24 | CP-OFDM QPSK^Inner_Full:PC2              | 23.54 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC2         | 22.87 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC2        | 23.35 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 27 | CP-OFDM 16QAM^Inner_Full:PC2             | 23.20 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC2         | 21.73 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC2        | 22.31 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 30 | CP-OFDM 64QAM^Inner_Full:PC2             | 21.73 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC2        | 18.74 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC2       | 19.35 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 33 | CP-OFDM 256QAM^Inner_Full:PC2            | 18.79 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 1  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3  | 22.03 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 2  | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 22.66 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 3  | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3      | 22.26 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 4  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3   | 21.51 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 5  | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3  | 22.15 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 6  | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3      | 21.80 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 7  | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3       | 22.09 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 8  | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3      | 22.57 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 9  | DFT-s-OFDM QPSK^Inner_Full:PC3           | 22.27 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3        | 21.09 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3       | 21.64 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3           | 21.31 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3      | 20.96 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3     | 21.56 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3          | 21.29 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3      | 19.87 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3     | 20.32 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3          | 19.76 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3     | 17.69 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3    | 18.19 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3         | 17.81 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3          | 20.45 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3         | 21.06 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 24 | CP-OFDM QPSK^Inner_Full:PC3              | 20.63 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3         | 20.13 | -99.90 | 33.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |        |       |        |    |                                    |       |        |       |      |
|-----|--------|-------|--------|----|------------------------------------|-------|--------|-------|------|
| n41 | 100MHz | 30kHz | 528000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3  | 20.61 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3       | 20.21 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3   | 18.64 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3  | 19.27 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3       | 18.74 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3  | 15.78 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.38 | -99.90 | 33.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3      | 15.76 | -99.90 | 33.00 | PASS |





## P.2 Peak to average ratio

### TestResult

| Band | Bandwidth | SCS   | Channel | TestID | TestConfig                          | Value | LowLimit | UpLimit | Result |
|------|-----------|-------|---------|--------|-------------------------------------|-------|----------|---------|--------|
| n41  | 10MHz     | 30kHz | 500202  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 3.3   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 2      | DFT-s-OFDM QPSK^Outer_Full:PC2      | 4.2   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 3      | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 5.0   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 4      | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 5.3   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 5      | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.5   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 6      | CP-OFDM QPSK^Outer_Full:PC2         | 6.4   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 7      | CP-OFDM 16QAM^Outer_Full:PC2        | 6.3   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 8      | CP-OFDM 64QAM^Outer_Full:PC2        | 6.7   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 9      | CP-OFDM 256QAM^Outer_Full:PC2       | 8.1   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.3   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 2      | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.4   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 3      | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.0   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 4      | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.3   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 5      | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 7.1   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 6      | CP-OFDM QPSK^Outer_Full:PC3         | 7.8   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 7      | CP-OFDM 16QAM^Outer_Full:PC3        | 7.5   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 8      | CP-OFDM 64QAM^Outer_Full:PC3        | 7.9   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 500202  | 9      | CP-OFDM 256QAM^Outer_Full:PC3       | 8.6   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 4.5   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 2      | DFT-s-OFDM QPSK^Outer_Full:PC2      | 5.5   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 3      | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 6.3   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 4      | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 6.6   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 5      | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 7.2   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 6      | CP-OFDM QPSK^Outer_Full:PC2         | 8.2   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 7      | CP-OFDM 16QAM^Outer_Full:PC2        | 8.0   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 8      | CP-OFDM 64QAM^Outer_Full:PC2        | 8.2   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 9      | CP-OFDM 256QAM^Outer_Full:PC2       | 8.7   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.9   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 2      | DFT-s-OFDM QPSK^Outer_Full:PC3      | 6.3   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 3      | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 7.0   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 4      | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.9   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 5      | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 7.3   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 6      | CP-OFDM QPSK^Outer_Full:PC3         | 9.0   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 7      | CP-OFDM 16QAM^Outer_Full:PC3        | 8.7   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 8      | CP-OFDM 64QAM^Outer_Full:PC3        | 8.8   | 0.00     | 13.00   | PASS   |
| n41  | 10MHz     | 30kHz | 518598  | 9      | CP-OFDM 256QAM^Outer_Full:PC3       | 8.8   | 0.00     | 13.00   | PASS   |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |   |                                     |     |      |       |      |
|-----|-------|-------|--------|---|-------------------------------------|-----|------|-------|------|
| n41 | 10MHz | 30kHz | 537000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 3.4 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 4.1 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 5.0 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 5.2 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.5 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 6.3 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 6.6 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.0 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.3 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.4 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.2 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.3 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 7.0 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 7.8 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 7.5 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 7.8 | 0.00 | 13.00 | PASS |
| n41 | 10MHz | 30kHz | 537000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 3.5 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 4.4 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 5.1 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 5.5 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 6.5 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.3 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.5 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.1 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.5 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 7.7 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 7.6 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 7.9 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 500700 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.8 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 4.4 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 5.7 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 6.3 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 6.6 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 8.0 | 0.00 | 13.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |   |                                     |     |      |       |      |
|-----|-------|-------|--------|---|-------------------------------------|-----|------|-------|------|
| n41 | 15MHz | 30kHz | 518598 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.9 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.8 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 6.2 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 7.0 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 7.1 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.9 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.8 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.8 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.8 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 518598 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 9.0 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 3.4 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 4.3 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 5.1 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 5.4 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.2 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 6.3 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 6.3 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.3 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.4 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.0 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 7.6 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 7.5 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 7.8 | 0.00 | 13.00 | PASS |
| n41 | 15MHz | 30kHz | 536496 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 3.7 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 4.6 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 5.4 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 5.7 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 7.1 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.4 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.4 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.5 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.9 | 0.00 | 13.00 | PASS |





|     |       |       |        |   |                                     |     |      |       |      |
|-----|-------|-------|--------|---|-------------------------------------|-----|------|-------|------|
| n41 | 20MHz | 30kHz | 501204 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.0 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 7.9 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 501204 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 9.0 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 4.5 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 5.5 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 9.0 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.7 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.9 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.9 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.9 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 7.0 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.8 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.8 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.8 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 518598 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 9.1 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 3.6 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 4.4 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 5.2 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 5.5 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.3 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 6.6 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 6.5 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.3 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.3 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.2 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.6 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 7.7 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 7.8 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 7.9 | 0.00 | 13.00 | PASS |
| n41 | 20MHz | 30kHz | 535998 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.8 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 3.9 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 4.9 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 5.8 | 0.00 | 13.00 | PASS |





|     |       |       |        |   |                                     |     |      |       |      |
|-----|-------|-------|--------|---|-------------------------------------|-----|------|-------|------|
| n41 | 30MHz | 15kHz | 502200 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 6.0 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.5 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 7.4 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.3 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.6 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.2 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.5 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 7.9 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.0 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 502200 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 4.5 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 5.7 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 6.3 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 6.6 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.7 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.9 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.5 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 518601 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.7 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 3.8 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 4.9 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 5.6 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 5.8 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 7.0 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 7.0 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 7.3 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.3 | 0.00 | 13.00 | PASS |





|     |       |       |        |   |                                     |     |      |       |      |
|-----|-------|-------|--------|---|-------------------------------------|-----|------|-------|------|
| n41 | 30MHz | 15kHz | 534999 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.4 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.2 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.6 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.0 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 7.9 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 30MHz | 15kHz | 534999 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 3.8 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 5.0 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 5.8 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 6.0 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.5 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 7.6 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 7.5 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 7.8 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.3 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.5 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.2 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.6 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.6 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 503202 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 4.4 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 5.5 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 6.2 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 6.5 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.5 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.7 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.5 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.9 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.7 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 518598 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.8 | 0.00 | 13.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |   |                                     |     |      |       |      |
|-----|-------|-------|--------|---|-------------------------------------|-----|------|-------|------|
| n41 | 40MHz | 30kHz | 518598 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 3.7 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 4.9 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 5.5 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 5.8 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 7.1 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 7.3 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.2 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.3 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.1 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.5 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.0 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 7.8 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 40MHz | 30kHz | 534000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 4.6 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 5.0 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 6.2 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.6 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 7.8 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 7.7 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 7.8 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.8 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.0 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.3 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 504204 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 4.8 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 5.0 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 6.2 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 6.6 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.1 | 0.00 | 13.00 | PASS |





|     |       |       |        |   |                                     |     |      |       |      |
|-----|-------|-------|--------|---|-------------------------------------|-----|------|-------|------|
| n41 | 50MHz | 30kHz | 518598 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 5.0 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.1 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 518598 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 4.3 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 4.9 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 5.9 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 6.3 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.6 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 7.4 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 7.4 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 7.5 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.7 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 4.9 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.2 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.6 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.0 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.0 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 50MHz | 30kHz | 532998 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 4.6 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 5.6 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.9 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 8.0 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.6 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.6 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.9 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.9 | 0.00 | 13.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |   |                                     |     |      |       |      |
|-----|-------|-------|--------|---|-------------------------------------|-----|------|-------|------|
| n41 | 60MHz | 30kHz | 505200 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.9 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 505200 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 4.4 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 5.6 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.4 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.6 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.9 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.9 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.9 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 518598 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 4.2 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 5.6 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 6.6 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 6.6 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 6.9 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.0 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 7.8 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.0 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.3 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 5.6 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 6.8 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 60MHz | 30kHz | 531996 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 5.0 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 6.2 | 0.00 | 13.00 | PASS |





|     |       |       |        |   |                                     |     |      |       |      |
|-----|-------|-------|--------|---|-------------------------------------|-----|------|-------|------|
| n41 | 80MHz | 30kHz | 507204 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 7.1 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 7.1 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.7 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.8 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 6.1 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 7.1 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 7.3 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 507204 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 4.9 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 6.2 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 7.1 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 7.1 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 7.1 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.7 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.9 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 6.1 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 7.1 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 518598 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 4.8 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 6.2 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 6.9 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 7.1 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 7.1 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.0 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 7.9 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.4 | 0.00 | 13.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |   |                                     |     |      |       |      |
|-----|-------|-------|--------|---|-------------------------------------|-----|------|-------|------|
| n41 | 80MHz | 30kHz | 529998 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.7 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 6.1 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 7.1 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 7.1 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 7.1 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 80MHz | 30kHz | 529998 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 5.0 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 7.3 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.9 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 7.4 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 7.3 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 508200 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 5.0 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 6.5 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 5.0 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 7.4 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 90MHz | 30kHz | 518598 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.5 | 0.00 | 13.00 | PASS |





|     |        |       |        |   |                                     |     |      |       |      |
|-----|--------|-------|--------|---|-------------------------------------|-----|------|-------|------|
| n41 | 90MHz  | 30kHz | 518598 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 518598 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 5.0 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 6.5 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 7.3 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 7.3 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 5.0 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 6.4 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 7.1 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 90MHz  | 30kHz | 528996 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.6 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 5.2 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 7.4 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 7.4 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 5.2 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 6.6 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 7.4 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 7.4 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 509202 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 5.2 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 7.3 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 7.2 | 0.00 | 13.00 | PASS |






|     |        |       |        |   |                                     |     |      |       |      |
|-----|--------|-------|--------|---|-------------------------------------|-----|------|-------|------|
| n41 | 100MHz | 30kHz | 518598 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 8.2 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 5.1 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 6.6 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 7.3 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 7.4 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 518598 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC2 | 5.3 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC2      | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC2     | 7.3 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC2     | 7.3 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC2    | 7.2 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 6 | CP-OFDM QPSK^Outer_Full:PC2         | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 7 | CP-OFDM 16QAM^Outer_Full:PC2        | 8.1 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 8 | CP-OFDM 64QAM^Outer_Full:PC2        | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 9 | CP-OFDM 256QAM^Outer_Full:PC2       | 8.4 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 5.2 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3      | 6.7 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3     | 7.4 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3     | 7.3 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3    | 7.3 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 6 | CP-OFDM QPSK^Outer_Full:PC3         | 8.3 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3        | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3        | 8.5 | 0.00 | 13.00 | PASS |
| n41 | 100MHz | 30kHz | 528000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3       | 8.5 | 0.00 | 13.00 | PASS |





## TestGraph





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity































































































Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity









Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity













Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity