



|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 3 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 36      | 5180            | 7.02                             | 0.17        | 7.19                                           | 12.52                | Pass   |
| 40      | 5200            | 6.99                             | 0.17        | 7.16                                           | 12.52                | Pass   |
| 48      | 5240            | 7.00                             | 0.17        | 7.18                                           | 12.52                | Pass   |


CH36



CH40



CH48




|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 36      | 5180            | 12.37                            | 12.52                | Pass   |
| 40      | 5200            | 12.35                            | 12.52                | Pass   |
| 48      | 5240            | 12.41                            | 12.52                | Pass   |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 36      | 5180            | 7.51                             | 0.23        | 7.74                                           | 12.52                | Pass   |
| 40      | 5200            | 7.74                             | 0.23        | 7.97                                           | 12.52                | Pass   |
| 48      | 5240            | 7.45                             | 0.23        | 7.69                                           | 12.52                | Pass   |


CH36



CH40




CH48




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 36      | 5180            | 7.41                             | 0.23        | 7.65                                           | 12.52                | Pass   |
| 40      | 5200            | 7.49                             | 0.23        | 7.72                                           | 12.52                | Pass   |
| 48      | 5240            | 7.66                             | 0.23        | 7.90                                           | 12.52                | Pass   |


CH36



CH40




CH48




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 36      | 5180            | 7.60                             | 0.23        | 7.84                                           | 12.52                | Pass   |
| 40      | 5200            | 7.14                             | 0.23        | 7.37                                           | 12.52                | Pass   |
| 48      | 5240            | 6.97                             | 0.23        | 7.21                                           | 12.52                | Pass   |


CH36



CH40



CH48




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 36      | 5180            | 12.51                            | 12.52                | Pass   |
| 40      | 5200            | 12.47                            | 12.52                | Pass   |
| 48      | 5240            | 12.38                            | 12.52                | Pass   |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 38      | 5190            | 6.95                             | 0.73        | 7.67                                           | 12.52                | Pass   |
| 46      | 5230            | 6.92                             | 0.73        | 7.65                                           | 12.52                | Pass   |

CH38




CH46




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 38      | 5190            | 6.76                             | 0.73        | 7.48                                           | 12.52                | Pass   |
| 46      | 5230            | 7.12                             | 0.73        | 7.85                                           | 12.52                | Pass   |

CH38




CH46




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 38      | 5190            | 6.39                             | 0.73        | 7.12                                           | 12.52                | Pass   |
| 46      | 5230            | 6.30                             | 0.73        | 7.03                                           | 12.52                | Pass   |

CH38



CH46




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 38      | 5190            | 12.20                            | 12.52                | Pass   |
| 46      | 5230            | 12.29                            | 12.52                | Pass   |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 42      | 5210            | 6.24                             | 1.15        | 7.39                                           | 12.52                | Pass   |


## CH42



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 42      | 5210            | 6.29                             | 1.15        | 7.44                                           | 12.52                | Pass   |


## CH42



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 42      | 5210            | 5.91                             | 1.15        | 7.06                                           | 12.52                | Pass   |

## CH42




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 42      | 5210            | 12.07                            | 12.52                | Pass   |


|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 52      | 5260            | 1.59                             | 0.17        | 1.76                                           | 6.52                 | Pass   |
| 60      | 5300            | 1.73                             | 0.17        | 1.91                                           | 6.52                 | Pass   |
| 64      | 5320            | 1.48                             | 0.17        | 1.65                                           | 6.52                 | Pass   |


CH52



CH60




CH64




|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 52      | 5260            | 1.84                             | 0.17        | 2.01                                           | 6.52                 | Pass   |
| 60      | 5300            | 2.21                             | 0.17        | 2.39                                           | 6.52                 | Pass   |
| 64      | 5320            | 2.29                             | 0.17        | 2.46                                           | 6.52                 | Pass   |


CH52



CH60




CH64




|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 3 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 52      | 5260            | 0.70                             | 0.17        | 0.88                                           | 6.52                 | Pass   |
| 60      | 5300            | 0.56                             | 0.17        | 0.73                                           | 6.52                 | Pass   |
| 64      | 5320            | 0.69                             | 0.17        | 0.87                                           | 6.52                 | Pass   |


CH52



CH60



CH64




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 52      | 5260            | 6.35                             | 6.52                 | Pass   |
| 60      | 5300            | 6.50                             | 6.52                 | Pass   |
| 64      | 5320            | 6.48                             | 6.52                 | Pass   |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 52      | 5260            | 1.33                             | 0.23        | 1.56                                           | 6.52                 | Pass   |
| 60      | 5300            | 1.42                             | 0.23        | 1.65                                           | 6.52                 | Pass   |
| 64      | 5320            | 1.57                             | 0.23        | 1.81                                           | 6.52                 | Pass   |


CH52



CH60




CH64




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 52      | 5260            | 1.74                             | 0.23        | 1.98                                           | 6.52                 | Pass   |
| 60      | 5300            | 1.96                             | 0.23        | 2.20                                           | 6.52                 | Pass   |
| 64      | 5320            | 1.92                             | 0.23        | 2.16                                           | 6.52                 | Pass   |


CH52



CH60




CH64




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 52      | 5260            | 0.70                             | 0.23        | 0.93                                           | 6.52                 | Pass   |
| 60      | 5300            | 0.37                             | 0.23        | 0.60                                           | 6.52                 | Pass   |
| 64      | 5320            | 0.16                             | 0.23        | 0.40                                           | 6.52                 | Pass   |


CH52



CH60



CH64




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 52      | 5260            | 6.28                             | 6.52                 | Pass   |
| 60      | 5300            | 6.30                             | 6.52                 | Pass   |
| 64      | 5320            | 6.29                             | 6.52                 | Pass   |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 54      | 5270            | 0.83                             | 0.73        | 1.56                                           | 6.52                 | Pass   |
| 62      | 5310            | 1.01                             | 0.73        | 1.73                                           | 6.52                 | Pass   |

CH54




CH62




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 54      | 5270            | 0.89                             | 0.73        | 1.62                                           | 6.52                 | Pass   |
| 62      | 5310            | 1.29                             | 0.73        | 2.02                                           | 6.52                 | Pass   |

CH54



CH62




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 54      | 5270            | 0.09                             | 0.73        | 0.82                                           | 6.52                 | Pass   |
| 62      | 5310            | 0.02                             | 0.73        | 0.75                                           | 6.52                 | Pass   |

CH54

CH62




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 54      | 5270            | 6.12                             | 6.52                 | Pass   |
| 62      | 5310            | 6.31                             | 6.52                 | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 58      | 5290            | 0.49                             | 1.15        | 1.64                                           | 6.52                 | Pass   |


CH58



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 58      | 5290            | 1.02                             | 1.15        | 2.17                                           | 6.52                 | Pass   |


CH58



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 58      | 5290            | -0.17                            | 1.15        | 0.98                                           | 6.52                 | Pass   |

## CH58



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 58      | 5290            | 6.39                             | 6.52                 | Pass   |

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 50      | 5250            | 0.02                             | 1.60        | 1.61                                           | 6.52                 | Pass   |

The screenshot shows a spectrum analyzer interface with the following details:

- Top Bar:** MultView, Spectrum, Ref Level: 20.00 dBm, Offset: 10.00 dB, Res: 1 MHz, Span: 200, Start: 0.00 GHz, Stop: 1.00 GHz, Video: 1 MHz, Mode: Auto Sweep.
- Right Panel:**
  - dBm: 100.00
  - Span: 100.00
  - 100.00
  - 5.00 dB
  - 100.00
- Plot Area:**
  - Y-axis: dBm (0, 10, 20, 30, 40, 50, 60)
  - X-axis: GHz (0.0, 0.5, 1.0)
  - Signal: A blue line representing the spectrum, showing a flat baseline at approximately -40 dBm with a sharp 10 dB notch centered at 1000 GHz.
  - Grid: A grid with major lines every 10 dB on the y-axis and every 0.5 GHz on the x-axis.
- Bottom Bar:**
  - Q 5.25 GHz
  - 1000 GHz
  - 40.0 MHz
  - Span 400.0 MHz
  - 50.00 dBm
  - 50.00 dBm
  - 50.00 dBm


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 50      | 5250            | 0.74                             | 1.60        | 2.33                                           | 6.52                 | Pass   |

[illegible]

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 50      | 5250            | -0.49                            | 1.60        | 1.10                                           | 6.52                 | Pass   |

### CH50




|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode_Total |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 50      | 5250            | 6.48                             | 6.52                 | Pass   |


|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 100     | 5500            | 1.36                             | 0.17        | 1.54                                           | 6.52                 | Pass   |
| 116     | 5580            | 1.75                             | 0.17        | 1.92                                           | 6.52                 | Pass   |
| 140     | 5700            | 1.90                             | 0.17        | 2.07                                           | 6.52                 | Pass   |


CH100



CH116




CH140




|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 100     | 5500            | 2.31                             | 0.17        | 2.48                                           | 6.52                 | Pass   |
| 116     | 5580            | 1.72                             | 0.17        | 1.89                                           | 6.52                 | Pass   |
| 140     | 5700            | 2.29                             | 0.17        | 2.47                                           | 6.52                 | Pass   |


CH100



CH116




CH140




Test Mode UNII-2C\_TX A Mode\_Ant. 3

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 100     | 5500            | 0.23                             | 0.17        | 0.41                                           | 6.52                 | Pass   |
| 116     | 5580            | 0.34                             | 0.17        | 0.52                                           | 6.52                 | Pass   |
| 140     | 5700            | -0.01                            | 0.17        | 0.16                                           | 6.52                 | Pass   |


CH100



CH116



CH140




Test Mode UNII-2C\_TX A Mode\_Total

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 100     | 5500            | 6.33                             | 6.52                 | Pass   |
| 116     | 5580            | 6.26                             | 6.52                 | Pass   |
| 140     | 5700            | 6.45                             | 6.52                 | Pass   |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 100     | 5500            | 1.80                             | 0.23        | 2.04                                           | 6.52                 | Pass   |
| 116     | 5580            | 1.71                             | 0.23        | 1.95                                           | 6.52                 | Pass   |
| 140     | 5700            | 1.66                             | 0.23        | 1.90                                           | 6.52                 | Pass   |


CH100



CH116




CH140




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 100     | 5500            | 2.00                             | 0.23        | 2.23                                           | 6.52                 | Pass   |
| 116     | 5580            | 2.00                             | 0.23        | 2.24                                           | 6.52                 | Pass   |
| 140     | 5700            | 2.02                             | 0.23        | 2.26                                           | 6.52                 | Pass   |


CH100



CH116




CH140




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 100     | 5500            | 0.25                             | 0.23        | 0.48                                           | 6.52                 | Pass   |
| 116     | 5580            | 0.55                             | 0.23        | 0.78                                           | 6.52                 | Pass   |
| 140     | 5700            | 0.73                             | 0.23        | 0.96                                           | 6.52                 | Pass   |


CH100



CH116



CH140




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 100     | 5500            | 6.42                             | 6.52                 | Pass   |
| 116     | 5580            | 6.47                             | 6.52                 | Pass   |
| 140     | 5700            | 6.51                             | 6.52                 | Pass   |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 102     | 5510            | 0.71                             | 0.73        | 1.44                                           | 6.52                 | Pass   |
| 110     | 5550            | 1.28                             | 0.73        | 2.01                                           | 6.52                 | Pass   |
| 134     | 5670            | 1.32                             | 0.73        | 2.04                                           | 6.52                 | Pass   |


CH102



CH110




CH134




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 102     | 5510            | 1.32                             | 0.73        | 2.05                                           | 6.52                 | Pass   |
| 110     | 5550            | 1.66                             | 0.73        | 2.38                                           | 6.52                 | Pass   |
| 134     | 5670            | 1.48                             | 0.73        | 2.21                                           | 6.52                 | Pass   |


CH102



CH110




CH134




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 102     | 5510            | -0.56                            | 0.73        | 0.17                                           | 6.52                 | Pass   |
| 110     | 5550            | -0.14                            | 0.73        | 0.59                                           | 6.52                 | Pass   |
| 134     | 5670            | -0.08                            | 0.73        | 0.65                                           | 6.52                 | Pass   |


CH102



CH110



CH134




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 102     | 5510            | 6.06                             | 6.52                 | Pass   |
| 110     | 5550            | 6.50                             | 6.52                 | Pass   |
| 134     | 5670            | 6.46                             | 6.52                 | Pass   |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 106     | 5530            | 0.14                             | 1.15        | 1.29                                           | 6.52                 | Pass   |
| 122     | 5610            | 0.50                             | 1.15        | 1.65                                           | 6.52                 | Pass   |

CH106




CH122




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 106     | 5530            | 1.50                             | 1.15        | 2.65                                           | 6.52                 | Pass   |
| 122     | 5610            | 1.38                             | 1.15        | 2.53                                           | 6.52                 | Pass   |

CH106




CH122




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 106     | 5530            | -0.69                            | 1.15        | 0.46                                           | 6.52                 | Pass   |
| 122     | 5610            | -0.83                            | 1.15        | 0.32                                           | 6.52                 | Pass   |

CH106



CH122




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 106     | 5530            | 6.34                             | 6.52                 | Pass   |
| 122     | 5610            | 6.36                             | 6.52                 | Pass   |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX(HE160) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 114     | 5570            | 0.62                             | 1.60        | 2.21                                           | 6.52                 | Pass   |


## CH114



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX(HE160) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 114     | 5570            | 0.60                             | 1.60        | 2.20                                           | 6.52                 | Pass   |


## CH114



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX(HE160) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|--------|
| 114     | 5570            | -1.03                            | 1.60        | 0.56                                           | 6.52                 | Pass   |

## CH114



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE160) Mode_Total |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 114     | 5570            | 6.50                             | 6.52                 | Pass   |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 1 |
|-----------|-------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|------------------------------------------------|--------------------------|--------|
| 149     | 5745            | 6.29                                 | 13.28                                | 0.17             | 13.45                                          | 25.52                    | Pass   |
| 157     | 5785            | 7.30                                 | 14.29                                | 0.17             | 14.46                                          | 25.52                    | Pass   |
| 165     | 5825            | 6.64                                 | 13.63                                | 0.17             | 13.80                                          | 25.52                    | Pass   |

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 2 |
|-----------|-------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|------------------------------------------------|--------------------------|--------|
| 149     | 5745            | 6.75                                 | 13.74                                | 0.17             | 13.91                                          | 25.52                    | Pass   |
| 157     | 5785            | 7.08                                 | 14.07                                | 0.17             | 14.24                                          | 25.52                    | Pass   |
| 165     | 5825            | 7.09                                 | 14.08                                | 0.17             | 14.25                                          | 25.52                    | Pass   |

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 3 |
|-----------|-------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|------------------------------------------------|--------------------------|--------|
| 149     | 5745            | 5.61                                 | 12.60                                | 0.17             | 12.77                                          | 25.52                    | Pass   |
| 157     | 5785            | 6.86                                 | 13.85                                | 0.17             | 14.02                                          | 25.52                    | Pass   |
| 165     | 5825            | 6.61                                 | 13.60                                | 0.17             | 13.77                                          | 25.52                    | Pass   |

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165



|           |                        |
|-----------|------------------------|
| Test Mode | UNII-3_TX A Mode_Total |
|-----------|------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------|--------|
| 149     | 5745            | 18.18                                | 25.52                    | Pass   |
| 157     | 5785            | 19.02                                | 25.52                    | Pass   |
| 165     | 5825            | 18.72                                | 25.52                    | Pass   |

Test Mode UNII-3\_TX AX(HE20) Mode\_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|------------------------------------------------|--------------------------|--------|
| 149     | 5745            | 5.72                                 | 12.71                                | 0.23             | 12.94                                          | 25.52                    | Pass   |
| 157     | 5785            | 5.67                                 | 12.66                                | 0.23             | 12.89                                          | 25.52                    | Pass   |
| 165     | 5825            | 5.21                                 | 12.20                                | 0.23             | 12.43                                          | 25.52                    | Pass   |

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode UNII-3\_TX AX(HE20) Mode\_Ant. 2


| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|------------------------------------------------|--------------------------|--------|
| 149     | 5745            | 6.19                                 | 13.18                                | 0.23             | 13.41                                          | 25.52                    | Pass   |
| 157     | 5785            | 5.50                                 | 12.49                                | 0.23             | 12.72                                          | 25.52                    | Pass   |
| 165     | 5825            | 5.77                                 | 12.76                                | 0.23             | 12.99                                          | 25.52                    | Pass   |

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 3 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|------------------------------------------------|--------------------------|--------|
| 149     | 5745            | 5.11                                 | 12.10                                | 0.23             | 12.51                                          | 25.52                    | Pass   |
| 157     | 5785            | 4.71                                 | 11.76                                | 0.23             | 11.99                                          | 25.52                    | Pass   |
| 165     | 5825            | 5.29                                 | 12.28                                | 0.23             | 12.51                                          | 25.52                    | Pass   |

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165



|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------|--------|
| 149     | 5745            | 17.69                                | 25.52                    | Pass   |
| 157     | 5785            | 17.33                                | 25.52                    | Pass   |
| 165     | 5825            | 17.43                                | 25.52                    | Pass   |