



OBW NVNT a 5745MHz Ant1




Date: 10.DEC.2024 11:19:03

OBW NVNT a 5785MHz Ant1




Date: 10.DEC.2024 11:21:32

OBW NVNT a 5825MHz Ant1




Date: 10.DEC.2024 11:24:35

OBW NVNT ac20 5745MHz Ant1




Date: 10.DEC.2024 11:59:18

OBW NVNT ac20 5785MHz Ant1




Date: 10.DEC.2024 12:04:18

OBW NVNT ac20 5825MHz Ant1




Date: 10.DEC.2024 12:06:14

OBW NVNT ac40 5755MHz Ant1




Date: 10.DEC.2024 13:52:20

OBW NVNT ac40 5795MHz Ant1




Date: 10.DEC.2024 13:54:31

OBW NVNT ac80 5775MHz Ant1




Date: 10.DEC.2024 13:56:47

OBW NVNT ax20 5745MHz Ant1




Date: 10.DEC.2024 14:01:04

OBW NVNT ax20 5785MHz Ant1




Date: 10.DEC.2024 14:07:12

OBW NVNT ax20 5825MHz Ant1




Date: 10.DEC.2024 14:09:01

OBW NVNT ax40 5755MHz Ant1




Date: 10.DEC.2024 14:16:19

OBW NVNT ax40 5795MHz Ant1




Date: 10.DEC.2024 14:25:24

OBW NVNT ax80 5775MHz Ant1




Date: 10.DEC.2024 14:55:07

OBW NVNT n20 5745MHz Ant1




Date: 10.DEC.2024 11:46:13

OBW NVNT n20 5785MHz Ant1




Date: 10.DEC.2024 11:48:56

OBW NVNT n20 5825MHz Ant1




Date: 10.DEC.2024 11:51:54

OBW NVNT n40 5755MHz Ant1




Date: 10.DEC.2024 12:08:37

OBW NVNT n40 5795MHz Ant1



Date: 10.DEC.2024 12:10:36

4.4 Peak Transmit Power

Test Requirement:	FCC Part15 E Section 15.407
Test Method:	KDB 789033 D02 General UNII Test Procedures New Rules v02r01
Limit:	FCC: For the band 5.15-5.25GHz, 5.25-5.35GHz, 5.47-5.725GHz, The maximum conducted output power over the frequency bands of operation shall not exceed 250mW. For the band 5.725-5.85GHz, the maximum conducted output power over the frequency bands of operation shall not exceed 1W.
Test setup:	 The diagram illustrates the test setup. A 'Power Meter' is connected to an 'E.U.T' (Equipment Under Test) by a red cable. Both components are positioned on a 'Non-Conducted Table'. This table is supported by two vertical legs. Below the table, a 'Ground Reference Plane' is indicated.
Test procedure:	Measurement using an RF average power meter (i) Measurements may be performed using a wideband RF power meter with a thermocouple detector or equivalent if all of the conditions listed below are satisfied a) The EUT is configured to transmit continuously or to transmit with a constant duty cycle. b) At all times when the EUT is transmitting, it must be transmitting at its maximum power control level. c) The integration period of the power meter exceeds the repetition period of the transmitted signal by at least a factor of five. (ii) If the transmitter does not transmit continuously, measure the duty cycle, x, of the transmitter output signal as described in section B). (iii) Measure the average power of the transmitter. This measurement is an average over both the on and off periods of the transmitter. (iv) Adjust the measurement in dBm by adding $10 \log(1/x)$ where x is the duty cycle (e.g., $10 \log(1/0.25)$ if the duty cycle is 25 percent).
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details
Test results:	Pass

Measurement Data**Band 1 (5150-5250 MHz)**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	14.814	24	Pass
NVNT	a	5200	Ant1	14.726	24	Pass
NVNT	a	5240	Ant1	14.788	24	Pass
NVNT	ac20	5180	Ant1	14.343	24	Pass
NVNT	ac20	5200	Ant1	13.563	24	Pass
NVNT	ac20	5240	Ant1	13.463	24	Pass
NVNT	ac40	5190	Ant1	14.762	24	Pass
NVNT	ac40	5230	Ant1	13.67	24	Pass
NVNT	ac80	5210	Ant1	14.874	24	Pass
NVNT	ax20	5180	Ant1	14.012	24	Pass
NVNT	ax20	5200	Ant1	13.804	24	Pass
NVNT	ax20	5240	Ant1	13.55	24	Pass
NVNT	ax40	5190	Ant1	14.008	24	Pass
NVNT	ax40	5230	Ant1	13.858	24	Pass
NVNT	ax80	5210	Ant1	14.423	24	Pass
NVNT	n20	5180	Ant1	14.196	24	Pass
NVNT	n20	5200	Ant1	13.661	24	Pass
NVNT	n20	5240	Ant1	13.601	24	Pass
NVNT	n40	5190	Ant1	13.872	24	Pass
NVNT	n40	5230	Ant1	14.045	24	Pass

Band 2 (5250 -5350 MHz)

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	13.879	24	Pass
NVNT	a	5280	Ant1	14.489	24	Pass
NVNT	a	5320	Ant1	13.46	24	Pass
NVNT	ac20	5260	Ant1	14.764	24	Pass
NVNT	ac20	5280	Ant1	14.611	24	Pass
NVNT	ac20	5320	Ant1	14.473	24	Pass
NVNT	ac40	5270	Ant1	14.629	24	Pass
NVNT	ac40	5310	Ant1	14.179	24	Pass
NVNT	ac80	5290	Ant1	14.959	24	Pass
NVNT	ax20	5260	Ant1	14.522	24	Pass
NVNT	ax20	5280	Ant1	13.518	24	Pass
NVNT	ax20	5320	Ant1	12.965	24	Pass
NVNT	ax40	5270	Ant1	14.347	24	Pass
NVNT	ax40	5310	Ant1	13.392	24	Pass
NVNT	ax80	5290	Ant1	14.545	24	Pass
NVNT	n20	5260	Ant1	14.169	24	Pass
NVNT	n20	5280	Ant1	14.681	24	Pass
NVNT	n20	5320	Ant1	13.213	24	Pass
NVNT	n40	5270	Ant1	14.295	24	Pass
NVNT	n40	5310	Ant1	14.043	24	Pass


Band 3 (5470 -5725 MHz)

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	14.685	24	Pass
NVNT	a	5580	Ant1	14.096	24	Pass
NVNT	a	5700	Ant1	13.796	24	Pass
NVNT	ac20	5500	Ant1	14.287	24	Pass
NVNT	ac20	5580	Ant1	13.845	24	Pass
NVNT	ac20	5700	Ant1	13.108	24	Pass
NVNT	ac40	5510	Ant1	13.797	24	Pass
NVNT	ac40	5670	Ant1	14.842	24	Pass
NVNT	ac80	5530	Ant1	13.924	24	Pass
NVNT	ax20	5500	Ant1	14.445	24	Pass
NVNT	ax20	5580	Ant1	13.802	24	Pass
NVNT	ax20	5700	Ant1	13.586	24	Pass
NVNT	ax40	5510	Ant1	13.597	24	Pass
NVNT	ax40	5670	Ant1	14.917	24	Pass
NVNT	ax80	5530	Ant1	14.91	24	Pass
NVNT	n20	5500	Ant1	13.584	24	Pass
NVNT	n20	5580	Ant1	14.15	24	Pass
NVNT	n20	5700	Ant1	14.226	24	Pass
NVNT	n40	5510	Ant1	13.621	24	Pass
NVNT	n40	5670	Ant1	14.329	24	Pass

Band 4 (5725 – 5850 MHz)

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	14.556	30	Pass
NVNT	a	5785	Ant1	13.233	30	Pass
NVNT	a	5825	Ant1	12.971	30	Pass
NVNT	ac20	5745	Ant1	13.184	30	Pass
NVNT	ac20	5785	Ant1	13.538	30	Pass
NVNT	ac20	5825	Ant1	13.293	30	Pass
NVNT	ac40	5755	Ant1	13.966	30	Pass
NVNT	ac40	5795	Ant1	13.846	30	Pass
NVNT	ac80	5775	Ant1	13.187	30	Pass
NVNT	ax20	5745	Ant1	13.714	30	Pass
NVNT	ax20	5785	Ant1	13.68	30	Pass
NVNT	ax20	5825	Ant1	13.788	30	Pass
NVNT	ax40	5755	Ant1	13.212	30	Pass
NVNT	ax40	5795	Ant1	12.638	30	Pass
NVNT	ax80	5775	Ant1	12.833	30	Pass
NVNT	n20	5745	Ant1	14.288	30	Pass
NVNT	n20	5785	Ant1	13.053	30	Pass
NVNT	n20	5825	Ant1	13.333	30	Pass
NVNT	n40	5755	Ant1	14.027	30	Pass
NVNT	n40	5795	Ant1	13.67	30	Pass


4.5 Power Spectral Density

Test Requirement:	FCC Part15 E Section 15.407
Test Method:	KDB 789033 D02 General UNII Test Procedures New Rules v02r01
Limit:	FCC: 1.≤11.00dBm/MHz for 5150MHz-5250MHz, 5250-5350MHz and 5470-5725 MHz 2.≤30.00dBm/500KHz for 5725MHz-5850MHz
Test setup:	 The diagram illustrates the test setup. A Spectrum Analyzer is connected to an E.U.T. (Equipment Under Test) via a red cable. Both the Spectrum Analyzer and the E.U.T. are placed on a Non-Conducted Table. The table is supported by two vertical legs. Below the table is a Ground Reference Plane.
Test procedure:	1) Create an average power spectrum for the EUT operating mode being tested by following the instructions in section E)2) for measuring maximum conducted output power using a spectrum analyzer or EMI receiver: select the appropriate test method (SA-1, SA-2, SA-3, or alternatives to each) and apply it up to, but not including, the step labeled, "Compute power...". 2) Use the peak search function on the instrument to find the peak of the spectrum. 3) Make the following adjustments to the peak value of the spectrum, if applicable: a) If Method SA-2 or SA-2 Alternative was used, add $10 \log(1/x)$, where x is the duty cycle, to the peak of the spectrum. b) If Method SA-3 Alternative was used and the linear mode was used in step E)2)g)(viii), add 1 dB to the final result to compensate for the difference between linear averaging and power averaging. 4) The result is the PSD. 5) 1. Antenna assembly gain G in dBi of the individual antenna. 2. EIRP PSD = Max PSD + G (When testing, the line loss has already been added to the antenna gain, so the test result is EIRP PSD)
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details
Test results:	Pass

Measurement Data**Band 1 (5150-5250 MHz)**


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	4.398	11	Pass
NVNT	a	5200	Ant1	4.282	11	Pass
NVNT	a	5240	Ant1	3.91	11	Pass
NVNT	ac20	5180	Ant1	3.989	11	Pass
NVNT	ac20	5200	Ant1	3.241	11	Pass
NVNT	ac20	5240	Ant1	3.131	11	Pass
NVNT	ac40	5190	Ant1	1.479	11	Pass
NVNT	ac40	5230	Ant1	0.345	11	Pass
NVNT	ac80	5210	Ant1	-1.636	11	Pass
NVNT	ax20	5180	Ant1	-7.771	11	Pass
NVNT	ax20	5200	Ant1	-9.131	11	Pass
NVNT	ax20	5240	Ant1	-7.917	11	Pass
NVNT	ax40	5190	Ant1	-7.873	11	Pass
NVNT	ax40	5230	Ant1	-8.64	11	Pass
NVNT	ax80	5210	Ant1	-10.733	11	Pass
NVNT	n20	5180	Ant1	3.887	11	Pass
NVNT	n20	5200	Ant1	3.625	11	Pass
NVNT	n20	5240	Ant1	3.696	11	Pass
NVNT	n40	5190	Ant1	1.274	11	Pass
NVNT	n40	5230	Ant1	0.813	11	Pass

PSD NVNT a 5180MHz Ant1




Date: 9.DEC.2024 14:44:18

PSD NVNT a 5200MHz Ant1




Date: 9.DEC.2024 14:53:30

PSD NVNT a 5240MHz Ant1




Date: 9.DEC.2024 14:57:30

PSD NVNT ac20 5180MHz Ant1




Date: 9.DEC.2024 15:14:53

PSD NVNT ac20 5200MHz Ant1




Date: 9.DEC.2024 15:18:09

PSD NVNT ac20 5240MHz Ant1




Date: 9.DEC.2024 15:20:45

PSD NVNT ac40 5190MHz Ant1




Date: 9.DEC.2024 15:32:23

PSD NVNT ac40 5230MHz Ant1




Date: 9.DEC.2024 15:35:23

PSD NVNT ac80 5210MHz Ant1




Date: 9.DEC.2024 15:49:55

PSD NVNT ax20 5180MHz Ant1




Date: 9.DEC.2024 16:07:04

PSD NVNT ax20 5200MHz Ant1




Date: 9.DEC.2024 16:09:30

PSD NVNT ax20 5240MHz Ant1




Date: 9.DEC.2024 16:11:54

PSD NVNT ax40 5190MHz Ant1




Date: 9.DEC.2024 16:14:29

PSD NVNT ax40 5230MHz Ant1




Date: 9.DEC.2024 16:18:14

PSD NVNT ax80 5210MHz Ant1




Date: 9.DEC.2024 16:21:19

PSD NVNT n20 5180MHz Ant1




Date: 9.DEC.2024 15:04:43

PSD NVNT n20 5200MHz Ant1




Date: 9.DEC.2024 15:09:20

PSD NVNT n20 5240MHz Ant1




Date: 9.DEC.2024 15:12:13

PSD NVNT n40 5190MHz Ant1



Date: 9.DEC.2024 15:25:05

PSD NVNT n40 5230MHz Ant1




Date: 9.DEC.2024 15:28:18

Band 2 (5250 -5350 MHz)


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	2.741	11	Pass
NVNT	a	5280	Ant1	2.961	11	Pass
NVNT	a	5320	Ant1	2.802	11	Pass
NVNT	ac20	5260	Ant1	-5.018	11	Pass
NVNT	ac20	5280	Ant1	-5.076	11	Pass
NVNT	ac20	5320	Ant1	-5.376	11	Pass
NVNT	ac40	5270	Ant1	1.176	11	Pass
NVNT	ac40	5310	Ant1	1.234	11	Pass
NVNT	ac80	5290	Ant1	-1.352	11	Pass
NVNT	ax20	5260	Ant1	-5.696	11	Pass
NVNT	ax20	5280	Ant1	-6.562	11	Pass
NVNT	ax20	5320	Ant1	-7.186	11	Pass
NVNT	ax40	5270	Ant1	-7.056	11	Pass
NVNT	ax40	5310	Ant1	-8.383	11	Pass
NVNT	ax80	5290	Ant1	-9.739	11	Pass
NVNT	n20	5260	Ant1	3.406	11	Pass
NVNT	n20	5280	Ant1	4.048	11	Pass
NVNT	n20	5320	Ant1	2.262	11	Pass
NVNT	n40	5270	Ant1	0.466	11	Pass
NVNT	n40	5310	Ant1	0.582	11	Pass

PSD NVNT a 5260MHz Ant1




Date: 9.DEC.2024 16:26:58

PSD NVNT a 5280MHz Ant1




Date: 9.DEC.2024 16:39:57

PSD NVNT a 5320MHz Ant1




Date: 9.DEC.2024 16:43:59

PSD NVNT ac20 5260MHz Ant1




Date: 9.DEC.2024 17:52:58

PSD NVNT ac20 5280MHz Ant1




Date: 9.DEC.2024 17:55:42

PSD NVNT ac20 5320MHz Ant1




Date: 9.DEC.2024 17:58:27

PSD NVNT ac40 5270MHz Ant1




Date: 10.DEC.2024 09:21:27

PSD NVNT ac40 5310MHz Ant1




Date: 10.DEC.2024 09:27:17

PSD NVNT ac80 5290MHz Ant1




Date: 10.DEC.2024 09:31:24

PSD NVNT ax20 5260MHz Ant1




Date: 10.DEC.2024 09:38:12

PSD NVNT ax20 5280MHz Ant1




Date: 10.DEC.2024 09:41:11

PSD NVNT ax20 5320MHz Ant1




Date: 10.DEC.2024 09:43:08

PSD NVNT ax40 5270MHz Ant1




Date: 10.DEC.2024 09:47:21

PSD NVNT ax40 5310MHz Ant1




Date: 10.DEC.2024 09:49:47

PSD NVNT ax80 5290MHz Ant1




Date: 10.DEC.2024 09:54:15

PSD NVNT n20 5260MHz Ant1




Date: 9.DEC.2024 16:47:29

PSD NVNT n20 5280MHz Ant1




Date: 9.DEC.2024 17:46:24

PSD NVNT n20 5320MHz Ant1




Date: 9.DEC.2024 17:49:37

PSD NVNT n40 5270MHz Ant1



Date: 9.DEC.2024 18:04:21

PSD NVNT n40 5310MHz Ant1




Date: 9.DEC.2024 18:07:28

Band 3 (5470 -5725 MHz)


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	4.403	11	Pass
NVNT	a	5580	Ant1	4.251	11	Pass
NVNT	a	5700	Ant1	4.249	11	Pass
NVNT	ac20	5500	Ant1	3.89	11	Pass
NVNT	ac20	5580	Ant1	3.038	11	Pass
NVNT	ac20	5700	Ant1	2.965	11	Pass
NVNT	ac40	5510	Ant1	0.645	11	Pass
NVNT	ac40	5670	Ant1	1.619	11	Pass
NVNT	ac80	5530	Ant1	-1.86	11	Pass
NVNT	ax20	5500	Ant1	-5.119	11	Pass
NVNT	ax20	5580	Ant1	-5.179	11	Pass
NVNT	ax20	5700	Ant1	-5.52	11	Pass
NVNT	ax40	5510	Ant1	-7.743	11	Pass
NVNT	ax40	5670	Ant1	-6.463	11	Pass
NVNT	ax80	5530	Ant1	-9.696	11	Pass
NVNT	n20	5500	Ant1	3.716	11	Pass
NVNT	n20	5580	Ant1	4.017	11	Pass
NVNT	n20	5700	Ant1	4.168	11	Pass
NVNT	n40	5510	Ant1	0.432	11	Pass
NVNT	n40	5670	Ant1	1.196	11	Pass

PSD NVNT a 5500MHz Ant1




Date: 10.DEC.2024 09:58:26

PSD NVNT a 5580MHz Ant1




Date: 10.DEC.2024 10:08:09

PSD NVNT a 5700MHz Ant1




Date: 10.DEC.2024 10:10:00

PSD NVNT ac20 5500MHz Ant1




Date: 10.DEC.2024 10:25:40

PSD NVNT ac20 5580MHz Ant1




Date: 10.DEC.2024 10:28:06

PSD NVNT ac20 5700MHz Ant1




Date: 10.DEC.2024 10:31:28

PSD NVNT ac40 5510MHz Ant1




Date: 10.DEC.2024 10:44:17


PSD NVNT ac40 5670MHz Ant1



PSD NVNT ac80 5530MHz Ant1




PSD NVNT ax20 5500MHz Ant1




Date: 10.DEC.2024 10:57:36

PSD NVNT ax20 5580MHz Ant1




Date: 10.DEC.2024 10:59:31


PSD NVNT ax20 5700MHz Ant1




PSD NVNT ax40 5510MHz Ant1




PSD NVNT ax40 5670MHz Ant1



PSD NVNT ax80 5530MHz Ant1




PSD NVNT n20 5500MHz Ant1




Date: 10.DEC.2024 10:18:11

PSD NVNT n20 5580MHz Ant1




Date: 10.DEC.2024 10:20:57

PSD NVNT n20 5700MHz Ant1




Date: 10.DEC.2024 10:23:20

PSD NVNT n40 5510MHz Ant1



Date: 10.DEC.2024 10:33:57

PSD NVNT n40 5670MHz Ant1




Date: 10.DEC.2024 10:38:17

Band 4 (5725 – 5850 MHz)


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	0.147	30	Pass
NVNT	a	5785	Ant1	-0.9	30	Pass
NVNT	a	5825	Ant1	-0.983	30	Pass
NVNT	ac20	5745	Ant1	-0.557	30	Pass
NVNT	ac20	5785	Ant1	-0.061	30	Pass
NVNT	ac20	5825	Ant1	-0.38	30	Pass
NVNT	ac40	5755	Ant1	-2.43	30	Pass
NVNT	ac40	5795	Ant1	-2.619	30	Pass
NVNT	ac80	5775	Ant1	-5.947	30	Pass
NVNT	ax20	5745	Ant1	-9.095	30	Pass
NVNT	ax20	5785	Ant1	-9.11	30	Pass
NVNT	ax20	5825	Ant1	-8.922	30	Pass
NVNT	ax40	5755	Ant1	-10.901	30	Pass
NVNT	ax40	5795	Ant1	-11.784	30	Pass
NVNT	ax80	5775	Ant1	-14.167	30	Pass
NVNT	n20	5745	Ant1	-0.489	30	Pass
NVNT	n20	5785	Ant1	-1.213	30	Pass
NVNT	n20	5825	Ant1	-1.311	30	Pass
NVNT	n40	5755	Ant1	-2.728	30	Pass
NVNT	n40	5795	Ant1	-2.965	30	Pass

PSD NVNT a 5745MHz Ant1




Date: 10.DEC.2024 11:19:29


PSD NVNT a 5785MHz Ant1




PSD NVNT a 5825MHz Ant1




PSD NVNT ac20 5745MHz Ant1



PSD NVNT ac20 5785MHz Ant1



PSD NVNT ac20 5825MHz Ant1



PSD NVNT ac40 5755MHz Ant1

