


Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2400MHz	2500MHz	2400MHz	2400MHz	2500MHz
	-1.83	-0.98	-0.89	-6.23	-3.97	-2.32
MAX. Gain	-0.89dBi					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Antenna type	PCB					
Impedance	50 Ohm					
length and width	20.4*0.8mm					
Manufacture	Shenzhen Jili Innovation Technology Co., Ltd					
Address	Room 27C, Building 9, Shuian Garden, No. 16, Shenglong Road, Shengping Community, Longcheng Street, Longgang District, Shenzhen, China					


Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div




Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
2400	-1.83174	-30.0801	-7.18716
2450	-0.975802	-36.5604	-7.48023
2500	-0.894582	-22.0315	-6.59127

Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
2400	-6.2337	-22.1424	-12.4294
2450	-3.9652	-24.5837	-10.4702
2500	-2.32120	-29.5214	-9.20432

ANT Test Labs: Attestation of Global Compliance Co., Ltd.