

MPE ESTIMATION

FCC ID: 2BMW-G-JT-8183

1, Limit for General Population/ Uncontrolled Exposures

Frequency	Power density (mW/ cm ²)	Averaging time(minutes)
300MHz----1.5GHz	F/1500	30
1.5GHz---100GHz	1.0	30

Note: F= Frequency in MHz

2, Estimation Result

	Frequency (MHz)	Max PK Output power(dBm)	Tune Up Power(dBm)	Max Tune Up power(mW)	Antenna Gain(dBi)	Antenna Gain (numerical)	MPE (mW/cm ²)
2.4GWiFi	2437	16.86	16±1(17)	50.119	3.68	2.33	0.02328
BLE	2440	4.83	4±1(5)	3.162	3.68	2.33	0.00147
$Pd = \frac{P_{out} * G}{4\pi r^2}$;							
Note: The estimation distance is 20cm							
Note: PK Output power= conducted power. Conducted power see the test report HK2412097576-1E/2E , antenna gain=3.68dBi.							
Bluetooth and 2.4GWiFi cannot be transmitted at the same time							

When the minimum test separation distance is >20 cm, a distance of 20 cm is applied to determine RF Exposure test exclusion. The test exclusion threshold is 0.02328mW/cm² which is< 1.0mW/cm², RF Exposure testing is not required.

-----The End-----