Use Tips for the Remote Control Indicator Light (1H) (b) On/Off 1 Hour Timing Brightness Increase Decrease to 3000K Increase to 6000K Natural Light Mode Brightness Decreas (4500K 100% brightness) 3 CCT Switch Night Light Mode (3000K / 4500K/6000K) (50% brightness 3000K) 50% brightness 3000K

Reading Mode

(50% brightness 4500K)

Check if the remote works:

Working Mode


(50% brightness 6000K)

Install the battery (not included) to the remote. Switch on the lamp and check if every button works well. If the remote control doesn't work for the lamp, please check whether the indicator light lights up or not. If it is on, please match the code (refer to "Matching Process").

If it still doesn't work, please clear the code (refer to "Code-clearing Process") and match the code again. Or please contact us immediately.


Matching Process:

- 1.Install the lamp and turn it on.
- 2.Within 1 minute of power-on, press the power button of the remote and hold on around 5 seconds.
- 3. When the light flashes, it matches successfully.



Code-clearing Process:

Switch on and off for 5 cycles. When the lamp flashes, it means clear the code successfully.



If the bulb loose connection with the remote, please press and hold the ON/OFF button for 5 seconds If the 2 bulbs are in a different working mode, you need to reset the pairing with remote and bulb by pressing the button"

"""

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- · Increase the separation between the equipment and receiver.
- · Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- · Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Information

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.