

# RF Test Data for 2.4G WiFi (Conducted Measurements)

| General Description of EUT                                                                                                                   |                        |
|----------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| Product Name:                                                                                                                                | Security Indoor Cam    |
| Test Model:                                                                                                                                  | CM-C2U                 |
| Sample ID:                                                                                                                                   | HC-C-202412-0172-01-01 |
| Environmental Conditions                                                                                                                     |                        |
| Temperature:                                                                                                                                 | 24.6℃                  |
| Relative Humidity:                                                                                                                           | 48.6%                  |
| Test Voltage:                                                                                                                                | DC 5V                  |
| Test Engineer:                                                                                                                               | Rick chen              |
| Note: For a more detailed features description, please refer to the report TBR-C-202412-0172-11<br>The report only show the worst case data. |                        |



## Contents

|    |                                            |    |
|----|--------------------------------------------|----|
| 1. | Duty Cycle .....                           | 3  |
| 2. | Maximum Conducted Output Power .....       | 13 |
| 3. | -6dB Bandwidth .....                       | 14 |
| 4. | Occupied Channel Bandwidth .....           | 24 |
| 5. | Maximum Power Spectral Density Level ..... | 34 |
| 6. | Band Edge .....                            | 44 |
| 7. | Conducted RF Spurious Emission .....       | 57 |
| 8. | Restrict Band .....                        | 76 |




## 1. Duty Cycle


| Condition | Mode      | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|-----------|-----------------|---------|----------------|------------------------|-----------|
| NVNT      | ax(VHT20) | 2412            | Ant1    | 35.8           | 4.46                   | 3.45      |
| NVNT      | ax(VHT20) | 2437            | Ant1    | 35.37          | 4.51                   | 3.45      |
| NVNT      | ax(VHT20) | 2462            | Ant1    | 34.57          | 4.61                   | 3.57      |
| NVNT      | ax(VHT40) | 2422            | Ant1    | 35             | 4.56                   | 3.57      |
| NVNT      | ax(VHT40) | 2437            | Ant1    | 34.57          | 4.61                   | 3.57      |
| NVNT      | ax(VHT40) | 2452            | Ant1    | 35.8           | 4.46                   | 3.45      |
| NVNT      | b         | 2412            | Ant1    | 94.29          | 0.26                   | 0.12      |
| NVNT      | b         | 2437            | Ant1    | 94.18          | 0.26                   | 0.12      |
| NVNT      | b         | 2462            | Ant1    | 94.18          | 0.26                   | 0.12      |
| NVNT      | g         | 2412            | Ant1    | 72.92          | 1.37                   | 0.71      |
| NVNT      | g         | 2437            | Ant1    | 72.92          | 1.37                   | 0.71      |
| NVNT      | g         | 2462            | Ant1    | 72.92          | 1.37                   | 0.71      |
| NVNT      | n(HT20)   | 2412            | Ant1    | 50.47          | 2.97                   | 1.85      |
| NVNT      | n(HT20)   | 2437            | Ant1    | 50.47          | 2.97                   | 1.85      |
| NVNT      | n(HT20)   | 2462            | Ant1    | 50.47          | 2.97                   | 1.85      |
| NVNT      | n(HT40)   | 2422            | Ant1    | 50.48          | 2.97                   | 1.89      |
| NVNT      | n(HT40)   | 2437            | Ant1    | 50.48          | 2.97                   | 1.89      |
| NVNT      | n(HT40)   | 2452            | Ant1    | 50.48          | 2.97                   | 1.89      |

### Test Graphs

#### Duty Cycle NVNT ax(VHT20) 2412MHz Ant1




#### Duty Cycle NVNT ax(VHT20) 2437MHz Ant1







Duty Cycle NVNT ax(VHT20) 2462MHz Ant1




Duty Cycle NVNT ax(VHT40) 2422MHz Ant1



Duty Cycle NVNT ax(VHT40) 2437MHz Ant1




Duty Cycle NVNT ax(VHT40) 2452MHz Ant1







Duty Cycle NVNT b 2412MHz Ant1




Duty Cycle NVNT b 2437MHz Ant1



### Duty Cycle NVNT b 2462MHz Ant1




### Duty Cycle NVNT g 2412MHz Ant1







Duty Cycle NVNT g 2437MHz Ant1




Duty Cycle NVNT g 2462MHz Ant1



Duty Cycle NVNT n(HT20) 2412MHz Ant1




Duty Cycle NVNT n(HT20) 2437MHz Ant1







Duty Cycle NVNT n(HT20) 2462MHz Ant1




Duty Cycle NVNT n(HT40) 2422MHz Ant1



Duty Cycle NVNT n(HT40) 2437MHz Ant1



Duty Cycle NVNT n(HT40) 2452MHz Ant1





## 2. Maximum Conducted Output Power

| Condition | Mode      | Frequency (MHz) | Antenna | Total Power (dBm) | Limit (dBm) | Verdict |
|-----------|-----------|-----------------|---------|-------------------|-------------|---------|
| NVNT      | ax(VHT20) | 2412            | Ant1    | 17.07             | 30          | Pass    |
| NVNT      | ax(VHT20) | 2437            | Ant1    | 17.54             | 30          | Pass    |
| NVNT      | ax(VHT20) | 2462            | Ant1    | 16.08             | 30          | Pass    |
| NVNT      | ax(VHT40) | 2422            | Ant1    | 16.89             | 30          | Pass    |
| NVNT      | ax(VHT40) | 2437            | Ant1    | 17.69             | 30          | Pass    |
| NVNT      | ax(VHT40) | 2452            | Ant1    | 17.07             | 30          | Pass    |
| NVNT      | b         | 2412            | Ant1    | 16.23             | 30          | Pass    |
| NVNT      | b         | 2437            | Ant1    | 15.45             | 30          | Pass    |
| NVNT      | b         | 2462            | Ant1    | 14.67             | 30          | Pass    |
| NVNT      | g         | 2412            | Ant1    | 14.59             | 30          | Pass    |
| NVNT      | g         | 2437            | Ant1    | 15.05             | 30          | Pass    |
| NVNT      | g         | 2462            | Ant1    | 14.3              | 30          | Pass    |
| NVNT      | n(HT20)   | 2412            | Ant1    | 15.53             | 30          | Pass    |
| NVNT      | n(HT20)   | 2437            | Ant1    | 16.17             | 30          | Pass    |
| NVNT      | n(HT20)   | 2462            | Ant1    | 15.46             | 30          | Pass    |
| NVNT      | n(HT40)   | 2422            | Ant1    | 15.39             | 30          | Pass    |
| NVNT      | n(HT40)   | 2437            | Ant1    | 16.06             | 30          | Pass    |
| NVNT      | n(HT40)   | 2452            | Ant1    | 15.64             | 30          | Pass    |

Note: The Duty Cycle Factor is compensated in the graph.




### 3. -6dB Bandwidth

| Condition | Mode      | Frequency (MHz) | Antenna | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|-----------|-----------|-----------------|---------|-----------------------|-----------------------------|---------|
| NVNT      | ax(VHT20) | 2412            | Ant1    | 17.78                 | 0.5                         | Pass    |
| NVNT      | ax(VHT20) | 2437            | Ant1    | 18.04                 | 0.5                         | Pass    |
| NVNT      | ax(VHT20) | 2462            | Ant1    | 18.09                 | 0.5                         | Pass    |
| NVNT      | ax(VHT40) | 2422            | Ant1    | 36.53                 | 0.5                         | Pass    |
| NVNT      | ax(VHT40) | 2437            | Ant1    | 37.39                 | 0.5                         | Pass    |
| NVNT      | ax(VHT40) | 2452            | Ant1    | 35.83                 | 0.5                         | Pass    |
| NVNT      | b         | 2412            | Ant1    | 8.1                   | 0.5                         | Pass    |
| NVNT      | b         | 2437            | Ant1    | 9.06                  | 0.5                         | Pass    |
| NVNT      | b         | 2462            | Ant1    | 9.54                  | 0.5                         | Pass    |
| NVNT      | g         | 2412            | Ant1    | 16.33                 | 0.5                         | Pass    |
| NVNT      | g         | 2437            | Ant1    | 16.32                 | 0.5                         | Pass    |
| NVNT      | g         | 2462            | Ant1    | 15.26                 | 0.5                         | Pass    |
| NVNT      | n(HT20)   | 2412            | Ant1    | 17.59                 | 0.5                         | Pass    |
| NVNT      | n(HT20)   | 2437            | Ant1    | 17.67                 | 0.5                         | Pass    |
| NVNT      | n(HT20)   | 2462            | Ant1    | 17.24                 | 0.5                         | Pass    |
| NVNT      | n(HT40)   | 2422            | Ant1    | 36.29                 | 0.5                         | Pass    |
| NVNT      | n(HT40)   | 2437            | Ant1    | 36.35                 | 0.5                         | Pass    |
| NVNT      | n(HT40)   | 2452            | Ant1    | 35.75                 | 0.5                         | Pass    |




# Test Graphs


-6dB Bandwidth NVNT ax(VHT20) 2412MHz Ant1




-6dB Bandwidth NVNT ax(VHT20) 2437MHz Ant1



-6dB Bandwidth NVNT ax(VHT20) 2462MHz Ant1




-6dB Bandwidth NVNT ax(VHT40) 2422MHz Ant1







-6dB Bandwidth NVNT ax(VHT40) 2437MHz Ant1




-6dB Bandwidth NVNT ax(VHT40) 2452MHz Ant1



-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1







-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant1



-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1







-6dB Bandwidth NVNT n(HT20) 2412MHz Ant1




-6dB Bandwidth NVNT n(HT20) 2437MHz Ant1



-6dB Bandwidth NVNT n(HT20) 2462MHz Ant1




-6dB Bandwidth NVNT n(HT40) 2422MHz Ant1






-6dB Bandwidth NVNT n(HT40) 2437MHz Ant1



-6dB Bandwidth NVNT n(HT40) 2452MHz Ant1




## 4. Occupied Channel Bandwidth

| Condition | Mode      | Frequency (MHz) | Antenna | 99% OBW (MHz) |
|-----------|-----------|-----------------|---------|---------------|
| NVNT      | ax(VHT20) | 2412            | Ant1    | 18.903        |
| NVNT      | ax(VHT20) | 2437            | Ant1    | 18.95         |
| NVNT      | ax(VHT20) | 2462            | Ant1    | 18.938        |
| NVNT      | ax(VHT40) | 2422            | Ant1    | 37.75         |
| NVNT      | ax(VHT40) | 2437            | Ant1    | 37.834        |
| NVNT      | ax(VHT40) | 2452            | Ant1    | 37.756        |
| NVNT      | b         | 2412            | Ant1    | 13.157        |
| NVNT      | b         | 2437            | Ant1    | 13.148        |
| NVNT      | b         | 2462            | Ant1    | 13.108        |
| NVNT      | g         | 2412            | Ant1    | 16.547        |
| NVNT      | g         | 2437            | Ant1    | 16.632        |
| NVNT      | g         | 2462            | Ant1    | 16.557        |
| NVNT      | n(HT20)   | 2412            | Ant1    | 17.682        |
| NVNT      | n(HT20)   | 2437            | Ant1    | 17.723        |
| NVNT      | n(HT20)   | 2462            | Ant1    | 17.699        |
| NVNT      | n(HT40)   | 2422            | Ant1    | 36.257        |
| NVNT      | n(HT40)   | 2437            | Ant1    | 36.211        |
| NVNT      | n(HT40)   | 2452            | Ant1    | 36.204        |




### Test Graphs


#### OBW NVNT ax(VHT20) 2412MHz Ant1




#### OBW NVNT ax(VHT20) 2437MHz Ant1



OBW NVNT ax(VHT20) 2462MHz Ant1




OBW NVNT ax(VHT40) 2422MHz Ant1







OBW NVNT ax(VHT40) 2437MHz Ant1




OBW NVNT ax(VHT40) 2452MHz Ant1



OBW NVNT b 2412MHz Ant1




OBW NVNT b 2437MHz Ant1







OBW NVNT b 2462MHz Ant1




OBW NVNT g 2412MHz Ant1



OBW NVNT g 2437MHz Ant1




OBW NVNT g 2462MHz Ant1







OBW NVNT n(HT20) 2412MHz Ant1




OBW NVNT n(HT20) 2437MHz Ant1



OBW NVNT n(HT20) 2462MHz Ant1




OBW NVNT n(HT40) 2422MHz Ant1






OBW NVNT n(HT40) 2437MHz Ant1



OBW NVNT n(HT40) 2452MHz Ant1



## 5. Maximum Power Spectral Density Level


| Condition | Mode      | Frequency (MHz) | Antenna | Max PSD (dBm) | Limit (dBm) | Verdict |
|-----------|-----------|-----------------|---------|---------------|-------------|---------|
| NVNT      | ax(VHT20) | 2412            | Ant1    | -25.297       | 8           | Pass    |
| NVNT      | ax(VHT20) | 2437            | Ant1    | -24.411       | 8           | Pass    |
| NVNT      | ax(VHT20) | 2462            | Ant1    | -26.01        | 8           | Pass    |
| NVNT      | ax(VHT40) | 2422            | Ant1    | -28.622       | 8           | Pass    |
| NVNT      | ax(VHT40) | 2437            | Ant1    | -27.62        | 8           | Pass    |
| NVNT      | ax(VHT40) | 2452            | Ant1    | -27.201       | 8           | Pass    |
| NVNT      | b         | 2412            | Ant1    | -15.97        | 8           | Pass    |
| NVNT      | b         | 2437            | Ant1    | -15.419       | 8           | Pass    |
| NVNT      | b         | 2462            | Ant1    | -16.947       | 8           | Pass    |
| NVNT      | g         | 2412            | Ant1    | -21.128       | 8           | Pass    |
| NVNT      | g         | 2437            | Ant1    | -20.954       | 8           | Pass    |
| NVNT      | g         | 2462            | Ant1    | -21.641       | 8           | Pass    |
| NVNT      | n(HT20)   | 2412            | Ant1    | -23.241       | 8           | Pass    |
| NVNT      | n(HT20)   | 2437            | Ant1    | -23.247       | 8           | Pass    |
| NVNT      | n(HT20)   | 2462            | Ant1    | -23.414       | 8           | Pass    |
| NVNT      | n(HT40)   | 2422            | Ant1    | -27.142       | 8           | Pass    |
| NVNT      | n(HT40)   | 2437            | Ant1    | -26.395       | 8           | Pass    |
| NVNT      | n(HT40)   | 2452            | Ant1    | -26.975       | 8           | Pass    |

Note: The Duty Cycle Factor is compensated in the graph.






### Test Graphs

PSD NVNT ax(VHT20) 2412MHz Ant1





PSD NVNT ax(VHT20) 2437MHz Ant1










PSD NVNT b 2412MHz Ant1



PSD NVNT b 2437MHz Ant1







PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1



PSD NVNT g 2437MHz Ant1




PSD NVNT g 2462MHz Ant1







PSD NVNT n(HT20) 2412MHz Ant1




PSD NVNT n(HT20) 2437MHz Ant1



PSD NVNT n(HT20) 2462MHz Ant1




PSD NVNT n(HT40) 2422MHz Ant1






PSD NVNT n(HT40) 2437MHz Ant1



PSD NVNT n(HT40) 2452MHz Ant1




## 6. Band Edge

| Condition | Mode      | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-----------|-----------------|---------|-----------------|-------------|---------|
| NVNT      | ax(VHT20) | 2412            | Ant1    | -46.39          | -30         | Pass    |
| NVNT      | ax(VHT20) | 2462            | Ant1    | -44.38          | -30         | Pass    |
| NVNT      | ax(VHT40) | 2422            | Ant1    | -40.61          | -30         | Pass    |
| NVNT      | ax(VHT40) | 2452            | Ant1    | -42.06          | -30         | Pass    |
| NVNT      | b         | 2412            | Ant1    | -52.29          | -30         | Pass    |
| NVNT      | b         | 2462            | Ant1    | -51.01          | -30         | Pass    |
| NVNT      | g         | 2412            | Ant1    | -44.44          | -30         | Pass    |
| NVNT      | g         | 2462            | Ant1    | -45.23          | -30         | Pass    |
| NVNT      | n(HT20)   | 2412            | Ant1    | -45.27          | -30         | Pass    |
| NVNT      | n(HT20)   | 2462            | Ant1    | -46.26          | -30         | Pass    |
| NVNT      | n(HT40)   | 2422            | Ant1    | -42.09          | -30         | Pass    |
| NVNT      | n(HT40)   | 2452            | Ant1    | -40.8           | -30         | Pass    |




### Test Graphs


#### Band Edge NVNT ax(VHT20) 2412MHz Ant1 Ref



#### Band Edge NVNT ax(VHT20) 2412MHz Ant1 Emission



Band Edge NVNT ax(VHT20) 2462MHz Ant1 Ref



Band Edge NVNT ax(VHT20) 2462MHz Ant1 Emission

