















Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity









Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





























Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





### g.3 Occupied bandwidth

| Band | Bandwidth | SCS   | Channel | TestID | TestConfig                      | Value | LowLimit | UpLimit | Result |
|------|-----------|-------|---------|--------|---------------------------------|-------|----------|---------|--------|
| n38  | 10MHz     | 30kHz | 515000  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full | 8.57  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 515000  | 2      | DFT-s-OFDM QPSK^Outer_Full      | 8.56  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 515000  | 3      | DFT-s-OFDM 16QAM^Outer_Full     | 8.57  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 515000  | 4      | DFT-s-OFDM 64QAM^Outer_Full     | 8.57  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 515000  | 5      | DFT-s-OFDM 256QAM^Outer_Full    | 8.54  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 515000  | 6      | CP-OFDM QPSK^Outer_Full         | 8.57  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 515000  | 7      | CP-OFDM 16QAM^Outer_Full        | 8.57  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 515000  | 8      | CP-OFDM 64QAM^Outer_Full        | 8.56  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 515000  | 9      | CP-OFDM 256QAM^Outer_Full       | 8.57  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 519000  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full | 8.56  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 519000  | 2      | DFT-s-OFDM QPSK^Outer_Full      | 8.56  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 519000  | 3      | DFT-s-OFDM 16QAM^Outer_Full     | 8.57  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 519000  | 4      | DFT-s-OFDM 64QAM^Outer_Full     | 8.57  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 519000  | 5      | DFT-s-OFDM 256QAM^Outer_Full    | 8.54  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 519000  | 6      | CP-OFDM QPSK^Outer_Full         | 8.56  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 519000  | 7      | CP-OFDM 16QAM^Outer_Full        | 8.57  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 519000  | 8      | CP-OFDM 64QAM^Outer_Full        | 8.56  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 519000  | 9      | CP-OFDM 256QAM^Outer_Full       | 8.56  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 523000  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full | 8.57  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 523000  | 2      | DFT-s-OFDM QPSK^Outer_Full      | 8.56  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 523000  | 3      | DFT-s-OFDM 16QAM^Outer_Full     | 8.57  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 523000  | 4      | DFT-s-OFDM 64QAM^Outer_Full     | 8.57  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 523000  | 5      | DFT-s-OFDM 256QAM^Outer_Full    | 8.54  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 523000  | 6      | CP-OFDM QPSK^Outer_Full         | 8.56  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 523000  | 7      | CP-OFDM 16QAM^Outer_Full        | 8.57  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 523000  | 8      | CP-OFDM 64QAM^Outer_Full        | 8.56  | 0.00     | 10.00   | PASS   |
| n38  | 10MHz     | 30kHz | 523000  | 9      | CP-OFDM 256QAM^Outer_Full       | 8.57  | 0.00     | 10.00   | PASS   |
| n38  | 15MHz     | 30kHz | 515500  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full | 13.51 | 0.00     | 15.00   | PASS   |
| n38  | 15MHz     | 30kHz | 515500  | 2      | DFT-s-OFDM QPSK^Outer_Full      | 13.49 | 0.00     | 15.00   | PASS   |
| n38  | 15MHz     | 30kHz | 515500  | 3      | DFT-s-OFDM 16QAM^Outer_Full     | 13.46 | 0.00     | 15.00   | PASS   |
| n38  | 15MHz     | 30kHz | 515500  | 4      | DFT-s-OFDM 64QAM^Outer_Full     | 13.49 | 0.00     | 15.00   | PASS   |
| n38  | 15MHz     | 30kHz | 515500  | 5      | DFT-s-OFDM 256QAM^Outer_Full    | 13.45 | 0.00     | 15.00   | PASS   |
| n38  | 15MHz     | 30kHz | 515500  | 6      | CP-OFDM QPSK^Outer_Full         | 13.55 | 0.00     | 15.00   | PASS   |
| n38  | 15MHz     | 30kHz | 515500  | 7      | CP-OFDM 16QAM^Outer_Full        | 13.57 | 0.00     | 15.00   | PASS   |
| n38  | 15MHz     | 30kHz | 515500  | 8      | CP-OFDM 64QAM^Outer_Full        | 13.57 | 0.00     | 15.00   | PASS   |
| n38  | 15MHz     | 30kHz | 515500  | 9      | CP-OFDM 256QAM^Outer_Full       | 13.57 | 0.00     | 15.00   | PASS   |
| n38  | 15MHz     | 30kHz | 519000  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full | 13.51 | 0.00     | 15.00   | PASS   |
| n38  | 15MHz     | 30kHz | 519000  | 2      | DFT-s-OFDM QPSK^Outer_Full      | 13.46 | 0.00     | 15.00   | PASS   |
| n38  | 15MHz     | 30kHz | 519000  | 3      | DFT-s-OFDM 16QAM^Outer_Full     | 13.45 | 0.00     | 15.00   | PASS   |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





|     |       |       |        |   |                                 |       |      |       |      |
|-----|-------|-------|--------|---|---------------------------------|-------|------|-------|------|
| n38 | 15MHz | 30kHz | 519000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 13.49 | 0.00 | 15.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 13.43 | 0.00 | 15.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 6 | CP-OFDM QPSK^Outer_Full         | 13.57 | 0.00 | 15.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 7 | CP-OFDM 16QAM^Outer_Full        | 13.57 | 0.00 | 15.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 8 | CP-OFDM 64QAM^Outer_Full        | 13.57 | 0.00 | 15.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 9 | CP-OFDM 256QAM^Outer_Full       | 13.57 | 0.00 | 15.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 13.52 | 0.00 | 15.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 13.48 | 0.00 | 15.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 13.46 | 0.00 | 15.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 13.51 | 0.00 | 15.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 13.46 | 0.00 | 15.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 6 | CP-OFDM QPSK^Outer_Full         | 13.57 | 0.00 | 15.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 7 | CP-OFDM 16QAM^Outer_Full        | 13.57 | 0.00 | 15.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 8 | CP-OFDM 64QAM^Outer_Full        | 13.57 | 0.00 | 15.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 9 | CP-OFDM 256QAM^Outer_Full       | 13.57 | 0.00 | 15.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 18.05 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 18.01 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 18.05 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 18.10 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 18.01 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 6 | CP-OFDM QPSK^Outer_Full         | 18.19 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 7 | CP-OFDM 16QAM^Outer_Full        | 18.19 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 8 | CP-OFDM 64QAM^Outer_Full        | 18.19 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 9 | CP-OFDM 256QAM^Outer_Full       | 18.17 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 18.04 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 18.01 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 18.05 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 18.07 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 17.98 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 6 | CP-OFDM QPSK^Outer_Full         | 18.19 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 7 | CP-OFDM 16QAM^Outer_Full        | 18.19 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 8 | CP-OFDM 64QAM^Outer_Full        | 18.17 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 9 | CP-OFDM 256QAM^Outer_Full       | 18.17 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 18.05 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 18.02 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 18.07 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 18.08 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 17.99 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 6 | CP-OFDM QPSK^Outer_Full         | 18.19 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 7 | CP-OFDM 16QAM^Outer_Full        | 18.19 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 8 | CP-OFDM 64QAM^Outer_Full        | 18.19 | 0.00 | 20.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 9 | CP-OFDM 256QAM^Outer_Full       | 18.17 | 0.00 | 20.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 23.00 | 0.00 | 25.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |   |                                 |       |      |       |      |
|-----|-------|-------|--------|---|---------------------------------|-------|------|-------|------|
| n38 | 25MHz | 30kHz | 516500 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 22.96 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 23.03 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 23.03 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 22.94 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 6 | CP-OFDM QPSK^Outer_Full         | 23.18 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 7 | CP-OFDM 16QAM^Outer_Full        | 23.20 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 8 | CP-OFDM 64QAM^Outer_Full        | 23.18 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 9 | CP-OFDM 256QAM^Outer_Full       | 23.21 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 22.99 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 22.94 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 23.00 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 23.00 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 22.93 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 6 | CP-OFDM QPSK^Outer_Full         | 23.18 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 7 | CP-OFDM 16QAM^Outer_Full        | 23.18 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 8 | CP-OFDM 64QAM^Outer_Full        | 23.17 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 9 | CP-OFDM 256QAM^Outer_Full       | 23.20 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 23.00 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 22.96 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 23.02 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 23.02 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 22.93 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 6 | CP-OFDM QPSK^Outer_Full         | 23.18 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 7 | CP-OFDM 16QAM^Outer_Full        | 23.20 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 8 | CP-OFDM 64QAM^Outer_Full        | 23.17 | 0.00 | 25.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 9 | CP-OFDM 256QAM^Outer_Full       | 23.20 | 0.00 | 25.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 27.59 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 27.64 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 27.59 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 27.64 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 27.56 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 6 | CP-OFDM QPSK^Outer_Full         | 27.82 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 7 | CP-OFDM 16QAM^Outer_Full        | 27.83 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 8 | CP-OFDM 64QAM^Outer_Full        | 27.80 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 9 | CP-OFDM 256QAM^Outer_Full       | 27.83 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 27.55 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 27.62 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 27.58 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 27.62 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 27.53 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 6 | CP-OFDM QPSK^Outer_Full         | 27.82 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 7 | CP-OFDM 16QAM^Outer_Full        | 27.82 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 8 | CP-OFDM 64QAM^Outer_Full        | 27.79 | 0.00 | 30.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |   |                                 |       |      |       |      |
|-----|-------|-------|--------|---|---------------------------------|-------|------|-------|------|
| n38 | 30MHz | 30kHz | 519000 | 9 | CP-OFDM 256QAM^Outer_Full       | 27.82 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 27.56 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 27.62 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 27.56 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 27.61 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 27.53 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 6 | CP-OFDM QPSK^Outer_Full         | 27.82 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 7 | CP-OFDM 16QAM^Outer_Full        | 27.83 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 8 | CP-OFDM 64QAM^Outer_Full        | 27.80 | 0.00 | 30.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 9 | CP-OFDM 256QAM^Outer_Full       | 27.82 | 0.00 | 30.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 37.45 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 37.46 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 37.49 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 37.54 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 37.42 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 6 | CP-OFDM QPSK^Outer_Full         | 37.79 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 7 | CP-OFDM 16QAM^Outer_Full        | 37.81 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 8 | CP-OFDM 64QAM^Outer_Full        | 37.81 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 9 | CP-OFDM 256QAM^Outer_Full       | 37.81 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 37.43 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 37.45 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 37.49 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 37.51 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 37.40 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 6 | CP-OFDM QPSK^Outer_Full         | 37.79 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 7 | CP-OFDM 16QAM^Outer_Full        | 37.81 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 8 | CP-OFDM 64QAM^Outer_Full        | 37.81 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 9 | CP-OFDM 256QAM^Outer_Full       | 37.79 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 37.42 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 37.43 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 37.48 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 37.49 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 37.37 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 6 | CP-OFDM QPSK^Outer_Full         | 37.79 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 7 | CP-OFDM 16QAM^Outer_Full        | 37.79 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 8 | CP-OFDM 64QAM^Outer_Full        | 37.81 | 0.00 | 40.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 9 | CP-OFDM 256QAM^Outer_Full       | 37.79 | 0.00 | 40.00 | PASS |




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity












Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity


















































Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

