














Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity








Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity













Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity








































## i.4 Emission bandwidth

### TestResult

| Band | Bandwidth | SCS   | Channel | TestID | TestConfig                      | Value | LowLimit | UpLimit | Result |
|------|-----------|-------|---------|--------|---------------------------------|-------|----------|---------|--------|
| n66  | 5MHz      | 15kHz | 422500  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full | 4.700 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | DFT-s-OFDM QPSK^Outer_Full      | 4.700 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | DFT-s-OFDM 16QAM^Outer_Full     | 4.681 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 4      | DFT-s-OFDM 64QAM^Outer_Full     | 4.719 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 5      | DFT-s-OFDM 256QAM^Outer_Full    | 4.700 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 6      | CP-OFDM QPSK^Outer_Full         | 4.694 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 7      | CP-OFDM 16QAM^Outer_Full        | 4.669 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 8      | CP-OFDM 64QAM^Outer_Full        | 4.694 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 9      | CP-OFDM 256QAM^Outer_Full       | 4.700 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 429000  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full | 4.688 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 429000  | 2      | DFT-s-OFDM QPSK^Outer_Full      | 4.694 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 429000  | 3      | DFT-s-OFDM 16QAM^Outer_Full     | 4.688 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 429000  | 4      | DFT-s-OFDM 64QAM^Outer_Full     | 4.731 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 429000  | 5      | DFT-s-OFDM 256QAM^Outer_Full    | 4.713 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 429000  | 6      | CP-OFDM QPSK^Outer_Full         | 4.706 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 429000  | 7      | CP-OFDM 16QAM^Outer_Full        | 4.669 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 429000  | 8      | CP-OFDM 64QAM^Outer_Full        | 4.688 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 429000  | 9      | CP-OFDM 256QAM^Outer_Full       | 4.694 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 435500  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full | 4.694 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 435500  | 2      | DFT-s-OFDM QPSK^Outer_Full      | 4.688 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 435500  | 3      | DFT-s-OFDM 16QAM^Outer_Full     | 4.694 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 435500  | 4      | DFT-s-OFDM 64QAM^Outer_Full     | 4.719 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 435500  | 5      | DFT-s-OFDM 256QAM^Outer_Full    | 4.706 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 435500  | 6      | CP-OFDM QPSK^Outer_Full         | 4.706 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 435500  | 7      | CP-OFDM 16QAM^Outer_Full        | 4.681 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 435500  | 8      | CP-OFDM 64QAM^Outer_Full        | 4.681 | 0.00     | 5.00    | PASS   |
| n66  | 5MHz      | 15kHz | 435500  | 9      | CP-OFDM 256QAM^Outer_Full       | 0.856 | 0.00     | 5.00    | PASS   |
| n66  | 10MHz     | 15kHz | 423000  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full | 9.225 | 0.00     | 10.00   | PASS   |
| n66  | 10MHz     | 15kHz | 423000  | 2      | DFT-s-OFDM QPSK^Outer_Full      | 9.163 | 0.00     | 10.00   | PASS   |
| n66  | 10MHz     | 15kHz | 423000  | 3      | DFT-s-OFDM 16QAM^Outer_Full     | 9.175 | 0.00     | 10.00   | PASS   |
| n66  | 10MHz     | 15kHz | 423000  | 4      | DFT-s-OFDM 64QAM^Outer_Full     | 9.188 | 0.00     | 10.00   | PASS   |
| n66  | 10MHz     | 15kHz | 423000  | 5      | DFT-s-OFDM 256QAM^Outer_Full    | 9.188 | 0.00     | 10.00   | PASS   |
| n66  | 10MHz     | 15kHz | 423000  | 6      | CP-OFDM QPSK^Outer_Full         | 9.575 | 0.00     | 10.00   | PASS   |
| n66  | 10MHz     | 15kHz | 423000  | 7      | CP-OFDM 16QAM^Outer_Full        | 9.563 | 0.00     | 10.00   | PASS   |
| n66  | 10MHz     | 15kHz | 423000  | 8      | CP-OFDM 64QAM^Outer_Full        | 9.538 | 0.00     | 10.00   | PASS   |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |   |                                 |        |      |       |      |
|-----|-------|-------|--------|---|---------------------------------|--------|------|-------|------|
| n66 | 10MHz | 15kHz | 423000 | 9 | CP-OFDM 256QAM^Outer_Full       | 9.588  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 9.200  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 9.163  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 9.163  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 9.188  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 9.163  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 6 | CP-OFDM QPSK^Outer_Full         | 9.538  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 7 | CP-OFDM 16QAM^Outer_Full        | 9.538  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 8 | CP-OFDM 64QAM^Outer_Full        | 9.538  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 9 | CP-OFDM 256QAM^Outer_Full       | 9.538  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 9.213  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 9.188  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 9.163  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 9.213  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 9.188  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 6 | CP-OFDM QPSK^Outer_Full         | 9.563  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 7 | CP-OFDM 16QAM^Outer_Full        | 9.538  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 8 | CP-OFDM 64QAM^Outer_Full        | 9.550  | 0.00 | 10.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 9 | CP-OFDM 256QAM^Outer_Full       | 9.563  | 0.00 | 10.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 13.744 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 13.706 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 13.744 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 13.725 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 13.706 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 6 | CP-OFDM QPSK^Outer_Full         | 14.419 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 7 | CP-OFDM 16QAM^Outer_Full        | 14.438 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 8 | CP-OFDM 64QAM^Outer_Full        | 14.456 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 9 | CP-OFDM 256QAM^Outer_Full       | 14.438 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 13.688 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 13.725 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 13.725 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 13.725 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 13.688 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 6 | CP-OFDM QPSK^Outer_Full         | 14.456 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 7 | CP-OFDM 16QAM^Outer_Full        | 14.438 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 8 | CP-OFDM 64QAM^Outer_Full        | 14.438 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 9 | CP-OFDM 256QAM^Outer_Full       | 14.475 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 13.725 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 13.725 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 13.725 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 13.725 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 13.725 | 0.00 | 15.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |   |                           |        |      |       |      |
|-----|-------|-------|--------|---|---------------------------|--------|------|-------|------|
| n66 | 15MHz | 15kHz | 434500 | 6 | CP-OFDM QPSK^Outer_Full   | 14.456 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 7 | CP-OFDM 16QAM^Outer_Full  | 14.456 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 8 | CP-OFDM 64QAM^Outer_Full  | 14.438 | 0.00 | 15.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 9 | CP-OFDM 256QAM^Outer_Full | 14.419 | 0.00 | 15.00 | PASS |

## TestResult

| Band | Bandwidth | SCS   | Channel | TestID | TestConfig                      | Value  | LowLimit | UpLimit | Result |
|------|-----------|-------|---------|--------|---------------------------------|--------|----------|---------|--------|
| n66  | 20MHz     | 15kHz | 424000  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full | 18.225 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 424000  | 2      | DFT-s-OFDM QPSK^Outer_Full      | 18.225 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 424000  | 3      | DFT-s-OFDM 16QAM^Outer_Full     | 18.250 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 424000  | 4      | DFT-s-OFDM 64QAM^Outer_Full     | 18.250 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 424000  | 5      | DFT-s-OFDM 256QAM^Outer_Full    | 18.250 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 424000  | 6      | CP-OFDM QPSK^Outer_Full         | 19.350 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 424000  | 7      | CP-OFDM 16QAM^Outer_Full        | 19.375 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 424000  | 8      | CP-OFDM 64QAM^Outer_Full        | 19.300 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 424000  | 9      | CP-OFDM 256QAM^Outer_Full       | 19.375 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full | 18.225 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 2      | DFT-s-OFDM QPSK^Outer_Full      | 18.250 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 3      | DFT-s-OFDM 16QAM^Outer_Full     | 18.250 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 4      | DFT-s-OFDM 64QAM^Outer_Full     | 18.275 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 5      | DFT-s-OFDM 256QAM^Outer_Full    | 18.275 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 6      | CP-OFDM QPSK^Outer_Full         | 19.350 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 7      | CP-OFDM 16QAM^Outer_Full        | 19.350 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 8      | CP-OFDM 64QAM^Outer_Full        | 19.300 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 9      | CP-OFDM 256QAM^Outer_Full       | 19.350 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 434000  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full | 18.225 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 434000  | 2      | DFT-s-OFDM QPSK^Outer_Full      | 18.275 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 434000  | 3      | DFT-s-OFDM 16QAM^Outer_Full     | 18.250 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 434000  | 4      | DFT-s-OFDM 64QAM^Outer_Full     | 18.250 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 434000  | 5      | DFT-s-OFDM 256QAM^Outer_Full    | 18.250 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 434000  | 6      | CP-OFDM QPSK^Outer_Full         | 19.350 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 434000  | 7      | CP-OFDM 16QAM^Outer_Full        | 19.350 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 434000  | 8      | CP-OFDM 64QAM^Outer_Full        | 19.300 | 0.00     | 20.00   | PASS   |
| n66  | 20MHz     | 15kHz | 434000  | 9      | CP-OFDM 256QAM^Outer_Full       | 19.375 | 0.00     | 20.00   | PASS   |
| n66  | 25MHz     | 15kHz | 424500  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full | 23.243 | 0.00     | 25.00   | PASS   |
| n66  | 25MHz     | 15kHz | 424500  | 2      | DFT-s-OFDM QPSK^Outer_Full      | 23.273 | 0.00     | 25.00   | PASS   |
| n66  | 25MHz     | 15kHz | 424500  | 3      | DFT-s-OFDM 16QAM^Outer_Full     | 23.273 | 0.00     | 25.00   | PASS   |
| n66  | 25MHz     | 15kHz | 424500  | 4      | DFT-s-OFDM 64QAM^Outer_Full     | 23.213 | 0.00     | 25.00   | PASS   |
| n66  | 25MHz     | 15kHz | 424500  | 5      | DFT-s-OFDM 256QAM^Outer_Full    | 23.243 | 0.00     | 25.00   | PASS   |
| n66  | 25MHz     | 15kHz | 424500  | 6      | CP-OFDM QPSK^Outer_Full         | 24.202 | 0.00     | 25.00   | PASS   |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |   |                                 |        |      |       |      |
|-----|-------|-------|--------|---|---------------------------------|--------|------|-------|------|
| n66 | 25MHz | 15kHz | 424500 | 7 | CP-OFDM 16QAM^Outer_Full        | 24.172 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 8 | CP-OFDM 64QAM^Outer_Full        | 24.232 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 9 | CP-OFDM 256QAM^Outer_Full       | 24.172 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 23.243 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 23.243 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 23.243 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 23.213 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 23.243 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 6 | CP-OFDM QPSK^Outer_Full         | 24.232 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 7 | CP-OFDM 16QAM^Outer_Full        | 24.202 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 8 | CP-OFDM 64QAM^Outer_Full        | 24.202 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 9 | CP-OFDM 256QAM^Outer_Full       | 24.202 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 23.213 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 23.273 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 23.303 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 23.213 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 23.273 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 6 | CP-OFDM QPSK^Outer_Full         | 24.202 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 7 | CP-OFDM 16QAM^Outer_Full        | 24.142 | 0.00 | 25.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 9 | CP-OFDM 256QAM^Outer_Full       | 24.172 | 0.00 | 25.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 29.040 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 29.040 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 29.040 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 29.040 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 29.070 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 6 | CP-OFDM QPSK^Outer_Full         | 29.070 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 7 | CP-OFDM 16QAM^Outer_Full        | 29.100 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 8 | CP-OFDM 64QAM^Outer_Full        | 29.040 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 9 | CP-OFDM 256QAM^Outer_Full       | 29.070 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 29.070 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 29.040 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 29.040 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 29.040 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 29.100 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 6 | CP-OFDM QPSK^Outer_Full         | 29.100 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 7 | CP-OFDM 16QAM^Outer_Full        | 29.070 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 8 | CP-OFDM 64QAM^Outer_Full        | 29.010 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 9 | CP-OFDM 256QAM^Outer_Full       | 29.100 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 29.100 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 29.070 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 29.040 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 29.010 | 0.00 | 30.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |   |                                 |        |      |       |      |
|-----|-------|-------|--------|---|---------------------------------|--------|------|-------|------|
| n66 | 30MHz | 15kHz | 433000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 29.100 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 6 | CP-OFDM QPSK^Outer_Full         | 29.070 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 7 | CP-OFDM 16QAM^Outer_Full        | 29.040 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 8 | CP-OFDM 64QAM^Outer_Full        | 29.010 | 0.00 | 30.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 9 | CP-OFDM 256QAM^Outer_Full       | 29.070 | 0.00 | 30.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 39.142 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 39.142 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 39.172 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 39.142 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 39.112 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 6 | CP-OFDM QPSK^Outer_Full         | 39.112 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 7 | CP-OFDM 16QAM^Outer_Full        | 39.202 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 8 | CP-OFDM 64QAM^Outer_Full        | 39.142 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 9 | CP-OFDM 256QAM^Outer_Full       | 39.172 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 429000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 39.172 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 429000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 39.172 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 429000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 39.142 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 429000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 39.142 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 429000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 39.142 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 429000 | 6 | CP-OFDM QPSK^Outer_Full         | 39.112 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 429000 | 7 | CP-OFDM 16QAM^Outer_Full        | 39.142 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 429000 | 8 | CP-OFDM 64QAM^Outer_Full        | 39.142 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 429000 | 9 | CP-OFDM 256QAM^Outer_Full       | 39.172 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full | 39.202 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 2 | DFT-s-OFDM QPSK^Outer_Full      | 39.082 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 3 | DFT-s-OFDM 16QAM^Outer_Full     | 39.172 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 4 | DFT-s-OFDM 64QAM^Outer_Full     | 39.142 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 5 | DFT-s-OFDM 256QAM^Outer_Full    | 39.142 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 6 | CP-OFDM QPSK^Outer_Full         | 39.172 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 7 | CP-OFDM 16QAM^Outer_Full        | 39.172 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 8 | CP-OFDM 64QAM^Outer_Full        | 39.172 | 0.00 | 40.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 9 | CP-OFDM 256QAM^Outer_Full       | 39.172 | 0.00 | 40.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

## TestGraph

