

























Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity












Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity








Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity












Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity







## i.6 Out of band emissions

### TestResult

| Band | Bandwidth | SCS   | Channel | TestID | TestConfig                                | Value  | LowLimit | UpLimit | Result |
|------|-----------|-------|---------|--------|-------------------------------------------|--------|----------|---------|--------|
| n66  | 5MHz      | 15kHz | 422500  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power     | 20.77  | -99.9    | 30.0    | NONE   |
| n66  | 5MHz      | 15kHz | 422500  | 1      | SA(30MHz-1709MHz_1MHz)@1707.500MHz        | -28.83 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 1      | SA(1756MHz-2801MHz_1MHz)@1764.500MHz      | -57.03 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 1      | SA(2799MHz-3201MHz_1MHz)@3197.693MHz      | -57.05 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 1      | SA(3199MHz-5200MHz_1MHz)@3992.500MHz      | -55.00 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 1      | SA(5198MHz-7200MHz_1MHz)@6686.500MHz      | -50.61 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 1      | SA(7198MHz-9200MHz_1MHz)@8081.500MHz      | -78.67 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 1      | SA(9198MHz-11200MHz_1MHz)@10297.500MHz    | -80.50 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 1      | SA(11198MHz-13200MHz_1MHz)@12875.500MHz   | -78.81 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 1      | SA(13198MHz-15200MHz_1MHz)@13375.500MHz   | -78.76 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 1      | SA(15198MHz-17200MHz_1MHz)@15397.500MHz   | -78.90 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 1      | SA(17198MHz-17800MHz_1MHz)@17786.879MHz   | -78.03 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power  | 20.65  | -99.9    | 30.0    | NONE   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -29.14 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | SA(1756MHz-2801MHz_1MHz)@1762.500MHz      | -55.00 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | SA(2799MHz-3201MHz_1MHz)@3200.099MHz      | -57.03 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | SA(3199MHz-5200MHz_1MHz)@3996.500MHz      | -55.04 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | SA(5198MHz-7200MHz_1MHz)@6651.500MHz      | -50.71 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | SA(7198MHz-9200MHz_1MHz)@8081.500MHz      | -78.75 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | SA(9198MHz-11200MHz_1MHz)@10308.500MHz    | -80.26 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | SA(11198MHz-13200MHz_1MHz)@12879.500MHz   | -78.76 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | SA(13198MHz-15200MHz_1MHz)@13372.500MHz   | -78.85 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | SA(15198MHz-17200MHz_1MHz)@15376.500MHz   | -78.77 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | SA(17198MHz-17800MHz_1MHz)@17786.278MHz   | -78.01 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power | 19.53  | -99.9    | 30.0    | NONE   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | SA(30MHz-1709MHz_1MHz)@1707.500MHz        | -42.27 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | SA(1756MHz-2801MHz_1MHz)@1766.500MHz      | -55.29 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | SA(2799MHz-3201MHz_1MHz)@3198.495MHz      | -57.01 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | SA(3199MHz-5200MHz_1MHz)@3996.500MHz      | -55.14 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | SA(5198MHz-7200MHz_1MHz)@6659.500MHz      | -50.77 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | SA(7198MHz-9200MHz_1MHz)@8080.500MHz      | -78.71 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | SA(9198MHz-11200MHz_1MHz)@10308.500MHz    | -80.37 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | SA(11198MHz-13200MHz_1MHz)@12877.500MHz   | -78.82 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | SA(13198MHz-15200MHz_1MHz)@13385.500MHz   | -78.81 | -999.00  | -13.00  | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | SA(15198MHz-17200MHz_1MHz)@15407.500MHz   | -78.79 | -999.00  | -13.00  | PASS   |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |      |       |        |   |                                         |        |         |        |      |
|-----|------|-------|--------|---|-----------------------------------------|--------|---------|--------|------|
| n66 | 5MHz | 15kHz | 422500 | 3 | SA(17198MHz-17800MHz_1MHz)@17799.500MHz | -78.04 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power        | 19.75  | -99.9   | 30.0   | NONE |
| n66 | 5MHz | 15kHz | 422500 | 4 | SA(30MHz-1709MHz_1MHz)@1708.500MHz      | -25.74 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 4 | SA(1756MHz-2801MHz_1MHz)@1762.500MHz    | -57.06 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 4 | SA(2799MHz-3201MHz_1MHz)@3200.099MHz    | -57.02 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 4 | SA(3199MHz-5200MHz_1MHz)@3997.500MHz    | -55.10 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 4 | SA(5198MHz-7200MHz_1MHz)@6710.500MHz    | -50.74 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 4 | SA(7198MHz-9200MHz_1MHz)@8084.500MHz    | -78.73 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 4 | SA(9198MHz-11200MHz_1MHz)@10308.500MHz  | -80.42 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 4 | SA(11198MHz-13200MHz_1MHz)@12866.500MHz | -78.85 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 4 | SA(13198MHz-15200MHz_1MHz)@13391.500MHz | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 4 | SA(15198MHz-17200MHz_1MHz)@15389.500MHz | -78.70 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 4 | SA(17198MHz-17800MHz_1MHz)@17796.495MHz | -78.06 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 5 | DFT-s-OFDM QPSK^Edge_1RB_Left:Power     | 20.13  | -99.9   | 30.0   | NONE |
| n66 | 5MHz | 15kHz | 422500 | 5 | SA(30MHz-1709MHz_1MHz)@1708.500MHz      | -30.18 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 5 | SA(1756MHz-2801MHz_1MHz)@1762.500MHz    | -56.53 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 5 | SA(2799MHz-3201MHz_1MHz)@3180.049MHz    | -57.05 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 5 | SA(3199MHz-5200MHz_1MHz)@3993.500MHz    | -55.07 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 5 | SA(5198MHz-7200MHz_1MHz)@5738.500MHz    | -49.44 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 5 | SA(7198MHz-9200MHz_1MHz)@8081.500MHz    | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 5 | SA(9198MHz-11200MHz_1MHz)@10301.500MHz  | -80.34 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 5 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 5 | SA(13198MHz-15200MHz_1MHz)@13385.500MHz | -78.92 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 5 | SA(15198MHz-17200MHz_1MHz)@15388.500MHz | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 5 | SA(17198MHz-17800MHz_1MHz)@17799.500MHz | -78.10 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 6 | DFT-s-OFDM QPSK^Edge_1RB_Right:Power    | 18.97  | -99.9   | 30.0   | NONE |
| n66 | 5MHz | 15kHz | 422500 | 6 | SA(30MHz-1709MHz_1MHz)@1707.500MHz      | -41.92 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 6 | SA(1756MHz-2801MHz_1MHz)@1766.500MHz    | -55.72 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 6 | SA(2799MHz-3201MHz_1MHz)@3200.099MHz    | -57.02 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 6 | SA(3199MHz-5200MHz_1MHz)@3978.500MHz    | -55.14 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 6 | SA(5198MHz-7200MHz_1MHz)@6672.500MHz    | -50.78 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 6 | SA(7198MHz-9200MHz_1MHz)@8080.500MHz    | -78.60 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 6 | SA(9198MHz-11200MHz_1MHz)@10297.500MHz  | -80.39 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 6 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 6 | SA(13198MHz-15200MHz_1MHz)@13395.500MHz | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 6 | SA(15198MHz-17200MHz_1MHz)@15373.500MHz | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 6 | SA(17198MHz-17800MHz_1MHz)@17798.899MHz | -77.98 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power   | 21.06  | -99.9   | 30.0   | NONE |
| n66 | 5MHz | 15kHz | 429000 | 1 | SA(30MHz-1709MHz_1MHz)@1691.500MHz      | -57.65 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 1 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz    | -54.08 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 1 | SA(2799MHz-3201MHz_1MHz)@3196.490MHz    | -56.99 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 1 | SA(3199MHz-5200MHz_1MHz)@3999.500MHz    | -55.08 | -999.00 | -13.00 | PASS |





|     |      |       |        |   |                                           |        |         |        |      |
|-----|------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 5MHz | 15kHz | 429000 | 1 | SA(5198MHz-7200MHz_1MHz)@6666.500MHz      | -50.76 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 1 | SA(7198MHz-9200MHz_1MHz)@8078.500MHz      | -78.66 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 1 | SA(9198MHz-11200MHz_1MHz)@10303.500MHz    | -80.35 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 1 | SA(11198MHz-13200MHz_1MHz)@12874.500MHz   | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 1 | SA(13198MHz-15200MHz_1MHz)@13372.500MHz   | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 1 | SA(15198MHz-17200MHz_1MHz)@15375.500MHz   | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 1 | SA(17198MHz-17800MHz_1MHz)@17798.298MHz   | -78.04 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power  | 22.80  | -99.9   | 30.0   | NONE |
| n66 | 5MHz | 15kHz | 429000 | 2 | SA(30MHz-1709MHz_1MHz)@1690.500MHz        | -55.68 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2 | SA(1756MHz-2801MHz_1MHz)@1795.500MHz      | -57.93 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2 | SA(2799MHz-3201MHz_1MHz)@3194.485MHz      | -56.93 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2 | SA(3199MHz-5200MHz_1MHz)@3982.500MHz      | -55.19 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2 | SA(5198MHz-7200MHz_1MHz)@5750.500MHz      | -49.62 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2 | SA(7198MHz-9200MHz_1MHz)@8086.500MHz      | -78.72 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2 | SA(9198MHz-11200MHz_1MHz)@10305.500MHz    | -80.35 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2 | SA(11198MHz-13200MHz_1MHz)@12874.500MHz   | -78.85 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2 | SA(13198MHz-15200MHz_1MHz)@13388.500MHz   | -78.86 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2 | SA(15198MHz-17200MHz_1MHz)@15381.500MHz   | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2 | SA(17198MHz-17800MHz_1MHz)@17794.091MHz   | -78.05 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power | 22.81  | -99.9   | 30.0   | NONE |
| n66 | 5MHz | 15kHz | 429000 | 3 | SA(30MHz-1709MHz_1MHz)@1694.500MHz        | -55.98 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 3 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz      | -57.39 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 3 | SA(2799MHz-3201MHz_1MHz)@3199.297MHz      | -56.98 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 3 | SA(3199MHz-5200MHz_1MHz)@3493.500MHz      | -54.59 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 3 | SA(5198MHz-7200MHz_1MHz)@6675.500MHz      | -50.64 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 3 | SA(7198MHz-9200MHz_1MHz)@8080.500MHz      | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 3 | SA(9198MHz-11200MHz_1MHz)@10269.500MHz    | -80.45 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 3 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz   | -78.87 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 3 | SA(13198MHz-15200MHz_1MHz)@13388.500MHz   | -78.85 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 3 | SA(15198MHz-17200MHz_1MHz)@15382.500MHz   | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 3 | SA(17198MHz-17800MHz_1MHz)@17793.490MHz   | -77.96 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power          | 22.49  | -99.9   | 30.0   | NONE |
| n66 | 5MHz | 15kHz | 429000 | 4 | SA(30MHz-1709MHz_1MHz)@1694.500MHz        | -57.69 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 4 | SA(1756MHz-2801MHz_1MHz)@1758.500MHz      | -50.70 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 4 | SA(2799MHz-3201MHz_1MHz)@3197.292MHz      | -57.01 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 4 | SA(3199MHz-5200MHz_1MHz)@3999.500MHz      | -55.04 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 4 | SA(5198MHz-7200MHz_1MHz)@6701.500MHz      | -50.72 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 4 | SA(7198MHz-9200MHz_1MHz)@8081.500MHz      | -78.72 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 4 | SA(9198MHz-11200MHz_1MHz)@10303.500MHz    | -80.38 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 4 | SA(11198MHz-13200MHz_1MHz)@12875.500MHz   | -78.87 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 4 | SA(13198MHz-15200MHz_1MHz)@13387.500MHz   | -78.88 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 4 | SA(15198MHz-17200MHz_1MHz)@15403.500MHz   | -78.82 | -999.00 | -13.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

|     |      |       |        |   |                                          |        |         |        |      |
|-----|------|-------|--------|---|------------------------------------------|--------|---------|--------|------|
| n66 | 5MHz | 15kHz | 429000 | 4 | SA(17198MHz-17800MHz_1MHz)@17797.096MHz  | -77.97 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5 | DFT-s-OFDM QPSK^Edge_1RB_Left:Power      | 22.31  | -99.9   | 30.0   | NONE |
| n66 | 5MHz | 15kHz | 429000 | 5 | SA(30MHz-1709MHz_1MHz)@1691.500MHz       | -56.55 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5 | SA(1756MHz-2801MHz_1MHz)@1794.500MHz     | -57.29 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5 | SA(2799MHz-3201MHz_1MHz)@3199.297MHz     | -57.12 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5 | SA(3199MHz-5200MHz_1MHz)@3993.500MHz     | -55.02 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5 | SA(5198MHz-7200MHz_1MHz)@6687.500MHz     | -50.76 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5 | SA(7198MHz-9200MHz_1MHz)@8083.500MHz     | -78.77 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5 | SA(9198MHz-11200MHz_1MHz)@10303.500MHz   | -80.38 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5 | SA(11198MHz-13200MHz_1MHz)@12873.500MHz  | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5 | SA(13198MHz-15200MHz_1MHz)@13381.500MHz  | -78.91 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5 | SA(15198MHz-17200MHz_1MHz)@15385.500MHz  | -78.90 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5 | SA(17198MHz-17800MHz_1MHz)@17796.495MHz  | -78.02 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 6 | DFT-s-OFDM QPSK^Edge_1RB_Right:Power     | 22.24  | -99.9   | 30.0   | NONE |
| n66 | 5MHz | 15kHz | 429000 | 6 | SA(30MHz-1709MHz_1MHz)@1694.500MHz       | -56.94 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 6 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz     | -57.56 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 6 | SA(2799MHz-3201MHz_1MHz)@3198.495MHz     | -57.08 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 6 | SA(3199MHz-5200MHz_1MHz)@3493.500MHz     | -54.98 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 6 | SA(5198MHz-7200MHz_1MHz)@6675.500MHz     | -50.79 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 6 | SA(7198MHz-9200MHz_1MHz)@8081.500MHz     | -78.63 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 6 | SA(9198MHz-11200MHz_1MHz)@10298.500MHz   | -80.35 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 6 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz  | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 6 | SA(13198MHz-15200MHz_1MHz)@13389.500MHz  | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 6 | SA(15198MHz-17200MHz_1MHz)@15385.500MHz  | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 6 | SA(17198MHz-17800MHz_1MHz)@17785.677MHz  | -77.92 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power    | 21.08  | -99.9   | 30.0   | NONE |
| n66 | 5MHz | 15kHz | 435500 | 1 | SA(30MHz-1754MHz_1MHz)@1723.500MHz       | -57.22 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz     | -28.74 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1 | SA(2799MHz-3201MHz_1MHz)@3200.099MHz     | -57.13 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1 | SA(3199MHz-5200MHz_1MHz)@3997.500MHz     | -55.08 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1 | SA(5198MHz-7200MHz_1MHz)@6667.500MHz     | -50.73 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1 | SA(7198MHz-9200MHz_1MHz)@8087.500MHz     | -78.75 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1 | SA(9198MHz-11200MHz_1MHz)@10264.500MHz   | -80.29 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz  | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1 | SA(13198MHz-15200MHz_1MHz)@13372.500MHz  | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1 | SA(15198MHz-17200MHz_1MHz)@15375.500MHz  | -78.87 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1 | SA(17198MHz-17800MHz_1MHz)@17783.874MHz  | -77.99 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power | 20.07  | -99.9   | 30.0   | NONE |
| n66 | 5MHz | 15kHz | 435500 | 2 | SA(30MHz-1754MHz_1MHz)@1723.500MHz       | -55.53 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 2 | SA(1781MHz-2801MHz_1MHz)@1782.500MHz     | -42.04 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 2 | SA(2799MHz-3201MHz_1MHz)@3195.287MHz     | -57.01 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 2 | SA(3199MHz-5200MHz_1MHz)@3550.500MHz     | -54.52 | -999.00 | -13.00 | PASS |





|     |      |       |        |   |                                           |        |         |        |      |
|-----|------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 5MHz | 15kHz | 435500 | 2 | SA(5198MHz-7200MHz_1MHz)@6664.500MHz      | -50.78 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 2 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz      | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 2 | SA(9198MHz-11200MHz_1MHz)@10304.500MHz    | -80.30 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 2 | SA(11198MHz-13200MHz_1MHz)@12876.500MHz   | -78.85 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 2 | SA(13198MHz-15200MHz_1MHz)@13373.500MHz   | -78.67 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 2 | SA(15198MHz-17200MHz_1MHz)@15384.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 2 | SA(17198MHz-17800MHz_1MHz)@17799.500MHz   | -78.02 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_IRB_Right:Power | 20.52  | -99.9   | 30.0   | NONE |
| n66 | 5MHz | 15kHz | 435500 | 3 | SA(30MHz-1754MHz_1MHz)@1727.500MHz        | -55.51 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -28.24 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3 | SA(2799MHz-3201MHz_1MHz)@3192.881MHz      | -57.07 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3 | SA(3199MHz-5200MHz_1MHz)@3558.500MHz      | -54.26 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3 | SA(5198MHz-7200MHz_1MHz)@6754.500MHz      | -50.80 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3 | SA(7198MHz-9200MHz_1MHz)@8074.500MHz      | -78.64 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3 | SA(9198MHz-11200MHz_1MHz)@10313.500MHz    | -80.49 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz   | -78.86 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3 | SA(13198MHz-15200MHz_1MHz)@13372.500MHz   | -78.77 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3 | SA(15198MHz-17200MHz_1MHz)@15424.500MHz   | -78.88 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3 | SA(17198MHz-17800MHz_1MHz)@17794.091MHz   | -77.95 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power          | 19.85  | -99.9   | 30.0   | NONE |
| n66 | 5MHz | 15kHz | 435500 | 4 | SA(30MHz-1754MHz_1MHz)@1727.500MHz        | -57.81 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -25.15 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4 | SA(2799MHz-3201MHz_1MHz)@3200.500MHz      | -57.03 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4 | SA(3199MHz-5200MHz_1MHz)@3997.500MHz      | -55.10 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4 | SA(5198MHz-7200MHz_1MHz)@6708.500MHz      | -50.75 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4 | SA(7198MHz-9200MHz_1MHz)@8077.500MHz      | -78.73 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4 | SA(9198MHz-11200MHz_1MHz)@10299.500MHz    | -80.43 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4 | SA(11198MHz-13200MHz_1MHz)@12874.500MHz   | -78.69 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4 | SA(13198MHz-15200MHz_1MHz)@13386.500MHz   | -78.88 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4 | SA(15198MHz-17200MHz_1MHz)@15386.500MHz   | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4 | SA(17198MHz-17800MHz_1MHz)@17797.697MHz   | -78.02 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 5 | DFT-s-OFDM QPSK^Edge_IRB_Left:Power       | 19.60  | -99.9   | 30.0   | NONE |
| n66 | 5MHz | 15kHz | 435500 | 5 | SA(30MHz-1754MHz_1MHz)@1723.500MHz        | -56.14 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 5 | SA(1781MHz-2801MHz_1MHz)@1782.500MHz      | -42.48 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 5 | SA(2799MHz-3201MHz_1MHz)@3197.693MHz      | -57.04 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 5 | SA(3199MHz-5200MHz_1MHz)@3550.500MHz      | -54.79 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 5 | SA(5198MHz-7200MHz_1MHz)@5746.500MHz      | -50.11 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 5 | SA(7198MHz-9200MHz_1MHz)@8088.500MHz      | -78.62 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 5 | SA(9198MHz-11200MHz_1MHz)@10290.500MHz    | -80.40 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 5 | SA(11198MHz-13200MHz_1MHz)@12876.500MHz   | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 5 | SA(13198MHz-15200MHz_1MHz)@13379.500MHz   | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 5 | SA(15198MHz-17200MHz_1MHz)@15385.500MHz   | -78.86 | -999.00 | -13.00 | PASS |







|     |       |       |        |   |                                           |        |         |        |      |
|-----|-------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 5MHz  | 15kHz | 435500 | 5 | SA(17198MHz-17800MHz_1MHz)@17788.682MHz   | -77.77 | -999.00 | -13.00 | PASS |
| n66 | 5MHz  | 15kHz | 435500 | 6 | DFT-s-OFDM QPSK^Edge_1RB_Right:Power      | 19.92  | -99.9   | 30.0   | NONE |
| n66 | 5MHz  | 15kHz | 435500 | 6 | SA(30MHz-1754MHz_1MHz)@1728.500MHz        | -56.60 | -999.00 | -13.00 | PASS |
| n66 | 5MHz  | 15kHz | 435500 | 6 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -28.81 | -999.00 | -13.00 | PASS |
| n66 | 5MHz  | 15kHz | 435500 | 6 | SA(2799MHz-3201MHz_1MHz)@3199.297MHz      | -57.12 | -999.00 | -13.00 | PASS |
| n66 | 5MHz  | 15kHz | 435500 | 6 | SA(3199MHz-5200MHz_1MHz)@3558.500MHz      | -54.64 | -999.00 | -13.00 | PASS |
| n66 | 5MHz  | 15kHz | 435500 | 6 | SA(5198MHz-7200MHz_1MHz)@6715.500MHz      | -50.76 | -999.00 | -13.00 | PASS |
| n66 | 5MHz  | 15kHz | 435500 | 6 | SA(7198MHz-9200MHz_1MHz)@8076.500MHz      | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 5MHz  | 15kHz | 435500 | 6 | SA(9198MHz-11200MHz_1MHz)@10307.500MHz    | -80.42 | -999.00 | -13.00 | PASS |
| n66 | 5MHz  | 15kHz | 435500 | 6 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz   | -78.86 | -999.00 | -13.00 | PASS |
| n66 | 5MHz  | 15kHz | 435500 | 6 | SA(13198MHz-15200MHz_1MHz)@13385.500MHz   | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 5MHz  | 15kHz | 435500 | 6 | SA(15198MHz-17200MHz_1MHz)@15375.500MHz   | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 5MHz  | 15kHz | 435500 | 6 | SA(17198MHz-17800MHz_1MHz)@17797.096MHz   | -77.90 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power     | 20.73  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 423000 | 1 | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -32.44 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 1 | SA(1756MHz-2801MHz_1MHz)@1770.500MHz      | -57.47 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 1 | SA(2799MHz-3201MHz_1MHz)@3200.500MHz      | -57.07 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 1 | SA(3199MHz-5200MHz_1MHz)@3996.500MHz      | -55.12 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 1 | SA(5198MHz-7200MHz_1MHz)@5738.500MHz      | -49.69 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 1 | SA(7198MHz-9200MHz_1MHz)@8083.500MHz      | -78.68 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 1 | SA(9198MHz-11200MHz_1MHz)@10299.500MHz    | -80.42 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 1 | SA(11198MHz-13200MHz_1MHz)@12881.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 1 | SA(13198MHz-15200MHz_1MHz)@13380.500MHz   | -78.89 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 1 | SA(15198MHz-17200MHz_1MHz)@15379.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 1 | SA(17198MHz-17800MHz_1MHz)@17795.293MHz   | -78.02 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power  | 20.58  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 423000 | 2 | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -32.89 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 2 | SA(1756MHz-2801MHz_1MHz)@1762.500MHz      | -55.39 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 2 | SA(2799MHz-3201MHz_1MHz)@3198.896MHz      | -56.94 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 2 | SA(3199MHz-5200MHz_1MHz)@3988.500MHz      | -55.13 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 2 | SA(5198MHz-7200MHz_1MHz)@6727.500MHz      | -50.81 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 2 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz      | -78.67 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 2 | SA(9198MHz-11200MHz_1MHz)@10298.500MHz    | -80.42 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 2 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz   | -78.69 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 2 | SA(13198MHz-15200MHz_1MHz)@13379.500MHz   | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 2 | SA(15198MHz-17200MHz_1MHz)@15409.500MHz   | -78.66 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 2 | SA(17198MHz-17800MHz_1MHz)@17799.500MHz   | -77.94 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power | 18.76  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 423000 | 3 | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -38.62 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 3 | SA(1756MHz-2801MHz_1MHz)@1771.500MHz      | -56.32 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 3 | SA(2799MHz-3201MHz_1MHz)@3199.698MHz      | -56.99 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 3 | SA(3199MHz-5200MHz_1MHz)@3991.500MHz      | -55.09 | -999.00 | -13.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |   |                                         |        |         |        |      |
|-----|-------|-------|--------|---|-----------------------------------------|--------|---------|--------|------|
| n66 | 10MHz | 15kHz | 423000 | 3 | SA(5198MHz-7200MHz_1MHz)@6704.500MHz    | -50.70 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 3 | SA(7198MHz-9200MHz_1MHz)@8080.500MHz    | -78.75 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 3 | SA(9198MHz-11200MHz_1MHz)@10296.500MHz  | -80.30 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 3 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 3 | SA(13198MHz-15200MHz_1MHz)@13389.500MHz | -78.85 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 3 | SA(15198MHz-17200MHz_1MHz)@15375.500MHz | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 3 | SA(17198MHz-17800MHz_1MHz)@17797.697MHz | -78.03 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power        | 19.21  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 423000 | 4 | SA(30MHz-1709MHz_1MHz)@1708.500MHz      | -28.05 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 4 | SA(1756MHz-2801MHz_1MHz)@1768.500MHz    | -57.56 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 4 | SA(2799MHz-3201MHz_1MHz)@3200.500MHz    | -57.07 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 4 | SA(3199MHz-5200MHz_1MHz)@3988.500MHz    | -55.08 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 4 | SA(5198MHz-7200MHz_1MHz)@6706.500MHz    | -50.71 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 4 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz    | -78.64 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 4 | SA(9198MHz-11200MHz_1MHz)@10304.500MHz  | -80.50 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 4 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 4 | SA(13198MHz-15200MHz_1MHz)@13398.500MHz | -78.91 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 4 | SA(15198MHz-17200MHz_1MHz)@15383.500MHz | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 4 | SA(17198MHz-17800MHz_1MHz)@17798.899MHz | -78.04 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 5 | DFT-s-OFDM QPSK^Edge_1RB_Left:Power     | 20.09  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 423000 | 5 | SA(30MHz-1709MHz_1MHz)@1708.500MHz      | -33.21 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 5 | SA(1756MHz-2801MHz_1MHz)@1761.500MHz    | -57.22 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 5 | SA(2799MHz-3201MHz_1MHz)@3199.698MHz    | -57.13 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 5 | SA(3199MHz-5200MHz_1MHz)@3993.500MHz    | -55.06 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 5 | SA(5198MHz-7200MHz_1MHz)@5743.500MHz    | -50.72 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 5 | SA(7198MHz-9200MHz_1MHz)@8080.500MHz    | -78.73 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 5 | SA(9198MHz-11200MHz_1MHz)@10304.500MHz  | -80.42 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 5 | SA(11198MHz-13200MHz_1MHz)@12882.500MHz | -78.89 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 5 | SA(13198MHz-15200MHz_1MHz)@13377.500MHz | -78.90 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 5 | SA(15198MHz-17200MHz_1MHz)@15388.500MHz | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 5 | SA(17198MHz-17800MHz_1MHz)@17795.894MHz | -77.90 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 6 | DFT-s-OFDM QPSK^Edge_1RB_Right:Power    | 18.17  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 423000 | 6 | SA(30MHz-1709MHz_1MHz)@1708.500MHz      | -38.21 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 6 | SA(1756MHz-2801MHz_1MHz)@1771.500MHz    | -56.25 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 6 | SA(2799MHz-3201MHz_1MHz)@3200.099MHz    | -57.00 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 6 | SA(3199MHz-5200MHz_1MHz)@3994.500MHz    | -55.15 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 6 | SA(5198MHz-7200MHz_1MHz)@6647.500MHz    | -50.78 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 6 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz    | -78.67 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 6 | SA(9198MHz-11200MHz_1MHz)@10306.500MHz  | -80.33 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 6 | SA(11198MHz-13200MHz_1MHz)@12878.500MHz | -78.90 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 6 | SA(13198MHz-15200MHz_1MHz)@13398.500MHz | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 423000 | 6 | SA(15198MHz-17200MHz_1MHz)@15386.500MHz | -78.73 | -999.00 | -13.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

|     |       |       |        |   |                                           |        |         |        |      |
|-----|-------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 10MHz | 15kHz | 423000 | 6 | SA(17198MHz-17800MHz_1MHz)@17791.086MHz   | -78.02 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power     | 21.07  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 429000 | 1 | SA(30MHz-1709MHz_1MHz)@1693.500MHz        | -57.99 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 1 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz      | -35.45 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 1 | SA(2799MHz-3201MHz_1MHz)@3200.500MHz      | -56.97 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 1 | SA(3199MHz-5200MHz_1MHz)@3996.500MHz      | -55.09 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 1 | SA(5198MHz-7200MHz_1MHz)@6711.500MHz      | -50.72 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 1 | SA(7198MHz-9200MHz_1MHz)@8081.500MHz      | -78.71 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 1 | SA(9198MHz-11200MHz_1MHz)@10300.500MHz    | -80.38 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 1 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz   | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 1 | SA(13198MHz-15200MHz_1MHz)@13387.500MHz   | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 1 | SA(15198MHz-17200MHz_1MHz)@15380.500MHz   | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 1 | SA(17198MHz-17800MHz_1MHz)@17795.293MHz   | -78.01 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power  | 22.54  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 429000 | 2 | SA(30MHz-1709MHz_1MHz)@1688.500MHz        | -56.03 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 2 | SA(1756MHz-2801MHz_1MHz)@1758.500MHz      | -48.39 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 2 | SA(2799MHz-3201MHz_1MHz)@3199.297MHz      | -57.02 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 2 | SA(3199MHz-5200MHz_1MHz)@3999.500MHz      | -55.13 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 2 | SA(5198MHz-7200MHz_1MHz)@6704.500MHz      | -50.72 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 2 | SA(7198MHz-9200MHz_1MHz)@8080.500MHz      | -78.64 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 2 | SA(9198MHz-11200MHz_1MHz)@10299.500MHz    | -80.33 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 2 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz   | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 2 | SA(13198MHz-15200MHz_1MHz)@13358.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 2 | SA(15198MHz-17200MHz_1MHz)@15381.500MHz   | -78.68 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 2 | SA(17198MHz-17800MHz_1MHz)@17794.692MHz   | -77.92 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power | 22.53  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 429000 | 3 | SA(30MHz-1709MHz_1MHz)@1697.500MHz        | -56.40 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 3 | SA(1756MHz-2801MHz_1MHz)@1757.500MHz      | -46.00 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 3 | SA(2799MHz-3201MHz_1MHz)@3192.079MHz      | -57.12 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 3 | SA(3199MHz-5200MHz_1MHz)@3498.500MHz      | -53.62 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 3 | SA(5198MHz-7200MHz_1MHz)@6682.500MHz      | -50.74 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 3 | SA(7198MHz-9200MHz_1MHz)@8077.500MHz      | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 3 | SA(9198MHz-11200MHz_1MHz)@10299.500MHz    | -80.40 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 3 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 3 | SA(13198MHz-15200MHz_1MHz)@13375.500MHz   | -78.91 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 3 | SA(15198MHz-17200MHz_1MHz)@15368.500MHz   | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 3 | SA(17198MHz-17800MHz_1MHz)@17797.697MHz   | -77.94 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power          | 22.37  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 429000 | 4 | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -56.06 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 4 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz      | -34.40 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 4 | SA(2799MHz-3201MHz_1MHz)@3200.500MHz      | -57.07 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 4 | SA(3199MHz-5200MHz_1MHz)@3998.500MHz      | -54.96 | -999.00 | -13.00 | PASS |





|     |       |       |        |   |                                         |        |         |        |      |
|-----|-------|-------|--------|---|-----------------------------------------|--------|---------|--------|------|
| n66 | 10MHz | 15kHz | 429000 | 4 | SA(5198MHz-7200MHz_1MHz)@6680.500MHz    | -50.77 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 4 | SA(7198MHz-9200MHz_1MHz)@8082.500MHz    | -78.67 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 4 | SA(9198MHz-11200MHz_1MHz)@10308.500MHz  | -80.39 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 4 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 4 | SA(13198MHz-15200MHz_1MHz)@13373.500MHz | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 4 | SA(15198MHz-17200MHz_1MHz)@15410.500MHz | -78.85 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 4 | SA(17198MHz-17800MHz_1MHz)@17798.899MHz | -77.86 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 5 | DFT-s-OFDM QPSK^Edge_IRB_Left:Power     | 22.02  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 429000 | 5 | SA(30MHz-1709MHz_1MHz)@1688.500MHz      | -56.12 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 5 | SA(1756MHz-2801MHz_1MHz)@1758.500MHz    | -48.30 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 5 | SA(2799MHz-3201MHz_1MHz)@3196.089MHz    | -57.04 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 5 | SA(3199MHz-5200MHz_1MHz)@3993.500MHz    | -55.12 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 5 | SA(5198MHz-7200MHz_1MHz)@6685.500MHz    | -50.64 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 5 | SA(7198MHz-9200MHz_1MHz)@8075.500MHz    | -78.70 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 5 | SA(9198MHz-11200MHz_1MHz)@10299.500MHz  | -80.37 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 5 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz | -78.85 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 5 | SA(13198MHz-15200MHz_1MHz)@13398.500MHz | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 5 | SA(15198MHz-17200MHz_1MHz)@15386.500MHz | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 5 | SA(17198MHz-17800MHz_1MHz)@17795.293MHz | -78.04 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 6 | DFT-s-OFDM QPSK^Edge_IRB_Right:Power    | 21.97  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 429000 | 6 | SA(30MHz-1709MHz_1MHz)@1697.500MHz      | -55.74 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 6 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz    | -46.73 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 6 | SA(2799MHz-3201MHz_1MHz)@3193.683MHz    | -57.06 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 6 | SA(3199MHz-5200MHz_1MHz)@3498.500MHz    | -54.34 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 6 | SA(5198MHz-7200MHz_1MHz)@6654.500MHz    | -50.70 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 6 | SA(7198MHz-9200MHz_1MHz)@8083.500MHz    | -78.65 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 6 | SA(9198MHz-11200MHz_1MHz)@10308.500MHz  | -80.32 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 6 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz | -78.88 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 6 | SA(13198MHz-15200MHz_1MHz)@13385.500MHz | -78.75 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 6 | SA(15198MHz-17200MHz_1MHz)@15384.500MHz | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 429000 | 6 | SA(17198MHz-17800MHz_1MHz)@17798.899MHz | -78.00 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power   | 20.93  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 435000 | 1 | SA(30MHz-1754MHz_1MHz)@1753.500MHz      | -55.01 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 1 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz    | -34.04 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 1 | SA(2799MHz-3201MHz_1MHz)@3198.495MHz    | -57.04 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 1 | SA(3199MHz-5200MHz_1MHz)@3998.500MHz    | -55.14 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 1 | SA(5198MHz-7200MHz_1MHz)@6669.500MHz    | -50.79 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 1 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz    | -78.63 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 1 | SA(9198MHz-11200MHz_1MHz)@10316.500MHz  | -80.32 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 1 | SA(11198MHz-13200MHz_1MHz)@12874.500MHz | -78.86 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 1 | SA(13198MHz-15200MHz_1MHz)@13366.500MHz | -78.88 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 1 | SA(15198MHz-17200MHz_1MHz)@15388.500MHz | -78.87 | -999.00 | -13.00 | PASS |



|     |       |       |        |   |                                           |        |         |        |      |
|-----|-------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 10MHz | 15kHz | 435000 | 1 | SA(17198MHz-17800MHz_1MHz)@17798.899MHz   | -77.87 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_IRB_Left:Power  | 20.12  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 435000 | 2 | SA(30MHz-1754MHz_1MHz)@1718.500MHz        | -56.06 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 2 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -38.91 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 2 | SA(2799MHz-3201MHz_1MHz)@3199.297MHz      | -56.94 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 2 | SA(3199MHz-5200MHz_1MHz)@3996.500MHz      | -55.02 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 2 | SA(5198MHz-7200MHz_1MHz)@6669.500MHz      | -50.72 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 2 | SA(7198MHz-9200MHz_1MHz)@8078.500MHz      | -78.66 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 2 | SA(9198MHz-11200MHz_1MHz)@10299.500MHz    | -80.37 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 2 | SA(11198MHz-13200MHz_1MHz)@12878.500MHz   | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 2 | SA(13198MHz-15200MHz_1MHz)@13380.500MHz   | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 2 | SA(15198MHz-17200MHz_1MHz)@15384.500MHz   | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 2 | SA(17198MHz-17800MHz_1MHz)@17783.273MHz   | -78.00 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_IRB_Right:Power | 20.43  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 435000 | 3 | SA(30MHz-1754MHz_1MHz)@1727.500MHz        | -55.81 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 3 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -32.29 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 3 | SA(2799MHz-3201MHz_1MHz)@3195.287MHz      | -57.08 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 3 | SA(3199MHz-5200MHz_1MHz)@3558.500MHz      | -53.79 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 3 | SA(5198MHz-7200MHz_1MHz)@5742.500MHz      | -49.35 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 3 | SA(7198MHz-9200MHz_1MHz)@8081.500MHz      | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 3 | SA(9198MHz-11200MHz_1MHz)@10296.500MHz    | -80.36 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 3 | SA(11198MHz-13200MHz_1MHz)@12875.500MHz   | -78.90 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 3 | SA(13198MHz-15200MHz_1MHz)@13370.500MHz   | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 3 | SA(15198MHz-17200MHz_1MHz)@15387.500MHz   | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 3 | SA(17198MHz-17800MHz_1MHz)@17797.096MHz   | -77.97 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power          | 19.73  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 435000 | 4 | SA(30MHz-1754MHz_1MHz)@1753.500MHz        | -52.37 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 4 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -28.93 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 4 | SA(2799MHz-3201MHz_1MHz)@3192.881MHz      | -57.05 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 4 | SA(3199MHz-5200MHz_1MHz)@3998.500MHz      | -54.99 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 4 | SA(5198MHz-7200MHz_1MHz)@6685.500MHz      | -50.77 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 4 | SA(7198MHz-9200MHz_1MHz)@8088.500MHz      | -78.66 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 4 | SA(9198MHz-11200MHz_1MHz)@10293.500MHz    | -80.31 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 4 | SA(11198MHz-13200MHz_1MHz)@12884.500MHz   | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 4 | SA(13198MHz-15200MHz_1MHz)@13366.500MHz   | -78.75 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 4 | SA(15198MHz-17200MHz_1MHz)@15376.500MHz   | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 4 | SA(17198MHz-17800MHz_1MHz)@17791.086MHz   | -78.01 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 5 | DFT-s-OFDM QPSK^Edge_IRB_Left:Power       | 19.59  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 435000 | 5 | SA(30MHz-1754MHz_1MHz)@1718.500MHz        | -56.90 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 5 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -40.00 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 5 | SA(2799MHz-3201MHz_1MHz)@3197.292MHz      | -57.08 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 5 | SA(3199MHz-5200MHz_1MHz)@3985.500MHz      | -55.00 | -999.00 | -13.00 | PASS |







|     |       |       |        |   |                                          |        |         |        |      |
|-----|-------|-------|--------|---|------------------------------------------|--------|---------|--------|------|
| n66 | 10MHz | 15kHz | 435000 | 5 | SA(5198MHz-7200MHz_1MHz)@6703.500MHz     | -50.56 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 5 | SA(7198MHz-9200MHz_1MHz)@8082.500MHz     | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 5 | SA(9198MHz-11200MHz_1MHz)@10299.500MHz   | -80.34 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 5 | SA(11198MHz-13200MHz_1MHz)@12882.500MHz  | -78.72 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 5 | SA(13198MHz-15200MHz_1MHz)@13373.500MHz  | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 5 | SA(15198MHz-17200MHz_1MHz)@15395.500MHz  | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 5 | SA(17198MHz-17800MHz_1MHz)@17791.687MHz  | -78.08 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 6 | DFT-s-OFDM QPSK^Edge_1RB_Right:Power     | 19.87  | -99.9   | 30.0   | NONE |
| n66 | 10MHz | 15kHz | 435000 | 6 | SA(30MHz-1754MHz_1MHz)@721.500MHz        | -55.20 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 6 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz     | -31.84 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 6 | SA(2799MHz-3201MHz_1MHz)@3198.094MHz     | -63.00 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 6 | SA(3199MHz-5200MHz_1MHz)@3558.500MHz     | -56.06 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 6 | SA(5198MHz-7200MHz_1MHz)@5742.500MHz     | -75.90 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 6 | SA(7198MHz-9200MHz_1MHz)@8076.500MHz     | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 6 | SA(9198MHz-11200MHz_1MHz)@10310.500MHz   | -80.26 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 6 | SA(11198MHz-13200MHz_1MHz)@12883.500MHz  | -78.90 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 6 | SA(13198MHz-15200MHz_1MHz)@13362.500MHz  | -78.87 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 6 | SA(15198MHz-17200MHz_1MHz)@15378.500MHz  | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 10MHz | 15kHz | 435000 | 6 | SA(17198MHz-17800MHz_1MHz)@17795.894MHz  | -78.00 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power    | 20.89  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 423500 | 1 | SA(30MHz-1709MHz_1MHz)@1708.500MHz       | -32.41 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 1 | SA(1756MHz-2801MHz_1MHz)@1769.500MHz     | -57.08 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 1 | SA(2799MHz-3201MHz_1MHz)@3190.475MHz     | -57.09 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 1 | SA(3199MHz-5200MHz_1MHz)@3991.500MHz     | -55.11 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 1 | SA(5198MHz-7200MHz_1MHz)@6665.500MHz     | -50.73 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 1 | SA(7198MHz-9200MHz_1MHz)@8086.500MHz     | -78.71 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 1 | SA(9198MHz-11200MHz_1MHz)@10306.500MHz   | -80.32 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 1 | SA(11198MHz-13200MHz_1MHz)@12878.500MHz  | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 1 | SA(13198MHz-15200MHz_1MHz)@13387.500MHz  | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 1 | SA(15198MHz-17200MHz_1MHz)@15392.500MHz  | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 1 | SA(17198MHz-17800MHz_1MHz)@17797.096MHz  | -77.96 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power | 20.60  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 423500 | 2 | SA(30MHz-1709MHz_1MHz)@1708.500MHz       | -35.59 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 2 | SA(1756MHz-2801MHz_1MHz)@1762.500MHz     | -55.93 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 2 | SA(2799MHz-3201MHz_1MHz)@3198.495MHz     | -62.99 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 2 | SA(3199MHz-5200MHz_1MHz)@3993.500MHz     | -60.96 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 2 | SA(5198MHz-7200MHz_1MHz)@5992.500MHz     | -77.09 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 2 | SA(7198MHz-9200MHz_1MHz)@8078.500MHz     | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 2 | SA(9198MHz-11200MHz_1MHz)@10282.500MHz   | -80.37 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 2 | SA(11198MHz-13200MHz_1MHz)@12878.500MHz  | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 2 | SA(13198MHz-15200MHz_1MHz)@13388.500MHz  | -78.70 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 2 | SA(15198MHz-17200MHz_1MHz)@15388.500MHz  | -78.75 | -999.00 | -13.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

|     |       |       |        |   |                                           |        |         |        |      |
|-----|-------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 15MHz | 15kHz | 423500 | 2 | SA(17198MHz-17800MHz_1MHz)@17798.298MHz   | -78.04 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power | 18.82  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 423500 | 3 | SA(30MHz-1709MHz_1MHz)@1707.500MHz        | -38.02 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 3 | SA(1756MHz-2801MHz_1MHz)@1776.500MHz      | -56.54 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 3 | SA(2799MHz-3201MHz_1MHz)@3196.891MHz      | -57.00 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 3 | SA(3199MHz-5200MHz_1MHz)@3995.500MHz      | -55.12 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 3 | SA(5198MHz-7200MHz_1MHz)@6677.500MHz      | -50.74 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 3 | SA(7198MHz-9200MHz_1MHz)@8076.500MHz      | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 3 | SA(9198MHz-11200MHz_1MHz)@10296.500MHz    | -80.38 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 3 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz   | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 3 | SA(13198MHz-15200MHz_1MHz)@13352.500MHz   | -78.89 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 3 | SA(15198MHz-17200MHz_1MHz)@15392.500MHz   | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 3 | SA(17198MHz-17800MHz_1MHz)@17792.889MHz   | -78.05 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power          | 19.00  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 423500 | 4 | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -29.30 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 4 | SA(1756MHz-2801MHz_1MHz)@1758.500MHz      | -54.12 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 4 | SA(2799MHz-3201MHz_1MHz)@3200.099MHz      | -57.08 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 4 | SA(3199MHz-5200MHz_1MHz)@3992.500MHz      | -55.05 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 4 | SA(5198MHz-7200MHz_1MHz)@6189.500MHz      | -50.76 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 4 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz      | -78.72 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 4 | SA(9198MHz-11200MHz_1MHz)@10306.500MHz    | -80.34 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 4 | SA(11198MHz-13200MHz_1MHz)@12875.500MHz   | -78.77 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 4 | SA(13198MHz-15200MHz_1MHz)@13396.500MHz   | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 4 | SA(15198MHz-17200MHz_1MHz)@15394.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 4 | SA(17198MHz-17800MHz_1MHz)@17798.899MHz   | -77.91 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 5 | DFT-s-OFDM QPSK^Edge_1RB_Left:Power       | 20.07  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 423500 | 5 | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -36.37 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 5 | SA(1756MHz-2801MHz_1MHz)@1762.500MHz      | -55.78 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 5 | SA(2799MHz-3201MHz_1MHz)@3197.292MHz      | -56.93 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 5 | SA(3199MHz-5200MHz_1MHz)@3996.500MHz      | -55.06 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 5 | SA(5198MHz-7200MHz_1MHz)@5741.500MHz      | -50.43 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 5 | SA(7198MHz-9200MHz_1MHz)@8084.500MHz      | -78.70 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 5 | SA(9198MHz-11200MHz_1MHz)@10295.500MHz    | -80.43 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 5 | SA(11198MHz-13200MHz_1MHz)@12876.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 5 | SA(13198MHz-15200MHz_1MHz)@13361.500MHz   | -78.75 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 5 | SA(15198MHz-17200MHz_1MHz)@15379.500MHz   | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 5 | SA(17198MHz-17800MHz_1MHz)@17794.692MHz   | -77.95 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 6 | DFT-s-OFDM QPSK^Edge_1RB_Right:Power      | 18.22  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 423500 | 6 | SA(30MHz-1709MHz_1MHz)@1707.500MHz        | -38.10 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 6 | SA(1756MHz-2801MHz_1MHz)@1776.500MHz      | -55.84 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 6 | SA(2799MHz-3201MHz_1MHz)@3200.500MHz      | -56.98 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 6 | SA(3199MHz-5200MHz_1MHz)@3990.500MHz      | -55.02 | -999.00 | -13.00 | PASS |





|     |       |       |        |   |                                           |        |         |        |      |
|-----|-------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 15MHz | 15kHz | 423500 | 6 | SA(5198MHz-7200MHz_1MHz)@6670.500MHz      | -50.74 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 6 | SA(7198MHz-9200MHz_1MHz)@8084.500MHz      | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 6 | SA(9198MHz-11200MHz_1MHz)@10280.500MHz    | -80.42 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 6 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz   | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 6 | SA(13198MHz-15200MHz_1MHz)@13378.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 6 | SA(15198MHz-17200MHz_1MHz)@15374.500MHz   | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 423500 | 6 | SA(17198MHz-17800MHz_1MHz)@17785.677MHz   | -77.98 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power     | 21.00  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 429000 | 1 | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -56.61 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 1 | SA(1756MHz-2801MHz_1MHz)@1758.500MHz      | -34.31 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 1 | SA(2799MHz-3201MHz_1MHz)@3186.064MHz      | -57.10 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 1 | SA(3199MHz-5200MHz_1MHz)@3988.500MHz      | -55.11 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 1 | SA(5198MHz-7200MHz_1MHz)@6662.500MHz      | -50.77 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 1 | SA(7198MHz-9200MHz_1MHz)@8080.500MHz      | -78.68 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 1 | SA(9198MHz-11200MHz_1MHz)@10311.500MHz    | -80.46 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 1 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz   | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 1 | SA(13198MHz-15200MHz_1MHz)@13379.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 1 | SA(15198MHz-17200MHz_1MHz)@15408.500MHz   | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 1 | SA(17198MHz-17800MHz_1MHz)@17784.475MHz   | -77.93 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power  | 21.99  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 429000 | 2 | SA(30MHz-1709MHz_1MHz)@1685.500MHz        | -56.96 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 2 | SA(1756MHz-2801MHz_1MHz)@1759.500MHz      | -46.07 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 2 | SA(2799MHz-3201MHz_1MHz)@3200.099MHz      | -57.05 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 2 | SA(3199MHz-5200MHz_1MHz)@3994.500MHz      | -55.08 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 2 | SA(5198MHz-7200MHz_1MHz)@6686.500MHz      | -50.77 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 2 | SA(7198MHz-9200MHz_1MHz)@8084.500MHz      | -78.68 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 2 | SA(9198MHz-11200MHz_1MHz)@10286.500MHz    | -80.49 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 2 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz   | -78.86 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 2 | SA(13198MHz-15200MHz_1MHz)@13383.500MHz   | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 2 | SA(15198MHz-17200MHz_1MHz)@15377.500MHz   | -78.86 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 2 | SA(17198MHz-17800MHz_1MHz)@17786.278MHz   | -78.01 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power | 22.12  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 429000 | 3 | SA(30MHz-1709MHz_1MHz)@1699.500MHz        | -55.77 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 3 | SA(1756MHz-2801MHz_1MHz)@1758.500MHz      | -40.32 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 3 | SA(2799MHz-3201MHz_1MHz)@3198.094MHz      | -57.11 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 3 | SA(3199MHz-5200MHz_1MHz)@3503.500MHz      | -54.54 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 3 | SA(5198MHz-7200MHz_1MHz)@6678.500MHz      | -50.76 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 3 | SA(7198MHz-9200MHz_1MHz)@8080.500MHz      | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 3 | SA(9198MHz-11200MHz_1MHz)@10297.500MHz    | -80.38 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 3 | SA(11198MHz-13200MHz_1MHz)@12875.500MHz   | -78.85 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 3 | SA(13198MHz-15200MHz_1MHz)@13383.500MHz   | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 3 | SA(15198MHz-17200MHz_1MHz)@15378.500MHz   | -78.84 | -999.00 | -13.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |   |                                         |        |         |        |      |
|-----|-------|-------|--------|---|-----------------------------------------|--------|---------|--------|------|
| n66 | 15MHz | 15kHz | 429000 | 3 | SA(17198MHz-17800MHz_1MHz)@17791.687MHz | -78.02 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power        | 22.21  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 429000 | 4 | SA(30MHz-1709MHz_1MHz)@1708.500MHz      | -55.42 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 4 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz    | -31.91 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 4 | SA(2799MHz-3201MHz_1MHz)@3195.287MHz    | -57.05 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 4 | SA(3199MHz-5200MHz_1MHz)@3997.500MHz    | -55.02 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 4 | SA(5198MHz-7200MHz_1MHz)@6677.500MHz    | -50.78 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 4 | SA(7198MHz-9200MHz_1MHz)@8082.500MHz    | -78.68 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 4 | SA(9198MHz-11200MHz_1MHz)@10306.500MHz  | -80.46 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 4 | SA(11198MHz-13200MHz_1MHz)@12876.500MHz | -78.92 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 4 | SA(13198MHz-15200MHz_1MHz)@13375.500MHz | -78.86 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 4 | SA(15198MHz-17200MHz_1MHz)@15382.500MHz | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 4 | SA(17198MHz-17800MHz_1MHz)@17794.091MHz | -77.94 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 5 | DFT-s-OFDM QPSK^Edge_1RB_Left:Power     | 21.50  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 429000 | 5 | SA(30MHz-1709MHz_1MHz)@1686.500MHz      | -56.90 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 5 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz    | -46.21 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 5 | SA(2799MHz-3201MHz_1MHz)@3199.698MHz    | -56.99 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 5 | SA(3199MHz-5200MHz_1MHz)@3989.500MHz    | -55.08 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 5 | SA(5198MHz-7200MHz_1MHz)@6671.500MHz    | -50.75 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 5 | SA(7198MHz-9200MHz_1MHz)@8081.500MHz    | -78.68 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 5 | SA(9198MHz-11200MHz_1MHz)@10302.500MHz  | -80.35 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 5 | SA(11198MHz-13200MHz_1MHz)@12883.500MHz | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 5 | SA(13198MHz-15200MHz_1MHz)@13361.500MHz | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 5 | SA(15198MHz-17200MHz_1MHz)@15388.500MHz | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 5 | SA(17198MHz-17800MHz_1MHz)@17795.293MHz | -77.99 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 6 | DFT-s-OFDM QPSK^Edge_1RB_Right:Power    | 21.55  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 429000 | 6 | SA(30MHz-1709MHz_1MHz)@1700.500MHz      | -56.11 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 6 | SA(1756MHz-2801MHz_1MHz)@1758.500MHz    | -40.81 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 6 | SA(2799MHz-3201MHz_1MHz)@3200.500MHz    | -56.89 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 6 | SA(3199MHz-5200MHz_1MHz)@3503.500MHz    | -54.63 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 6 | SA(5198MHz-7200MHz_1MHz)@6679.500MHz    | -50.73 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 6 | SA(7198MHz-9200MHz_1MHz)@8087.500MHz    | -78.71 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 6 | SA(9198MHz-11200MHz_1MHz)@10298.500MHz  | -80.42 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 6 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz | -78.87 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 6 | SA(13198MHz-15200MHz_1MHz)@13382.500MHz | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 6 | SA(15198MHz-17200MHz_1MHz)@15382.500MHz | -78.89 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 429000 | 6 | SA(17198MHz-17800MHz_1MHz)@17799.500MHz | -77.93 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power   | 21.04  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 434500 | 1 | SA(30MHz-1754MHz_1MHz)@1753.500MHz      | -39.55 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 1 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz    | -34.20 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 1 | SA(2799MHz-3201MHz_1MHz)@3199.297MHz    | -57.08 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 1 | SA(3199MHz-5200MHz_1MHz)@3997.500MHz    | -55.08 | -999.00 | -13.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

|     |       |       |        |   |                                           |        |         |        |      |
|-----|-------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 15MHz | 15kHz | 434500 | 1 | SA(5198MHz-7200MHz_1MHz)@6668.500MHz      | -50.64 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 1 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz      | -78.75 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 1 | SA(9198MHz-11200MHz_1MHz)@10308.500MHz    | -80.41 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 1 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz   | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 1 | SA(13198MHz-15200MHz_1MHz)@13390.500MHz   | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 1 | SA(15198MHz-17200MHz_1MHz)@15389.500MHz   | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 1 | SA(17198MHz-17800MHz_1MHz)@17793.490MHz   | -77.93 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power  | 20.38  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 434500 | 2 | SA(30MHz-1754MHz_1MHz)@1751.500MHz        | -54.15 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 2 | SA(1781MHz-2801MHz_1MHz)@1782.500MHz      | -39.64 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 2 | SA(2799MHz-3201MHz_1MHz)@3198.896MHz      | -57.05 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 2 | SA(3199MHz-5200MHz_1MHz)@3995.500MHz      | -55.14 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 2 | SA(5198MHz-7200MHz_1MHz)@6657.500MHz      | -50.77 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 2 | SA(7198MHz-9200MHz_1MHz)@8082.500MHz      | -78.77 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 2 | SA(9198MHz-11200MHz_1MHz)@10288.500MHz    | -80.42 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 2 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz   | -78.87 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 2 | SA(13198MHz-15200MHz_1MHz)@13358.500MHz   | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 2 | SA(15198MHz-17200MHz_1MHz)@15372.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 2 | SA(17198MHz-17800MHz_1MHz)@17799.500MHz   | -77.75 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power | 20.48  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 434500 | 3 | SA(30MHz-1754MHz_1MHz)@1751.500MHz        | -49.07 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 3 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -35.39 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 3 | SA(2799MHz-3201MHz_1MHz)@3195.688MHz      | -57.02 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 3 | SA(3199MHz-5200MHz_1MHz)@3558.500MHz      | -53.66 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 3 | SA(5198MHz-7200MHz_1MHz)@6691.500MHz      | -50.79 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 3 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz      | -78.77 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 3 | SA(9198MHz-11200MHz_1MHz)@10281.500MHz    | -80.39 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 3 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz   | -78.97 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 3 | SA(13198MHz-15200MHz_1MHz)@13370.500MHz   | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 3 | SA(15198MHz-17200MHz_1MHz)@15390.500MHz   | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 3 | SA(17198MHz-17800MHz_1MHz)@17799.500MHz   | -78.01 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power          | 19.77  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 434500 | 4 | SA(30MHz-1754MHz_1MHz)@1753.500MHz        | -37.90 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 4 | SA(1781MHz-2801MHz_1MHz)@1782.500MHz      | -30.62 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 4 | SA(2799MHz-3201MHz_1MHz)@3194.886MHz      | -57.08 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 4 | SA(3199MHz-5200MHz_1MHz)@3999.500MHz      | -54.99 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 4 | SA(5198MHz-7200MHz_1MHz)@6645.500MHz      | -50.75 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 4 | SA(7198MHz-9200MHz_1MHz)@8081.500MHz      | -78.71 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 4 | SA(9198MHz-11200MHz_1MHz)@10283.500MHz    | -80.40 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 4 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz   | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 4 | SA(13198MHz-15200MHz_1MHz)@13387.500MHz   | -78.75 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 4 | SA(15198MHz-17200MHz_1MHz)@15373.500MHz   | -78.75 | -999.00 | -13.00 | PASS |







|     |       |       |        |   |                                         |        |         |        |      |
|-----|-------|-------|--------|---|-----------------------------------------|--------|---------|--------|------|
| n66 | 15MHz | 15kHz | 434500 | 4 | SA(17198MHz-17800MHz_1MHz)@17797.096MHz | -77.90 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 5 | DFT-s-OFDM QPSK^Edge_1RB_Left:Power     | 19.84  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 434500 | 5 | SA(30MHz-1754MHz_1MHz)@1752.500MHz      | -54.66 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 5 | SA(1781MHz-2801MHz_1MHz)@1782.500MHz    | -40.09 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 5 | SA(2799MHz-3201MHz_1MHz)@3198.896MHz    | -57.02 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 5 | SA(3199MHz-5200MHz_1MHz)@3998.500MHz    | -55.07 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 5 | SA(5198MHz-7200MHz_1MHz)@6710.500MHz    | -50.63 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 5 | SA(7198MHz-9200MHz_1MHz)@8080.500MHz    | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 5 | SA(9198MHz-11200MHz_1MHz)@10302.500MHz  | -80.30 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 5 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 5 | SA(13198MHz-15200MHz_1MHz)@13377.500MHz | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 5 | SA(15198MHz-17200MHz_1MHz)@15408.500MHz | -78.87 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 5 | SA(17198MHz-17800MHz_1MHz)@17797.096MHz | -77.96 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 6 | DFT-s-OFDM QPSK^Edge_1RB_Right:Power    | 19.94  | -99.9   | 30.0   | NONE |
| n66 | 15MHz | 15kHz | 434500 | 6 | SA(30MHz-1754MHz_1MHz)@1751.500MHz      | -49.46 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 6 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz    | -35.00 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 6 | SA(2799MHz-3201MHz_1MHz)@3195.287MHz    | -56.99 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 6 | SA(3199MHz-5200MHz_1MHz)@3558.500MHz    | -53.93 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 6 | SA(5198MHz-7200MHz_1MHz)@6699.500MHz    | -50.80 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 6 | SA(7198MHz-9200MHz_1MHz)@8083.500MHz    | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 6 | SA(9198MHz-11200MHz_1MHz)@10295.500MHz  | -80.39 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 6 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 6 | SA(13198MHz-15200MHz_1MHz)@13383.500MHz | -78.87 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 6 | SA(15198MHz-17200MHz_1MHz)@15367.500MHz | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 15MHz | 15kHz | 434500 | 6 | SA(17198MHz-17800MHz_1MHz)@17794.692MHz | -78.04 | -999.00 | -13.00 | PASS |

## TestResult

| Band | Bandwidth | SCS   | Channel | TestID | TestConfig                              | Value  | LowLimit | UpLimit | Result |
|------|-----------|-------|---------|--------|-----------------------------------------|--------|----------|---------|--------|
| n66  | 20MHz     | 15kHz | 429000  | 1      | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power   | 21.01  | -99.9    | 30.0    | NONE   |
| n66  | 20MHz     | 15kHz | 429000  | 1      | SA(30MHz-1709MHz_1MHz)@1707.500MHz      | -50.09 | -999.00  | -13.00  | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 1      | SA(1756MHz-2801MHz_1MHz)@1762.500MHz    | -33.75 | -999.00  | -13.00  | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 1      | SA(2799MHz-3201MHz_1MHz)@3198.495MHz    | -57.02 | -999.00  | -13.00  | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 1      | SA(3199MHz-5200MHz_1MHz)@3982.500MHz    | -55.07 | -999.00  | -13.00  | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 1      | SA(5198MHz-7200MHz_1MHz)@6664.500MHz    | -50.68 | -999.00  | -13.00  | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 1      | SA(7198MHz-9200MHz_1MHz)@8080.500MHz    | -78.74 | -999.00  | -13.00  | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 1      | SA(9198MHz-11200MHz_1MHz)@10296.500MHz  | -80.36 | -999.00  | -13.00  | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 1      | SA(11198MHz-13200MHz_1MHz)@12878.500MHz | -78.81 | -999.00  | -13.00  | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 1      | SA(13198MHz-15200MHz_1MHz)@13395.500MHz | -78.81 | -999.00  | -13.00  | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 1      | SA(15198MHz-17200MHz_1MHz)@15373.500MHz | -78.85 | -999.00  | -13.00  | PASS   |
| n66  | 20MHz     | 15kHz | 429000  | 1      | SA(17198MHz-17800MHz_1MHz)@17795.293MHz | -77.93 | -999.00  | -13.00  | PASS   |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |   |                                           |        |         |        |      |
|-----|-------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 20MHz | 15kHz | 429000 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_IRB_Left:Power  | 21.27  | -99.9   | 30.0   | NONE |
| n66 | 20MHz | 15kHz | 429000 | 2 | SA(30MHz-1709MHz_1MHz)@1683.500MHz        | -55.97 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 2 | SA(1756MHz-2801MHz_1MHz)@1758.500MHz      | -39.01 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 2 | SA(2799MHz-3201MHz_1MHz)@3194.485MHz      | -57.08 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 2 | SA(3199MHz-5200MHz_1MHz)@3996.500MHz      | -55.03 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 2 | SA(5198MHz-7200MHz_1MHz)@6682.500MHz      | -50.71 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 2 | SA(7198MHz-9200MHz_1MHz)@8080.500MHz      | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 2 | SA(9198MHz-11200MHz_1MHz)@10309.500MHz    | -80.33 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 2 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz   | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 2 | SA(13198MHz-15200MHz_1MHz)@13348.500MHz   | -78.88 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 2 | SA(15198MHz-17200MHz_1MHz)@15399.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 2 | SA(17198MHz-17800MHz_1MHz)@17797.096MHz   | -77.91 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_IRB_Right:Power | 21.63  | -99.9   | 30.0   | NONE |
| n66 | 20MHz | 15kHz | 429000 | 3 | SA(30MHz-1709MHz_1MHz)@1702.500MHz        | -56.82 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 3 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz      | -37.07 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 3 | SA(2799MHz-3201MHz_1MHz)@3179.247MHz      | -62.95 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 3 | SA(3199MHz-5200MHz_1MHz)@3508.500MHz      | -56.58 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 3 | SA(5198MHz-7200MHz_1MHz)@5994.500MHz      | -77.14 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 3 | SA(7198MHz-9200MHz_1MHz)@8077.500MHz      | -78.77 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 3 | SA(9198MHz-11200MHz_1MHz)@10299.500MHz    | -80.30 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 3 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz   | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 3 | SA(13198MHz-15200MHz_1MHz)@13384.500MHz   | -78.75 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 3 | SA(15198MHz-17200MHz_1MHz)@15371.500MHz   | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 3 | SA(17198MHz-17800MHz_1MHz)@17788.682MHz   | -77.99 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power          | 22.03  | -99.9   | 30.0   | NONE |
| n66 | 20MHz | 15kHz | 429000 | 4 | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -48.33 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 4 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz      | -31.09 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 4 | SA(2799MHz-3201MHz_1MHz)@3196.891MHz      | -56.99 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 4 | SA(3199MHz-5200MHz_1MHz)@3989.500MHz      | -55.11 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 4 | SA(5198MHz-7200MHz_1MHz)@6667.500MHz      | -50.75 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 4 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz      | -78.60 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 4 | SA(9198MHz-11200MHz_1MHz)@10295.500MHz    | -80.39 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 4 | SA(11198MHz-13200MHz_1MHz)@12876.500MHz   | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 4 | SA(13198MHz-15200MHz_1MHz)@13386.500MHz   | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 4 | SA(15198MHz-17200MHz_1MHz)@15390.500MHz   | -78.85 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 4 | SA(17198MHz-17800MHz_1MHz)@17792.288MHz   | -78.10 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 5 | DFT-s-OFDM QPSK^Edge_IRB_Left:Power       | 20.82  | -99.9   | 30.0   | NONE |
| n66 | 20MHz | 15kHz | 429000 | 5 | SA(30MHz-1709MHz_1MHz)@1683.500MHz        | -55.86 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 5 | SA(1756MHz-2801MHz_1MHz)@1758.500MHz      | -39.53 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 5 | SA(2799MHz-3201MHz_1MHz)@3197.292MHz      | -57.06 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 5 | SA(3199MHz-5200MHz_1MHz)@3999.500MHz      | -55.12 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 5 | SA(5198MHz-7200MHz_1MHz)@5741.500MHz      | -45.74 | -999.00 | -13.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |   |                                          |        |         |        |      |
|-----|-------|-------|--------|---|------------------------------------------|--------|---------|--------|------|
| n66 | 20MHz | 15kHz | 429000 | 5 | SA(7198MHz-9200MHz_1MHz)@8078.500MHz     | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 5 | SA(9198MHz-11200MHz_1MHz)@10305.500MHz   | -80.26 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 5 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz  | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 5 | SA(13198MHz-15200MHz_1MHz)@13393.500MHz  | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 5 | SA(15198MHz-17200MHz_1MHz)@15398.500MHz  | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 5 | SA(17198MHz-17800MHz_1MHz)@17795.293MHz  | -77.93 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 6 | DFT-s-OFDM QPSK^Edge_1RB_Right:Power     | 21.09  | -99.9   | 30.0   | NONE |
| n66 | 20MHz | 15kHz | 429000 | 6 | SA(30MHz-1709MHz_1MHz)@1702.500MHz       | -55.89 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 6 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz     | -37.04 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 6 | SA(2799MHz-3201MHz_1MHz)@3198.495MHz     | -57.04 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 6 | SA(3199MHz-5200MHz_1MHz)@3508.500MHz     | -54.63 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 6 | SA(5198MHz-7200MHz_1MHz)@6670.500MHz     | -50.74 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 6 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz     | -78.75 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 6 | SA(9198MHz-11200MHz_1MHz)@10306.500MHz   | -80.35 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 6 | SA(11198MHz-13200MHz_1MHz)@12878.500MHz  | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 6 | SA(13198MHz-15200MHz_1MHz)@13369.500MHz  | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 6 | SA(15198MHz-17200MHz_1MHz)@15399.500MHz  | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 429000 | 6 | SA(17198MHz-17800MHz_1MHz)@17790.485MHz  | -77.99 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power    | 21.09  | -99.9   | 30.0   | NONE |
| n66 | 20MHz | 15kHz | 434000 | 1 | SA(30MHz-1754MHz_1MHz)@1750.500MHz       | -33.67 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 1 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz     | -33.21 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 1 | SA(2799MHz-3201MHz_1MHz)@3198.094MHz     | -56.99 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 1 | SA(3199MHz-5200MHz_1MHz)@3998.500MHz     | -55.04 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 1 | SA(5198MHz-7200MHz_1MHz)@6663.500MHz     | -50.70 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 1 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz     | -78.72 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 1 | SA(9198MHz-11200MHz_1MHz)@10301.500MHz   | -80.32 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 1 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz  | -78.87 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 1 | SA(13198MHz-15200MHz_1MHz)@13394.500MHz  | -78.66 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 1 | SA(15198MHz-17200MHz_1MHz)@15378.500MHz  | -78.71 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 1 | SA(17198MHz-17800MHz_1MHz)@17791.687MHz  | -78.01 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power | 20.79  | -99.9   | 30.0   | NONE |
| n66 | 20MHz | 15kHz | 434000 | 2 | SA(30MHz-1754MHz_1MHz)@1751.500MHz       | -46.27 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 2 | SA(1781MHz-2801MHz_1MHz)@1783.500MHz     | -40.76 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 2 | SA(2799MHz-3201MHz_1MHz)@3198.896MHz     | -57.11 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 2 | SA(3199MHz-5200MHz_1MHz)@3986.500MHz     | -54.97 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 2 | SA(5198MHz-7200MHz_1MHz)@6676.500MHz     | -50.72 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 2 | SA(7198MHz-9200MHz_1MHz)@8083.500MHz     | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 2 | SA(9198MHz-11200MHz_1MHz)@10302.500MHz   | -80.39 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 2 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz  | -78.75 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 2 | SA(13198MHz-15200MHz_1MHz)@13364.500MHz  | -78.71 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 2 | SA(15198MHz-17200MHz_1MHz)@15377.500MHz  | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 2 | SA(17198MHz-17800MHz_1MHz)@17792.288MHz  | -78.08 | -999.00 | -13.00 | PASS |



|     |       |       |        |   |                                           |        |         |        |      |
|-----|-------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 20MHz | 15kHz | 434000 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power | 20.45  | -99.9   | 30.0   | NONE |
| n66 | 20MHz | 15kHz | 434000 | 3 | SA(30MHz-1754MHz_1MHz)@1750.500MHz        | -40.17 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 3 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -36.98 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 3 | SA(2799MHz-3201MHz_1MHz)@3198.896MHz      | -57.03 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 3 | SA(3199MHz-5200MHz_1MHz)@3558.500MHz      | -53.58 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 3 | SA(5198MHz-7200MHz_1MHz)@5738.500MHz      | -47.96 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 3 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz      | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 3 | SA(9198MHz-11200MHz_1MHz)@10301.500MHz    | -80.41 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 3 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz   | -78.73 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 3 | SA(13198MHz-15200MHz_1MHz)@13406.500MHz   | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 3 | SA(15198MHz-17200MHz_1MHz)@15373.500MHz   | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 3 | SA(17198MHz-17800MHz_1MHz)@17788.682MHz   | -78.02 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power          | 19.85  | -99.9   | 30.0   | NONE |
| n66 | 20MHz | 15kHz | 434000 | 4 | SA(30MHz-1754MHz_1MHz)@1752.500MHz        | -32.93 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 4 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -30.42 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 4 | SA(2799MHz-3201MHz_1MHz)@3200.099MHz      | -57.05 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 4 | SA(3199MHz-5200MHz_1MHz)@3984.500MHz      | -55.12 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 4 | SA(5198MHz-7200MHz_1MHz)@6668.500MHz      | -50.67 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 4 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz      | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 4 | SA(9198MHz-11200MHz_1MHz)@10303.500MHz    | -80.37 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 4 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz   | -78.67 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 4 | SA(13198MHz-15200MHz_1MHz)@13392.500MHz   | -78.70 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 4 | SA(15198MHz-17200MHz_1MHz)@15387.500MHz   | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 4 | SA(17198MHz-17800MHz_1MHz)@17794.692MHz   | -78.04 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 5 | DFT-s-OFDM QPSK^Edge_1RB_Left:Power       | 20.29  | -99.9   | 30.0   | NONE |
| n66 | 20MHz | 15kHz | 434000 | 5 | SA(30MHz-1754MHz_1MHz)@1753.500MHz        | -47.65 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 5 | SA(1781MHz-2801MHz_1MHz)@1783.500MHz      | -40.96 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 5 | SA(2799MHz-3201MHz_1MHz)@3198.896MHz      | -57.01 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 5 | SA(3199MHz-5200MHz_1MHz)@3996.500MHz      | -55.08 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 5 | SA(5198MHz-7200MHz_1MHz)@6702.500MHz      | -50.76 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 5 | SA(7198MHz-9200MHz_1MHz)@8080.500MHz      | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 5 | SA(9198MHz-11200MHz_1MHz)@10302.500MHz    | -80.39 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 5 | SA(11198MHz-13200MHz_1MHz)@12876.500MHz   | -78.86 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 5 | SA(13198MHz-15200MHz_1MHz)@13367.500MHz   | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 5 | SA(15198MHz-17200MHz_1MHz)@15383.500MHz   | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 5 | SA(17198MHz-17800MHz_1MHz)@17798.899MHz   | -78.00 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 6 | DFT-s-OFDM QPSK^Edge_1RB_Right:Power      | 19.87  | -99.9   | 30.0   | NONE |
| n66 | 20MHz | 15kHz | 434000 | 6 | SA(30MHz-1754MHz_1MHz)@1750.500MHz        | -40.66 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 6 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -37.36 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 6 | SA(2799MHz-3201MHz_1MHz)@3199.297MHz      | -57.09 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 6 | SA(3199MHz-5200MHz_1MHz)@3558.500MHz      | -54.20 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 6 | SA(5198MHz-7200MHz_1MHz)@6658.500MHz      | -50.76 | -999.00 | -13.00 | PASS |





|     |       |       |        |   |                                           |        |         |        |      |
|-----|-------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 20MHz | 15kHz | 434000 | 6 | SA(7198MHz-9200MHz_1MHz)@8073.500MHz      | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 6 | SA(9198MHz-11200MHz_1MHz)@10303.500MHz    | -80.29 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 6 | SA(11198MHz-13200MHz_1MHz)@12875.500MHz   | -78.53 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 6 | SA(13198MHz-15200MHz_1MHz)@13395.500MHz   | -78.87 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 6 | SA(15198MHz-17200MHz_1MHz)@15381.500MHz   | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 20MHz | 15kHz | 434000 | 6 | SA(17198MHz-17800MHz_1MHz)@17796.495MHz   | -77.95 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power     | 20.93  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 424500 | 1 | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -29.80 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 1 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz      | -48.09 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 1 | SA(2799MHz-3201MHz_1MHz)@3198.495MHz      | -56.94 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 1 | SA(3199MHz-5200MHz_1MHz)@3997.500MHz      | -55.10 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 1 | SA(5198MHz-7200MHz_1MHz)@6672.500MHz      | -50.79 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 1 | SA(7198MHz-9200MHz_1MHz)@8076.500MHz      | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 1 | SA(9198MHz-11200MHz_1MHz)@10300.500MHz    | -80.39 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 1 | SA(11198MHz-13200MHz_1MHz)@12878.500MHz   | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 1 | SA(13198MHz-15200MHz_1MHz)@13370.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 1 | SA(15198MHz-17200MHz_1MHz)@15382.500MHz   | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 1 | SA(17198MHz-17800MHz_1MHz)@17799.500MHz   | -77.94 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power  | 20.60  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 424500 | 2 | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -39.67 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 2 | SA(1756MHz-2801MHz_1MHz)@1758.500MHz      | -51.64 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 2 | SA(2799MHz-3201MHz_1MHz)@3197.693MHz      | -56.98 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 2 | SA(3199MHz-5200MHz_1MHz)@3988.500MHz      | -55.02 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 2 | SA(5198MHz-7200MHz_1MHz)@6646.500MHz      | -50.76 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 2 | SA(7198MHz-9200MHz_1MHz)@8089.500MHz      | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 2 | SA(9198MHz-11200MHz_1MHz)@10304.500MHz    | -80.24 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 2 | SA(11198MHz-13200MHz_1MHz)@12878.500MHz   | -78.77 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 2 | SA(13198MHz-15200MHz_1MHz)@13380.500MHz   | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 2 | SA(15198MHz-17200MHz_1MHz)@15394.500MHz   | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 2 | SA(17198MHz-17800MHz_1MHz)@17794.692MHz   | -77.95 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power | 20.99  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 424500 | 3 | SA(30MHz-1709MHz_1MHz)@1705.500MHz        | -45.04 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 3 | SA(1756MHz-2801MHz_1MHz)@1757.500MHz      | -55.57 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 3 | SA(2799MHz-3201MHz_1MHz)@3197.693MHz      | -57.07 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 3 | SA(3199MHz-5200MHz_1MHz)@3986.500MHz      | -55.05 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 3 | SA(5198MHz-7200MHz_1MHz)@6705.500MHz      | -50.71 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 3 | SA(7198MHz-9200MHz_1MHz)@8076.500MHz      | -78.69 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 3 | SA(9198MHz-11200MHz_1MHz)@10287.500MHz    | -80.31 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 3 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz   | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 3 | SA(13198MHz-15200MHz_1MHz)@13362.500MHz   | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 3 | SA(15198MHz-17200MHz_1MHz)@15400.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 3 | SA(17198MHz-17800MHz_1MHz)@17798.899MHz   | -77.95 | -999.00 | -13.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





|     |       |       |        |   |                                         |        |         |        |      |
|-----|-------|-------|--------|---|-----------------------------------------|--------|---------|--------|------|
| n66 | 25MHz | 15kHz | 424500 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power        | 19.18  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 424500 | 4 | SA(30MHz-1709MHz_1MHz)@1708.500MHz      | -29.17 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 4 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz    | -44.41 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 4 | SA(2799MHz-3201MHz_1MHz)@3196.891MHz    | -57.05 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 4 | SA(3199MHz-5200MHz_1MHz)@3997.500MHz    | -54.98 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 4 | SA(5198MHz-7200MHz_1MHz)@6718.500MHz    | -50.58 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 4 | SA(7198MHz-9200MHz_1MHz)@8075.500MHz    | -78.67 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 4 | SA(9198MHz-11200MHz_1MHz)@10314.500MHz  | -80.33 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 4 | SA(11198MHz-13200MHz_1MHz)@12878.500MHz | -78.91 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 4 | SA(13198MHz-15200MHz_1MHz)@13388.500MHz | -78.71 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 4 | SA(15198MHz-17200MHz_1MHz)@15392.500MHz | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 4 | SA(17198MHz-17800MHz_1MHz)@17797.096MHz | -77.86 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 5 | DFT-s-OFDM QPSK^Edge_IRB_Left:Power     | 20.06  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 424500 | 5 | SA(30MHz-1709MHz_1MHz)@1708.500MHz      | -40.05 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 5 | SA(1756MHz-2801MHz_1MHz)@1758.500MHz    | -52.32 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 5 | SA(2799MHz-3201MHz_1MHz)@3200.500MHz    | -56.99 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 5 | SA(3199MHz-5200MHz_1MHz)@3995.500MHz    | -55.03 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 5 | SA(5198MHz-7200MHz_1MHz)@6676.500MHz    | -50.62 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 5 | SA(7198MHz-9200MHz_1MHz)@8076.500MHz    | -78.70 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 5 | SA(9198MHz-11200MHz_1MHz)@10296.500MHz  | -80.39 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 5 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 5 | SA(13198MHz-15200MHz_1MHz)@13383.500MHz | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 5 | SA(15198MHz-17200MHz_1MHz)@15382.500MHz | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 5 | SA(17198MHz-17800MHz_1MHz)@17795.293MHz | -77.85 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 6 | DFT-s-OFDM QPSK^Edge_IRB_Right:Power    | 20.38  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 424500 | 6 | SA(30MHz-1709MHz_1MHz)@1705.500MHz      | -45.38 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 6 | SA(1756MHz-2801MHz_1MHz)@1757.500MHz    | -55.65 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 6 | SA(2799MHz-3201MHz_1MHz)@3196.490MHz    | -57.05 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 6 | SA(3199MHz-5200MHz_1MHz)@3971.500MHz    | -55.13 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 6 | SA(5198MHz-7200MHz_1MHz)@6678.500MHz    | -50.71 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 6 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz    | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 6 | SA(9198MHz-11200MHz_1MHz)@10298.500MHz  | -80.39 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 6 | SA(11198MHz-13200MHz_1MHz)@12881.500MHz | -78.85 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 6 | SA(13198MHz-15200MHz_1MHz)@13365.500MHz | -78.85 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 6 | SA(15198MHz-17200MHz_1MHz)@15408.500MHz | -78.73 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 424500 | 6 | SA(17198MHz-17800MHz_1MHz)@17791.687MHz | -78.05 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power   | 21.10  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 429000 | 1 | SA(30MHz-1709MHz_1MHz)@1705.500MHz      | -45.63 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 1 | SA(1781MHz-2801MHz_1MHz)@1782.500MHz    | -52.08 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 1 | SA(2799MHz-3201MHz_1MHz)@3200.500MHz    | -56.92 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 1 | SA(3199MHz-5200MHz_1MHz)@3996.500MHz    | -55.09 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 1 | SA(5198MHz-7200MHz_1MHz)@6677.500MHz    | -50.77 | -999.00 | -13.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|     |       |       |        |   |                                           |        |         |        |      |
|-----|-------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 25MHz | 15kHz | 429000 | 1 | SA(7198MHz-9200MHz_1MHz)@8081.500MHz      | -78.51 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 1 | SA(9198MHz-11200MHz_1MHz)@10316.500MHz    | -80.32 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 1 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz   | -78.72 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 1 | SA(13198MHz-15200MHz_1MHz)@13390.500MHz   | -78.77 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 1 | SA(15198MHz-17200MHz_1MHz)@15383.500MHz   | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 1 | SA(17198MHz-17800MHz_1MHz)@17798.298MHz   | -78.03 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_IRB_Left:Power  | 20.53  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 429000 | 2 | SA(30MHz-1709MHz_1MHz)@1681.500MHz        | -56.49 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 2 | SA(1781MHz-2801MHz_1MHz)@1784.500MHz      | -56.01 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 2 | SA(2799MHz-3201MHz_1MHz)@3199.698MHz      | -56.99 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 2 | SA(3199MHz-5200MHz_1MHz)@3995.500MHz      | -55.10 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 2 | SA(5198MHz-7200MHz_1MHz)@6686.500MHz      | -50.78 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 2 | SA(7198MHz-9200MHz_1MHz)@8080.500MHz      | -78.68 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 2 | SA(9198MHz-11200MHz_1MHz)@10279.500MHz    | -80.49 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 2 | SA(11198MHz-13200MHz_1MHz)@12872.500MHz   | -78.89 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 2 | SA(13198MHz-15200MHz_1MHz)@13373.500MHz   | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 2 | SA(15198MHz-17200MHz_1MHz)@15403.500MHz   | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 2 | SA(17198MHz-17800MHz_1MHz)@17798.899MHz   | -77.95 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_IRB_Right:Power | 21.40  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 429000 | 3 | SA(30MHz-1709MHz_1MHz)@1704.500MHz        | -54.74 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 3 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -58.05 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 3 | SA(2799MHz-3201MHz_1MHz)@3198.094MHz      | -56.98 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 3 | SA(3199MHz-5200MHz_1MHz)@3513.500MHz      | -54.95 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 3 | SA(5198MHz-7200MHz_1MHz)@6677.500MHz      | -50.80 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 3 | SA(7198MHz-9200MHz_1MHz)@8081.500MHz      | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 3 | SA(9198MHz-11200MHz_1MHz)@10310.500MHz    | -80.36 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 3 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz   | -78.89 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 3 | SA(13198MHz-15200MHz_1MHz)@13367.500MHz   | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 3 | SA(15198MHz-17200MHz_1MHz)@15383.500MHz   | -78.65 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 3 | SA(17198MHz-17800MHz_1MHz)@17798.899MHz   | -77.86 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power          | 21.89  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 429000 | 4 | SA(30MHz-1709MHz_1MHz)@1706.500MHz        | -44.33 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 4 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -49.13 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 4 | SA(2799MHz-3201MHz_1MHz)@3198.896MHz      | -57.01 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 4 | SA(3199MHz-5200MHz_1MHz)@3992.500MHz      | -54.97 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 4 | SA(5198MHz-7200MHz_1MHz)@6684.500MHz      | -50.68 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 4 | SA(7198MHz-9200MHz_1MHz)@8083.500MHz      | -78.69 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 4 | SA(9198MHz-11200MHz_1MHz)@10316.500MHz    | -80.33 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 4 | SA(11198MHz-13200MHz_1MHz)@12878.500MHz   | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 4 | SA(13198MHz-15200MHz_1MHz)@13362.500MHz   | -78.87 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 4 | SA(15198MHz-17200MHz_1MHz)@15383.500MHz   | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 4 | SA(17198MHz-17800MHz_1MHz)@17793.490MHz   | -77.94 | -999.00 | -13.00 | PASS |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

|     |       |       |        |   |                                          |        |         |        |      |
|-----|-------|-------|--------|---|------------------------------------------|--------|---------|--------|------|
| n66 | 25MHz | 15kHz | 429000 | 5 | DFT-s-OFDM QPSK^Edge_1RB_Left:Power      | 20.02  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 429000 | 5 | SA(30MHz-1709MHz_1MHz)@1680.500MHz       | -57.33 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 5 | SA(1781MHz-2801MHz_1MHz)@1785.500MHz     | -56.18 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 5 | SA(2799MHz-3201MHz_1MHz)@3193.683MHz     | -57.00 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 5 | SA(3199MHz-5200MHz_1MHz)@3995.500MHz     | -54.96 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 5 | SA(5198MHz-7200MHz_1MHz)@6665.500MHz     | -50.73 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 5 | SA(7198MHz-9200MHz_1MHz)@8084.500MHz     | -78.73 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 5 | SA(9198MHz-11200MHz_1MHz)@10313.500MHz   | -80.38 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 5 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz  | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 5 | SA(13198MHz-15200MHz_1MHz)@13374.500MHz  | -78.61 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 5 | SA(15198MHz-17200MHz_1MHz)@15376.500MHz  | -78.87 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 5 | SA(17198MHz-17800MHz_1MHz)@17792.889MHz  | -77.99 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 6 | DFT-s-OFDM QPSK^Edge_1RB_Right:Power     | 20.83  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 429000 | 6 | SA(30MHz-1709MHz_1MHz)@1704.500MHz       | -55.26 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 6 | SA(1781MHz-2801MHz_1MHz)@2409.500MHz     | -56.04 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 6 | SA(2799MHz-3201MHz_1MHz)@3196.891MHz     | -57.02 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 6 | SA(3199MHz-5200MHz_1MHz)@3995.500MHz     | -55.04 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 6 | SA(5198MHz-7200MHz_1MHz)@6711.500MHz     | -50.72 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 6 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz     | -78.72 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 6 | SA(9198MHz-11200MHz_1MHz)@10308.500MHz   | -80.31 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 6 | SA(11198MHz-13200MHz_1MHz)@12874.500MHz  | -78.77 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 6 | SA(13198MHz-15200MHz_1MHz)@13398.500MHz  | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 6 | SA(15198MHz-17200MHz_1MHz)@15406.500MHz  | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 429000 | 6 | SA(17198MHz-17800MHz_1MHz)@17798.899MHz  | -77.97 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power    | 21.13  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 433500 | 1 | SA(30MHz-1754MHz_1MHz)@1752.500MHz       | -29.78 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 1 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz     | -30.51 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 1 | SA(2799MHz-3201MHz_1MHz)@3197.693MHz     | -56.94 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 1 | SA(3199MHz-5200MHz_1MHz)@3998.500MHz     | -55.04 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 1 | SA(5198MHz-7200MHz_1MHz)@6669.500MHz     | -50.78 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 1 | SA(7198MHz-9200MHz_1MHz)@8076.500MHz     | -78.73 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 1 | SA(9198MHz-11200MHz_1MHz)@10306.500MHz   | -80.41 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 1 | SA(11198MHz-13200MHz_1MHz)@12875.500MHz  | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 1 | SA(13198MHz-15200MHz_1MHz)@13380.500MHz  | -78.73 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 1 | SA(15198MHz-17200MHz_1MHz)@15388.500MHz  | -78.77 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 1 | SA(17198MHz-17800MHz_1MHz)@17797.697MHz  | -77.94 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power | 21.49  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 433500 | 2 | SA(30MHz-1754MHz_1MHz)@1753.500MHz       | -39.61 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 2 | SA(1781MHz-2801MHz_1MHz)@1784.500MHz     | -46.16 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 2 | SA(2799MHz-3201MHz_1MHz)@3200.500MHz     | -57.09 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 2 | SA(3199MHz-5200MHz_1MHz)@3510.500MHz     | -54.89 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 2 | SA(5198MHz-7200MHz_1MHz)@6675.500MHz     | -50.74 | -999.00 | -13.00 | PASS |





|     |       |       |        |   |                                           |        |         |        |      |
|-----|-------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 25MHz | 15kHz | 433500 | 2 | SA(7198MHz-9200MHz_1MHz)@8081.500MHz      | -78.60 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 2 | SA(9198MHz-11200MHz_1MHz)@10312.500MHz    | -80.40 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 2 | SA(11198MHz-13200MHz_1MHz)@12883.500MHz   | -78.71 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 2 | SA(13198MHz-15200MHz_1MHz)@13382.500MHz   | -78.84 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 2 | SA(15198MHz-17200MHz_1MHz)@15386.500MHz   | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 2 | SA(17198MHz-17800MHz_1MHz)@17797.096MHz   | -78.01 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power | 20.43  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 433500 | 3 | SA(30MHz-1754MHz_1MHz)@1750.500MHz        | -44.46 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 3 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -39.33 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 3 | SA(2799MHz-3201MHz_1MHz)@3197.693MHz      | -56.97 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 3 | SA(3199MHz-5200MHz_1MHz)@3558.500MHz      | -53.90 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 3 | SA(5198MHz-7200MHz_1MHz)@6693.500MHz      | -50.75 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 3 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz      | -78.73 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 3 | SA(9198MHz-11200MHz_1MHz)@10301.500MHz    | -80.41 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 3 | SA(11198MHz-13200MHz_1MHz)@12873.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 3 | SA(13198MHz-15200MHz_1MHz)@13383.500MHz   | -78.75 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 3 | SA(15198MHz-17200MHz_1MHz)@15373.500MHz   | -78.87 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 3 | SA(17198MHz-17800MHz_1MHz)@17795.293MHz   | -78.04 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power          | 20.08  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 433500 | 4 | SA(30MHz-1754MHz_1MHz)@1753.500MHz        | -28.54 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 4 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -28.98 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 4 | SA(2799MHz-3201MHz_1MHz)@3200.500MHz      | -56.89 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 4 | SA(3199MHz-5200MHz_1MHz)@3992.500MHz      | -55.06 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 4 | SA(5198MHz-7200MHz_1MHz)@6712.500MHz      | -50.72 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 4 | SA(7198MHz-9200MHz_1MHz)@8082.500MHz      | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 4 | SA(9198MHz-11200MHz_1MHz)@10304.500MHz    | -80.38 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 4 | SA(11198MHz-13200MHz_1MHz)@12878.500MHz   | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 4 | SA(13198MHz-15200MHz_1MHz)@13354.500MHz   | -78.90 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 4 | SA(15198MHz-17200MHz_1MHz)@15415.500MHz   | -78.69 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 4 | SA(17198MHz-17800MHz_1MHz)@17797.096MHz   | -78.05 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 5 | DFT-s-OFDM QPSK^Edge_1RB_Left:Power       | 21.04  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 433500 | 5 | SA(30MHz-1754MHz_1MHz)@1753.500MHz        | -40.03 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 5 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -45.88 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 5 | SA(2799MHz-3201MHz_1MHz)@3199.297MHz      | -56.87 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 5 | SA(3199MHz-5200MHz_1MHz)@3510.500MHz      | -55.03 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 5 | SA(5198MHz-7200MHz_1MHz)@6674.500MHz      | -50.82 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 5 | SA(7198MHz-9200MHz_1MHz)@8083.500MHz      | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 5 | SA(9198MHz-11200MHz_1MHz)@10291.500MHz    | -80.35 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 5 | SA(11198MHz-13200MHz_1MHz)@12882.500MHz   | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 5 | SA(13198MHz-15200MHz_1MHz)@13372.500MHz   | -78.85 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 5 | SA(15198MHz-17200MHz_1MHz)@15376.500MHz   | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 5 | SA(17198MHz-17800MHz_1MHz)@17798.298MHz   | -77.88 | -999.00 | -13.00 | PASS |





|     |       |       |        |   |                                           |        |         |        |      |
|-----|-------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 25MHz | 15kHz | 433500 | 6 | DFT-s-OFDM QPSK^Edge_1RB_Right:Power      | 19.84  | -99.9   | 30.0   | NONE |
| n66 | 25MHz | 15kHz | 433500 | 6 | SA(30MHz-1754MHz_1MHz)@1753.500MHz        | -44.81 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 6 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -39.86 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 6 | SA(2799MHz-3201MHz_1MHz)@3198.495MHz      | -57.12 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 6 | SA(3199MHz-5200MHz_1MHz)@3558.500MHz      | -54.47 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 6 | SA(5198MHz-7200MHz_1MHz)@6677.500MHz      | -50.73 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 6 | SA(7198MHz-9200MHz_1MHz)@8078.500MHz      | -78.64 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 6 | SA(9198MHz-11200MHz_1MHz)@10289.500MHz    | -80.43 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 6 | SA(11198MHz-13200MHz_1MHz)@12878.500MHz   | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 6 | SA(13198MHz-15200MHz_1MHz)@13375.500MHz   | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 6 | SA(15198MHz-17200MHz_1MHz)@15381.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 25MHz | 15kHz | 433500 | 6 | SA(17198MHz-17800MHz_1MHz)@17795.894MHz   | -77.97 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power     | 20.98  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 425000 | 1 | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -33.37 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 1 | SA(1756MHz-2801MHz_1MHz)@1759.500MHz      | -34.05 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 1 | SA(2799MHz-3201MHz_1MHz)@3198.495MHz      | -57.05 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 1 | SA(3199MHz-5200MHz_1MHz)@3994.500MHz      | -55.06 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 1 | SA(5198MHz-7200MHz_1MHz)@6665.500MHz      | -50.69 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 1 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz      | -78.66 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 1 | SA(9198MHz-11200MHz_1MHz)@10284.500MHz    | -80.37 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 1 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz   | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 1 | SA(13198MHz-15200MHz_1MHz)@13376.500MHz   | -78.72 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 1 | SA(15198MHz-17200MHz_1MHz)@15412.500MHz   | -78.77 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 1 | SA(17198MHz-17800MHz_1MHz)@17799.500MHz   | -77.96 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power  | 20.62  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 425000 | 2 | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -39.78 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 2 | SA(1756MHz-2801MHz_1MHz)@1768.500MHz      | -47.19 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 2 | SA(2799MHz-3201MHz_1MHz)@3200.099MHz      | -57.04 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 2 | SA(3199MHz-5200MHz_1MHz)@3998.500MHz      | -55.13 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 2 | SA(5198MHz-7200MHz_1MHz)@6653.500MHz      | -50.73 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 2 | SA(7198MHz-9200MHz_1MHz)@8080.500MHz      | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 2 | SA(9198MHz-11200MHz_1MHz)@10295.500MHz    | -80.38 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 2 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz   | -78.77 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 2 | SA(13198MHz-15200MHz_1MHz)@13328.500MHz   | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 2 | SA(15198MHz-17200MHz_1MHz)@15380.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 2 | SA(17198MHz-17800MHz_1MHz)@17797.096MHz   | -78.03 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power | 22.47  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 425000 | 3 | SA(30MHz-1709MHz_1MHz)@1705.500MHz        | -39.87 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 3 | SA(1756MHz-2801MHz_1MHz)@1765.500MHz      | -54.27 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 3 | SA(2799MHz-3201MHz_1MHz)@3196.089MHz      | -57.12 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 3 | SA(3199MHz-5200MHz_1MHz)@3990.500MHz      | -55.11 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 3 | SA(5198MHz-7200MHz_1MHz)@6718.500MHz      | -50.72 | -999.00 | -13.00 | PASS |





|     |       |       |        |   |                                         |        |         |        |      |
|-----|-------|-------|--------|---|-----------------------------------------|--------|---------|--------|------|
| n66 | 30MHz | 15kHz | 425000 | 3 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz    | -78.70 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 3 | SA(9198MHz-11200MHz_1MHz)@10308.500MHz  | -80.38 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 3 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz | -78.72 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 3 | SA(13198MHz-15200MHz_1MHz)@13388.500MHz | -78.73 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 3 | SA(15198MHz-17200MHz_1MHz)@15387.500MHz | -78.69 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 3 | SA(17198MHz-17800MHz_1MHz)@17794.692MHz | -77.83 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power        | 19.69  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 425000 | 4 | SA(30MHz-1709MHz_1MHz)@1708.500MHz      | -31.06 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 4 | SA(1756MHz-2801MHz_1MHz)@1759.500MHz    | -33.87 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 4 | SA(2799MHz-3201MHz_1MHz)@3196.490MHz    | -57.03 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 4 | SA(3199MHz-5200MHz_1MHz)@3998.500MHz    | -54.98 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 4 | SA(5198MHz-7200MHz_1MHz)@6671.500MHz    | -50.80 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 4 | SA(7198MHz-9200MHz_1MHz)@8091.500MHz    | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 4 | SA(9198MHz-11200MHz_1MHz)@10307.500MHz  | -80.39 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 4 | SA(11198MHz-13200MHz_1MHz)@12869.500MHz | -78.90 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 4 | SA(13198MHz-15200MHz_1MHz)@13384.500MHz | -78.68 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 4 | SA(15198MHz-17200MHz_1MHz)@15381.500MHz | -78.71 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 4 | SA(17198MHz-17800MHz_1MHz)@17791.687MHz | -78.06 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 5 | DFT-s-OFDM QPSK^Edge_1RB_Left:Power     | 20.09  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 425000 | 5 | SA(30MHz-1709MHz_1MHz)@1708.500MHz      | -40.05 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 5 | SA(1756MHz-2801MHz_1MHz)@1768.500MHz    | -47.25 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 5 | SA(2799MHz-3201MHz_1MHz)@3195.287MHz    | -57.05 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 5 | SA(3199MHz-5200MHz_1MHz)@3989.500MHz    | -55.07 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 5 | SA(5198MHz-7200MHz_1MHz)@6721.500MHz    | -50.59 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 5 | SA(7198MHz-9200MHz_1MHz)@8081.500MHz    | -78.71 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 5 | SA(9198MHz-11200MHz_1MHz)@10301.500MHz  | -80.51 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 5 | SA(11198MHz-13200MHz_1MHz)@12878.500MHz | -78.92 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 5 | SA(13198MHz-15200MHz_1MHz)@13379.500MHz | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 5 | SA(15198MHz-17200MHz_1MHz)@15383.500MHz | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 5 | SA(17198MHz-17800MHz_1MHz)@17790.485MHz | -77.93 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 6 | DFT-s-OFDM QPSK^Edge_1RB_Right:Power    | 21.88  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 425000 | 6 | SA(30MHz-1709MHz_1MHz)@1704.500MHz      | -39.90 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 6 | SA(1756MHz-2801MHz_1MHz)@2411.500MHz    | -53.55 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 6 | SA(2799MHz-3201MHz_1MHz)@3197.292MHz    | -56.96 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 6 | SA(3199MHz-5200MHz_1MHz)@3996.500MHz    | -55.02 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 6 | SA(5198MHz-7200MHz_1MHz)@6679.500MHz    | -50.69 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 6 | SA(7198MHz-9200MHz_1MHz)@8078.500MHz    | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 6 | SA(9198MHz-11200MHz_1MHz)@10296.500MHz  | -80.36 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 6 | SA(11198MHz-13200MHz_1MHz)@12876.500MHz | -78.94 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 6 | SA(13198MHz-15200MHz_1MHz)@13362.500MHz | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 6 | SA(15198MHz-17200MHz_1MHz)@15365.500MHz | -78.77 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 425000 | 6 | SA(17198MHz-17800MHz_1MHz)@17794.692MHz | -77.99 | -999.00 | -13.00 | PASS |





|     |       |       |        |   |                                           |        |         |        |      |
|-----|-------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 30MHz | 15kHz | 429000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power     | 21.06  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 429000 | 1 | SA(30MHz-1709MHz_1MHz)@1707.500MHz        | -39.04 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 1 | SA(1781MHz-2801MHz_1MHz)@1782.500MHz      | -40.26 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 1 | SA(2799MHz-3201MHz_1MHz)@3200.500MHz      | -57.00 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 1 | SA(3199MHz-5200MHz_1MHz)@3969.500MHz      | -55.08 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 1 | SA(5198MHz-7200MHz_1MHz)@6688.500MHz      | -50.76 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 1 | SA(7198MHz-9200MHz_1MHz)@8075.500MHz      | -78.73 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 1 | SA(9198MHz-11200MHz_1MHz)@10310.500MHz    | -80.44 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 1 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz   | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 1 | SA(13198MHz-15200MHz_1MHz)@13384.500MHz   | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 1 | SA(15198MHz-17200MHz_1MHz)@15379.500MHz   | -78.75 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 1 | SA(17198MHz-17800MHz_1MHz)@17791.687MHz   | -77.93 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power  | 19.83  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 429000 | 2 | SA(30MHz-1709MHz_1MHz)@1705.500MHz        | -53.93 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 2 | SA(1781MHz-2801MHz_1MHz)@1788.500MHz      | -50.25 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 2 | SA(2799MHz-3201MHz_1MHz)@3194.084MHz      | -57.09 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 2 | SA(3199MHz-5200MHz_1MHz)@3992.500MHz      | -55.11 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 2 | SA(5198MHz-7200MHz_1MHz)@6686.500MHz      | -50.65 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 2 | SA(7198MHz-9200MHz_1MHz)@8077.500MHz      | -78.70 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 2 | SA(9198MHz-11200MHz_1MHz)@10299.500MHz    | -80.31 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 2 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz   | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 2 | SA(13198MHz-15200MHz_1MHz)@13364.500MHz   | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 2 | SA(15198MHz-17200MHz_1MHz)@15403.500MHz   | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 2 | SA(17198MHz-17800MHz_1MHz)@17794.091MHz   | -77.99 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power | 21.04  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 429000 | 3 | SA(30MHz-1709MHz_1MHz)@1702.500MHz        | -48.42 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 3 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -55.91 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 3 | SA(2799MHz-3201MHz_1MHz)@3200.500MHz      | -57.00 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 3 | SA(3199MHz-5200MHz_1MHz)@3999.500MHz      | -55.12 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 3 | SA(5198MHz-7200MHz_1MHz)@6680.500MHz      | -50.67 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 3 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz      | -78.65 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 3 | SA(9198MHz-11200MHz_1MHz)@10306.500MHz    | -80.39 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 3 | SA(11198MHz-13200MHz_1MHz)@12874.500MHz   | -78.89 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 3 | SA(13198MHz-15200MHz_1MHz)@13363.500MHz   | -78.85 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 3 | SA(15198MHz-17200MHz_1MHz)@15383.500MHz   | -78.85 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 3 | SA(17198MHz-17800MHz_1MHz)@17791.687MHz   | -77.99 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power          | 21.57  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 429000 | 4 | SA(30MHz-1709MHz_1MHz)@1707.500MHz        | -38.09 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 4 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -38.34 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 4 | SA(2799MHz-3201MHz_1MHz)@3193.282MHz      | -57.06 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 4 | SA(3199MHz-5200MHz_1MHz)@3994.500MHz      | -55.15 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 4 | SA(5198MHz-7200MHz_1MHz)@6679.500MHz      | -50.71 | -999.00 | -13.00 | PASS |



|     |       |       |        |   |                                         |        |         |        |      |
|-----|-------|-------|--------|---|-----------------------------------------|--------|---------|--------|------|
| n66 | 30MHz | 15kHz | 429000 | 4 | SA(7198MHz-9200MHz_1MHz)@8080.500MHz    | -78.61 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 4 | SA(9198MHz-11200MHz_1MHz)@10295.500MHz  | -80.34 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 4 | SA(11198MHz-13200MHz_1MHz)@12875.500MHz | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 4 | SA(13198MHz-15200MHz_1MHz)@13372.500MHz | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 4 | SA(15198MHz-17200MHz_1MHz)@15395.500MHz | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 4 | SA(17198MHz-17800MHz_1MHz)@17797.697MHz | -77.87 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 5 | DFT-s-OFDM QPSK^Edge_1RB_Left:Power     | 19.33  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 429000 | 5 | SA(30MHz-1709MHz_1MHz)@1705.500MHz      | -54.16 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 5 | SA(1781MHz-2801MHz_1MHz)@1788.500MHz    | -50.58 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 5 | SA(2799MHz-3201MHz_1MHz)@3197.693MHz    | -56.94 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 5 | SA(3199MHz-5200MHz_1MHz)@3994.500MHz    | -55.16 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 5 | SA(5198MHz-7200MHz_1MHz)@6674.500MHz    | -50.72 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 5 | SA(7198MHz-9200MHz_1MHz)@8085.500MHz    | -78.72 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 5 | SA(9198MHz-11200MHz_1MHz)@10311.500MHz  | -80.43 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 5 | SA(11198MHz-13200MHz_1MHz)@12882.500MHz | -78.77 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 5 | SA(13198MHz-15200MHz_1MHz)@13379.500MHz | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 5 | SA(15198MHz-17200MHz_1MHz)@15388.500MHz | -78.55 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 5 | SA(17198MHz-17800MHz_1MHz)@17784.475MHz | -77.93 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 6 | DFT-s-OFDM QPSK^Edge_1RB_Right:Power    | 20.48  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 429000 | 6 | SA(30MHz-1709MHz_1MHz)@1702.500MHz      | -48.32 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 6 | SA(1781MHz-2801MHz_1MHz)@1785.500MHz    | -55.96 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 6 | SA(2799MHz-3201MHz_1MHz)@3198.896MHz    | -57.05 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 6 | SA(3199MHz-5200MHz_1MHz)@3995.500MHz    | -55.07 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 6 | SA(5198MHz-7200MHz_1MHz)@6706.500MHz    | -50.69 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 6 | SA(7198MHz-9200MHz_1MHz)@8081.500MHz    | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 6 | SA(9198MHz-11200MHz_1MHz)@10284.500MHz  | -80.45 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 6 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz | -78.87 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 6 | SA(13198MHz-15200MHz_1MHz)@13380.500MHz | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 6 | SA(15198MHz-17200MHz_1MHz)@15391.500MHz | -78.88 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 429000 | 6 | SA(17198MHz-17800MHz_1MHz)@17796.495MHz | -77.99 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power   | 21.17  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 433000 | 1 | SA(30MHz-1709MHz_1MHz)@1705.500MHz      | -49.91 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 1 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz    | -33.20 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 1 | SA(2799MHz-3201MHz_1MHz)@3199.297MHz    | -57.02 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 1 | SA(3199MHz-5200MHz_1MHz)@3997.500MHz    | -55.11 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 1 | SA(5198MHz-7200MHz_1MHz)@6688.500MHz    | -50.75 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 1 | SA(7198MHz-9200MHz_1MHz)@8084.500MHz    | -78.64 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 1 | SA(9198MHz-11200MHz_1MHz)@10302.500MHz  | -80.34 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 1 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 1 | SA(13198MHz-15200MHz_1MHz)@13357.500MHz | -78.86 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 1 | SA(15198MHz-17200MHz_1MHz)@15377.500MHz | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 1 | SA(17198MHz-17800MHz_1MHz)@17792.288MHz | -77.91 | -999.00 | -13.00 | PASS |



|     |       |       |        |   |                                           |        |         |        |      |
|-----|-------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 30MHz | 15kHz | 433000 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_IRB_Left:Power  | 22.34  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 433000 | 2 | SA(30MHz-1709MHz_1MHz)@1698.500MHz        | -55.78 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 2 | SA(1781MHz-2801MHz_1MHz)@1785.500MHz      | -42.10 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 2 | SA(2799MHz-3201MHz_1MHz)@3196.891MHz      | -57.10 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 2 | SA(3199MHz-5200MHz_1MHz)@3996.500MHz      | -55.10 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 2 | SA(5198MHz-7200MHz_1MHz)@6673.500MHz      | -50.75 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 2 | SA(7198MHz-9200MHz_1MHz)@8081.500MHz      | -78.61 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 2 | SA(9198MHz-11200MHz_1MHz)@10319.500MHz    | -80.39 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 2 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz   | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 2 | SA(13198MHz-15200MHz_1MHz)@13396.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 2 | SA(15198MHz-17200MHz_1MHz)@15380.500MHz   | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 2 | SA(17198MHz-17800MHz_1MHz)@17797.697MHz   | -77.93 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_IRB_Right:Power | 20.52  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 433000 | 3 | SA(30MHz-1709MHz_1MHz)@1707.500MHz        | -57.64 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 3 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -40.54 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 3 | SA(2799MHz-3201MHz_1MHz)@3200.099MHz      | -57.07 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 3 | SA(3199MHz-5200MHz_1MHz)@3558.500MHz      | -54.22 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 3 | SA(5198MHz-7200MHz_1MHz)@6717.500MHz      | -50.68 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 3 | SA(7198MHz-9200MHz_1MHz)@8077.500MHz      | -78.68 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 3 | SA(9198MHz-11200MHz_1MHz)@10305.500MHz    | -80.27 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 3 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz   | -78.90 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 3 | SA(13198MHz-15200MHz_1MHz)@13376.500MHz   | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 3 | SA(15198MHz-17200MHz_1MHz)@15394.500MHz   | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 3 | SA(17198MHz-17800MHz_1MHz)@17796.495MHz   | -77.94 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power          | 20.47  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 433000 | 4 | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -49.10 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 4 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -31.43 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 4 | SA(2799MHz-3201MHz_1MHz)@3198.094MHz      | -57.05 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 4 | SA(3199MHz-5200MHz_1MHz)@3999.500MHz      | -55.08 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 4 | SA(5198MHz-7200MHz_1MHz)@6679.500MHz      | -50.77 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 4 | SA(7198MHz-9200MHz_1MHz)@8078.500MHz      | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 4 | SA(9198MHz-11200MHz_1MHz)@10294.500MHz    | -80.36 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 4 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz   | -78.72 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 4 | SA(13198MHz-15200MHz_1MHz)@13383.500MHz   | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 4 | SA(15198MHz-17200MHz_1MHz)@15388.500MHz   | -78.69 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 4 | SA(17198MHz-17800MHz_1MHz)@17797.096MHz   | -77.89 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 5 | DFT-s-OFDM QPSK^Edge_IRB_Left:Power       | 21.77  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 433000 | 5 | SA(30MHz-1709MHz_1MHz)@1698.500MHz        | -56.02 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 5 | SA(1781MHz-2801MHz_1MHz)@1785.500MHz      | -41.54 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 5 | SA(2799MHz-3201MHz_1MHz)@3198.094MHz      | -57.01 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 5 | SA(3199MHz-5200MHz_1MHz)@3995.500MHz      | -55.06 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 5 | SA(5198MHz-7200MHz_1MHz)@6671.500MHz      | -50.75 | -999.00 | -13.00 | PASS |



|     |       |       |        |   |                                          |        |         |        |      |
|-----|-------|-------|--------|---|------------------------------------------|--------|---------|--------|------|
| n66 | 30MHz | 15kHz | 433000 | 5 | SA(7198MHz-9200MHz_1MHz)@8082.500MHz     | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 5 | SA(9198MHz-11200MHz_1MHz)@10282.500MHz   | -80.36 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 5 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz  | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 5 | SA(13198MHz-15200MHz_1MHz)@13380.500MHz  | -78.87 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 5 | SA(15198MHz-17200MHz_1MHz)@15407.500MHz  | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 5 | SA(17198MHz-17800MHz_1MHz)@17798.298MHz  | -77.95 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 6 | DFT-s-OFDM QPSK^Edge_1RB_Right:Power     | 19.94  | -99.9   | 30.0   | NONE |
| n66 | 30MHz | 15kHz | 433000 | 6 | SA(30MHz-1709MHz_1MHz)@1706.500MHz       | -57.83 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 6 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz     | -39.79 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 6 | SA(2799MHz-3201MHz_1MHz)@3197.693MHz     | -57.03 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 6 | SA(3199MHz-5200MHz_1MHz)@3558.500MHz     | -54.67 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 6 | SA(5198MHz-7200MHz_1MHz)@6650.500MHz     | -50.72 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 6 | SA(7198MHz-9200MHz_1MHz)@8077.500MHz     | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 6 | SA(9198MHz-11200MHz_1MHz)@10312.500MHz   | -80.33 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 6 | SA(11198MHz-13200MHz_1MHz)@12876.500MHz  | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 6 | SA(13198MHz-15200MHz_1MHz)@13372.500MHz  | -78.92 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 6 | SA(15198MHz-17200MHz_1MHz)@15401.500MHz  | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 30MHz | 15kHz | 433000 | 6 | SA(17198MHz-17800MHz_1MHz)@17797.096MHz  | -77.92 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power    | 20.89  | -99.9   | 30.0   | NONE |
| n66 | 40MHz | 15kHz | 426000 | 1 | SA(30MHz-1709MHz_1MHz)@1701.500MHz       | -32.26 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 1 | SA(1756MHz-2801MHz_1MHz)@1758.500MHz     | -30.72 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 1 | SA(2799MHz-3201MHz_1MHz)@3196.089MHz     | -56.98 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 1 | SA(3199MHz-5200MHz_1MHz)@3992.500MHz     | -55.06 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 1 | SA(5198MHz-7200MHz_1MHz)@6711.500MHz     | -50.70 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 1 | SA(7198MHz-9200MHz_1MHz)@8082.500MHz     | -78.65 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 1 | SA(9198MHz-11200MHz_1MHz)@10300.500MHz   | -80.33 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 1 | SA(11198MHz-13200MHz_1MHz)@12876.500MHz  | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 1 | SA(13198MHz-15200MHz_1MHz)@13397.500MHz  | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 1 | SA(15198MHz-17200MHz_1MHz)@15375.500MHz  | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 1 | SA(17198MHz-17800MHz_1MHz)@17793.490MHz  | -77.90 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power | 20.59  | -99.9   | 30.0   | NONE |
| n66 | 40MHz | 15kHz | 426000 | 2 | SA(30MHz-1709MHz_1MHz)@1708.500MHz       | -38.91 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 2 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz     | -39.08 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 2 | SA(2799MHz-3201MHz_1MHz)@3193.282MHz     | -56.94 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 2 | SA(3199MHz-5200MHz_1MHz)@3992.500MHz     | -55.00 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 2 | SA(5198MHz-7200MHz_1MHz)@6680.500MHz     | -50.69 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 2 | SA(7198MHz-9200MHz_1MHz)@8082.500MHz     | -78.62 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 2 | SA(9198MHz-11200MHz_1MHz)@10296.500MHz   | -80.42 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 2 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz  | -78.69 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 2 | SA(13198MHz-15200MHz_1MHz)@13380.500MHz  | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 2 | SA(15198MHz-17200MHz_1MHz)@15379.500MHz  | -78.70 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 2 | SA(17198MHz-17800MHz_1MHz)@17786.278MHz  | -77.93 | -999.00 | -13.00 | PASS |





|     |       |       |        |   |                                           |        |         |        |      |
|-----|-------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 40MHz | 15kHz | 426000 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power | 22.46  | -99.9   | 30.0   | NONE |
| n66 | 40MHz | 15kHz | 426000 | 3 | SA(30MHz-1709MHz_1MHz)@1703.500MHz        | -40.53 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 3 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz      | -42.02 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 3 | SA(2799MHz-3201MHz_1MHz)@3200.500MHz      | -57.13 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 3 | SA(3199MHz-5200MHz_1MHz)@3498.500MHz      | -53.91 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 3 | SA(5198MHz-7200MHz_1MHz)@6659.500MHz      | -50.72 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 3 | SA(7198MHz-9200MHz_1MHz)@8080.500MHz      | -78.71 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 3 | SA(9198MHz-11200MHz_1MHz)@10271.500MHz    | -80.38 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 3 | SA(11198MHz-13200MHz_1MHz)@12872.500MHz   | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 3 | SA(13198MHz-15200MHz_1MHz)@13366.500MHz   | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 3 | SA(15198MHz-17200MHz_1MHz)@15378.500MHz   | -78.77 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 3 | SA(17198MHz-17800MHz_1MHz)@17797.096MHz   | -78.01 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power          | 20.29  | -99.9   | 30.0   | NONE |
| n66 | 40MHz | 15kHz | 426000 | 4 | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -31.63 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 4 | SA(1756MHz-2801MHz_1MHz)@1758.500MHz      | -30.10 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 4 | SA(2799MHz-3201MHz_1MHz)@3200.500MHz      | -57.06 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 4 | SA(3199MHz-5200MHz_1MHz)@3993.500MHz      | -55.09 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 4 | SA(5198MHz-7200MHz_1MHz)@6679.500MHz      | -50.74 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 4 | SA(7198MHz-9200MHz_1MHz)@8078.500MHz      | -78.72 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 4 | SA(9198MHz-11200MHz_1MHz)@10303.500MHz    | -80.40 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 4 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz   | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 4 | SA(13198MHz-15200MHz_1MHz)@13375.500MHz   | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 4 | SA(15198MHz-17200MHz_1MHz)@15398.500MHz   | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 4 | SA(17198MHz-17800MHz_1MHz)@17780.268MHz   | -77.98 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 5 | DFT-s-OFDM QPSK^Edge_1RB_Left:Power       | 20.04  | -99.9   | 30.0   | NONE |
| n66 | 40MHz | 15kHz | 426000 | 5 | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -39.29 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 5 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz      | -38.82 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 5 | SA(2799MHz-3201MHz_1MHz)@3200.099MHz      | -56.97 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 5 | SA(3199MHz-5200MHz_1MHz)@3994.500MHz      | -55.14 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 5 | SA(5198MHz-7200MHz_1MHz)@6705.500MHz      | -50.76 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 5 | SA(7198MHz-9200MHz_1MHz)@8081.500MHz      | -78.57 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 5 | SA(9198MHz-11200MHz_1MHz)@10307.500MHz    | -80.29 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 5 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz   | -78.66 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 5 | SA(13198MHz-15200MHz_1MHz)@13374.500MHz   | -78.75 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 5 | SA(15198MHz-17200MHz_1MHz)@15385.500MHz   | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 5 | SA(17198MHz-17800MHz_1MHz)@17799.500MHz   | -77.96 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 6 | DFT-s-OFDM QPSK^Edge_1RB_Right:Power      | 21.84  | -99.9   | 30.0   | NONE |
| n66 | 40MHz | 15kHz | 426000 | 6 | SA(30MHz-1709MHz_1MHz)@1703.500MHz        | -40.66 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 6 | SA(1756MHz-2801MHz_1MHz)@1756.500MHz      | -42.11 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 6 | SA(2799MHz-3201MHz_1MHz)@3193.282MHz      | -63.01 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 6 | SA(3199MHz-5200MHz_1MHz)@3498.500MHz      | -56.26 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 6 | SA(5198MHz-7200MHz_1MHz)@5974.500MHz      | -77.17 | -999.00 | -13.00 | PASS |





|     |       |       |        |   |                                           |        |         |        |      |
|-----|-------|-------|--------|---|-------------------------------------------|--------|---------|--------|------|
| n66 | 40MHz | 15kHz | 426000 | 6 | SA(7198MHz-9200MHz_1MHz)@8083.500MHz      | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 6 | SA(9198MHz-11200MHz_1MHz)@10278.500MHz    | -80.39 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 6 | SA(11198MHz-13200MHz_1MHz)@12884.500MHz   | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 6 | SA(13198MHz-15200MHz_1MHz)@13378.500MHz   | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 6 | SA(15198MHz-17200MHz_1MHz)@15380.500MHz   | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 426000 | 6 | SA(17198MHz-17800MHz_1MHz)@17798.298MHz   | -77.97 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:Power     | 21.10  | -99.9   | 30.0   | NONE |
| n66 | 40MHz | 15kHz | 432000 | 1 | SA(30MHz-1709MHz_1MHz)@1708.500MHz        | -39.11 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 1 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -32.02 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 1 | SA(2799MHz-3201MHz_1MHz)@3193.282MHz      | -57.09 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 1 | SA(3199MHz-5200MHz_1MHz)@3985.500MHz      | -54.93 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 1 | SA(5198MHz-7200MHz_1MHz)@6657.500MHz      | -50.76 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 1 | SA(7198MHz-9200MHz_1MHz)@8078.500MHz      | -78.75 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 1 | SA(9198MHz-11200MHz_1MHz)@10311.500MHz    | -80.40 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 1 | SA(11198MHz-13200MHz_1MHz)@12880.500MHz   | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 1 | SA(13198MHz-15200MHz_1MHz)@13380.500MHz   | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 1 | SA(15198MHz-17200MHz_1MHz)@15387.500MHz   | -78.74 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 1 | SA(17198MHz-17800MHz_1MHz)@17795.894MHz   | -78.05 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 2 | DFT-s-OFDM PI/2 BPSK^Edge_IRB_Left:Power  | 22.55  | -99.9   | 30.0   | NONE |
| n66 | 40MHz | 15kHz | 432000 | 2 | SA(30MHz-1709MHz_1MHz)@1701.500MHz        | -53.40 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 2 | SA(1781MHz-2801MHz_1MHz)@1786.500MHz      | -42.84 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 2 | SA(2799MHz-3201MHz_1MHz)@3200.099MHz      | -56.98 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 2 | SA(3199MHz-5200MHz_1MHz)@3996.500MHz      | -55.12 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 2 | SA(5198MHz-7200MHz_1MHz)@6664.500MHz      | -50.73 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 2 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz      | -78.65 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 2 | SA(9198MHz-11200MHz_1MHz)@10302.500MHz    | -80.40 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 2 | SA(11198MHz-13200MHz_1MHz)@12878.500MHz   | -78.72 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 2 | SA(13198MHz-15200MHz_1MHz)@13379.500MHz   | -78.82 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 2 | SA(15198MHz-17200MHz_1MHz)@15379.500MHz   | -78.58 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 2 | SA(17198MHz-17800MHz_1MHz)@17797.697MHz   | -77.90 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 3 | DFT-s-OFDM PI/2 BPSK^Edge_IRB_Right:Power | 20.51  | -99.9   | 30.0   | NONE |
| n66 | 40MHz | 15kHz | 432000 | 3 | SA(30MHz-1709MHz_1MHz)@1702.500MHz        | -51.67 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 3 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz      | -39.19 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 3 | SA(2799MHz-3201MHz_1MHz)@3198.896MHz      | -57.03 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 3 | SA(3199MHz-5200MHz_1MHz)@3558.500MHz      | -53.73 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 3 | SA(5198MHz-7200MHz_1MHz)@6679.500MHz      | -50.73 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 3 | SA(7198MHz-9200MHz_1MHz)@8078.500MHz      | -78.77 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 3 | SA(9198MHz-11200MHz_1MHz)@10285.500MHz    | -80.37 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 3 | SA(11198MHz-13200MHz_1MHz)@12877.500MHz   | -78.87 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 3 | SA(13198MHz-15200MHz_1MHz)@13391.500MHz   | -78.79 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 3 | SA(15198MHz-17200MHz_1MHz)@15404.500MHz   | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 3 | SA(17198MHz-17800MHz_1MHz)@17778.465MHz   | -77.92 | -999.00 | -13.00 | PASS |





|     |       |       |        |   |                                         |        |         |        |      |
|-----|-------|-------|--------|---|-----------------------------------------|--------|---------|--------|------|
| n66 | 40MHz | 15kHz | 432000 | 4 | DFT-s-OFDM QPSK^Outer_Full:Power        | 20.97  | -99.9   | 30.0   | NONE |
| n66 | 40MHz | 15kHz | 432000 | 4 | SA(30MHz-1709MHz_1MHz)@1702.500MHz      | -38.73 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 4 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz    | -30.57 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 4 | SA(2799MHz-3201MHz_1MHz)@3200.099MHz    | -56.96 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 4 | SA(3199MHz-5200MHz_1MHz)@3866.500MHz    | -55.10 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 4 | SA(5198MHz-7200MHz_1MHz)@6646.500MHz    | -50.77 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 4 | SA(7198MHz-9200MHz_1MHz)@8079.500MHz    | -78.64 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 4 | SA(9198MHz-11200MHz_1MHz)@10313.500MHz  | -80.45 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 4 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 4 | SA(13198MHz-15200MHz_1MHz)@13383.500MHz | -78.80 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 4 | SA(15198MHz-17200MHz_1MHz)@15421.500MHz | -78.75 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 4 | SA(17198MHz-17800MHz_1MHz)@17794.091MHz | -77.94 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 5 | DFT-s-OFDM QPSK^Edge_IRB_Left:Power     | 22.04  | -99.9   | 30.0   | NONE |
| n66 | 40MHz | 15kHz | 432000 | 5 | SA(30MHz-1709MHz_1MHz)@1701.500MHz      | -54.02 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 5 | SA(1781MHz-2801MHz_1MHz)@1786.500MHz    | -43.01 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 5 | SA(2799MHz-3201MHz_1MHz)@3199.698MHz    | -57.00 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 5 | SA(3199MHz-5200MHz_1MHz)@3998.500MHz    | -55.13 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 5 | SA(5198MHz-7200MHz_1MHz)@6705.500MHz    | -50.73 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 5 | SA(7198MHz-9200MHz_1MHz)@8084.500MHz    | -78.64 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 5 | SA(9198MHz-11200MHz_1MHz)@10288.500MHz  | -80.34 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 5 | SA(11198MHz-13200MHz_1MHz)@12876.500MHz | -78.85 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 5 | SA(13198MHz-15200MHz_1MHz)@13374.500MHz | -78.76 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 5 | SA(15198MHz-17200MHz_1MHz)@15394.500MHz | -78.86 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 5 | SA(17198MHz-17800MHz_1MHz)@17796.495MHz | -78.02 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 6 | DFT-s-OFDM QPSK^Edge_IRB_Right:Power    | 19.88  | -99.9   | 30.0   | NONE |
| n66 | 40MHz | 15kHz | 432000 | 6 | SA(30MHz-1709MHz_1MHz)@1701.500MHz      | -52.06 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 6 | SA(1781MHz-2801MHz_1MHz)@1781.500MHz    | -39.26 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 6 | SA(2799MHz-3201MHz_1MHz)@3199.297MHz    | -56.88 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 6 | SA(3199MHz-5200MHz_1MHz)@3558.500MHz    | -54.28 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 6 | SA(5198MHz-7200MHz_1MHz)@6714.500MHz    | -50.76 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 6 | SA(7198MHz-9200MHz_1MHz)@8083.500MHz    | -78.73 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 6 | SA(9198MHz-11200MHz_1MHz)@10308.500MHz  | -80.38 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 6 | SA(11198MHz-13200MHz_1MHz)@12879.500MHz | -78.78 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 6 | SA(13198MHz-15200MHz_1MHz)@13390.500MHz | -78.83 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 6 | SA(15198MHz-17200MHz_1MHz)@15373.500MHz | -78.81 | -999.00 | -13.00 | PASS |
| n66 | 40MHz | 15kHz | 432000 | 6 | SA(17198MHz-17800MHz_1MHz)@17792.288MHz | -77.86 | -999.00 | -13.00 | PASS |




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity


## TestGraph
















Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



































Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity


































Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



