


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2450MHz	2500MHz	2400MHz	2450MHz	2500MHz
	-1.67dBi	-0.33dBi	0dBi	-5.71dBi	-4.88Bi	-1.27dBi
MAX. Gain	0dBi					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	15.2mm					
Manufacture	ZHUHAI JIELI TECHNOLOGY CO.,LTD					
Address	4F,C Block Yili Technology Park,Guanhu Street,Longhua District ,Shenzhen, China					

Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz


Max: 0 Min: -40 Scale: 5/div



Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
2400	-1.67	-29.0461	-7.12546
2450	-0.33	-34.6147	-7.30894
2500	0	-21.0145	-6.02473

Vertical: 2400 MHz 2450 MHz 2500 MHz

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
2400	-5.71	-22.3149	-12.6477
2450	-4.88	-24.3664	-10.3014
2500	-1.27	-29.5547	-9.26602

ANT Test Labs: Attestation of Global Compliance Co., Ltd.