

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.912	38.93	74.0	35.07	Peak	46.00	400	Horizontal	Pass
1**	1513.912	29.48	54.0	24.52	AV	46.00	400	Horizontal	Pass
2	2351.334	43.18	74.0	30.82	Peak	51.00	200	Horizontal	Pass
2**	2351.334	36.95	54.0	17.05	AV	51.00	200	Horizontal	Pass
3	4207.496	47.26	74.0	26.74	Peak	83.00	200	Horizontal	Pass
3**	4207.496	37.52	54.0	16.48	AV	83.00	200	Horizontal	Pass
4	7432.290	53.79	74.0	20.21	Peak	255.00	200	Horizontal	Pass
4**	7432.290	41.10	54.0	12.90	AV	255.00	200	Horizontal	Pass
5	12521.983	56.99	74.0	17.01	Peak	9.00	200	Horizontal	Pass
5**	12521.983	49.87	54.0	4.13	AV	9.00	200	Horizontal	Pass
6	16150.513	55.24	74.0	18.76	Peak	308.00	100	Horizontal	Pass
6**	16150.513	41.06	54.0	12.94	AV	308.00	100	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.419	38.10	74.0	35.90	Peak	360.00	200	Vertical	Pass
1**	1570.419	25.71	54.0	28.29	AV	360.00	200	Vertical	Pass
2	2349.810	45.27	74.0	28.73	Peak	8.00	300	Vertical	Pass
2**	2349.810	31.37	54.0	22.63	AV	8.00	300	Vertical	Pass
3	3918.522	44.88	74.0	29.12	Peak	198.00	200	Vertical	Pass
3**	3918.522	33.74	54.0	20.26	AV	198.00	200	Vertical	Pass
4	7682.921	52.46	74.0	21.54	Peak	322.00	200	Vertical	Pass
4**	7682.921	44.40	54.0	9.60	AV	322.00	200	Vertical	Pass
5	12532.599	53.04	74.0	20.96	Peak	162.00	100	Vertical	Pass
5**	12532.599	43.66	54.0	10.34	AV	162.00	100	Vertical	Pass
6	15378.364	50.22	74.0	23.78	Peak	137.00	300	Vertical	Pass
6**	15378.364	46.91	54.0	7.09	AV	137.00	300	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.862	40.36	74.0	33.64	Peak	236.00	400	Horizontal	Pass
1**	1511.862	32.15	54.0	21.85	AV	236.00	400	Horizontal	Pass
2	2344.485	42.54	74.0	31.46	Peak	70.00	200	Horizontal	Pass
2**	2344.485	35.99	54.0	18.01	AV	70.00	200	Horizontal	Pass
3	4205.304	49.71	74.0	24.29	Peak	64.00	200	Horizontal	Pass
3**	4205.304	40.44	54.0	13.56	AV	64.00	200	Horizontal	Pass
4	7430.462	55.77	74.0	18.23	Peak	279.00	400	Horizontal	Pass
4**	7430.462	44.60	54.0	9.40	AV	279.00	400	Horizontal	Pass
5	12521.569	55.74	74.0	18.26	Peak	74.00	100	Horizontal	Pass
5**	12521.569	47.06	54.0	6.94	AV	74.00	100	Horizontal	Pass
6	16148.565	53.68	74.0	20.32	Peak	171.00	200	Horizontal	Pass
6**	16148.565	43.21	54.0	10.79	AV	171.00	200	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.081	38.84	74.0	35.16	Peak	206.00	100	Vertical	Pass
1**	1573.081	25.87	54.0	28.13	AV	206.00	100	Vertical	Pass
2	2346.652	44.30	74.0	29.70	Peak	243.00	100	Vertical	Pass
2**	2346.652	32.49	54.0	21.51	AV	243.00	100	Vertical	Pass
3	3914.615	46.55	74.0	27.45	Peak	135.00	200	Vertical	Pass
3**	3914.615	34.56	54.0	19.44	AV	135.00	200	Vertical	Pass
4	7683.076	54.00	74.0	20.00	Peak	341.00	400	Vertical	Pass
4**	7683.076	42.87	54.0	11.13	AV	341.00	400	Vertical	Pass
5	12530.242	58.07	74.0	15.93	Peak	185.00	300	Vertical	Pass
5**	12530.242	45.16	54.0	8.84	AV	185.00	300	Vertical	Pass
6	15379.702	52.60	74.0	21.40	Peak	18.00	400	Vertical	Pass
6**	15379.702	43.69	54.0	10.31	AV	18.00	400	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.473	38.94	74.0	35.06	Peak	270.00	400	Horizontal	Pass
1**	1511.473	29.39	54.0	24.61	AV	270.00	400	Horizontal	Pass
2	2348.578	47.44	74.0	26.56	Peak	349.00	200	Horizontal	Pass
2**	2348.578	37.41	54.0	16.59	AV	349.00	200	Horizontal	Pass
3	4205.679	48.40	74.0	25.60	Peak	161.00	200	Horizontal	Pass
3**	4205.679	37.53	54.0	16.47	AV	161.00	200	Horizontal	Pass
4	7438.361	52.75	74.0	21.25	Peak	313.00	400	Horizontal	Pass
4**	7438.361	43.55	54.0	10.45	AV	313.00	400	Horizontal	Pass
5	12518.686	55.44	74.0	18.56	Peak	322.00	100	Horizontal	Pass
5**	12518.686	48.76	54.0	5.24	AV	322.00	100	Horizontal	Pass
6	16150.332	54.24	74.0	19.76	Peak	300.00	300	Horizontal	Pass
6**	16150.332	44.25	54.0	9.75	AV	300.00	300	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.942	34.28	74.0	39.72	Peak	284.00	300	Vertical	Pass
1**	1570.942	26.13	54.0	27.87	AV	284.00	300	Vertical	Pass
2	2350.581	47.59	74.0	26.41	Peak	238.00	400	Vertical	Pass
2**	2350.581	35.68	54.0	18.32	AV	238.00	400	Vertical	Pass
3	3917.903	42.42	74.0	31.58	Peak	211.00	200	Vertical	Pass
3**	3917.903	34.00	54.0	20.00	AV	211.00	200	Vertical	Pass
4	7682.363	50.70	74.0	23.30	Peak	156.00	200	Vertical	Pass
4**	7682.363	45.49	54.0	8.51	AV	156.00	200	Vertical	Pass
5	12532.491	55.36	74.0	18.64	Peak	195.00	300	Vertical	Pass
5**	12532.491	44.95	54.0	9.05	AV	195.00	300	Vertical	Pass
6	15378.442	52.06	74.0	21.94	Peak	53.00	100	Vertical	Pass
6**	15378.442	42.92	54.0	11.08	AV	53.00	100	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.233	36.80	74.0	37.20	Peak	76.00	400	Horizontal	Pass
1**	1510.233	31.45	54.0	22.55	AV	76.00	400	Horizontal	Pass
2	2344.798	43.00	74.0	31.00	Peak	32.00	400	Horizontal	Pass
2**	2344.798	37.75	54.0	16.25	AV	32.00	400	Horizontal	Pass
3	4209.163	45.41	74.0	28.59	Peak	181.00	200	Horizontal	Pass
3**	4209.163	39.33	54.0	14.67	AV	181.00	200	Horizontal	Pass
4	7436.781	52.28	74.0	21.72	Peak	81.00	400	Horizontal	Pass
4**	7436.781	44.92	54.0	9.08	AV	81.00	400	Horizontal	Pass
5	12514.257	57.15	74.0	16.85	Peak	218.00	100	Horizontal	Pass
5**	12514.257	44.53	54.0	9.47	AV	218.00	100	Horizontal	Pass
6	16148.389	57.37	74.0	16.63	Peak	284.00	400	Horizontal	Pass
6**	16148.389	42.84	54.0	11.16	AV	284.00	400	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.380	37.09	74.0	36.91	Peak	273.00	200	Vertical	Pass
1**	1574.380	24.26	54.0	29.74	AV	273.00	200	Vertical	Pass
2	2343.783	44.26	74.0	29.74	Peak	91.00	300	Vertical	Pass
2**	2343.783	33.74	54.0	20.26	AV	91.00	300	Vertical	Pass
3	3918.924	45.82	74.0	28.18	Peak	27.00	200	Vertical	Pass
3**	3918.924	34.84	54.0	19.16	AV	27.00	200	Vertical	Pass
4	7682.659	54.77	74.0	19.23	Peak	132.00	300	Vertical	Pass
4**	7682.659	44.73	54.0	9.27	AV	132.00	300	Vertical	Pass
5	12526.779	56.15	74.0	17.85	Peak	52.00	100	Vertical	Pass
5**	12526.779	45.73	54.0	8.27	AV	52.00	100	Vertical	Pass
6	15385.866	53.18	74.0	20.82	Peak	89.00	300	Vertical	Pass
6**	15385.866	43.84	54.0	10.16	AV	89.00	300	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.233	40.48	74.0	33.52	Peak	308.00	400	Horizontal	Pass
1**	1510.233	26.62	54.0	27.38	AV	308.00	400	Horizontal	Pass
2	2351.499	47.86	74.0	26.14	Peak	180.00	400	Horizontal	Pass
2**	2351.499	37.54	54.0	16.46	AV	180.00	400	Horizontal	Pass
3	4209.207	49.08	74.0	24.92	Peak	110.00	200	Horizontal	Pass
3**	4209.207	35.38	54.0	18.62	AV	110.00	200	Horizontal	Pass
4	7435.869	53.24	74.0	20.76	Peak	291.00	400	Horizontal	Pass
4**	7435.869	44.42	54.0	9.58	AV	291.00	400	Horizontal	Pass
5	12518.702	53.56	74.0	20.44	Peak	212.00	400	Horizontal	Pass
5**	12518.702	46.20	54.0	7.80	AV	212.00	400	Horizontal	Pass
6	16148.405	53.05	74.0	20.95	Peak	64.00	200	Horizontal	Pass
6**	16148.405	41.48	54.0	12.52	AV	64.00	200	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.168	33.86	74.0	40.14	Peak	262.00	400	Vertical	Pass
1**	1567.168	23.95	54.0	30.05	AV	262.00	400	Vertical	Pass
2	2346.780	42.96	74.0	31.04	Peak	242.00	400	Vertical	Pass
2**	2346.780	33.38	54.0	20.62	AV	242.00	400	Vertical	Pass
3	3918.471	46.02	74.0	27.98	Peak	310.00	200	Vertical	Pass
3**	3918.471	35.09	54.0	18.91	AV	310.00	200	Vertical	Pass
4	7680.825	49.73	74.0	24.27	Peak	303.00	200	Vertical	Pass
4**	7680.825	43.01	54.0	10.99	AV	303.00	200	Vertical	Pass
5	12531.206	58.34	74.0	15.66	Peak	252.00	200	Vertical	Pass
5**	12531.206	43.40	54.0	10.60	AV	252.00	200	Vertical	Pass
6	15384.481	53.82	74.0	20.18	Peak	170.00	100	Vertical	Pass
6**	15384.481	46.55	54.0	7.45	AV	170.00	100	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.432	39.33	74.0	34.67	Peak	60.00	400	Horizontal	Pass
1**	1510.432	32.15	54.0	21.85	AV	60.00	400	Horizontal	Pass
2	2351.603	43.07	74.0	30.93	Peak	83.00	200	Horizontal	Pass
2**	2351.603	39.22	54.0	14.78	AV	83.00	200	Horizontal	Pass
3	4205.690	48.56	74.0	25.44	Peak	5.00	200	Horizontal	Pass
3**	4205.690	37.17	54.0	16.83	AV	5.00	200	Horizontal	Pass
4	7437.563	51.53	74.0	22.47	Peak	325.00	100	Horizontal	Pass
4**	7437.563	44.40	54.0	9.60	AV	325.00	100	Horizontal	Pass
5	12518.486	57.94	74.0	16.06	Peak	245.00	200	Horizontal	Pass
5**	12518.486	46.70	54.0	7.30	AV	245.00	200	Horizontal	Pass
6	16144.493	55.47	74.0	18.53	Peak	171.00	200	Horizontal	Pass
6**	16144.493	44.97	54.0	9.03	AV	171.00	200	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.777	38.31	74.0	35.69	Peak	302.00	200	Vertical	Pass
1**	1568.777	29.33	54.0	24.67	AV	302.00	200	Vertical	Pass
2	2343.804	45.08	74.0	28.92	Peak	159.00	100	Vertical	Pass
2**	2343.804	35.11	54.0	18.89	AV	159.00	100	Vertical	Pass
3	3920.199	43.70	74.0	30.30	Peak	6.00	200	Vertical	Pass
3**	3920.199	36.92	54.0	17.08	AV	6.00	200	Vertical	Pass
4	7682.295	50.49	74.0	23.51	Peak	344.00	400	Vertical	Pass
4**	7682.295	41.18	54.0	12.82	AV	344.00	400	Vertical	Pass
5	12531.861	58.00	74.0	16.00	Peak	212.00	100	Vertical	Pass
5**	12531.861	45.72	54.0	8.28	AV	212.00	100	Vertical	Pass
6	15382.318	50.78	74.0	23.22	Peak	104.00	300	Vertical	Pass
6**	15382.318	42.61	54.0	11.39	AV	104.00	300	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.602	42.42	74.0	31.58	Peak	229.00	200	Horizontal	Pass
1**	1511.602	27.26	54.0	26.74	AV	229.00	200	Horizontal	Pass
2	2351.716	47.51	74.0	26.49	Peak	347.00	400	Horizontal	Pass
2**	2351.716	36.56	54.0	17.44	AV	347.00	400	Horizontal	Pass
3	4209.365	46.20	74.0	27.80	Peak	140.00	200	Horizontal	Pass
3**	4209.365	38.39	54.0	15.61	AV	140.00	200	Horizontal	Pass
4	7435.901	52.20	74.0	21.80	Peak	326.00	300	Horizontal	Pass
4**	7435.901	41.84	54.0	12.16	AV	326.00	300	Horizontal	Pass
5	12519.118	57.30	74.0	16.70	Peak	350.00	400	Horizontal	Pass
5**	12519.118	45.84	54.0	8.16	AV	350.00	400	Horizontal	Pass
6	16148.074	54.97	74.0	19.03	Peak	245.00	400	Horizontal	Pass
6**	16148.074	41.72	54.0	12.28	AV	245.00	400	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.069	38.73	74.0	35.27	Peak	337.00	400	Vertical	Pass
1**	1574.069	26.26	54.0	27.74	AV	337.00	400	Vertical	Pass
2	2348.168	45.49	74.0	28.51	Peak	94.00	400	Vertical	Pass
2**	2348.168	31.29	54.0	22.71	AV	94.00	400	Vertical	Pass
3	3913.230	44.68	74.0	29.32	Peak	191.00	200	Vertical	Pass
3**	3913.230	34.88	54.0	19.12	AV	191.00	200	Vertical	Pass
4	7679.919	49.63	74.0	24.37	Peak	293.00	100	Vertical	Pass
4**	7679.919	44.86	54.0	9.14	AV	293.00	100	Vertical	Pass
5	12532.632	55.01	74.0	18.99	Peak	214.00	100	Vertical	Pass
5**	12532.632	44.18	54.0	9.82	AV	214.00	100	Vertical	Pass
6	15385.842	54.02	74.0	19.98	Peak	56.00	100	Vertical	Pass
6**	15385.842	45.85	54.0	8.15	AV	56.00	100	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.103	40.94	74.0	33.06	Peak	216.00	300	Horizontal	Pass
1**	1515.103	27.79	54.0	26.21	AV	216.00	300	Horizontal	Pass
2	2348.916	41.87	74.0	32.13	Peak	117.00	100	Horizontal	Pass
2**	2348.916	37.94	54.0	16.06	AV	117.00	100	Horizontal	Pass
3	4204.636	49.52	74.0	24.48	Peak	134.00	200	Horizontal	Pass
3**	4204.636	40.34	54.0	13.66	AV	134.00	200	Horizontal	Pass
4	7432.057	51.91	74.0	22.09	Peak	264.00	300	Horizontal	Pass
4**	7432.057	41.32	54.0	12.68	AV	264.00	300	Horizontal	Pass
5	12519.720	53.21	74.0	20.79	Peak	269.00	200	Horizontal	Pass
5**	12519.720	46.54	54.0	7.46	AV	269.00	200	Horizontal	Pass
6	16148.828	53.69	74.0	20.31	Peak	351.00	200	Horizontal	Pass
6**	16148.828	45.17	54.0	8.83	AV	351.00	200	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.273	37.44	74.0	36.56	Peak	265.00	200	Vertical	Pass
1**	1571.273	24.90	54.0	29.10	AV	265.00	200	Vertical	Pass
2	2344.206	46.82	74.0	27.18	Peak	81.00	200	Vertical	Pass
2**	2344.206	31.71	54.0	22.29	AV	81.00	200	Vertical	Pass
3	3914.339	47.49	74.0	26.51	Peak	40.00	200	Vertical	Pass
3**	3914.339	37.45	54.0	16.55	AV	40.00	200	Vertical	Pass
4	7681.022	53.66	74.0	20.34	Peak	129.00	400	Vertical	Pass
4**	7681.022	44.52	54.0	9.48	AV	129.00	400	Vertical	Pass
5	12532.195	53.89	74.0	20.11	Peak	101.00	300	Vertical	Pass
5**	12532.195	44.30	54.0	9.70	AV	101.00	300	Vertical	Pass
6	15382.213	50.30	74.0	23.70	Peak	41.00	300	Vertical	Pass
6**	15382.213	41.65	54.0	12.35	AV	41.00	300	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.137	41.46	74.0	32.54	Peak	175.00	400	Horizontal	Pass
1**	1511.137	31.01	54.0	22.99	AV	175.00	400	Horizontal	Pass
2	2348.877	45.40	74.0	28.60	Peak	218.00	300	Horizontal	Pass
2**	2348.877	34.58	54.0	19.42	AV	218.00	300	Horizontal	Pass
3	4207.208	50.05	74.0	23.95	Peak	43.00	200	Horizontal	Pass
3**	4207.208	40.79	54.0	13.21	AV	43.00	200	Horizontal	Pass
4	7432.723	51.56	74.0	22.44	Peak	336.00	300	Horizontal	Pass
4**	7432.723	41.40	54.0	12.60	AV	336.00	300	Horizontal	Pass
5	12518.338	58.37	74.0	15.63	Peak	158.00	200	Horizontal	Pass
5**	12518.338	46.37	54.0	7.63	AV	158.00	200	Horizontal	Pass
6	16143.498	56.80	74.0	17.20	Peak	273.00	100	Horizontal	Pass
6**	16143.498	43.95	54.0	10.05	AV	273.00	100	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.275	36.85	74.0	37.15	Peak	284.00	300	Vertical	Pass
1**	1569.275	24.32	54.0	29.68	AV	284.00	300	Vertical	Pass
2	2350.982	45.18	74.0	28.82	Peak	257.00	300	Vertical	Pass
2**	2350.982	34.28	54.0	19.72	AV	257.00	300	Vertical	Pass
3	3917.406	45.51	74.0	28.49	Peak	320.00	200	Vertical	Pass
3**	3917.406	36.25	54.0	17.75	AV	320.00	200	Vertical	Pass
4	7680.295	54.20	74.0	19.80	Peak	53.00	300	Vertical	Pass
4**	7680.295	41.09	54.0	12.91	AV	53.00	300	Vertical	Pass
5	12526.703	53.31	74.0	20.69	Peak	321.00	200	Vertical	Pass
5**	12526.703	41.55	54.0	12.45	AV	321.00	200	Vertical	Pass
6	15381.320	56.12	74.0	17.88	Peak	39.00	100	Vertical	Pass
6**	15381.320	43.47	54.0	10.53	AV	39.00	100	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.451	40.91	74.0	33.09	Peak	137.00	200	Horizontal	Pass
1**	1510.451	29.55	54.0	24.45	AV	137.00	200	Horizontal	Pass
2	2345.974	43.25	74.0	30.75	Peak	235.00	300	Horizontal	Pass
2**	2345.974	34.53	54.0	19.47	AV	235.00	300	Horizontal	Pass
3	4209.001	48.92	74.0	25.08	Peak	25.00	200	Horizontal	Pass
3**	4209.001	37.77	54.0	16.23	AV	25.00	200	Horizontal	Pass
4	7437.308	54.17	74.0	19.83	Peak	1.00	300	Horizontal	Pass
4**	7437.308	41.01	54.0	12.99	AV	1.00	300	Horizontal	Pass
5	12521.668	58.56	74.0	15.44	Peak	87.00	400	Horizontal	Pass
5**	12521.668	46.45	54.0	7.55	AV	87.00	400	Horizontal	Pass
6	16149.706	54.32	74.0	19.68	Peak	359.00	200	Horizontal	Pass
6**	16149.706	42.32	54.0	11.68	AV	359.00	200	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.732	36.07	74.0	37.93	Peak	101.00	100	Vertical	Pass
1**	1571.732	24.34	54.0	29.66	AV	101.00	100	Vertical	Pass
2	2348.925	45.29	74.0	28.71	Peak	184.00	200	Vertical	Pass
2**	2348.925	30.71	54.0	23.29	AV	184.00	200	Vertical	Pass
3	3918.293	43.08	74.0	30.92	Peak	69.00	200	Vertical	Pass
3**	3918.293	34.37	54.0	19.63	AV	69.00	200	Vertical	Pass
4	7677.283	49.98	74.0	24.02	Peak	43.00	300	Vertical	Pass
4**	7677.283	44.95	54.0	9.05	AV	43.00	300	Vertical	Pass
5	12533.064	54.26	74.0	19.74	Peak	44.00	100	Vertical	Pass
5**	12533.064	40.58	54.0	13.42	AV	44.00	100	Vertical	Pass
6	15382.667	54.85	74.0	19.15	Peak	99.00	300	Vertical	Pass
6**	15382.667	45.33	54.0	8.67	AV	99.00	300	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.981	41.95	74.0	32.05	Peak	236.00	300	Horizontal	Pass
1**	1508.981	30.52	54.0	23.48	AV	236.00	300	Horizontal	Pass
2	2345.504	42.45	74.0	31.55	Peak	171.00	200	Horizontal	Pass
2**	2345.504	37.17	54.0	16.83	AV	171.00	200	Horizontal	Pass
3	4203.151	45.93	74.0	28.07	Peak	180.00	200	Horizontal	Pass
3**	4203.151	37.77	54.0	16.23	AV	180.00	200	Horizontal	Pass
4	7431.355	56.14	74.0	17.86	Peak	298.00	300	Horizontal	Pass
4**	7431.355	43.30	54.0	10.70	AV	298.00	300	Horizontal	Pass
5	12516.055	56.15	74.0	17.85	Peak	340.00	100	Horizontal	Pass
5**	12516.055	49.90	54.0	4.10	AV	340.00	100	Horizontal	Pass
6	16147.945	52.19	74.0	21.81	Peak	143.00	100	Horizontal	Pass
6**	16147.945	44.44	54.0	9.56	AV	143.00	100	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.312	39.06	74.0	34.94	Peak	238.00	300	Vertical	Pass
1**	1569.312	25.91	54.0	28.09	AV	238.00	300	Vertical	Pass
2	2344.656	43.83	74.0	30.17	Peak	238.00	300	Vertical	Pass
2**	2344.656	34.88	54.0	19.12	AV	238.00	300	Vertical	Pass
3	3919.848	44.42	74.0	29.58	Peak	209.00	200	Vertical	Pass
3**	3919.848	37.07	54.0	16.93	AV	209.00	200	Vertical	Pass
4	7682.572	55.02	74.0	18.98	Peak	137.00	400	Vertical	Pass
4**	7682.572	42.06	54.0	11.94	AV	137.00	400	Vertical	Pass
5	12530.654	57.37	74.0	16.63	Peak	273.00	300	Vertical	Pass
5**	12530.654	40.47	54.0	13.53	AV	273.00	300	Vertical	Pass
6	15381.691	54.09	74.0	19.91	Peak	159.00	400	Vertical	Pass
6**	15381.691	42.55	54.0	11.45	AV	159.00	400	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.777	38.09	74.0	35.91	Peak	167.00	300	Horizontal	Pass
1**	1514.777	27.28	54.0	26.72	AV	167.00	300	Horizontal	Pass
2	2351.644	42.31	74.0	31.69	Peak	147.00	300	Horizontal	Pass
2**	2351.644	40.40	54.0	13.60	AV	147.00	300	Horizontal	Pass
3	4203.204	47.29	74.0	26.71	Peak	257.00	200	Horizontal	Pass
3**	4203.204	38.62	54.0	15.38	AV	257.00	200	Horizontal	Pass
4	7436.145	51.84	74.0	22.16	Peak	182.00	200	Horizontal	Pass
4**	7436.145	45.66	54.0	8.34	AV	182.00	200	Horizontal	Pass
5	12517.218	56.70	74.0	17.30	Peak	285.00	200	Horizontal	Pass
5**	12517.218	48.04	54.0	5.96	AV	285.00	200	Horizontal	Pass
6	16150.274	56.09	74.0	17.91	Peak	42.00	300	Horizontal	Pass
6**	16150.274	44.56	54.0	9.44	AV	42.00	300	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.106	34.76	74.0	39.24	Peak	1.00	300	Vertical	Pass
1**	1573.106	28.56	54.0	25.44	AV	1.00	300	Vertical	Pass
2	2344.418	43.83	74.0	30.17	Peak	47.00	300	Vertical	Pass
2**	2344.418	31.90	54.0	22.10	AV	47.00	300	Vertical	Pass
3	3919.953	45.61	74.0	28.39	Peak	30.00	200	Vertical	Pass
3**	3919.953	36.37	54.0	17.63	AV	30.00	200	Vertical	Pass
4	7679.237	54.88	74.0	19.12	Peak	252.00	300	Vertical	Pass
4**	7679.237	43.22	54.0	10.78	AV	252.00	300	Vertical	Pass
5	12530.167	56.70	74.0	17.30	Peak	280.00	200	Vertical	Pass
5**	12530.167	42.29	54.0	11.71	AV	280.00	200	Vertical	Pass
6	15382.564	52.33	74.0	21.67	Peak	205.00	200	Vertical	Pass
6**	15382.564	42.63	54.0	11.37	AV	205.00	200	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.902	39.04	74.0	34.96	Peak	324.00	200	Horizontal	Pass
1**	1510.902	26.65	54.0	27.35	AV	324.00	200	Horizontal	Pass
2	2352.345	44.18	74.0	29.82	Peak	148.00	400	Horizontal	Pass
2**	2352.345	39.92	54.0	14.08	AV	148.00	400	Horizontal	Pass
3	4206.851	48.09	74.0	25.91	Peak	315.00	200	Horizontal	Pass
3**	4206.851	34.92	54.0	19.08	AV	315.00	200	Horizontal	Pass
4	7430.627	55.78	74.0	18.22	Peak	30.00	400	Horizontal	Pass
4**	7430.627	40.06	54.0	13.94	AV	30.00	400	Horizontal	Pass
5	12519.616	55.73	74.0	18.27	Peak	232.00	200	Horizontal	Pass
5**	12519.616	48.91	54.0	5.09	AV	232.00	200	Horizontal	Pass
6	16145.069	55.61	74.0	18.39	Peak	190.00	300	Horizontal	Pass
6**	16145.069	46.27	54.0	7.73	AV	190.00	300	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.079	34.09	74.0	39.91	Peak	269.00	300	Vertical	Pass
1**	1567.079	24.79	54.0	29.21	AV	269.00	300	Vertical	Pass
2	2350.927	43.65	74.0	30.35	Peak	1.00	200	Vertical	Pass
2**	2350.927	33.97	54.0	20.03	AV	1.00	200	Vertical	Pass
3	3913.439	43.30	74.0	30.70	Peak	7.00	200	Vertical	Pass
3**	3913.439	37.57	54.0	16.43	AV	7.00	200	Vertical	Pass
4	7679.554	49.28	74.0	24.72	Peak	64.00	100	Vertical	Pass
4**	7679.554	42.32	54.0	11.68	AV	64.00	100	Vertical	Pass
5	12527.132	54.64	74.0	19.36	Peak	101.00	200	Vertical	Pass
5**	12527.132	40.72	54.0	13.28	AV	101.00	200	Vertical	Pass
6	15382.875	50.76	74.0	23.24	Peak	30.00	300	Vertical	Pass
6**	15382.875	47.47	54.0	6.53	AV	30.00	300	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.722	40.56	74.0	33.44	Peak	65.00	100	Horizontal	Pass
1**	1511.722	29.76	54.0	24.24	AV	65.00	100	Horizontal	Pass
2	2344.680	45.47	74.0	28.53	Peak	304.00	200	Horizontal	Pass
2**	2344.680	38.81	54.0	15.19	AV	304.00	200	Horizontal	Pass
3	4209.051	47.35	74.0	26.65	Peak	73.00	200	Horizontal	Pass
3**	4209.051	37.68	54.0	16.32	AV	73.00	200	Horizontal	Pass
4	7436.193	54.75	74.0	19.25	Peak	350.00	100	Horizontal	Pass
4**	7436.193	42.52	54.0	11.48	AV	350.00	100	Horizontal	Pass
5	12517.386	53.99	74.0	20.01	Peak	39.00	400	Horizontal	Pass
5**	12517.386	47.14	54.0	6.86	AV	39.00	400	Horizontal	Pass
6	16146.869	55.85	74.0	18.15	Peak	42.00	300	Horizontal	Pass
6**	16146.869	41.46	54.0	12.54	AV	42.00	300	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.583	35.37	74.0	38.63	Peak	217.00	200	Vertical	Pass
1**	1569.583	25.80	54.0	28.20	AV	217.00	200	Vertical	Pass
2	2348.888	45.48	74.0	28.52	Peak	280.00	200	Vertical	Pass
2**	2348.888	34.74	54.0	19.26	AV	280.00	200	Vertical	Pass
3	3914.003	47.06	74.0	26.94	Peak	170.00	200	Vertical	Pass
3**	3914.003	35.90	54.0	18.10	AV	170.00	200	Vertical	Pass
4	7681.531	51.58	74.0	22.42	Peak	288.00	300	Vertical	Pass
4**	7681.531	46.28	54.0	7.72	AV	288.00	300	Vertical	Pass
5	12527.424	56.14	74.0	17.86	Peak	297.00	100	Vertical	Pass
5**	12527.424	40.18	54.0	13.82	AV	297.00	100	Vertical	Pass
6	15382.486	52.67	74.0	21.33	Peak	285.00	100	Vertical	Pass
6**	15382.486	45.86	54.0	8.14	AV	285.00	100	Vertical	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.045	42.24	74.0	31.76	Peak	202.00	100	Horizontal	Pass
1**	1510.045	30.25	54.0	23.75	AV	202.00	100	Horizontal	Pass
2	2350.743	43.13	74.0	30.87	Peak	72.00	300	Horizontal	Pass
2**	2350.743	39.04	54.0	14.96	AV	72.00	300	Horizontal	Pass
3	4208.047	48.89	74.0	25.11	Peak	216.00	200	Horizontal	Pass
3**	4208.047	36.79	54.0	17.21	AV	216.00	200	Horizontal	Pass
4	7431.116	51.78	74.0	22.22	Peak	29.00	100	Horizontal	Pass
4**	7431.116	45.76	54.0	8.24	AV	29.00	100	Horizontal	Pass
5	12519.252	56.66	74.0	17.34	Peak	141.00	100	Horizontal	Pass
5**	12519.252	45.35	54.0	8.65	AV	141.00	100	Horizontal	Pass
6	16147.730	52.51	74.0	21.49	Peak	305.00	300	Horizontal	Pass
6**	16147.730	46.50	54.0	7.50	AV	305.00	300	Horizontal	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.099	34.14	74.0	39.86	Peak	178.00	400	Vertical	Pass
1**	1574.099	24.25	54.0	29.75	AV	178.00	400	Vertical	Pass
2	2349.213	47.25	74.0	26.75	Peak	193.00	100	Vertical	Pass
2**	2349.213	35.80	54.0	18.20	AV	193.00	100	Vertical	Pass
3	3919.261	42.85	74.0	31.15	Peak	190.00	200	Vertical	Pass
3**	3919.261	34.18	54.0	19.82	AV	190.00	200	Vertical	Pass
4	7677.175	49.45	74.0	24.55	Peak	19.00	300	Vertical	Pass
4**	7677.175	43.00	54.0	11.00	AV	19.00	300	Vertical	Pass
5	12529.759	58.30	74.0	15.70	Peak	175.00	100	Vertical	Pass
5**	12529.759	44.26	54.0	9.74	AV	175.00	100	Vertical	Pass
6	15382.813	52.21	74.0	21.79	Peak	230.00	100	Vertical	Pass
6**	15382.813	45.98	54.0	8.02	AV	230.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.218	38.78	74.0	35.22	Peak	277.00	100	Horizontal	Pass
1**	1526.218	30.85	54.0	23.15	AV	277.00	100	Horizontal	Pass
2	2273.366	42.23	74.0	31.77	Peak	319.00	300	Horizontal	Pass
2**	2273.366	36.46	54.0	17.54	AV	319.00	300	Horizontal	Pass
3	4048.171	48.23	74.0	25.77	Peak	150.00	200	Horizontal	Pass
3**	4048.171	34.62	54.0	19.38	AV	150.00	200	Horizontal	Pass
4	7618.863	51.66	74.0	22.34	Peak	244.00	300	Horizontal	Pass
4**	7618.863	40.94	54.0	13.06	AV	244.00	300	Horizontal	Pass
5	12455.524	52.93	74.0	21.07	Peak	90.00	400	Horizontal	Pass
5**	12455.524	45.71	54.0	8.29	AV	90.00	400	Horizontal	Pass
6	15906.643	50.76	74.0	23.24	Peak	125.00	100	Horizontal	Pass
6**	15906.643	42.55	54.0	11.45	AV	125.00	100	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.927	39.97	74.0	34.03	Peak	148.00	400	Vertical	Pass
1**	1528.927	27.51	54.0	26.49	AV	148.00	400	Vertical	Pass
2	2337.608	45.61	74.0	28.39	Peak	250.00	300	Vertical	Pass
2**	2337.608	35.16	54.0	18.84	AV	250.00	300	Vertical	Pass
3	4902.394	48.87	74.0	25.13	Peak	80.00	200	Vertical	Pass
3**	4902.394	40.30	54.0	13.70	AV	80.00	200	Vertical	Pass
4	7325.601	55.20	74.0	18.80	Peak	257.00	400	Vertical	Pass
4**	7325.601	43.63	54.0	10.37	AV	257.00	400	Vertical	Pass
5	12487.182	50.64	74.0	23.36	Peak	310.00	400	Vertical	Pass
5**	12487.182	42.39	54.0	11.61	AV	310.00	400	Vertical	Pass
6	15690.301	52.75	74.0	21.25	Peak	168.00	100	Vertical	Pass
6**	15690.301	43.70	54.0	10.30	AV	168.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.350	38.42	74.0	35.58	Peak	211.00	200	Horizontal	Pass
1**	1524.350	26.16	54.0	27.84	AV	211.00	200	Horizontal	Pass
2	2276.115	42.51	74.0	31.49	Peak	278.00	100	Horizontal	Pass
2**	2276.115	32.98	54.0	21.02	AV	278.00	100	Horizontal	Pass
3	4049.279	49.71	74.0	24.29	Peak	104.00	200	Horizontal	Pass
3**	4049.279	35.15	54.0	18.85	AV	104.00	200	Horizontal	Pass
4	7624.162	53.52	74.0	20.48	Peak	300.00	300	Horizontal	Pass
4**	7624.162	40.94	54.0	13.06	AV	300.00	300	Horizontal	Pass
5	12451.308	55.46	74.0	18.54	Peak	225.00	200	Horizontal	Pass
5**	12451.308	45.12	54.0	8.88	AV	225.00	200	Horizontal	Pass
6	15900.078	50.89	74.0	23.11	Peak	118.00	300	Horizontal	Pass
6**	15900.078	43.31	54.0	10.69	AV	118.00	300	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.375	39.89	74.0	34.11	Peak	355.00	400	Vertical	Pass
1**	1534.375	29.59	54.0	24.41	AV	355.00	400	Vertical	Pass
2	2338.564	45.00	74.0	29.00	Peak	205.00	100	Vertical	Pass
2**	2338.564	37.53	54.0	16.47	AV	205.00	100	Vertical	Pass
3	4898.171	48.87	74.0	25.13	Peak	33.00	200	Vertical	Pass
3**	4898.171	37.09	54.0	16.91	AV	33.00	200	Vertical	Pass
4	7330.741	54.26	74.0	19.74	Peak	353.00	100	Vertical	Pass
4**	7330.741	45.02	54.0	8.98	AV	353.00	100	Vertical	Pass
5	12482.917	51.42	74.0	22.58	Peak	17.00	200	Vertical	Pass
5**	12482.917	45.76	54.0	8.24	AV	17.00	200	Vertical	Pass
6	15687.604	55.42	74.0	18.58	Peak	245.00	300	Vertical	Pass
6**	15687.604	42.55	54.0	11.45	AV	245.00	300	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.054	39.58	74.0	34.42	Peak	74.00	100	Horizontal	Pass
1**	1525.054	28.71	54.0	25.29	AV	74.00	100	Horizontal	Pass
2	2275.274	42.11	74.0	31.89	Peak	268.00	200	Horizontal	Pass
2**	2275.274	34.04	54.0	19.96	AV	268.00	200	Horizontal	Pass
3	4045.413	48.23	74.0	25.77	Peak	114.00	200	Horizontal	Pass
3**	4045.413	35.57	54.0	18.43	AV	114.00	200	Horizontal	Pass
4	7620.579	52.03	74.0	21.97	Peak	237.00	400	Horizontal	Pass
4**	7620.579	46.43	54.0	7.57	AV	237.00	400	Horizontal	Pass
5	12456.147	54.71	74.0	19.29	Peak	131.00	400	Horizontal	Pass
5**	12456.147	45.36	54.0	8.64	AV	131.00	400	Horizontal	Pass
6	15902.615	55.23	74.0	18.77	Peak	80.00	200	Horizontal	Pass
6**	15902.615	43.07	54.0	10.93	AV	80.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.289	39.68	74.0	34.32	Peak	21.00	400	Vertical	Pass
1**	1531.289	26.75	54.0	27.25	AV	21.00	400	Vertical	Pass
2	2338.406	46.85	74.0	27.15	Peak	101.00	100	Vertical	Pass
2**	2338.406	33.71	54.0	20.29	AV	101.00	100	Vertical	Pass
3	4900.127	50.78	74.0	23.22	Peak	239.00	200	Vertical	Pass
3**	4900.127	40.53	54.0	13.47	AV	239.00	200	Vertical	Pass
4	7329.933	51.66	74.0	22.34	Peak	351.00	300	Vertical	Pass
4**	7329.933	41.65	54.0	12.35	AV	351.00	300	Vertical	Pass
5	12488.578	54.93	74.0	19.07	Peak	312.00	200	Vertical	Pass
5**	12488.578	44.68	54.0	9.32	AV	312.00	200	Vertical	Pass
6	15693.857	54.44	74.0	19.56	Peak	193.00	300	Vertical	Pass
6**	15693.857	46.54	54.0	7.46	AV	193.00	300	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.573	38.96	74.0	35.04	Peak	36.00	100	Horizontal	Pass
1**	1524.573	25.89	54.0	28.11	AV	36.00	100	Horizontal	Pass
2	2276.866	46.50	74.0	27.50	Peak	44.00	300	Horizontal	Pass
2**	2276.866	35.09	54.0	18.91	AV	44.00	300	Horizontal	Pass
3	4048.137	47.04	74.0	26.96	Peak	319.00	200	Horizontal	Pass
3**	4048.137	37.04	54.0	16.96	AV	319.00	200	Horizontal	Pass
4	7616.798	51.41	74.0	22.59	Peak	289.00	100	Horizontal	Pass
4**	7616.798	43.01	54.0	10.99	AV	289.00	100	Horizontal	Pass
5	12450.630	55.87	74.0	18.13	Peak	59.00	200	Horizontal	Pass
5**	12450.630	43.08	54.0	10.92	AV	59.00	200	Horizontal	Pass
6	15905.170	53.69	74.0	20.31	Peak	298.00	300	Horizontal	Pass
6**	15905.170	42.30	54.0	11.70	AV	298.00	300	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.837	38.97	74.0	35.03	Peak	351.00	200	Vertical	Pass
1**	1527.837	27.12	54.0	26.88	AV	351.00	200	Vertical	Pass
2	2331.512	45.34	74.0	28.66	Peak	115.00	200	Vertical	Pass
2**	2331.512	35.08	54.0	18.92	AV	115.00	200	Vertical	Pass
3	4897.329	48.54	74.0	25.46	Peak	294.00	200	Vertical	Pass
3**	4897.329	37.58	54.0	16.42	AV	294.00	200	Vertical	Pass
4	7323.977	55.91	74.0	18.09	Peak	152.00	400	Vertical	Pass
4**	7323.977	46.25	54.0	7.75	AV	152.00	400	Vertical	Pass
5	12484.197	50.09	74.0	23.91	Peak	109.00	300	Vertical	Pass
5**	12484.197	43.92	54.0	10.08	AV	109.00	300	Vertical	Pass
6	15693.444	51.76	74.0	22.24	Peak	60.00	100	Vertical	Pass
6**	15693.444	47.30	54.0	6.70	AV	60.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.601	40.93	74.0	33.07	Peak	153.00	400	Horizontal	Pass
1**	1523.601	25.91	54.0	28.09	AV	153.00	400	Horizontal	Pass
2	2272.182	41.37	74.0	32.63	Peak	57.00	300	Horizontal	Pass
2**	2272.182	35.14	54.0	18.86	AV	57.00	300	Horizontal	Pass
3	4045.293	48.40	74.0	25.60	Peak	347.00	200	Horizontal	Pass
3**	4045.293	39.10	54.0	14.90	AV	347.00	200	Horizontal	Pass
4	7622.530	55.73	74.0	18.27	Peak	146.00	200	Horizontal	Pass
4**	7622.530	45.15	54.0	8.85	AV	146.00	200	Horizontal	Pass
5	12456.271	52.23	74.0	21.77	Peak	288.00	100	Horizontal	Pass
5**	12456.271	43.06	54.0	10.94	AV	288.00	100	Horizontal	Pass
6	15899.998	55.53	74.0	18.47	Peak	356.00	200	Horizontal	Pass
6**	15899.998	44.49	54.0	9.51	AV	356.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.924	37.05	74.0	36.95	Peak	236.00	200	Vertical	Pass
1**	1530.924	30.25	54.0	23.75	AV	236.00	200	Vertical	Pass
2	2337.829	46.94	74.0	27.06	Peak	142.00	100	Vertical	Pass
2**	2337.829	32.66	54.0	21.34	AV	142.00	100	Vertical	Pass
3	4901.692	47.05	74.0	26.95	Peak	306.00	200	Vertical	Pass
3**	4901.692	40.40	54.0	13.60	AV	306.00	200	Vertical	Pass
4	7328.782	53.48	74.0	20.52	Peak	35.00	200	Vertical	Pass
4**	7328.782	44.05	54.0	9.95	AV	35.00	200	Vertical	Pass
5	12485.572	52.30	74.0	21.70	Peak	14.00	100	Vertical	Pass
5**	12485.572	43.43	54.0	10.57	AV	14.00	100	Vertical	Pass
6	15692.972	51.60	74.0	22.40	Peak	133.00	100	Vertical	Pass
6**	15692.972	43.41	54.0	10.59	AV	133.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.059	41.32	74.0	32.68	Peak	11.00	400	Horizontal	Pass
1**	1524.059	26.30	54.0	27.70	AV	11.00	400	Horizontal	Pass
2	2275.869	42.52	74.0	31.48	Peak	326.00	100	Horizontal	Pass
2**	2275.869	32.40	54.0	21.60	AV	326.00	100	Horizontal	Pass
3	4043.467	47.61	74.0	26.39	Peak	5.00	200	Horizontal	Pass
3**	4043.467	34.57	54.0	19.43	AV	5.00	200	Horizontal	Pass
4	7619.705	52.97	74.0	21.03	Peak	17.00	100	Horizontal	Pass
4**	7619.705	44.19	54.0	9.81	AV	17.00	100	Horizontal	Pass
5	12452.761	55.67	74.0	18.33	Peak	148.00	200	Horizontal	Pass
5**	12452.761	46.16	54.0	7.84	AV	148.00	200	Horizontal	Pass
6	15900.462	51.65	74.0	22.35	Peak	314.00	100	Horizontal	Pass
6**	15900.462	43.30	54.0	10.70	AV	314.00	100	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.175	39.11	74.0	34.89	Peak	196.00	300	Vertical	Pass
1**	1534.175	28.00	54.0	26.00	AV	196.00	300	Vertical	Pass
2	2337.222	43.62	74.0	30.38	Peak	149.00	200	Vertical	Pass
2**	2337.222	38.11	54.0	15.89	AV	149.00	200	Vertical	Pass
3	4903.861	48.91	74.0	25.09	Peak	311.00	200	Vertical	Pass
3**	4903.861	41.97	54.0	12.03	AV	311.00	200	Vertical	Pass
4	7323.760	52.53	74.0	21.47	Peak	149.00	100	Vertical	Pass
4**	7323.760	44.49	54.0	9.51	AV	149.00	100	Vertical	Pass
5	12489.683	54.51	74.0	19.49	Peak	209.00	200	Vertical	Pass
5**	12489.683	43.18	54.0	10.82	AV	209.00	200	Vertical	Pass
6	15693.066	54.14	74.0	19.86	Peak	250.00	300	Vertical	Pass
6**	15693.066	42.46	54.0	11.54	AV	250.00	300	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.671	36.19	74.0	37.81	Peak	160.00	300	Horizontal	Pass
1**	1522.671	31.05	54.0	22.95	AV	160.00	300	Horizontal	Pass
2	2270.909	44.56	74.0	29.44	Peak	90.00	100	Horizontal	Pass
2**	2270.909	34.57	54.0	19.43	AV	90.00	100	Horizontal	Pass
3	4048.494	49.00	74.0	25.00	Peak	72.00	200	Horizontal	Pass
3**	4048.494	38.78	54.0	15.22	AV	72.00	200	Horizontal	Pass
4	7617.222	50.44	74.0	23.56	Peak	163.00	400	Horizontal	Pass
4**	7617.222	44.74	54.0	9.26	AV	163.00	400	Horizontal	Pass
5	12454.856	51.45	74.0	22.55	Peak	24.00	200	Horizontal	Pass
5**	12454.856	45.71	54.0	8.29	AV	24.00	200	Horizontal	Pass
6	15905.162	53.20	74.0	20.80	Peak	38.00	200	Horizontal	Pass
6**	15905.162	46.13	54.0	7.87	AV	38.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.227	37.28	74.0	36.72	Peak	216.00	400	Vertical	Pass
1**	1531.227	26.14	54.0	27.86	AV	216.00	400	Vertical	Pass
2	2338.140	46.89	74.0	27.11	Peak	23.00	100	Vertical	Pass
2**	2338.140	33.96	54.0	20.04	AV	23.00	100	Vertical	Pass
3	4899.478	50.42	74.0	23.58	Peak	254.00	200	Vertical	Pass
3**	4899.478	39.35	54.0	14.65	AV	254.00	200	Vertical	Pass
4	7325.371	55.80	74.0	18.20	Peak	92.00	200	Vertical	Pass
4**	7325.371	43.45	54.0	10.55	AV	92.00	200	Vertical	Pass
5	12483.248	55.05	74.0	18.95	Peak	89.00	100	Vertical	Pass
5**	12483.248	41.47	54.0	12.53	AV	89.00	100	Vertical	Pass
6	15692.328	55.17	74.0	18.83	Peak	164.00	200	Vertical	Pass
6**	15692.328	45.84	54.0	8.16	AV	164.00	200	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.460	36.66	74.0	37.34	Peak	47.00	400	Horizontal	Pass
1**	1528.460	26.59	54.0	27.41	AV	47.00	400	Horizontal	Pass
2	2273.541	44.61	74.0	29.39	Peak	205.00	400	Horizontal	Pass
2**	2273.541	34.14	54.0	19.86	AV	205.00	400	Horizontal	Pass
3	4046.981	47.54	74.0	26.46	Peak	214.00	200	Horizontal	Pass
3**	4046.981	36.53	54.0	17.47	AV	214.00	200	Horizontal	Pass
4	7622.140	52.20	74.0	21.80	Peak	257.00	100	Horizontal	Pass
4**	7622.140	46.34	54.0	7.66	AV	257.00	100	Horizontal	Pass
5	12457.259	50.76	74.0	23.24	Peak	145.00	100	Horizontal	Pass
5**	12457.259	43.74	54.0	10.26	AV	145.00	100	Horizontal	Pass
6	15901.112	50.96	74.0	23.04	Peak	215.00	200	Horizontal	Pass
6**	15901.112	47.44	54.0	6.56	AV	215.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.116	41.24	74.0	32.76	Peak	179.00	400	Vertical	Pass
1**	1532.116	28.86	54.0	25.14	AV	179.00	400	Vertical	Pass
2	2339.067	43.37	74.0	30.63	Peak	76.00	300	Vertical	Pass
2**	2339.067	37.13	54.0	16.87	AV	76.00	300	Vertical	Pass
3	4900.618	51.34	74.0	22.66	Peak	289.00	200	Vertical	Pass
3**	4900.618	37.84	54.0	16.16	AV	289.00	200	Vertical	Pass
4	7326.076	50.58	74.0	23.42	Peak	114.00	200	Vertical	Pass
4**	7326.076	44.97	54.0	9.03	AV	114.00	200	Vertical	Pass
5	12484.519	52.48	74.0	21.52	Peak	20.00	200	Vertical	Pass
5**	12484.519	45.28	54.0	8.72	AV	20.00	200	Vertical	Pass
6	15689.791	54.81	74.0	19.19	Peak	307.00	200	Vertical	Pass
6**	15689.791	42.31	54.0	11.69	AV	307.00	200	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.555	39.14	74.0	34.86	Peak	167.00	400	Horizontal	Pass
1**	1520.555	26.98	54.0	27.02	AV	167.00	400	Horizontal	Pass
2	2274.660	44.95	74.0	29.05	Peak	161.00	400	Horizontal	Pass
2**	2274.660	31.80	54.0	22.20	AV	161.00	400	Horizontal	Pass
3	4049.346	48.24	74.0	25.76	Peak	255.00	200	Horizontal	Pass
3**	4049.346	39.35	54.0	14.65	AV	255.00	200	Horizontal	Pass
4	7623.517	54.88	74.0	19.12	Peak	334.00	300	Horizontal	Pass
4**	7623.517	41.57	54.0	12.43	AV	334.00	300	Horizontal	Pass
5	12456.494	51.99	74.0	22.01	Peak	124.00	100	Horizontal	Pass
5**	12456.494	43.87	54.0	10.13	AV	124.00	100	Horizontal	Pass
6	15901.793	54.96	74.0	19.04	Peak	284.00	200	Horizontal	Pass
6**	15901.793	47.15	54.0	6.85	AV	284.00	200	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.194	36.14	74.0	37.86	Peak	273.00	400	Vertical	Pass
1**	1529.194	30.94	54.0	23.06	AV	273.00	400	Vertical	Pass
2	2337.547	45.62	74.0	28.38	Peak	89.00	300	Vertical	Pass
2**	2337.547	36.97	54.0	17.03	AV	89.00	300	Vertical	Pass
3	4900.137	52.09	74.0	21.91	Peak	33.00	200	Vertical	Pass
3**	4900.137	37.46	54.0	16.54	AV	33.00	200	Vertical	Pass
4	7329.233	52.58	74.0	21.42	Peak	169.00	400	Vertical	Pass
4**	7329.233	42.85	54.0	11.15	AV	169.00	400	Vertical	Pass
5	12483.490	53.41	74.0	20.59	Peak	224.00	200	Vertical	Pass
5**	12483.490	45.90	54.0	8.10	AV	224.00	200	Vertical	Pass
6	15691.097	52.26	74.0	21.74	Peak	176.00	400	Vertical	Pass
6**	15691.097	44.11	54.0	9.89	AV	176.00	400	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.716	39.93	74.0	34.07	Peak	230.00	400	Horizontal	Pass
1**	1527.716	29.58	54.0	24.42	AV	230.00	400	Horizontal	Pass
2	2275.594	46.48	74.0	27.52	Peak	149.00	100	Horizontal	Pass
2**	2275.594	36.13	54.0	17.87	AV	149.00	100	Horizontal	Pass
3	4045.706	48.95	74.0	25.05	Peak	307.00	200	Horizontal	Pass
3**	4045.706	38.55	54.0	15.45	AV	307.00	200	Horizontal	Pass
4	7624.171	50.98	74.0	23.02	Peak	240.00	300	Horizontal	Pass
4**	7624.171	40.80	54.0	13.20	AV	240.00	300	Horizontal	Pass
5	12454.355	53.45	74.0	20.55	Peak	181.00	300	Horizontal	Pass
5**	12454.355	45.49	54.0	8.51	AV	181.00	300	Horizontal	Pass
6	15904.449	55.35	74.0	18.65	Peak	295.00	300	Horizontal	Pass
6**	15904.449	47.45	54.0	6.55	AV	295.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.839	41.77	74.0	32.23	Peak	303.00	200	Vertical	Pass
1**	1527.839	26.23	54.0	27.77	AV	303.00	200	Vertical	Pass
2	2338.512	44.45	74.0	29.55	Peak	202.00	200	Vertical	Pass
2**	2338.512	38.04	54.0	15.96	AV	202.00	200	Vertical	Pass
3	4900.640	51.22	74.0	22.78	Peak	74.00	200	Vertical	Pass
3**	4900.640	42.38	54.0	11.62	AV	74.00	200	Vertical	Pass
4	7329.800	53.64	74.0	20.36	Peak	311.00	100	Vertical	Pass
4**	7329.800	46.34	54.0	7.66	AV	311.00	100	Vertical	Pass
5	12489.262	51.02	74.0	22.98	Peak	347.00	100	Vertical	Pass
5**	12489.262	45.61	54.0	8.39	AV	347.00	100	Vertical	Pass
6	15689.066	55.11	74.0	18.89	Peak	347.00	200	Vertical	Pass
6**	15689.066	43.73	54.0	10.27	AV	347.00	200	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.102	39.48	74.0	34.52	Peak	181.00	300	Horizontal	Pass
1**	1527.102	28.94	54.0	25.06	AV	181.00	300	Horizontal	Pass
2	2278.085	44.04	74.0	29.96	Peak	149.00	400	Horizontal	Pass
2**	2278.085	33.75	54.0	20.25	AV	149.00	400	Horizontal	Pass
3	4048.033	46.75	74.0	27.25	Peak	352.00	200	Horizontal	Pass
3**	4048.033	39.59	54.0	14.41	AV	352.00	200	Horizontal	Pass
4	7620.374	52.49	74.0	21.51	Peak	35.00	300	Horizontal	Pass
4**	7620.374	44.76	54.0	9.24	AV	35.00	300	Horizontal	Pass
5	12455.425	51.37	74.0	22.63	Peak	259.00	100	Horizontal	Pass
5**	12455.425	46.16	54.0	7.84	AV	259.00	100	Horizontal	Pass
6	15902.550	52.52	74.0	21.48	Peak	30.00	400	Horizontal	Pass
6**	15902.550	43.59	54.0	10.41	AV	30.00	400	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.158	36.57	74.0	37.43	Peak	141.00	400	Vertical	Pass
1**	1527.158	29.30	54.0	24.70	AV	141.00	400	Vertical	Pass
2	2333.862	46.17	74.0	27.83	Peak	109.00	200	Vertical	Pass
2**	2333.862	38.32	54.0	15.68	AV	109.00	200	Vertical	Pass
3	4903.437	47.83	74.0	26.17	Peak	154.00	200	Vertical	Pass
3**	4903.437	40.07	54.0	13.93	AV	154.00	200	Vertical	Pass
4	7327.659	54.13	74.0	19.87	Peak	58.00	300	Vertical	Pass
4**	7327.659	46.21	54.0	7.79	AV	58.00	300	Vertical	Pass
5	12486.954	51.43	74.0	22.57	Peak	227.00	100	Vertical	Pass
5**	12486.954	46.52	54.0	7.48	AV	227.00	100	Vertical	Pass
6	15690.740	55.92	74.0	18.08	Peak	101.00	200	Vertical	Pass
6**	15690.740	46.07	54.0	7.93	AV	101.00	200	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.892	38.24	74.0	35.76	Peak	233.00	100	Horizontal	Pass
1**	1526.892	28.80	54.0	25.20	AV	233.00	100	Horizontal	Pass
2	2272.053	43.01	74.0	30.99	Peak	255.00	100	Horizontal	Pass
2**	2272.053	33.73	54.0	20.27	AV	255.00	100	Horizontal	Pass
3	4042.845	49.22	74.0	24.78	Peak	224.00	200	Horizontal	Pass
3**	4042.845	34.57	54.0	19.43	AV	224.00	200	Horizontal	Pass
4	7622.349	51.84	74.0	22.16	Peak	77.00	100	Horizontal	Pass
4**	7622.349	45.80	54.0	8.20	AV	77.00	100	Horizontal	Pass
5	12453.304	54.05	74.0	19.95	Peak	290.00	100	Horizontal	Pass
5**	12453.304	44.47	54.0	9.53	AV	290.00	100	Horizontal	Pass
6	15906.038	56.60	74.0	17.40	Peak	71.00	400	Horizontal	Pass
6**	15906.038	45.64	54.0	8.36	AV	71.00	400	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.463	36.03	74.0	37.97	Peak	263.00	100	Vertical	Pass
1**	1532.463	31.39	54.0	22.61	AV	263.00	100	Vertical	Pass
2	2336.933	45.06	74.0	28.94	Peak	85.00	100	Vertical	Pass
2**	2336.933	38.22	54.0	15.78	AV	85.00	100	Vertical	Pass
3	4896.737	48.31	74.0	25.69	Peak	198.00	200	Vertical	Pass
3**	4896.737	41.30	54.0	12.70	AV	198.00	200	Vertical	Pass
4	7330.953	52.90	74.0	21.10	Peak	53.00	100	Vertical	Pass
4**	7330.953	46.66	54.0	7.34	AV	53.00	100	Vertical	Pass
5	12488.762	55.43	74.0	18.57	Peak	80.00	100	Vertical	Pass
5**	12488.762	42.45	54.0	11.55	AV	80.00	100	Vertical	Pass
6	15688.042	51.79	74.0	22.21	Peak	69.00	400	Vertical	Pass
6**	15688.042	45.79	54.0	8.21	AV	69.00	400	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.908	38.06	74.0	35.94	Peak	268.00	400	Horizontal	Pass
1**	1527.908	30.63	54.0	23.37	AV	268.00	400	Horizontal	Pass
2	2271.801	43.52	74.0	30.48	Peak	67.00	300	Horizontal	Pass
2**	2271.801	36.16	54.0	17.84	AV	67.00	300	Horizontal	Pass
3	4044.355	45.14	74.0	28.86	Peak	239.00	200	Horizontal	Pass
3**	4044.355	40.17	54.0	13.83	AV	239.00	200	Horizontal	Pass
4	7622.427	51.85	74.0	22.15	Peak	2.00	400	Horizontal	Pass
4**	7622.427	42.24	54.0	11.76	AV	2.00	400	Horizontal	Pass
5	12451.450	55.46	74.0	18.54	Peak	272.00	100	Horizontal	Pass
5**	12451.450	43.63	54.0	10.37	AV	272.00	100	Horizontal	Pass
6	15903.553	51.39	74.0	22.61	Peak	152.00	200	Horizontal	Pass
6**	15903.553	42.80	54.0	11.20	AV	152.00	200	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.926	39.34	74.0	34.66	Peak	156.00	300	Vertical	Pass
1**	1533.926	30.21	54.0	23.79	AV	156.00	300	Vertical	Pass
2	2339.293	43.64	74.0	30.36	Peak	141.00	300	Vertical	Pass
2**	2339.293	32.42	54.0	21.58	AV	141.00	300	Vertical	Pass
3	4903.093	52.74	74.0	21.26	Peak	349.00	200	Vertical	Pass
3**	4903.093	41.16	54.0	12.84	AV	349.00	200	Vertical	Pass
4	7328.035	55.15	74.0	18.85	Peak	259.00	300	Vertical	Pass
4**	7328.035	41.55	54.0	12.45	AV	259.00	300	Vertical	Pass
5	12482.713	53.62	74.0	20.38	Peak	338.00	100	Vertical	Pass
5**	12482.713	41.58	54.0	12.42	AV	338.00	100	Vertical	Pass
6	15689.380	54.19	74.0	19.81	Peak	71.00	300	Vertical	Pass
6**	15689.380	41.78	54.0	12.22	AV	71.00	300	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.288	38.50	74.0	35.50	Peak	133.00	100	Horizontal	Pass
1**	1527.288	26.87	54.0	27.13	AV	133.00	100	Horizontal	Pass
2	2271.417	42.73	74.0	31.27	Peak	174.00	300	Horizontal	Pass
2**	2271.417	33.08	54.0	20.92	AV	174.00	300	Horizontal	Pass
3	4046.722	47.65	74.0	26.35	Peak	49.00	200	Horizontal	Pass
3**	4046.722	37.50	54.0	16.50	AV	49.00	200	Horizontal	Pass
4	7624.220	50.07	74.0	23.93	Peak	212.00	300	Horizontal	Pass
4**	7624.220	42.62	54.0	11.38	AV	212.00	300	Horizontal	Pass
5	12454.798	56.02	74.0	17.98	Peak	319.00	200	Horizontal	Pass
5**	12454.798	46.24	54.0	7.76	AV	319.00	200	Horizontal	Pass
6	15903.234	51.63	74.0	22.37	Peak	58.00	200	Horizontal	Pass
6**	15903.234	44.38	54.0	9.62	AV	58.00	200	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.300	39.88	74.0	34.12	Peak	328.00	400	Vertical	Pass
1**	1531.300	31.01	54.0	22.99	AV	328.00	400	Vertical	Pass
2	2333.741	43.94	74.0	30.06	Peak	171.00	200	Vertical	Pass
2**	2333.741	36.94	54.0	17.06	AV	171.00	200	Vertical	Pass
3	4904.162	47.10	74.0	26.90	Peak	84.00	200	Vertical	Pass
3**	4904.162	38.70	54.0	15.30	AV	84.00	200	Vertical	Pass
4	7327.677	54.04	74.0	19.96	Peak	117.00	300	Vertical	Pass
4**	7327.677	46.01	54.0	7.99	AV	117.00	300	Vertical	Pass
5	12483.251	50.62	74.0	23.38	Peak	25.00	100	Vertical	Pass
5**	12483.251	46.06	54.0	7.94	AV	25.00	100	Vertical	Pass
6	15688.571	53.67	74.0	20.33	Peak	119.00	400	Vertical	Pass
6**	15688.571	42.48	54.0	11.52	AV	119.00	400	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.147	41.01	74.0	32.99	Peak	326.00	100	Horizontal	Pass
1**	1522.147	28.60	54.0	25.40	AV	326.00	100	Horizontal	Pass
2	2272.593	46.31	74.0	27.69	Peak	165.00	200	Horizontal	Pass
2**	2272.593	31.94	54.0	22.06	AV	165.00	200	Horizontal	Pass
3	4042.960	48.56	74.0	25.44	Peak	78.00	200	Horizontal	Pass
3**	4042.960	34.82	54.0	19.18	AV	78.00	200	Horizontal	Pass
4	7617.111	51.98	74.0	22.02	Peak	54.00	300	Horizontal	Pass
4**	7617.111	40.91	54.0	13.09	AV	54.00	300	Horizontal	Pass
5	12454.491	55.58	74.0	18.42	Peak	46.00	300	Horizontal	Pass
5**	12454.491	44.15	54.0	9.85	AV	46.00	300	Horizontal	Pass
6	15900.092	56.55	74.0	17.45	Peak	257.00	400	Horizontal	Pass
6**	15900.092	43.03	54.0	10.97	AV	257.00	400	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.135	39.11	74.0	34.89	Peak	320.00	300	Vertical	Pass
1**	1527.135	26.72	54.0	27.28	AV	320.00	300	Vertical	Pass
2	2333.455	45.42	74.0	28.58	Peak	169.00	300	Vertical	Pass
2**	2333.455	34.30	54.0	19.70	AV	169.00	300	Vertical	Pass
3	4900.657	49.36	74.0	24.64	Peak	319.00	200	Vertical	Pass
3**	4900.657	41.65	54.0	12.35	AV	319.00	200	Vertical	Pass
4	7329.768	55.76	74.0	18.24	Peak	17.00	300	Vertical	Pass
4**	7329.768	42.34	54.0	11.66	AV	17.00	300	Vertical	Pass
5	12483.060	55.45	74.0	18.55	Peak	287.00	100	Vertical	Pass
5**	12483.060	42.71	54.0	11.29	AV	287.00	100	Vertical	Pass
6	15688.896	55.79	74.0	18.21	Peak	148.00	100	Vertical	Pass
6**	15688.896	43.71	54.0	10.29	AV	148.00	100	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.304	37.97	74.0	36.03	Peak	176.00	200	Horizontal	Pass
1**	1525.304	28.94	54.0	25.06	AV	176.00	200	Horizontal	Pass
2	2275.705	45.58	74.0	28.42	Peak	106.00	200	Horizontal	Pass
2**	2275.705	31.97	54.0	22.03	AV	106.00	200	Horizontal	Pass
3	4044.975	47.55	74.0	26.45	Peak	67.00	200	Horizontal	Pass
3**	4044.975	35.53	54.0	18.47	AV	67.00	200	Horizontal	Pass
4	7616.974	52.05	74.0	21.95	Peak	131.00	300	Horizontal	Pass
4**	7616.974	41.16	54.0	12.84	AV	131.00	300	Horizontal	Pass
5	12456.221	50.55	74.0	23.45	Peak	183.00	200	Horizontal	Pass
5**	12456.221	43.68	54.0	10.32	AV	183.00	200	Horizontal	Pass
6	15900.338	54.66	74.0	19.34	Peak	260.00	200	Horizontal	Pass
6**	15900.338	47.45	54.0	6.55	AV	260.00	200	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.389	35.99	74.0	38.01	Peak	251.00	300	Vertical	Pass
1**	1533.389	29.39	54.0	24.61	AV	251.00	300	Vertical	Pass
2	2334.296	45.61	74.0	28.39	Peak	311.00	400	Vertical	Pass
2**	2334.296	37.31	54.0	16.69	AV	311.00	400	Vertical	Pass
3	4899.414	52.43	74.0	21.57	Peak	124.00	200	Vertical	Pass
3**	4899.414	42.64	54.0	11.36	AV	124.00	200	Vertical	Pass
4	7329.721	54.96	74.0	19.04	Peak	331.00	400	Vertical	Pass
4**	7329.721	45.30	54.0	8.70	AV	331.00	400	Vertical	Pass
5	12486.595	52.19	74.0	21.81	Peak	322.00	400	Vertical	Pass
5**	12486.595	42.81	54.0	11.19	AV	322.00	400	Vertical	Pass
6	15689.692	55.09	74.0	18.91	Peak	81.00	100	Vertical	Pass
6**	15689.692	44.94	54.0	9.06	AV	81.00	100	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.520	41.34	74.0	32.66	Peak	353.00	100	Horizontal	Pass
1**	1524.520	29.56	54.0	24.44	AV	353.00	100	Horizontal	Pass
2	2277.635	44.20	74.0	29.80	Peak	288.00	400	Horizontal	Pass
2**	2277.635	35.89	54.0	18.11	AV	288.00	400	Horizontal	Pass
3	4050.171	44.36	74.0	29.64	Peak	18.00	200	Horizontal	Pass
3**	4050.171	36.46	54.0	17.54	AV	18.00	200	Horizontal	Pass
4	7617.357	50.47	74.0	23.53	Peak	85.00	400	Horizontal	Pass
4**	7617.357	43.94	54.0	10.06	AV	85.00	400	Horizontal	Pass
5	12458.060	51.91	74.0	22.09	Peak	172.00	400	Horizontal	Pass
5**	12458.060	43.62	54.0	10.38	AV	172.00	400	Horizontal	Pass
6	15907.112	52.90	74.0	21.10	Peak	293.00	300	Horizontal	Pass
6**	15907.112	45.95	54.0	8.05	AV	293.00	300	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.947	40.40	74.0	33.60	Peak	290.00	100	Vertical	Pass
1**	1528.947	30.28	54.0	23.72	AV	290.00	100	Vertical	Pass
2	2338.046	46.18	74.0	27.82	Peak	101.00	400	Vertical	Pass
2**	2338.046	38.17	54.0	15.83	AV	101.00	400	Vertical	Pass
3	4899.799	51.58	74.0	22.42	Peak	149.00	200	Vertical	Pass
3**	4899.799	37.01	54.0	16.99	AV	149.00	200	Vertical	Pass
4	7331.234	51.08	74.0	22.92	Peak	358.00	400	Vertical	Pass
4**	7331.234	46.03	54.0	7.97	AV	358.00	400	Vertical	Pass
5	12483.665	52.23	74.0	21.77	Peak	176.00	400	Vertical	Pass
5**	12483.665	42.53	54.0	11.47	AV	176.00	400	Vertical	Pass
6	15687.993	55.16	74.0	18.84	Peak	33.00	300	Vertical	Pass
6**	15687.993	41.97	54.0	12.03	AV	33.00	300	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.269	36.77	74.0	37.23	Peak	62.00	200	Horizontal	Pass
1**	1525.269	27.46	54.0	26.54	AV	62.00	200	Horizontal	Pass
2	2278.100	45.23	74.0	28.77	Peak	196.00	100	Horizontal	Pass
2**	2278.100	34.39	54.0	19.61	AV	196.00	100	Horizontal	Pass
3	4044.607	47.64	74.0	26.36	Peak	104.00	200	Horizontal	Pass
3**	4044.607	39.00	54.0	15.00	AV	104.00	200	Horizontal	Pass
4	7616.660	53.87	74.0	20.13	Peak	231.00	100	Horizontal	Pass
4**	7616.660	45.38	54.0	8.62	AV	231.00	100	Horizontal	Pass
5	12455.955	52.09	74.0	21.91	Peak	208.00	400	Horizontal	Pass
5**	12455.955	44.73	54.0	9.27	AV	208.00	400	Horizontal	Pass
6	15903.715	52.82	74.0	21.18	Peak	359.00	200	Horizontal	Pass
6**	15903.715	46.72	54.0	7.28	AV	359.00	200	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.150	38.39	74.0	35.61	Peak	177.00	300	Vertical	Pass
1**	1534.150	30.86	54.0	23.14	AV	177.00	300	Vertical	Pass
2	2337.403	45.39	74.0	28.61	Peak	121.00	100	Vertical	Pass
2**	2337.403	36.64	54.0	17.36	AV	121.00	100	Vertical	Pass
3	4903.113	50.89	74.0	23.11	Peak	47.00	200	Vertical	Pass
3**	4903.113	39.01	54.0	14.99	AV	47.00	200	Vertical	Pass
4	7329.972	53.19	74.0	20.81	Peak	148.00	300	Vertical	Pass
4**	7329.972	41.38	54.0	12.62	AV	148.00	300	Vertical	Pass
5	12489.393	53.10	74.0	20.90	Peak	39.00	400	Vertical	Pass
5**	12489.393	42.66	54.0	11.34	AV	39.00	400	Vertical	Pass
6	15694.082	55.57	74.0	18.43	Peak	161.00	200	Vertical	Pass
6**	15694.082	42.90	54.0	11.10	AV	161.00	200	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.345	40.04	74.0	33.96	Peak	251.00	400	Horizontal	Pass
1**	1524.345	27.84	54.0	26.16	AV	251.00	400	Horizontal	Pass
2	2276.797	42.54	74.0	31.46	Peak	191.00	300	Horizontal	Pass
2**	2276.797	35.22	54.0	18.78	AV	191.00	300	Horizontal	Pass
3	4050.229	46.16	74.0	27.84	Peak	56.00	200	Horizontal	Pass
3**	4050.229	39.72	54.0	14.28	AV	56.00	200	Horizontal	Pass
4	7622.670	53.01	74.0	20.99	Peak	274.00	300	Horizontal	Pass
4**	7622.670	43.74	54.0	10.26	AV	274.00	300	Horizontal	Pass
5	12452.849	51.52	74.0	22.48	Peak	205.00	100	Horizontal	Pass
5**	12452.849	41.80	54.0	12.20	AV	205.00	100	Horizontal	Pass
6	15902.183	52.50	74.0	21.50	Peak	158.00	400	Horizontal	Pass
6**	15902.183	45.12	54.0	8.88	AV	158.00	400	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.870	40.69	74.0	33.31	Peak	103.00	100	Vertical	Pass
1**	1528.870	31.24	54.0	22.76	AV	103.00	100	Vertical	Pass
2	2335.993	47.21	74.0	26.79	Peak	261.00	300	Vertical	Pass
2**	2335.993	32.80	54.0	21.20	AV	261.00	300	Vertical	Pass
3	4898.815	50.41	74.0	23.59	Peak	343.00	200	Vertical	Pass
3**	4898.815	39.83	54.0	14.17	AV	343.00	200	Vertical	Pass
4	7328.544	51.47	74.0	22.53	Peak	36.00	300	Vertical	Pass
4**	7328.544	46.81	54.0	7.19	AV	36.00	300	Vertical	Pass
5	12488.766	54.57	74.0	19.43	Peak	65.00	200	Vertical	Pass
5**	12488.766	45.34	54.0	8.66	AV	65.00	200	Vertical	Pass
6	15694.329	55.81	74.0	18.19	Peak	66.00	400	Vertical	Pass
6**	15694.329	42.65	54.0	11.35	AV	66.00	400	Vertical	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.804	36.07	74.0	37.93	Peak	0.00	400	Horizontal	Pass
1**	1524.804	30.11	54.0	23.89	AV	0.00	400	Horizontal	Pass
2	2271.587	41.02	74.0	32.98	Peak	51.00	200	Horizontal	Pass
2**	2271.587	33.32	54.0	20.68	AV	51.00	200	Horizontal	Pass
3	4044.167	47.17	74.0	26.83	Peak	265.00	200	Horizontal	Pass
3**	4044.167	36.33	54.0	17.67	AV	265.00	200	Horizontal	Pass
4	7619.518	50.45	74.0	23.55	Peak	120.00	100	Horizontal	Pass
4**	7619.518	41.88	54.0	12.12	AV	120.00	100	Horizontal	Pass
5	12456.494	55.46	74.0	18.54	Peak	32.00	100	Horizontal	Pass
5**	12456.494	42.51	54.0	11.49	AV	32.00	100	Horizontal	Pass
6	15907.623	51.86	74.0	22.14	Peak	266.00	200	Horizontal	Pass
6**	15907.623	45.61	54.0	8.39	AV	266.00	200	Horizontal	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.708	37.10	74.0	36.90	Peak	351.00	400	Vertical	Pass
1**	1526.708	30.49	54.0	23.51	AV	351.00	400	Vertical	Pass
2	2331.834	45.57	74.0	28.43	Peak	289.00	300	Vertical	Pass
2**	2331.834	37.99	54.0	16.01	AV	289.00	300	Vertical	Pass
3	4899.320	49.66	74.0	24.34	Peak	334.00	200	Vertical	Pass
3**	4899.320	40.11	54.0	13.89	AV	334.00	200	Vertical	Pass
4	7324.949	54.86	74.0	19.14	Peak	145.00	100	Vertical	Pass
4**	7324.949	44.07	54.0	9.93	AV	145.00	100	Vertical	Pass
5	12488.131	50.91	74.0	23.09	Peak	227.00	100	Vertical	Pass
5**	12488.131	46.70	54.0	7.30	AV	227.00	100	Vertical	Pass
6	15693.232	56.08	74.0	17.92	Peak	21.00	100	Vertical	Pass
6**	15693.232	46.07	54.0	7.93	AV	21.00	100	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.259	37.56	74.0	36.44	Peak	343.00	100	Horizontal	Pass
1**	1526.259	28.12	54.0	25.88	AV	343.00	100	Horizontal	Pass
2	2278.272	43.64	74.0	30.36	Peak	138.00	200	Horizontal	Pass
2**	2278.272	37.15	54.0	16.85	AV	138.00	200	Horizontal	Pass
3	4048.605	48.29	74.0	25.71	Peak	180.00	200	Horizontal	Pass
3**	4048.605	37.42	54.0	16.58	AV	180.00	200	Horizontal	Pass
4	7624.107	51.11	74.0	22.89	Peak	304.00	400	Horizontal	Pass
4**	7624.107	41.10	54.0	12.90	AV	304.00	400	Horizontal	Pass
5	12456.233	52.08	74.0	21.92	Peak	235.00	100	Horizontal	Pass
5**	12456.233	47.11	54.0	6.89	AV	235.00	100	Horizontal	Pass
6	15904.183	52.10	74.0	21.90	Peak	292.00	200	Horizontal	Pass
6**	15904.183	46.46	54.0	7.54	AV	292.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.591	39.25	74.0	34.75	Peak	355.00	100	Vertical	Pass
1**	1597.591	27.65	54.0	26.35	AV	355.00	100	Vertical	Pass
2	2229.353	39.02	74.0	34.98	Peak	146.00	400	Vertical	Pass
2**	2229.353	33.07	54.0	20.93	AV	146.00	400	Vertical	Pass
3	4260.424	47.53	74.0	26.47	Peak	195.00	200	Vertical	Pass
3**	4260.424	39.44	54.0	14.56	AV	195.00	200	Vertical	Pass
4	7709.432	56.36	74.0	17.64	Peak	192.00	200	Vertical	Pass
4**	7709.432	41.28	54.0	12.72	AV	192.00	200	Vertical	Pass
5	12498.573	50.95	74.0	23.05	Peak	202.00	200	Vertical	Pass
5**	12498.573	41.74	54.0	12.26	AV	202.00	200	Vertical	Pass
6	15668.915	54.42	74.0	19.58	Peak	14.00	200	Vertical	Pass
6**	15668.915	41.65	54.0	12.35	AV	14.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.158	36.45	74.0	37.55	Peak	235.00	200	Horizontal	Pass
1**	1528.158	29.76	54.0	24.24	AV	235.00	200	Horizontal	Pass
2	2273.386	43.08	74.0	30.92	Peak	106.00	200	Horizontal	Pass
2**	2273.386	35.16	54.0	18.84	AV	106.00	200	Horizontal	Pass
3	4048.821	45.65	74.0	28.35	Peak	264.00	200	Horizontal	Pass
3**	4048.821	36.06	54.0	17.94	AV	264.00	200	Horizontal	Pass
4	7620.468	50.46	74.0	23.54	Peak	204.00	200	Horizontal	Pass
4**	7620.468	42.91	54.0	11.09	AV	204.00	200	Horizontal	Pass
5	12453.152	51.69	74.0	22.31	Peak	6.00	300	Horizontal	Pass
5**	12453.152	41.66	54.0	12.34	AV	6.00	300	Horizontal	Pass
6	15900.897	54.78	74.0	19.22	Peak	41.00	200	Horizontal	Pass
6**	15900.897	46.89	54.0	7.11	AV	41.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.456	38.87	74.0	35.13	Peak	32.00	100	Vertical	Pass
1**	1598.456	23.57	54.0	30.43	AV	32.00	100	Vertical	Pass
2	2224.399	38.41	74.0	35.59	Peak	61.00	400	Vertical	Pass
2**	2224.399	30.96	54.0	23.04	AV	61.00	400	Vertical	Pass
3	4256.978	49.40	74.0	24.60	Peak	77.00	200	Vertical	Pass
3**	4256.978	38.31	54.0	15.69	AV	77.00	200	Vertical	Pass
4	7707.454	55.91	74.0	18.09	Peak	79.00	100	Vertical	Pass
4**	7707.454	42.61	54.0	11.39	AV	79.00	100	Vertical	Pass
5	12495.607	54.21	74.0	19.79	Peak	45.00	300	Vertical	Pass
5**	12495.607	43.26	54.0	10.74	AV	45.00	300	Vertical	Pass
6	15670.682	58.45	74.0	15.55	Peak	253.00	200	Vertical	Pass
6**	15670.682	45.23	54.0	8.77	AV	253.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.059	40.76	74.0	33.24	Peak	146.00	200	Horizontal	Pass
1**	1525.059	28.18	54.0	25.82	AV	146.00	200	Horizontal	Pass
2	2271.333	43.26	74.0	30.74	Peak	298.00	300	Horizontal	Pass
2**	2271.333	37.25	54.0	16.75	AV	298.00	300	Horizontal	Pass
3	4047.547	48.75	74.0	25.25	Peak	315.00	200	Horizontal	Pass
3**	4047.547	35.59	54.0	18.41	AV	315.00	200	Horizontal	Pass
4	7617.980	53.62	74.0	20.38	Peak	292.00	200	Horizontal	Pass
4**	7617.980	44.59	54.0	9.41	AV	292.00	200	Horizontal	Pass
5	12453.005	52.02	74.0	21.98	Peak	75.00	200	Horizontal	Pass
5**	12453.005	42.29	54.0	11.71	AV	75.00	200	Horizontal	Pass
6	15901.238	54.14	74.0	19.86	Peak	264.00	300	Horizontal	Pass
6**	15901.238	46.08	54.0	7.92	AV	264.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.687	42.86	74.0	31.14	Peak	330.00	200	Vertical	Pass
1**	1594.687	23.27	54.0	30.73	AV	330.00	200	Vertical	Pass
2	2227.230	39.07	74.0	34.93	Peak	77.00	300	Vertical	Pass
2**	2227.230	32.25	54.0	21.75	AV	77.00	300	Vertical	Pass
3	4254.336	49.18	74.0	24.82	Peak	51.00	200	Vertical	Pass
3**	4254.336	35.33	54.0	18.67	AV	51.00	200	Vertical	Pass
4	7707.227	53.38	74.0	20.62	Peak	239.00	200	Vertical	Pass
4**	7707.227	44.27	54.0	9.73	AV	239.00	200	Vertical	Pass
5	12500.815	55.05	74.0	18.95	Peak	88.00	200	Vertical	Pass
5**	12500.815	41.54	54.0	12.46	AV	88.00	200	Vertical	Pass
6	15671.289	57.93	74.0	16.07	Peak	42.00	400	Vertical	Pass
6**	15671.289	43.38	54.0	10.62	AV	42.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.602	35.63	74.0	38.37	Peak	240.00	200	Horizontal	Pass
1**	1526.602	27.48	54.0	26.52	AV	240.00	200	Horizontal	Pass
2	2278.032	45.38	74.0	28.62	Peak	266.00	100	Horizontal	Pass
2**	2278.032	36.30	54.0	17.70	AV	266.00	100	Horizontal	Pass
3	4048.508	46.48	74.0	27.52	Peak	59.00	200	Horizontal	Pass
3**	4048.508	34.40	54.0	19.60	AV	59.00	200	Horizontal	Pass
4	7623.299	53.33	74.0	20.67	Peak	217.00	400	Horizontal	Pass
4**	7623.299	44.43	54.0	9.57	AV	217.00	400	Horizontal	Pass
5	12456.921	51.71	74.0	22.29	Peak	246.00	100	Horizontal	Pass
5**	12456.921	41.86	54.0	12.14	AV	246.00	100	Horizontal	Pass
6	15900.169	53.83	74.0	20.17	Peak	250.00	300	Horizontal	Pass
6**	15900.169	41.86	54.0	12.14	AV	250.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.535	39.90	74.0	34.10	Peak	286.00	200	Vertical	Pass
1**	1594.535	25.33	54.0	28.67	AV	286.00	200	Vertical	Pass
2	2229.038	38.57	74.0	35.43	Peak	87.00	100	Vertical	Pass
2**	2229.038	29.75	54.0	24.25	AV	87.00	100	Vertical	Pass
3	4254.909	50.51	74.0	23.49	Peak	111.00	200	Vertical	Pass
3**	4254.909	41.10	54.0	12.90	AV	111.00	200	Vertical	Pass
4	7706.871	57.16	74.0	16.84	Peak	233.00	100	Vertical	Pass
4**	7706.871	42.43	54.0	11.57	AV	233.00	100	Vertical	Pass
5	12500.686	53.06	74.0	20.94	Peak	211.00	100	Vertical	Pass
5**	12500.686	41.72	54.0	12.28	AV	211.00	100	Vertical	Pass
6	15674.959	55.41	74.0	18.59	Peak	323.00	300	Vertical	Pass
6**	15674.959	39.73	54.0	14.27	AV	323.00	300	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.221	41.22	74.0	32.78	Peak	41.00	300	Horizontal	Pass
1**	1523.221	28.84	54.0	25.16	AV	41.00	300	Horizontal	Pass
2	2277.282	41.79	74.0	32.21	Peak	46.00	100	Horizontal	Pass
2**	2277.282	34.70	54.0	19.30	AV	46.00	100	Horizontal	Pass
3	4047.212	44.60	74.0	29.40	Peak	80.00	200	Horizontal	Pass
3**	4047.212	37.17	54.0	16.83	AV	80.00	200	Horizontal	Pass
4	7623.607	54.76	74.0	19.24	Peak	140.00	400	Horizontal	Pass
4**	7623.607	45.26	54.0	8.74	AV	140.00	400	Horizontal	Pass
5	12453.416	52.05	74.0	21.95	Peak	165.00	300	Horizontal	Pass
5**	12453.416	42.94	54.0	11.06	AV	165.00	300	Horizontal	Pass
6	15907.023	53.83	74.0	20.17	Peak	238.00	300	Horizontal	Pass
6**	15907.023	42.48	54.0	11.52	AV	238.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.693	38.05	74.0	35.95	Peak	176.00	300	Vertical	Pass
1**	1597.693	24.16	54.0	29.84	AV	176.00	300	Vertical	Pass
2	2229.104	41.15	74.0	32.85	Peak	241.00	200	Vertical	Pass
2**	2229.104	32.18	54.0	21.82	AV	241.00	200	Vertical	Pass
3	4261.731	45.11	74.0	28.89	Peak	7.00	200	Vertical	Pass
3**	4261.731	40.30	54.0	13.70	AV	7.00	200	Vertical	Pass
4	7708.426	53.08	74.0	20.92	Peak	81.00	300	Vertical	Pass
4**	7708.426	42.46	54.0	11.54	AV	81.00	300	Vertical	Pass
5	12499.453	51.94	74.0	22.06	Peak	215.00	300	Vertical	Pass
5**	12499.453	41.43	54.0	12.57	AV	215.00	300	Vertical	Pass
6	15675.169	57.78	74.0	16.22	Peak	170.00	300	Vertical	Pass
6**	15675.169	42.97	54.0	11.03	AV	170.00	300	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.885	37.73	74.0	36.27	Peak	110.00	300	Horizontal	Pass
1**	1526.885	26.47	54.0	27.53	AV	110.00	300	Horizontal	Pass
2	2276.481	46.19	74.0	27.81	Peak	277.00	100	Horizontal	Pass
2**	2276.481	36.44	54.0	17.56	AV	277.00	100	Horizontal	Pass
3	4048.749	46.86	74.0	27.14	Peak	274.00	200	Horizontal	Pass
3**	4048.749	36.90	54.0	17.10	AV	274.00	200	Horizontal	Pass
4	7624.427	51.79	74.0	22.21	Peak	353.00	200	Horizontal	Pass
4**	7624.427	42.78	54.0	11.22	AV	353.00	200	Horizontal	Pass
5	12455.282	51.41	74.0	22.59	Peak	24.00	200	Horizontal	Pass
5**	12455.282	42.21	54.0	11.79	AV	24.00	200	Horizontal	Pass
6	15901.461	52.59	74.0	21.41	Peak	238.00	200	Horizontal	Pass
6**	15901.461	42.53	54.0	11.47	AV	238.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.499	38.99	74.0	35.01	Peak	210.00	100	Vertical	Pass
1**	1599.499	23.44	54.0	30.56	AV	210.00	100	Vertical	Pass
2	2230.596	43.88	74.0	30.12	Peak	163.00	100	Vertical	Pass
2**	2230.596	31.18	54.0	22.82	AV	163.00	100	Vertical	Pass
3	4256.033	47.27	74.0	26.73	Peak	115.00	200	Vertical	Pass
3**	4256.033	38.17	54.0	15.83	AV	115.00	200	Vertical	Pass
4	7711.953	53.15	74.0	20.85	Peak	86.00	100	Vertical	Pass
4**	7711.953	44.92	54.0	9.08	AV	86.00	100	Vertical	Pass
5	12496.155	52.86	74.0	21.14	Peak	300.00	200	Vertical	Pass
5**	12496.155	42.25	54.0	11.75	AV	300.00	200	Vertical	Pass
6	15672.733	58.19	74.0	15.81	Peak	225.00	200	Vertical	Pass
6**	15672.733	40.29	54.0	13.71	AV	225.00	200	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.933	41.41	74.0	32.59	Peak	144.00	100	Horizontal	Pass
1**	1522.933	27.44	54.0	26.56	AV	144.00	100	Horizontal	Pass
2	2275.545	43.87	74.0	30.13	Peak	346.00	400	Horizontal	Pass
2**	2275.545	33.49	54.0	20.51	AV	346.00	400	Horizontal	Pass
3	4047.028	46.11	74.0	27.89	Peak	254.00	200	Horizontal	Pass
3**	4047.028	36.52	54.0	17.48	AV	254.00	200	Horizontal	Pass
4	7621.171	53.82	74.0	20.18	Peak	219.00	300	Horizontal	Pass
4**	7621.171	44.27	54.0	9.73	AV	219.00	300	Horizontal	Pass
5	12455.392	52.65	74.0	21.35	Peak	229.00	400	Horizontal	Pass
5**	12455.392	42.23	54.0	11.77	AV	229.00	400	Horizontal	Pass
6	15899.752	55.76	74.0	18.24	Peak	44.00	400	Horizontal	Pass
6**	15899.752	42.78	54.0	11.22	AV	44.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.867	42.89	74.0	31.11	Peak	218.00	300	Vertical	Pass
1**	1599.867	28.27	54.0	25.73	AV	218.00	300	Vertical	Pass
2	2229.980	38.81	74.0	35.19	Peak	118.00	400	Vertical	Pass
2**	2229.980	34.14	54.0	19.86	AV	118.00	400	Vertical	Pass
3	4256.731	48.03	74.0	25.97	Peak	279.00	200	Vertical	Pass
3**	4256.731	40.55	54.0	13.45	AV	279.00	200	Vertical	Pass
4	7708.049	57.35	74.0	16.65	Peak	262.00	400	Vertical	Pass
4**	7708.049	40.83	54.0	13.17	AV	262.00	400	Vertical	Pass
5	12498.023	55.49	74.0	18.51	Peak	250.00	400	Vertical	Pass
5**	12498.023	42.63	54.0	11.37	AV	250.00	400	Vertical	Pass
6	15671.459	56.24	74.0	17.76	Peak	4.00	200	Vertical	Pass
6**	15671.459	40.54	54.0	13.46	AV	4.00	200	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.658	36.10	74.0	37.90	Peak	104.00	300	Horizontal	Pass
1**	1522.658	27.35	54.0	26.65	AV	104.00	300	Horizontal	Pass
2	2278.567	44.78	74.0	29.22	Peak	227.00	200	Horizontal	Pass
2**	2278.567	31.51	54.0	22.49	AV	227.00	200	Horizontal	Pass
3	4044.981	46.07	74.0	27.93	Peak	124.00	200	Horizontal	Pass
3**	4044.981	36.87	54.0	17.13	AV	124.00	200	Horizontal	Pass
4	7623.413	53.67	74.0	20.33	Peak	180.00	300	Horizontal	Pass
4**	7623.413	42.37	54.0	11.63	AV	180.00	300	Horizontal	Pass
5	12454.760	55.30	74.0	18.70	Peak	210.00	400	Horizontal	Pass
5**	12454.760	43.10	54.0	10.90	AV	210.00	400	Horizontal	Pass
6	15902.937	53.74	74.0	20.26	Peak	212.00	100	Horizontal	Pass
6**	15902.937	45.63	54.0	8.37	AV	212.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.113	37.72	74.0	36.28	Peak	155.00	300	Vertical	Pass
1**	1602.113	27.73	54.0	26.27	AV	155.00	300	Vertical	Pass
2	2228.339	43.51	74.0	30.49	Peak	176.00	200	Vertical	Pass
2**	2228.339	28.62	54.0	25.38	AV	176.00	200	Vertical	Pass
3	4260.300	48.71	74.0	25.29	Peak	75.00	200	Vertical	Pass
3**	4260.300	39.12	54.0	14.88	AV	75.00	200	Vertical	Pass
4	7707.521	54.11	74.0	19.89	Peak	176.00	400	Vertical	Pass
4**	7707.521	41.45	54.0	12.55	AV	176.00	400	Vertical	Pass
5	12502.565	50.88	74.0	23.12	Peak	113.00	300	Vertical	Pass
5**	12502.565	42.28	54.0	11.72	AV	113.00	300	Vertical	Pass
6	15672.214	56.09	74.0	17.91	Peak	330.00	300	Vertical	Pass
6**	15672.214	39.90	54.0	14.10	AV	330.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.653	35.70	74.0	38.30	Peak	70.00	100	Horizontal	Pass
1**	1527.653	31.26	54.0	22.74	AV	70.00	100	Horizontal	Pass
2	2278.089	44.31	74.0	29.69	Peak	49.00	400	Horizontal	Pass
2**	2278.089	35.89	54.0	18.11	AV	49.00	400	Horizontal	Pass
3	4046.629	47.33	74.0	26.67	Peak	119.00	200	Horizontal	Pass
3**	4046.629	39.92	54.0	14.08	AV	119.00	200	Horizontal	Pass
4	7623.879	54.68	74.0	19.32	Peak	21.00	100	Horizontal	Pass
4**	7623.879	40.83	54.0	13.17	AV	21.00	100	Horizontal	Pass
5	12457.068	51.21	74.0	22.79	Peak	246.00	300	Horizontal	Pass
5**	12457.068	45.39	54.0	8.61	AV	246.00	300	Horizontal	Pass
6	15901.616	51.50	74.0	22.50	Peak	266.00	100	Horizontal	Pass
6**	15901.616	47.55	54.0	6.45	AV	266.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.671	42.32	74.0	31.68	Peak	190.00	400	Vertical	Pass
1**	1596.671	23.20	54.0	30.80	AV	190.00	400	Vertical	Pass
2	2225.300	42.58	74.0	31.42	Peak	323.00	400	Vertical	Pass
2**	2225.300	31.31	54.0	22.69	AV	323.00	400	Vertical	Pass
3	4260.363	47.11	74.0	26.89	Peak	252.00	200	Vertical	Pass
3**	4260.363	38.94	54.0	15.06	AV	252.00	200	Vertical	Pass
4	7704.806	55.56	74.0	18.44	Peak	249.00	300	Vertical	Pass
4**	7704.806	41.73	54.0	12.27	AV	249.00	300	Vertical	Pass
5	12502.370	50.85	74.0	23.15	Peak	353.00	300	Vertical	Pass
5**	12502.370	40.55	54.0	13.45	AV	353.00	300	Vertical	Pass
6	15672.703	55.92	74.0	18.08	Peak	99.00	100	Vertical	Pass
6**	15672.703	42.25	54.0	11.75	AV	99.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.341	36.09	74.0	37.91	Peak	54.00	100	Horizontal	Pass
1**	1528.341	27.06	54.0	26.94	AV	54.00	100	Horizontal	Pass
2	2273.055	45.23	74.0	28.77	Peak	154.00	300	Horizontal	Pass
2**	2273.055	37.26	54.0	16.74	AV	154.00	300	Horizontal	Pass
3	4045.388	47.42	74.0	26.58	Peak	111.00	200	Horizontal	Pass
3**	4045.388	37.14	54.0	16.86	AV	111.00	200	Horizontal	Pass
4	7621.688	53.00	74.0	21.00	Peak	120.00	400	Horizontal	Pass
4**	7621.688	46.37	54.0	7.63	AV	120.00	400	Horizontal	Pass
5	12456.377	54.50	74.0	19.50	Peak	182.00	200	Horizontal	Pass
5**	12456.377	47.33	54.0	6.67	AV	182.00	200	Horizontal	Pass
6	15907.105	51.43	74.0	22.57	Peak	321.00	100	Horizontal	Pass
6**	15907.105	41.71	54.0	12.29	AV	321.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.988	42.63	74.0	31.37	Peak	321.00	300	Vertical	Pass
1**	1599.988	27.64	54.0	26.36	AV	321.00	300	Vertical	Pass
2	2229.296	40.65	74.0	33.35	Peak	177.00	400	Vertical	Pass
2**	2229.296	30.38	54.0	23.62	AV	177.00	400	Vertical	Pass
3	4261.387	45.35	74.0	28.65	Peak	60.00	200	Vertical	Pass
3**	4261.387	39.72	54.0	14.28	AV	60.00	200	Vertical	Pass
4	7708.127	57.16	74.0	16.84	Peak	117.00	300	Vertical	Pass
4**	7708.127	44.17	54.0	9.83	AV	117.00	300	Vertical	Pass
5	12496.755	55.75	74.0	18.25	Peak	182.00	300	Vertical	Pass
5**	12496.755	45.07	54.0	8.93	AV	182.00	300	Vertical	Pass
6	15669.476	53.02	74.0	20.98	Peak	308.00	400	Vertical	Pass
6**	15669.476	43.87	54.0	10.13	AV	308.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.372	37.48	74.0	36.52	Peak	192.00	100	Horizontal	Pass
1**	1528.372	27.61	54.0	26.39	AV	192.00	100	Horizontal	Pass
2	2277.869	42.71	74.0	31.29	Peak	109.00	300	Horizontal	Pass
2**	2277.869	32.82	54.0	21.18	AV	109.00	300	Horizontal	Pass
3	4043.846	50.08	74.0	23.92	Peak	344.00	200	Horizontal	Pass
3**	4043.846	40.02	54.0	13.98	AV	344.00	200	Horizontal	Pass
4	7617.330	52.08	74.0	21.92	Peak	253.00	100	Horizontal	Pass
4**	7617.330	43.94	54.0	10.06	AV	253.00	100	Horizontal	Pass
5	12452.524	51.00	74.0	23.00	Peak	297.00	100	Horizontal	Pass
5**	12452.524	45.79	54.0	8.21	AV	297.00	100	Horizontal	Pass
6	15902.409	54.24	74.0	19.76	Peak	301.00	400	Horizontal	Pass
6**	15902.409	46.00	54.0	8.00	AV	301.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.144	42.60	74.0	31.40	Peak	357.00	100	Vertical	Pass
1**	1597.144	23.36	54.0	30.64	AV	357.00	100	Vertical	Pass
2	2228.543	42.86	74.0	31.14	Peak	337.00	200	Vertical	Pass
2**	2228.543	33.73	54.0	20.27	AV	337.00	200	Vertical	Pass
3	4256.150	48.52	74.0	25.48	Peak	236.00	200	Vertical	Pass
3**	4256.150	36.18	54.0	17.82	AV	236.00	200	Vertical	Pass
4	7709.557	55.61	74.0	18.39	Peak	315.00	300	Vertical	Pass
4**	7709.557	45.06	54.0	8.94	AV	315.00	300	Vertical	Pass
5	12500.279	53.10	74.0	20.90	Peak	213.00	100	Vertical	Pass
5**	12500.279	40.18	54.0	13.82	AV	213.00	100	Vertical	Pass
6	15674.172	56.87	74.0	17.13	Peak	190.00	300	Vertical	Pass
6**	15674.172	43.30	54.0	10.70	AV	190.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.035	37.21	74.0	36.79	Peak	55.00	200	Horizontal	Pass
1**	1527.035	31.04	54.0	22.96	AV	55.00	200	Horizontal	Pass
2	2271.491	46.59	74.0	27.41	Peak	212.00	100	Horizontal	Pass
2**	2271.491	31.70	54.0	22.30	AV	212.00	100	Horizontal	Pass
3	4043.920	45.41	74.0	28.59	Peak	307.00	200	Horizontal	Pass
3**	4043.920	36.65	54.0	17.35	AV	307.00	200	Horizontal	Pass
4	7617.115	50.31	74.0	23.69	Peak	74.00	100	Horizontal	Pass
4**	7617.115	43.99	54.0	10.01	AV	74.00	100	Horizontal	Pass
5	12458.075	52.68	74.0	21.32	Peak	217.00	300	Horizontal	Pass
5**	12458.075	45.12	54.0	8.88	AV	217.00	300	Horizontal	Pass
6	15903.268	53.38	74.0	20.62	Peak	35.00	400	Horizontal	Pass
6**	15903.268	45.06	54.0	8.94	AV	35.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.780	40.90	74.0	33.10	Peak	111.00	200	Vertical	Pass
1**	1594.780	27.41	54.0	26.59	AV	111.00	200	Vertical	Pass
2	2227.431	40.09	74.0	33.91	Peak	300.00	200	Vertical	Pass
2**	2227.431	28.93	54.0	25.07	AV	300.00	200	Vertical	Pass
3	4260.960	49.46	74.0	24.54	Peak	268.00	200	Vertical	Pass
3**	4260.960	39.37	54.0	14.63	AV	268.00	200	Vertical	Pass
4	7706.233	56.71	74.0	17.29	Peak	297.00	300	Vertical	Pass
4**	7706.233	40.28	54.0	13.72	AV	297.00	300	Vertical	Pass
5	12494.944	56.00	74.0	18.00	Peak	157.00	400	Vertical	Pass
5**	12494.944	43.71	54.0	10.29	AV	157.00	400	Vertical	Pass
6	15676.050	56.79	74.0	17.21	Peak	332.00	100	Vertical	Pass
6**	15676.050	42.87	54.0	11.13	AV	332.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.907	37.24	74.0	36.76	Peak	262.00	300	Horizontal	Pass
1**	1524.907	30.82	54.0	23.18	AV	262.00	300	Horizontal	Pass
2	2276.325	44.20	74.0	29.80	Peak	322.00	300	Horizontal	Pass
2**	2276.325	35.24	54.0	18.76	AV	322.00	300	Horizontal	Pass
3	4047.350	46.82	74.0	27.18	Peak	24.00	200	Horizontal	Pass
3**	4047.350	37.69	54.0	16.31	AV	24.00	200	Horizontal	Pass
4	7622.596	53.25	74.0	20.75	Peak	359.00	300	Horizontal	Pass
4**	7622.596	44.29	54.0	9.71	AV	359.00	300	Horizontal	Pass
5	12453.872	52.81	74.0	21.19	Peak	206.00	400	Horizontal	Pass
5**	12453.872	44.57	54.0	9.43	AV	206.00	400	Horizontal	Pass
6	15901.493	55.65	74.0	18.35	Peak	160.00	400	Horizontal	Pass
6**	15901.493	44.32	54.0	9.68	AV	160.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.526	38.10	74.0	35.90	Peak	236.00	400	Vertical	Pass
1**	1601.526	28.23	54.0	25.77	AV	236.00	400	Vertical	Pass
2	2227.218	39.24	74.0	34.76	Peak	276.00	400	Vertical	Pass
2**	2227.218	29.83	54.0	24.17	AV	276.00	400	Vertical	Pass
3	4259.150	50.27	74.0	23.73	Peak	360.00	200	Vertical	Pass
3**	4259.150	37.06	54.0	16.94	AV	360.00	200	Vertical	Pass
4	7709.083	58.05	74.0	15.95	Peak	249.00	300	Vertical	Pass
4**	7709.083	41.21	54.0	12.79	AV	249.00	300	Vertical	Pass
5	12495.970	51.35	74.0	22.65	Peak	188.00	200	Vertical	Pass
5**	12495.970	44.73	54.0	9.27	AV	188.00	200	Vertical	Pass
6	15675.050	55.06	74.0	18.94	Peak	299.00	300	Vertical	Pass
6**	15675.050	42.84	54.0	11.16	AV	299.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.665	36.17	74.0	37.83	Peak	8.00	200	Horizontal	Pass
1**	1523.665	31.58	54.0	22.42	AV	8.00	200	Horizontal	Pass
2	2274.673	43.39	74.0	30.61	Peak	290.00	400	Horizontal	Pass
2**	2274.673	36.86	54.0	17.14	AV	290.00	400	Horizontal	Pass
3	4046.440	45.87	74.0	28.13	Peak	346.00	200	Horizontal	Pass
3**	4046.440	35.68	54.0	18.32	AV	346.00	200	Horizontal	Pass
4	7617.243	55.24	74.0	18.76	Peak	80.00	100	Horizontal	Pass
4**	7617.243	42.56	54.0	11.44	AV	80.00	100	Horizontal	Pass
5	12455.211	51.65	74.0	22.35	Peak	160.00	100	Horizontal	Pass
5**	12455.211	43.40	54.0	10.60	AV	160.00	100	Horizontal	Pass
6	15901.985	50.92	74.0	23.08	Peak	143.00	300	Horizontal	Pass
6**	15901.985	44.96	54.0	9.04	AV	143.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.155	43.03	74.0	30.97	Peak	88.00	100	Vertical	Pass
1**	1597.155	24.67	54.0	29.33	AV	88.00	100	Vertical	Pass
2	2230.459	40.33	74.0	33.67	Peak	18.00	400	Vertical	Pass
2**	2230.459	30.23	54.0	23.77	AV	18.00	400	Vertical	Pass
3	4260.612	48.89	74.0	25.11	Peak	82.00	200	Vertical	Pass
3**	4260.612	41.14	54.0	12.86	AV	82.00	200	Vertical	Pass
4	7708.897	55.19	74.0	18.81	Peak	277.00	300	Vertical	Pass
4**	7708.897	40.41	54.0	13.59	AV	277.00	300	Vertical	Pass
5	12499.990	52.28	74.0	21.72	Peak	65.00	300	Vertical	Pass
5**	12499.990	42.92	54.0	11.08	AV	65.00	300	Vertical	Pass
6	15674.987	54.39	74.0	19.61	Peak	90.00	200	Vertical	Pass
6**	15674.987	39.76	54.0	14.24	AV	90.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.033	38.99	74.0	35.01	Peak	96.00	200	Horizontal	Pass
1**	1524.033	26.64	54.0	27.36	AV	96.00	200	Horizontal	Pass
2	2276.562	46.02	74.0	27.98	Peak	30.00	200	Horizontal	Pass
2**	2276.562	32.11	54.0	21.89	AV	30.00	200	Horizontal	Pass
3	4049.897	49.20	74.0	24.80	Peak	174.00	200	Horizontal	Pass
3**	4049.897	36.55	54.0	17.45	AV	174.00	200	Horizontal	Pass
4	7616.576	55.73	74.0	18.27	Peak	3.00	400	Horizontal	Pass
4**	7616.576	41.83	54.0	12.17	AV	3.00	400	Horizontal	Pass
5	12453.710	53.23	74.0	20.77	Peak	143.00	100	Horizontal	Pass
5**	12453.710	44.06	54.0	9.94	AV	143.00	100	Horizontal	Pass
6	15902.696	55.71	74.0	18.29	Peak	223.00	300	Horizontal	Pass
6**	15902.696	45.01	54.0	8.99	AV	223.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.149	40.50	74.0	33.50	Peak	34.00	200	Vertical	Pass
1**	1599.149	24.09	54.0	29.91	AV	34.00	200	Vertical	Pass
2	2231.142	41.34	74.0	32.66	Peak	249.00	400	Vertical	Pass
2**	2231.142	31.89	54.0	22.11	AV	249.00	400	Vertical	Pass
3	4255.261	48.96	74.0	25.04	Peak	169.00	200	Vertical	Pass
3**	4255.261	40.46	54.0	13.54	AV	169.00	200	Vertical	Pass
4	7708.226	57.56	74.0	16.44	Peak	68.00	100	Vertical	Pass
4**	7708.226	40.53	54.0	13.47	AV	68.00	100	Vertical	Pass
5	12500.829	55.07	74.0	18.93	Peak	326.00	100	Vertical	Pass
5**	12500.829	40.83	54.0	13.17	AV	326.00	100	Vertical	Pass
6	15669.505	54.68	74.0	19.32	Peak	271.00	100	Vertical	Pass
6**	15669.505	40.16	54.0	13.84	AV	271.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.904	36.67	74.0	37.33	Peak	345.00	100	Horizontal	Pass
1**	1526.904	25.67	54.0	28.33	AV	345.00	100	Horizontal	Pass
2	2278.116	45.27	74.0	28.73	Peak	354.00	100	Horizontal	Pass
2**	2278.116	36.04	54.0	17.96	AV	354.00	100	Horizontal	Pass
3	4049.590	44.22	74.0	29.78	Peak	275.00	200	Horizontal	Pass
3**	4049.590	36.78	54.0	17.22	AV	275.00	200	Horizontal	Pass
4	7617.953	52.38	74.0	21.62	Peak	223.00	100	Horizontal	Pass
4**	7617.953	46.45	54.0	7.55	AV	223.00	100	Horizontal	Pass
5	12451.361	54.36	74.0	19.64	Peak	118.00	200	Horizontal	Pass
5**	12451.361	46.03	54.0	7.97	AV	118.00	200	Horizontal	Pass
6	15904.057	52.50	74.0	21.50	Peak	312.00	300	Horizontal	Pass
6**	15904.057	44.17	54.0	9.83	AV	312.00	300	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.042	39.65	74.0	34.35	Peak	74.00	300	Vertical	Pass
1**	1600.042	25.48	54.0	28.52	AV	74.00	300	Vertical	Pass
2	2227.331	39.69	74.0	34.31	Peak	169.00	200	Vertical	Pass
2**	2227.331	30.72	54.0	23.28	AV	169.00	200	Vertical	Pass
3	4261.010	46.91	74.0	27.09	Peak	114.00	200	Vertical	Pass
3**	4261.010	38.48	54.0	15.52	AV	114.00	200	Vertical	Pass
4	7709.908	57.93	74.0	16.07	Peak	330.00	200	Vertical	Pass
4**	7709.908	44.18	54.0	9.82	AV	330.00	200	Vertical	Pass
5	12497.761	52.47	74.0	21.53	Peak	291.00	400	Vertical	Pass
5**	12497.761	45.13	54.0	8.87	AV	291.00	400	Vertical	Pass
6	15673.875	53.28	74.0	20.72	Peak	143.00	400	Vertical	Pass
6**	15673.875	44.39	54.0	9.61	AV	143.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.705	36.94	74.0	37.06	Peak	160.00	300	Horizontal	Pass
1**	1524.705	28.02	54.0	25.98	AV	160.00	300	Horizontal	Pass
2	2274.299	44.01	74.0	29.99	Peak	329.00	300	Horizontal	Pass
2**	2274.299	32.83	54.0	21.17	AV	329.00	300	Horizontal	Pass
3	4042.729	49.01	74.0	24.99	Peak	325.00	200	Horizontal	Pass
3**	4042.729	38.13	54.0	15.87	AV	325.00	200	Horizontal	Pass
4	7624.402	55.33	74.0	18.67	Peak	95.00	100	Horizontal	Pass
4**	7624.402	42.79	54.0	11.21	AV	95.00	100	Horizontal	Pass
5	12450.597	54.18	74.0	19.82	Peak	157.00	200	Horizontal	Pass
5**	12450.597	45.47	54.0	8.53	AV	157.00	200	Horizontal	Pass
6	15906.501	55.77	74.0	18.23	Peak	341.00	100	Horizontal	Pass
6**	15906.501	45.80	54.0	8.20	AV	341.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.408	40.02	74.0	33.98	Peak	237.00	400	Vertical	Pass
1**	1595.408	25.51	54.0	28.49	AV	237.00	400	Vertical	Pass
2	2228.324	42.07	74.0	31.93	Peak	77.00	300	Vertical	Pass
2**	2228.324	32.95	54.0	21.05	AV	77.00	300	Vertical	Pass
3	4261.373	47.20	74.0	26.80	Peak	77.00	200	Vertical	Pass
3**	4261.373	38.29	54.0	15.71	AV	77.00	200	Vertical	Pass
4	7710.870	57.01	74.0	16.99	Peak	147.00	400	Vertical	Pass
4**	7710.870	42.91	54.0	11.09	AV	147.00	400	Vertical	Pass
5	12496.457	52.40	74.0	21.60	Peak	228.00	200	Vertical	Pass
5**	12496.457	45.17	54.0	8.83	AV	228.00	200	Vertical	Pass
6	15671.029	55.86	74.0	18.14	Peak	7.00	100	Vertical	Pass
6**	15671.029	40.67	54.0	13.33	AV	7.00	100	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.102	36.34	74.0	37.66	Peak	42.00	200	Horizontal	Pass
1**	1524.102	30.78	54.0	23.22	AV	42.00	200	Horizontal	Pass
2	2271.004	46.08	74.0	27.92	Peak	181.00	100	Horizontal	Pass
2**	2271.004	37.12	54.0	16.88	AV	181.00	100	Horizontal	Pass
3	4042.790	47.92	74.0	26.08	Peak	309.00	200	Horizontal	Pass
3**	4042.790	36.95	54.0	17.05	AV	309.00	200	Horizontal	Pass
4	7618.071	55.65	74.0	18.35	Peak	78.00	400	Horizontal	Pass
4**	7618.071	46.34	54.0	7.66	AV	78.00	400	Horizontal	Pass
5	12456.076	54.25	74.0	19.75	Peak	133.00	400	Horizontal	Pass
5**	12456.076	45.11	54.0	8.89	AV	133.00	400	Horizontal	Pass
6	15907.080	50.86	74.0	23.14	Peak	331.00	400	Horizontal	Pass
6**	15907.080	44.22	54.0	9.78	AV	331.00	400	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.429	37.57	74.0	36.43	Peak	215.00	300	Vertical	Pass
1**	1602.429	24.79	54.0	29.21	AV	215.00	300	Vertical	Pass
2	2229.334	39.00	74.0	35.00	Peak	40.00	400	Vertical	Pass
2**	2229.334	33.67	54.0	20.33	AV	40.00	400	Vertical	Pass
3	4259.939	47.73	74.0	26.27	Peak	217.00	200	Vertical	Pass
3**	4259.939	38.70	54.0	15.30	AV	217.00	200	Vertical	Pass
4	7706.973	52.75	74.0	21.25	Peak	202.00	200	Vertical	Pass
4**	7706.973	40.20	54.0	13.80	AV	202.00	200	Vertical	Pass
5	12497.298	53.72	74.0	20.28	Peak	21.00	400	Vertical	Pass
5**	12497.298	43.90	54.0	10.10	AV	21.00	400	Vertical	Pass
6	15669.704	53.12	74.0	20.88	Peak	7.00	200	Vertical	Pass
6**	15669.704	41.36	54.0	12.64	AV	7.00	200	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.870	37.55	74.0	36.45	Peak	218.00	200	Horizontal	Pass
1**	1523.870	27.67	54.0	26.33	AV	218.00	200	Horizontal	Pass
2	2272.288	45.40	74.0	28.60	Peak	167.00	200	Horizontal	Pass
2**	2272.288	32.27	54.0	21.73	AV	167.00	200	Horizontal	Pass
3	4044.358	49.41	74.0	24.59	Peak	344.00	200	Horizontal	Pass
3**	4044.358	37.24	54.0	16.76	AV	344.00	200	Horizontal	Pass
4	7618.223	54.86	74.0	19.14	Peak	289.00	300	Horizontal	Pass
4**	7618.223	43.64	54.0	10.36	AV	289.00	300	Horizontal	Pass
5	12450.986	50.96	74.0	23.04	Peak	263.00	300	Horizontal	Pass
5**	12450.986	41.42	54.0	12.58	AV	263.00	300	Horizontal	Pass
6	15903.923	53.71	74.0	20.29	Peak	8.00	300	Horizontal	Pass
6**	15903.923	46.26	54.0	7.74	AV	8.00	300	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.196	38.97	74.0	35.03	Peak	39.00	200	Vertical	Pass
1**	1596.196	26.11	54.0	27.89	AV	39.00	200	Vertical	Pass
2	2229.595	39.24	74.0	34.76	Peak	322.00	400	Vertical	Pass
2**	2229.595	30.94	54.0	23.06	AV	322.00	400	Vertical	Pass
3	4258.851	47.00	74.0	27.00	Peak	28.00	200	Vertical	Pass
3**	4258.851	37.01	54.0	16.99	AV	28.00	200	Vertical	Pass
4	7704.941	53.77	74.0	20.23	Peak	131.00	100	Vertical	Pass
4**	7704.941	39.75	54.0	14.25	AV	131.00	100	Vertical	Pass
5	12498.419	50.86	74.0	23.14	Peak	22.00	100	Vertical	Pass
5**	12498.419	40.79	54.0	13.21	AV	22.00	100	Vertical	Pass
6	15675.631	55.75	74.0	18.25	Peak	31.00	100	Vertical	Pass
6**	15675.631	42.39	54.0	11.61	AV	31.00	100	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.816	41.36	74.0	32.64	Peak	271.00	100	Horizontal	Pass
1**	1523.816	29.38	54.0	24.62	AV	271.00	100	Horizontal	Pass
2	2276.313	46.70	74.0	27.30	Peak	4.00	200	Horizontal	Pass
2**	2276.313	37.17	54.0	16.83	AV	4.00	200	Horizontal	Pass
3	4042.739	47.39	74.0	26.61	Peak	311.00	200	Horizontal	Pass
3**	4042.739	35.76	54.0	18.24	AV	311.00	200	Horizontal	Pass
4	7616.953	52.89	74.0	21.11	Peak	70.00	300	Horizontal	Pass
4**	7616.953	43.60	54.0	10.40	AV	70.00	300	Horizontal	Pass
5	12453.519	50.12	74.0	23.88	Peak	169.00	100	Horizontal	Pass
5**	12453.519	41.60	54.0	12.40	AV	169.00	100	Horizontal	Pass
6	15903.085	51.50	74.0	22.50	Peak	339.00	400	Horizontal	Pass
6**	15903.085	44.62	54.0	9.38	AV	339.00	400	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.101	39.82	74.0	34.18	Peak	2.00	200	Vertical	Pass
1**	1601.101	27.71	54.0	26.29	AV	2.00	200	Vertical	Pass
2	2227.534	42.45	74.0	31.55	Peak	98.00	100	Vertical	Pass
2**	2227.534	33.44	54.0	20.56	AV	98.00	100	Vertical	Pass
3	4259.094	46.34	74.0	27.66	Peak	283.00	200	Vertical	Pass
3**	4259.094	36.11	54.0	17.89	AV	283.00	200	Vertical	Pass
4	7706.312	55.69	74.0	18.31	Peak	46.00	400	Vertical	Pass
4**	7706.312	40.74	54.0	13.26	AV	46.00	400	Vertical	Pass
5	12502.021	51.51	74.0	22.49	Peak	19.00	200	Vertical	Pass
5**	12502.021	43.65	54.0	10.35	AV	19.00	200	Vertical	Pass
6	15672.658	56.21	74.0	17.79	Peak	135.00	400	Vertical	Pass
6**	15672.658	40.38	54.0	13.62	AV	135.00	400	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.097	37.85	74.0	36.15	Peak	268.00	400	Horizontal	Pass
1**	1526.097	25.67	54.0	28.33	AV	268.00	400	Horizontal	Pass
2	2275.194	41.08	74.0	32.92	Peak	272.00	300	Horizontal	Pass
2**	2275.194	34.27	54.0	19.73	AV	272.00	300	Horizontal	Pass
3	4046.143	47.60	74.0	26.40	Peak	9.00	200	Horizontal	Pass
3**	4046.143	37.08	54.0	16.92	AV	9.00	200	Horizontal	Pass
4	7622.400	53.63	74.0	20.37	Peak	254.00	100	Horizontal	Pass
4**	7622.400	42.68	54.0	11.32	AV	254.00	100	Horizontal	Pass
5	12450.826	53.18	74.0	20.82	Peak	176.00	200	Horizontal	Pass
5**	12450.826	44.01	54.0	9.99	AV	176.00	200	Horizontal	Pass
6	15905.477	54.91	74.0	19.09	Peak	356.00	400	Horizontal	Pass
6**	15905.477	44.76	54.0	9.24	AV	356.00	400	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.025	42.54	74.0	31.46	Peak	97.00	200	Vertical	Pass
1**	1600.025	26.09	54.0	27.91	AV	97.00	200	Vertical	Pass
2	2230.141	43.77	74.0	30.23	Peak	315.00	400	Vertical	Pass
2**	2230.141	28.90	54.0	25.10	AV	315.00	400	Vertical	Pass
3	4254.609	49.39	74.0	24.61	Peak	270.00	200	Vertical	Pass
3**	4254.609	35.86	54.0	18.14	AV	270.00	200	Vertical	Pass
4	7708.453	54.72	74.0	19.28	Peak	302.00	400	Vertical	Pass
4**	7708.453	40.99	54.0	13.01	AV	302.00	400	Vertical	Pass
5	12499.136	50.60	74.0	23.40	Peak	331.00	200	Vertical	Pass
5**	12499.136	43.49	54.0	10.51	AV	331.00	200	Vertical	Pass
6	15670.160	54.95	74.0	19.05	Peak	351.00	100	Vertical	Pass
6**	15670.160	41.83	54.0	12.17	AV	351.00	100	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.099	39.88	74.0	34.12	Peak	50.00	200	Horizontal	Pass
1**	1528.099	30.97	54.0	23.03	AV	50.00	200	Horizontal	Pass
2	2273.744	45.82	74.0	28.18	Peak	317.00	300	Horizontal	Pass
2**	2273.744	35.41	54.0	18.59	AV	317.00	300	Horizontal	Pass
3	4045.134	49.69	74.0	24.31	Peak	56.00	200	Horizontal	Pass
3**	4045.134	35.78	54.0	18.22	AV	56.00	200	Horizontal	Pass
4	7623.123	52.68	74.0	21.32	Peak	34.00	200	Horizontal	Pass
4**	7623.123	42.32	54.0	11.68	AV	34.00	200	Horizontal	Pass
5	12458.169	51.28	74.0	22.72	Peak	240.00	300	Horizontal	Pass
5**	12458.169	45.69	54.0	8.31	AV	240.00	300	Horizontal	Pass
6	15902.246	52.97	74.0	21.03	Peak	301.00	400	Horizontal	Pass
6**	15902.246	47.07	54.0	6.93	AV	301.00	400	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.146	38.24	74.0	35.76	Peak	278.00	400	Vertical	Pass
1**	1595.146	23.23	54.0	30.77	AV	278.00	400	Vertical	Pass
2	2223.847	42.57	74.0	31.43	Peak	171.00	300	Vertical	Pass
2**	2223.847	31.08	54.0	22.92	AV	171.00	300	Vertical	Pass
3	4261.830	47.51	74.0	26.49	Peak	334.00	200	Vertical	Pass
3**	4261.830	38.12	54.0	15.88	AV	334.00	200	Vertical	Pass
4	7704.985	54.29	74.0	19.71	Peak	50.00	200	Vertical	Pass
4**	7704.985	40.69	54.0	13.31	AV	50.00	200	Vertical	Pass
5	12497.736	52.87	74.0	21.13	Peak	142.00	200	Vertical	Pass
5**	12497.736	43.31	54.0	10.69	AV	142.00	200	Vertical	Pass
6	15673.906	54.21	74.0	19.79	Peak	44.00	100	Vertical	Pass
6**	15673.906	39.66	54.0	14.34	AV	44.00	100	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.250	39.16	74.0	34.84	Peak	343.00	300	Horizontal	Pass
1**	1524.250	28.99	54.0	25.01	AV	343.00	300	Horizontal	Pass
2	2277.487	45.90	74.0	28.10	Peak	129.00	400	Horizontal	Pass
2**	2277.487	32.00	54.0	22.00	AV	129.00	400	Horizontal	Pass
3	4048.354	48.48	74.0	25.52	Peak	59.00	200	Horizontal	Pass
3**	4048.354	35.69	54.0	18.31	AV	59.00	200	Horizontal	Pass
4	7619.202	51.02	74.0	22.98	Peak	333.00	100	Horizontal	Pass
4**	7619.202	44.07	54.0	9.93	AV	333.00	100	Horizontal	Pass
5	12450.730	52.74	74.0	21.26	Peak	341.00	100	Horizontal	Pass
5**	12450.730	43.88	54.0	10.12	AV	341.00	100	Horizontal	Pass
6	15904.854	51.22	74.0	22.78	Peak	59.00	200	Horizontal	Pass
6**	15904.854	45.54	54.0	8.46	AV	59.00	200	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.115	39.44	74.0	34.56	Peak	213.00	400	Vertical	Pass
1**	1598.115	26.52	54.0	27.48	AV	213.00	400	Vertical	Pass
2	2230.693	41.22	74.0	32.78	Peak	183.00	100	Vertical	Pass
2**	2230.693	31.10	54.0	22.90	AV	183.00	100	Vertical	Pass
3	4258.188	45.55	74.0	28.45	Peak	74.00	200	Vertical	Pass
3**	4258.188	40.62	54.0	13.38	AV	74.00	200	Vertical	Pass
4	7712.394	53.63	74.0	20.37	Peak	206.00	300	Vertical	Pass
4**	7712.394	44.84	54.0	9.16	AV	206.00	300	Vertical	Pass
5	12495.451	52.24	74.0	21.76	Peak	152.00	100	Vertical	Pass
5**	12495.451	42.20	54.0	11.80	AV	152.00	100	Vertical	Pass
6	15674.505	53.56	74.0	20.44	Peak	39.00	200	Vertical	Pass
6**	15674.505	40.30	54.0	13.70	AV	39.00	200	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.800	36.55	74.0	37.45	Peak	104.00	300	Horizontal	Pass
1**	1525.800	27.91	54.0	26.09	AV	104.00	300	Horizontal	Pass
2	2271.436	40.97	74.0	33.03	Peak	108.00	300	Horizontal	Pass
2**	2271.436	32.40	54.0	21.60	AV	108.00	300	Horizontal	Pass
3	4045.704	49.62	74.0	24.38	Peak	341.00	200	Horizontal	Pass
3**	4045.704	35.24	54.0	18.76	AV	341.00	200	Horizontal	Pass
4	7622.270	52.18	74.0	21.82	Peak	96.00	100	Horizontal	Pass
4**	7622.270	43.81	54.0	10.19	AV	96.00	100	Horizontal	Pass
5	12455.623	54.57	74.0	19.43	Peak	32.00	400	Horizontal	Pass
5**	12455.623	43.46	54.0	10.54	AV	32.00	400	Horizontal	Pass
6	15907.625	54.74	74.0	19.26	Peak	293.00	300	Horizontal	Pass
6**	15907.625	46.17	54.0	7.83	AV	293.00	300	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.405	42.93	74.0	31.07	Peak	142.00	100	Vertical	Pass
1**	1597.405	22.91	54.0	31.09	AV	142.00	100	Vertical	Pass
2	2228.111	38.84	74.0	35.16	Peak	169.00	200	Vertical	Pass
2**	2228.111	33.27	54.0	20.73	AV	169.00	200	Vertical	Pass
3	4261.362	46.50	74.0	27.50	Peak	46.00	200	Vertical	Pass
3**	4261.362	37.27	54.0	16.73	AV	46.00	200	Vertical	Pass
4	7704.752	55.76	74.0	18.24	Peak	180.00	400	Vertical	Pass
4**	7704.752	40.23	54.0	13.77	AV	180.00	400	Vertical	Pass
5	12498.050	51.86	74.0	22.14	Peak	178.00	200	Vertical	Pass
5**	12498.050	44.14	54.0	9.86	AV	178.00	200	Vertical	Pass
6	15675.153	56.00	74.0	18.00	Peak	98.00	400	Vertical	Pass
6**	15675.153	40.52	54.0	13.48	AV	98.00	400	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.693	37.26	74.0	36.74	Peak	323.00	400	Horizontal	Pass
1**	1526.693	30.18	54.0	23.82	AV	323.00	400	Horizontal	Pass
2	2273.200	43.28	74.0	30.72	Peak	105.00	400	Horizontal	Pass
2**	2273.200	32.06	54.0	21.94	AV	105.00	400	Horizontal	Pass
3	4043.210	46.82	74.0	27.18	Peak	43.00	200	Horizontal	Pass
3**	4043.210	37.04	54.0	16.96	AV	43.00	200	Horizontal	Pass
4	7618.062	53.50	74.0	20.50	Peak	246.00	200	Horizontal	Pass
4**	7618.062	45.39	54.0	8.61	AV	246.00	200	Horizontal	Pass
5	12455.675	55.05	74.0	18.95	Peak	97.00	300	Horizontal	Pass
5**	12455.675	46.30	54.0	7.70	AV	97.00	300	Horizontal	Pass
6	15900.102	52.70	74.0	21.30	Peak	10.00	200	Horizontal	Pass
6**	15900.102	45.28	54.0	8.72	AV	10.00	200	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.305	38.32	74.0	35.68	Peak	3.00	400	Vertical	Pass
1**	1596.305	28.72	54.0	25.28	AV	3.00	400	Vertical	Pass
2	2227.449	41.49	74.0	32.51	Peak	67.00	400	Vertical	Pass
2**	2227.449	29.46	54.0	24.54	AV	67.00	400	Vertical	Pass
3	4258.034	45.97	74.0	28.03	Peak	34.00	200	Vertical	Pass
3**	4258.034	35.71	54.0	18.29	AV	34.00	200	Vertical	Pass
4	7706.653	52.70	74.0	21.30	Peak	39.00	300	Vertical	Pass
4**	7706.653	44.62	54.0	9.38	AV	39.00	300	Vertical	Pass
5	12498.415	50.62	74.0	23.38	Peak	136.00	200	Vertical	Pass
5**	12498.415	45.11	54.0	8.89	AV	136.00	200	Vertical	Pass
6	15669.629	57.43	74.0	16.57	Peak	105.00	100	Vertical	Pass
6**	15669.629	41.03	54.0	12.97	AV	105.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.059	39.54	74.0	34.46	Peak	189.00	300	Horizontal	Pass
1**	1518.059	29.32	54.0	24.68	AV	189.00	300	Horizontal	Pass
2	4017.118	47.44	74.0	26.56	Peak	346.00	300	Horizontal	Pass
2**	4017.118	37.24	54.0	16.76	AV	346.00	300	Horizontal	Pass
3	7595.956	53.47	74.0	20.53	Peak	295.00	200	Horizontal	Pass
3**	7595.956	44.20	54.0	9.80	AV	295.00	200	Horizontal	Pass
4	12454.291	55.99	74.0	18.01	Peak	47.00	400	Horizontal	Pass
4**	12454.291	45.03	54.0	8.97	AV	47.00	400	Horizontal	Pass
5	16095.952	52.72	74.0	21.28	Peak	150.00	100	Horizontal	Pass
5**	16095.952	43.93	54.0	10.07	AV	150.00	100	Horizontal	Pass
6	17420.741	57.27	74.0	16.73	Peak	255.00	100	Horizontal	Pass
6**	17420.741	44.71	54.0	9.29	AV	255.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.332	46.91	74.0	27.09	Peak	335.00	400	Vertical	Pass
1**	1332.332	34.97	54.0	19.03	AV	335.00	400	Vertical	Pass
2	1442.591	42.24	74.0	31.76	Peak	284.00	200	Vertical	Pass
2**	1442.591	36.56	54.0	17.44	AV	284.00	200	Vertical	Pass
3	4308.316	48.23	74.0	25.77	Peak	209.00	200	Vertical	Pass
3**	4308.316	38.72	54.0	15.28	AV	209.00	200	Vertical	Pass
4	7593.790	51.71	74.0	22.29	Peak	249.00	100	Vertical	Pass
4**	7593.790	41.42	54.0	12.58	AV	249.00	100	Vertical	Pass
5	12532.652	52.11	74.0	21.89	Peak	324.00	200	Vertical	Pass
5**	12532.652	45.57	54.0	8.43	AV	324.00	200	Vertical	Pass
6	15910.342	54.03	74.0	19.97	Peak	78.00	100	Vertical	Pass
6**	15910.342	43.49	54.0	10.51	AV	78.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.950	40.99	74.0	33.01	Peak	231.00	200	Horizontal	Pass
1**	1517.950	31.64	54.0	22.36	AV	231.00	200	Horizontal	Pass
2	4021.807	45.66	74.0	28.34	Peak	308.00	200	Horizontal	Pass
2**	4021.807	34.50	54.0	19.50	AV	308.00	200	Horizontal	Pass
3	7601.710	54.54	74.0	19.46	Peak	249.00	200	Horizontal	Pass
3**	7601.710	41.69	54.0	12.31	AV	249.00	200	Horizontal	Pass
4	12454.273	55.26	74.0	18.74	Peak	241.00	300	Horizontal	Pass
4**	12454.273	43.72	54.0	10.28	AV	241.00	300	Horizontal	Pass
5	16098.419	51.23	74.0	22.77	Peak	68.00	100	Horizontal	Pass
5**	16098.419	45.78	54.0	8.22	AV	68.00	100	Horizontal	Pass
6	17419.369	54.27	74.0	19.73	Peak	176.00	300	Horizontal	Pass
6**	17419.369	44.34	54.0	9.66	AV	176.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.448	47.20	74.0	26.80	Peak	127.00	100	Vertical	Pass
1**	1335.448	32.01	54.0	21.99	AV	127.00	100	Vertical	Pass
2	1436.369	44.54	74.0	29.46	Peak	89.00	300	Vertical	Pass
2**	1436.369	39.17	54.0	14.83	AV	89.00	300	Vertical	Pass
3	4313.035	46.13	74.0	27.87	Peak	2.00	200	Vertical	Pass
3**	4313.035	40.00	54.0	14.00	AV	2.00	200	Vertical	Pass
4	7592.611	50.80	74.0	23.20	Peak	354.00	200	Vertical	Pass
4**	7592.611	41.50	54.0	12.50	AV	354.00	200	Vertical	Pass
5	12533.689	55.67	74.0	18.33	Peak	72.00	300	Vertical	Pass
5**	12533.689	42.50	54.0	11.50	AV	72.00	300	Vertical	Pass
6	15907.422	53.75	74.0	20.25	Peak	51.00	200	Vertical	Pass
6**	15907.422	42.76	54.0	11.24	AV	51.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.806	39.31	74.0	34.69	Peak	175.00	200	Horizontal	Pass
1**	1523.806	32.00	54.0	22.00	AV	175.00	200	Horizontal	Pass
2	4022.446	46.97	74.0	27.03	Peak	19.00	400	Horizontal	Pass
2**	4022.446	36.05	54.0	17.95	AV	19.00	400	Horizontal	Pass
3	7598.712	56.11	74.0	17.89	Peak	262.00	200	Horizontal	Pass
3**	7598.712	44.86	54.0	9.14	AV	262.00	200	Horizontal	Pass
4	12455.799	54.93	74.0	19.07	Peak	133.00	400	Horizontal	Pass
4**	12455.799	41.98	54.0	12.02	AV	133.00	400	Horizontal	Pass
5	16097.625	55.36	74.0	18.64	Peak	179.00	400	Horizontal	Pass
5**	16097.625	42.17	54.0	11.83	AV	179.00	400	Horizontal	Pass
6	17420.167	55.33	74.0	18.67	Peak	115.00	300	Horizontal	Pass
6**	17420.167	49.50	54.0	4.50	AV	115.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.011	45.35	74.0	28.65	Peak	42.00	400	Vertical	Pass
1**	1333.011	35.70	54.0	18.30	AV	42.00	400	Vertical	Pass
2	1444.193	43.25	74.0	30.75	Peak	239.00	400	Vertical	Pass
2**	1444.193	38.30	54.0	15.70	AV	239.00	400	Vertical	Pass
3	4312.979	45.88	74.0	28.12	Peak	97.00	200	Vertical	Pass
3**	4312.979	41.13	54.0	12.87	AV	97.00	200	Vertical	Pass
4	7590.306	54.14	74.0	19.86	Peak	318.00	200	Vertical	Pass
4**	7590.306	43.24	54.0	10.76	AV	318.00	200	Vertical	Pass
5	12538.732	52.26	74.0	21.74	Peak	286.00	100	Vertical	Pass
5**	12538.732	43.07	54.0	10.93	AV	286.00	100	Vertical	Pass
6	15903.778	53.22	74.0	20.78	Peak	224.00	300	Vertical	Pass
6**	15903.778	47.49	54.0	6.51	AV	224.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.076	38.41	74.0	35.59	Peak	281.00	200	Horizontal	Pass
1**	1518.076	29.87	54.0	24.13	AV	281.00	200	Horizontal	Pass
2	4018.679	49.16	74.0	24.84	Peak	323.00	300	Horizontal	Pass
2**	4018.679	37.78	54.0	16.22	AV	323.00	300	Horizontal	Pass
3	7596.089	53.03	74.0	20.97	Peak	55.00	200	Horizontal	Pass
3**	7596.089	46.11	54.0	7.89	AV	55.00	200	Horizontal	Pass
4	12457.578	52.75	74.0	21.25	Peak	52.00	300	Horizontal	Pass
4**	12457.578	46.29	54.0	7.71	AV	52.00	300	Horizontal	Pass
5	16096.890	55.66	74.0	18.34	Peak	302.00	300	Horizontal	Pass
5**	16096.890	42.60	54.0	11.40	AV	302.00	300	Horizontal	Pass
6	17421.006	54.93	74.0	19.07	Peak	241.00	200	Horizontal	Pass
6**	17421.006	47.23	54.0	6.77	AV	241.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.844	47.02	74.0	26.98	Peak	244.00	300	Vertical	Pass
1**	1334.844	33.32	54.0	20.68	AV	244.00	300	Vertical	Pass
2	1441.106	40.50	74.0	33.50	Peak	23.00	300	Vertical	Pass
2**	1441.106	34.81	54.0	19.19	AV	23.00	300	Vertical	Pass
3	4310.126	49.20	74.0	24.80	Peak	323.00	200	Vertical	Pass
3**	4310.126	41.20	54.0	12.80	AV	323.00	200	Vertical	Pass
4	7597.434	51.96	74.0	22.04	Peak	274.00	200	Vertical	Pass
4**	7597.434	45.68	54.0	8.32	AV	274.00	200	Vertical	Pass
5	12533.576	55.98	74.0	18.02	Peak	129.00	400	Vertical	Pass
5**	12533.576	45.33	54.0	8.67	AV	129.00	400	Vertical	Pass
6	15907.470	56.00	74.0	18.00	Peak	294.00	300	Vertical	Pass
6**	15907.470	43.14	54.0	10.86	AV	294.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.507	38.51	74.0	35.49	Peak	136.00	200	Horizontal	Pass
1**	1520.507	30.90	54.0	23.10	AV	136.00	200	Horizontal	Pass
2	4016.293	48.84	74.0	25.16	Peak	54.00	300	Horizontal	Pass
2**	4016.293	37.36	54.0	16.64	AV	54.00	300	Horizontal	Pass
3	7602.085	51.70	74.0	22.30	Peak	299.00	200	Horizontal	Pass
3**	7602.085	41.34	54.0	12.66	AV	299.00	200	Horizontal	Pass
4	12453.231	55.09	74.0	18.91	Peak	229.00	300	Horizontal	Pass
4**	12453.231	43.94	54.0	10.06	AV	229.00	300	Horizontal	Pass
5	16091.906	52.53	74.0	21.47	Peak	61.00	300	Horizontal	Pass
5**	16091.906	43.01	54.0	10.99	AV	61.00	300	Horizontal	Pass
6	17419.035	58.99	74.0	15.01	Peak	101.00	200	Horizontal	Pass
6**	17419.035	50.08	54.0	3.92	AV	101.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.733	41.83	74.0	32.17	Peak	43.00	200	Vertical	Pass
1**	1332.733	30.81	54.0	23.19	AV	43.00	200	Vertical	Pass
2	1439.603	40.45	74.0	33.55	Peak	33.00	300	Vertical	Pass
2**	1439.603	35.01	54.0	18.99	AV	33.00	300	Vertical	Pass
3	4312.321	49.08	74.0	24.92	Peak	290.00	200	Vertical	Pass
3**	4312.321	39.54	54.0	14.46	AV	290.00	200	Vertical	Pass
4	7596.852	54.84	74.0	19.16	Peak	211.00	400	Vertical	Pass
4**	7596.852	43.88	54.0	10.12	AV	211.00	400	Vertical	Pass
5	12533.068	50.99	74.0	23.01	Peak	28.00	200	Vertical	Pass
5**	12533.068	45.96	54.0	8.04	AV	28.00	200	Vertical	Pass
6	15910.463	53.42	74.0	20.58	Peak	121.00	300	Vertical	Pass
6**	15910.463	47.59	54.0	6.41	AV	121.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.673	35.79	74.0	38.21	Peak	52.00	300	Horizontal	Pass
1**	1518.673	28.94	54.0	25.06	AV	52.00	300	Horizontal	Pass
2	4021.069	49.65	74.0	24.35	Peak	240.00	400	Horizontal	Pass
2**	4021.069	36.97	54.0	17.03	AV	240.00	400	Horizontal	Pass
3	7602.078	56.22	74.0	17.78	Peak	1.00	200	Horizontal	Pass
3**	7602.078	45.31	54.0	8.69	AV	1.00	200	Horizontal	Pass
4	12452.938	51.23	74.0	22.77	Peak	293.00	100	Horizontal	Pass
4**	12452.938	41.45	54.0	12.55	AV	293.00	100	Horizontal	Pass
5	16095.885	53.99	74.0	20.01	Peak	282.00	300	Horizontal	Pass
5**	16095.885	46.64	54.0	7.36	AV	282.00	300	Horizontal	Pass
6	17421.991	58.70	74.0	15.30	Peak	252.00	400	Horizontal	Pass
6**	17421.991	49.88	54.0	4.12	AV	252.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.406	44.79	74.0	29.21	Peak	2.00	200	Vertical	Pass
1**	1331.406	34.12	54.0	19.88	AV	2.00	200	Vertical	Pass
2	1440.200	42.20	74.0	31.80	Peak	355.00	200	Vertical	Pass
2**	1440.200	37.47	54.0	16.53	AV	355.00	200	Vertical	Pass
3	4308.210	44.82	74.0	29.18	Peak	178.00	200	Vertical	Pass
3**	4308.210	39.54	54.0	14.46	AV	178.00	200	Vertical	Pass
4	7596.998	54.03	74.0	19.97	Peak	307.00	300	Vertical	Pass
4**	7596.998	41.27	54.0	12.73	AV	307.00	300	Vertical	Pass
5	12538.756	51.26	74.0	22.74	Peak	332.00	200	Vertical	Pass
5**	12538.756	43.67	54.0	10.33	AV	332.00	200	Vertical	Pass
6	15910.386	53.98	74.0	20.02	Peak	170.00	300	Vertical	Pass
6**	15910.386	46.42	54.0	7.58	AV	170.00	300	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.102	38.36	74.0	35.64	Peak	214.00	300	Horizontal	Pass
1**	1523.102	29.17	54.0	24.83	AV	214.00	300	Horizontal	Pass
2	4020.507	46.89	74.0	27.11	Peak	276.00	300	Horizontal	Pass
2**	4020.507	35.18	54.0	18.82	AV	276.00	300	Horizontal	Pass
3	7599.350	50.62	74.0	23.38	Peak	346.00	200	Horizontal	Pass
3**	7599.350	45.45	54.0	8.55	AV	346.00	200	Horizontal	Pass
4	12452.764	53.71	74.0	20.29	Peak	12.00	400	Horizontal	Pass
4**	12452.764	42.07	54.0	11.93	AV	12.00	400	Horizontal	Pass
5	16098.880	53.89	74.0	20.11	Peak	312.00	200	Horizontal	Pass
5**	16098.880	45.90	54.0	8.10	AV	312.00	200	Horizontal	Pass
6	17416.187	54.39	74.0	19.61	Peak	154.00	100	Horizontal	Pass
6**	17416.187	47.65	54.0	6.35	AV	154.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.595	42.15	74.0	31.85	Peak	150.00	200	Vertical	Pass
1**	1335.595	32.08	54.0	21.92	AV	150.00	200	Vertical	Pass
2	1438.890	40.20	74.0	33.80	Peak	158.00	400	Vertical	Pass
2**	1438.890	37.75	54.0	16.25	AV	158.00	400	Vertical	Pass
3	4314.152	48.85	74.0	25.15	Peak	96.00	200	Vertical	Pass
3**	4314.152	38.18	54.0	15.82	AV	96.00	200	Vertical	Pass
4	7592.401	50.67	74.0	23.33	Peak	304.00	200	Vertical	Pass
4**	7592.401	43.16	54.0	10.84	AV	304.00	200	Vertical	Pass
5	12537.152	55.03	74.0	18.97	Peak	225.00	300	Vertical	Pass
5**	12537.152	42.22	54.0	11.78	AV	225.00	300	Vertical	Pass
6	15909.643	56.18	74.0	17.82	Peak	171.00	400	Vertical	Pass
6**	15909.643	44.10	54.0	9.90	AV	171.00	400	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.771	38.32	74.0	35.68	Peak	189.00	200	Horizontal	Pass
1**	1520.771	29.23	54.0	24.77	AV	189.00	200	Horizontal	Pass
2	4020.462	48.35	74.0	25.65	Peak	270.00	400	Horizontal	Pass
2**	4020.462	39.41	54.0	14.59	AV	270.00	400	Horizontal	Pass
3	7599.955	52.22	74.0	21.78	Peak	315.00	200	Horizontal	Pass
3**	7599.955	45.57	54.0	8.43	AV	315.00	200	Horizontal	Pass
4	12454.219	55.87	74.0	18.13	Peak	74.00	200	Horizontal	Pass
4**	12454.219	41.87	54.0	12.13	AV	74.00	200	Horizontal	Pass
5	16097.812	53.14	74.0	20.86	Peak	1.00	100	Horizontal	Pass
5**	16097.812	44.46	54.0	9.54	AV	1.00	100	Horizontal	Pass
6	17417.804	56.73	74.0	17.27	Peak	225.00	200	Horizontal	Pass
6**	17417.804	49.16	54.0	4.84	AV	225.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1337.387	41.62	74.0	32.38	Peak	189.00	400	Vertical	Pass
1**	1337.387	33.22	54.0	20.78	AV	189.00	400	Vertical	Pass
2	1441.885	44.80	74.0	29.20	Peak	346.00	100	Vertical	Pass
2**	1441.885	39.09	54.0	14.91	AV	346.00	100	Vertical	Pass
3	4310.500	49.16	74.0	24.84	Peak	249.00	200	Vertical	Pass
3**	4310.500	38.38	54.0	15.62	AV	249.00	200	Vertical	Pass
4	7591.627	50.74	74.0	23.26	Peak	12.00	400	Vertical	Pass
4**	7591.627	41.37	54.0	12.63	AV	12.00	400	Vertical	Pass
5	12536.668	53.28	74.0	20.72	Peak	268.00	400	Vertical	Pass
5**	12536.668	46.30	54.0	7.70	AV	268.00	400	Vertical	Pass
6	15903.418	52.01	74.0	21.99	Peak	52.00	300	Vertical	Pass
6**	15903.418	44.86	54.0	9.14	AV	52.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.364	40.37	74.0	33.63	Peak	242.00	200	Horizontal	Pass
1**	1517.364	27.59	54.0	26.41	AV	242.00	200	Horizontal	Pass
2	4020.252	48.45	74.0	25.55	Peak	138.00	100	Horizontal	Pass
2**	4020.252	34.02	54.0	19.98	AV	138.00	100	Horizontal	Pass
3	7598.758	52.43	74.0	21.57	Peak	138.00	200	Horizontal	Pass
3**	7598.758	44.52	54.0	9.48	AV	138.00	200	Horizontal	Pass
4	12454.802	52.07	74.0	21.93	Peak	251.00	300	Horizontal	Pass
4**	12454.802	42.91	54.0	11.09	AV	251.00	300	Horizontal	Pass
5	16095.062	54.74	74.0	19.26	Peak	161.00	200	Horizontal	Pass
5**	16095.062	43.20	54.0	10.80	AV	161.00	200	Horizontal	Pass
6	17418.490	53.62	74.0	20.38	Peak	13.00	400	Horizontal	Pass
6**	17418.490	45.39	54.0	8.61	AV	13.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.189	47.39	74.0	26.61	Peak	211.00	300	Vertical	Pass
1**	1333.189	36.46	54.0	17.54	AV	211.00	300	Vertical	Pass
2	1443.596	42.62	74.0	31.38	Peak	100.00	400	Vertical	Pass
2**	1443.596	37.50	54.0	16.50	AV	100.00	400	Vertical	Pass
3	4313.014	44.80	74.0	29.20	Peak	327.00	200	Vertical	Pass
3**	4313.014	38.49	54.0	15.51	AV	327.00	200	Vertical	Pass
4	7593.714	55.49	74.0	18.51	Peak	192.00	200	Vertical	Pass
4**	7593.714	44.43	54.0	9.57	AV	192.00	200	Vertical	Pass
5	12533.326	50.85	74.0	23.15	Peak	288.00	300	Vertical	Pass
5**	12533.326	46.52	54.0	7.48	AV	288.00	300	Vertical	Pass
6	15905.531	54.67	74.0	19.33	Peak	158.00	200	Vertical	Pass
6**	15905.531	45.35	54.0	8.65	AV	158.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.705	36.02	74.0	37.98	Peak	89.00	400	Horizontal	Pass
1**	1521.705	27.86	54.0	26.14	AV	89.00	400	Horizontal	Pass
2	4019.197	45.38	74.0	28.62	Peak	335.00	400	Horizontal	Pass
2**	4019.197	36.01	54.0	17.99	AV	335.00	400	Horizontal	Pass
3	7596.626	51.44	74.0	22.56	Peak	209.00	200	Horizontal	Pass
3**	7596.626	45.80	54.0	8.20	AV	209.00	200	Horizontal	Pass
4	12457.621	51.26	74.0	22.74	Peak	92.00	300	Horizontal	Pass
4**	12457.621	42.95	54.0	11.05	AV	92.00	300	Horizontal	Pass
5	16093.271	50.69	74.0	23.31	Peak	228.00	400	Horizontal	Pass
5**	16093.271	43.05	54.0	10.95	AV	228.00	400	Horizontal	Pass
6	17423.040	57.40	74.0	16.60	Peak	252.00	400	Horizontal	Pass
6**	17423.040	45.86	54.0	8.14	AV	252.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.402	46.01	74.0	27.99	Peak	115.00	100	Vertical	Pass
1**	1332.402	33.27	54.0	20.73	AV	115.00	100	Vertical	Pass
2	1440.982	41.59	74.0	32.41	Peak	47.00	300	Vertical	Pass
2**	1440.982	39.05	54.0	14.95	AV	47.00	300	Vertical	Pass
3	4312.430	44.76	74.0	29.24	Peak	203.00	200	Vertical	Pass
3**	4312.430	36.38	54.0	17.62	AV	203.00	200	Vertical	Pass
4	7592.847	52.42	74.0	21.58	Peak	170.00	400	Vertical	Pass
4**	7592.847	44.87	54.0	9.13	AV	170.00	400	Vertical	Pass
5	12531.262	50.74	74.0	23.26	Peak	175.00	100	Vertical	Pass
5**	12531.262	46.56	54.0	7.44	AV	175.00	100	Vertical	Pass
6	15908.702	55.45	74.0	18.55	Peak	136.00	200	Vertical	Pass
6**	15908.702	47.05	54.0	6.95	AV	136.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.657	38.33	74.0	35.67	Peak	42.00	300	Horizontal	Pass
1**	1521.657	26.89	54.0	27.11	AV	42.00	300	Horizontal	Pass
2	4020.188	48.78	74.0	25.22	Peak	238.00	300	Horizontal	Pass
2**	4020.188	34.76	54.0	19.24	AV	238.00	300	Horizontal	Pass
3	7599.656	50.77	74.0	23.23	Peak	164.00	200	Horizontal	Pass
3**	7599.656	40.68	54.0	13.32	AV	164.00	200	Horizontal	Pass
4	12451.986	52.07	74.0	21.93	Peak	247.00	200	Horizontal	Pass
4**	12451.986	43.56	54.0	10.44	AV	247.00	200	Horizontal	Pass
5	16099.002	50.73	74.0	23.27	Peak	35.00	400	Horizontal	Pass
5**	16099.002	45.25	54.0	8.75	AV	35.00	400	Horizontal	Pass
6	17421.254	56.31	74.0	17.69	Peak	32.00	100	Horizontal	Pass
6**	17421.254	50.03	54.0	3.97	AV	32.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.756	47.40	74.0	26.60	Peak	0.00	200	Vertical	Pass
1**	1335.756	33.93	54.0	20.07	AV	0.00	200	Vertical	Pass
2	1438.846	44.02	74.0	29.98	Peak	357.00	400	Vertical	Pass
2**	1438.846	35.94	54.0	18.06	AV	357.00	400	Vertical	Pass
3	4309.647	45.38	74.0	28.62	Peak	122.00	200	Vertical	Pass
3**	4309.647	38.24	54.0	15.76	AV	122.00	200	Vertical	Pass
4	7593.381	54.36	74.0	19.64	Peak	217.00	400	Vertical	Pass
4**	7593.381	44.24	54.0	9.76	AV	217.00	400	Vertical	Pass
5	12538.152	55.87	74.0	18.13	Peak	175.00	400	Vertical	Pass
5**	12538.152	46.04	54.0	7.96	AV	175.00	400	Vertical	Pass
6	15909.284	53.85	74.0	20.15	Peak	29.00	400	Vertical	Pass
6**	15909.284	43.98	54.0	10.02	AV	29.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.294	36.36	74.0	37.64	Peak	344.00	200	Horizontal	Pass
1**	1523.294	26.92	54.0	27.08	AV	344.00	200	Horizontal	Pass
2	4020.630	44.91	74.0	29.09	Peak	170.00	400	Horizontal	Pass
2**	4020.630	36.72	54.0	17.28	AV	170.00	400	Horizontal	Pass
3	7601.716	51.51	74.0	22.49	Peak	29.00	200	Horizontal	Pass
3**	7601.716	44.02	54.0	9.98	AV	29.00	200	Horizontal	Pass
4	12453.606	55.57	74.0	18.43	Peak	199.00	100	Horizontal	Pass
4**	12453.606	42.03	54.0	11.97	AV	199.00	100	Horizontal	Pass
5	16098.922	53.45	74.0	20.55	Peak	291.00	100	Horizontal	Pass
5**	16098.922	42.57	54.0	11.43	AV	291.00	100	Horizontal	Pass
6	17418.737	54.28	74.0	19.72	Peak	81.00	400	Horizontal	Pass
6**	17418.737	44.57	54.0	9.43	AV	81.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.327	44.64	74.0	29.36	Peak	151.00	200	Vertical	Pass
1**	1332.327	34.74	54.0	19.26	AV	151.00	200	Vertical	Pass
2	1442.842	42.95	74.0	31.05	Peak	322.00	400	Vertical	Pass
2**	1442.842	38.97	54.0	15.03	AV	322.00	400	Vertical	Pass
3	4311.976	47.46	74.0	26.54	Peak	350.00	200	Vertical	Pass
3**	4311.976	37.21	54.0	16.79	AV	350.00	200	Vertical	Pass
4	7591.051	54.99	74.0	19.01	Peak	204.00	100	Vertical	Pass
4**	7591.051	41.20	54.0	12.80	AV	204.00	100	Vertical	Pass
5	12538.464	55.62	74.0	18.38	Peak	15.00	100	Vertical	Pass
5**	12538.464	42.49	54.0	11.51	AV	15.00	100	Vertical	Pass
6	15904.266	53.57	74.0	20.43	Peak	239.00	300	Vertical	Pass
6**	15904.266	47.53	54.0	6.47	AV	239.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.524	38.93	74.0	35.07	Peak	9.00	300	Horizontal	Pass
1**	1522.524	30.63	54.0	23.37	AV	9.00	300	Horizontal	Pass
2	4023.461	45.59	74.0	28.41	Peak	227.00	200	Horizontal	Pass
2**	4023.461	39.29	54.0	14.71	AV	227.00	200	Horizontal	Pass
3	7596.010	55.55	74.0	18.45	Peak	80.00	200	Horizontal	Pass
3**	7596.010	43.75	54.0	10.25	AV	80.00	200	Horizontal	Pass
4	12455.462	55.50	74.0	18.50	Peak	94.00	400	Horizontal	Pass
4**	12455.462	42.16	54.0	11.84	AV	94.00	400	Horizontal	Pass
5	16094.751	54.44	74.0	19.56	Peak	205.00	100	Horizontal	Pass
5**	16094.751	43.15	54.0	10.85	AV	205.00	100	Horizontal	Pass
6	17420.095	54.97	74.0	19.03	Peak	341.00	100	Horizontal	Pass
6**	17420.095	49.70	54.0	4.30	AV	341.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1337.393	46.38	74.0	27.62	Peak	173.00	100	Vertical	Pass
1**	1337.393	31.13	54.0	22.87	AV	173.00	100	Vertical	Pass
2	1440.803	44.92	74.0	29.08	Peak	248.00	200	Vertical	Pass
2**	1440.803	35.45	54.0	18.55	AV	248.00	200	Vertical	Pass
3	4311.688	47.43	74.0	26.57	Peak	110.00	200	Vertical	Pass
3**	4311.688	40.70	54.0	13.30	AV	110.00	200	Vertical	Pass
4	7592.249	50.69	74.0	23.31	Peak	295.00	100	Vertical	Pass
4**	7592.249	41.62	54.0	12.38	AV	295.00	100	Vertical	Pass
5	12531.677	55.90	74.0	18.10	Peak	70.00	400	Vertical	Pass
5**	12531.677	43.67	54.0	10.33	AV	70.00	400	Vertical	Pass
6	15904.577	53.91	74.0	20.09	Peak	25.00	200	Vertical	Pass
6**	15904.577	47.82	54.0	6.18	AV	25.00	200	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.868	36.35	74.0	37.65	Peak	289.00	400	Horizontal	Pass
1**	1518.868	30.94	54.0	23.06	AV	289.00	400	Horizontal	Pass
2	4020.131	49.03	74.0	24.97	Peak	138.00	100	Horizontal	Pass
2**	4020.131	33.97	54.0	20.03	AV	138.00	100	Horizontal	Pass
3	7600.423	56.22	74.0	17.78	Peak	179.00	200	Horizontal	Pass
3**	7600.423	40.74	54.0	13.26	AV	179.00	200	Horizontal	Pass
4	12459.533	53.77	74.0	20.23	Peak	176.00	200	Horizontal	Pass
4**	12459.533	42.65	54.0	11.35	AV	176.00	200	Horizontal	Pass
5	16096.044	55.59	74.0	18.41	Peak	263.00	400	Horizontal	Pass
5**	16096.044	46.18	54.0	7.82	AV	263.00	400	Horizontal	Pass
6	17423.559	57.94	74.0	16.06	Peak	253.00	200	Horizontal	Pass
6**	17423.559	48.20	54.0	5.80	AV	253.00	200	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.040	43.43	74.0	30.57	Peak	330.00	100	Vertical	Pass
1**	1330.040	35.25	54.0	18.75	AV	330.00	100	Vertical	Pass
2	1439.512	39.49	74.0	34.51	Peak	172.00	100	Vertical	Pass
2**	1439.512	35.83	54.0	18.17	AV	172.00	100	Vertical	Pass
3	4310.013	49.34	74.0	24.66	Peak	244.00	200	Vertical	Pass
3**	4310.013	36.30	54.0	17.70	AV	244.00	200	Vertical	Pass
4	7597.078	55.12	74.0	18.88	Peak	224.00	100	Vertical	Pass
4**	7597.078	44.85	54.0	9.15	AV	224.00	100	Vertical	Pass
5	12536.303	51.03	74.0	22.97	Peak	4.00	300	Vertical	Pass
5**	12536.303	42.47	54.0	11.53	AV	4.00	300	Vertical	Pass
6	15905.954	52.76	74.0	21.24	Peak	203.00	400	Vertical	Pass
6**	15905.954	44.06	54.0	9.94	AV	203.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.301	39.36	74.0	34.64	Peak	164.00	100	Horizontal	Pass
1**	1517.301	29.89	54.0	24.11	AV	164.00	100	Horizontal	Pass
2	4023.371	48.92	74.0	25.08	Peak	82.00	300	Horizontal	Pass
2**	4023.371	34.69	54.0	19.31	AV	82.00	300	Horizontal	Pass
3	7601.800	51.92	74.0	22.08	Peak	210.00	200	Horizontal	Pass
3**	7601.800	44.92	54.0	9.08	AV	210.00	200	Horizontal	Pass
4	12452.405	53.89	74.0	20.11	Peak	19.00	200	Horizontal	Pass
4**	12452.405	42.54	54.0	11.46	AV	19.00	200	Horizontal	Pass
5	16096.739	55.14	74.0	18.86	Peak	284.00	300	Horizontal	Pass
5**	16096.739	44.01	54.0	9.99	AV	284.00	300	Horizontal	Pass
6	17416.443	53.92	74.0	20.08	Peak	38.00	200	Horizontal	Pass
6**	17416.443	44.37	54.0	9.63	AV	38.00	200	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.141	46.26	74.0	27.74	Peak	182.00	400	Vertical	Pass
1**	1334.141	35.00	54.0	19.00	AV	182.00	400	Vertical	Pass
2	1438.885	41.96	74.0	32.04	Peak	274.00	400	Vertical	Pass
2**	1438.885	37.28	54.0	16.72	AV	274.00	400	Vertical	Pass
3	4314.825	45.14	74.0	28.86	Peak	145.00	200	Vertical	Pass
3**	4314.825	38.69	54.0	15.31	AV	145.00	200	Vertical	Pass
4	7590.816	51.69	74.0	22.31	Peak	88.00	300	Vertical	Pass
4**	7590.816	43.12	54.0	10.88	AV	88.00	300	Vertical	Pass
5	12536.140	50.66	74.0	23.34	Peak	326.00	100	Vertical	Pass
5**	12536.140	44.78	54.0	9.22	AV	326.00	100	Vertical	Pass
6	15906.067	51.59	74.0	22.41	Peak	244.00	100	Vertical	Pass
6**	15906.067	48.13	54.0	5.87	AV	244.00	100	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.667	39.59	74.0	34.41	Peak	25.00	400	Horizontal	Pass
1**	1523.667	31.53	54.0	22.47	AV	25.00	400	Horizontal	Pass
2	4016.931	47.63	74.0	26.37	Peak	265.00	400	Horizontal	Pass
2**	4016.931	39.08	54.0	14.92	AV	265.00	400	Horizontal	Pass
3	7595.536	52.12	74.0	21.88	Peak	142.00	200	Horizontal	Pass
3**	7595.536	44.29	54.0	9.71	AV	142.00	200	Horizontal	Pass
4	12456.312	55.87	74.0	18.13	Peak	45.00	100	Horizontal	Pass
4**	12456.312	44.87	54.0	9.13	AV	45.00	100	Horizontal	Pass
5	16094.517	56.08	74.0	17.92	Peak	33.00	100	Horizontal	Pass
5**	16094.517	44.13	54.0	9.87	AV	33.00	100	Horizontal	Pass
6	17418.236	58.24	74.0	15.76	Peak	145.00	300	Horizontal	Pass
6**	17418.236	47.81	54.0	6.19	AV	145.00	300	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.594	43.02	74.0	30.98	Peak	232.00	300	Vertical	Pass
1**	1330.594	35.64	54.0	18.36	AV	232.00	300	Vertical	Pass
2	1437.053	43.03	74.0	30.97	Peak	99.00	100	Vertical	Pass
2**	1437.053	37.99	54.0	16.01	AV	99.00	100	Vertical	Pass
3	4311.873	44.45	74.0	29.55	Peak	316.00	200	Vertical	Pass
3**	4311.873	39.59	54.0	14.41	AV	316.00	200	Vertical	Pass
4	7595.183	51.75	74.0	22.25	Peak	167.00	300	Vertical	Pass
4**	7595.183	41.39	54.0	12.61	AV	167.00	300	Vertical	Pass
5	12538.208	50.64	74.0	23.36	Peak	245.00	300	Vertical	Pass
5**	12538.208	44.36	54.0	9.64	AV	245.00	300	Vertical	Pass
6	15910.340	52.82	74.0	21.18	Peak	178.00	400	Vertical	Pass
6**	15910.340	44.97	54.0	9.03	AV	178.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.110	37.73	74.0	36.27	Peak	6.00	300	Horizontal	Pass
1**	1518.110	31.15	54.0	22.85	AV	6.00	300	Horizontal	Pass
2	4023.443	48.66	74.0	25.34	Peak	281.00	400	Horizontal	Pass
2**	4023.443	38.63	54.0	15.37	AV	281.00	400	Horizontal	Pass
3	7597.233	54.60	74.0	19.40	Peak	174.00	200	Horizontal	Pass
3**	7597.233	42.75	54.0	11.25	AV	174.00	200	Horizontal	Pass
4	12458.003	56.38	74.0	17.62	Peak	146.00	400	Horizontal	Pass
4**	12458.003	45.39	54.0	8.61	AV	146.00	400	Horizontal	Pass
5	16092.812	51.87	74.0	22.13	Peak	319.00	100	Horizontal	Pass
5**	16092.812	45.28	54.0	8.72	AV	319.00	100	Horizontal	Pass
6	17420.282	54.28	74.0	19.72	Peak	222.00	200	Horizontal	Pass
6**	17420.282	48.62	54.0	5.38	AV	222.00	200	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.131	42.47	74.0	31.53	Peak	190.00	200	Vertical	Pass
1**	1336.131	33.39	54.0	20.61	AV	190.00	200	Vertical	Pass
2	1438.931	39.22	74.0	34.78	Peak	138.00	200	Vertical	Pass
2**	1438.931	36.67	54.0	17.33	AV	138.00	200	Vertical	Pass
3	4314.506	49.33	74.0	24.67	Peak	38.00	200	Vertical	Pass
3**	4314.506	37.77	54.0	16.23	AV	38.00	200	Vertical	Pass
4	7595.891	50.71	74.0	23.29	Peak	95.00	300	Vertical	Pass
4**	7595.891	44.69	54.0	9.31	AV	95.00	300	Vertical	Pass
5	12537.514	54.06	74.0	19.94	Peak	35.00	100	Vertical	Pass
5**	12537.514	46.03	54.0	7.97	AV	35.00	100	Vertical	Pass
6	15905.520	52.76	74.0	21.24	Peak	177.00	200	Vertical	Pass
6**	15905.520	44.63	54.0	9.37	AV	177.00	200	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.353	36.35	74.0	37.65	Peak	151.00	400	Horizontal	Pass
1**	1519.353	28.16	54.0	25.84	AV	151.00	400	Horizontal	Pass
2	4020.575	45.83	74.0	28.17	Peak	156.00	300	Horizontal	Pass
2**	4020.575	37.65	54.0	16.35	AV	156.00	300	Horizontal	Pass
3	7600.279	53.16	74.0	20.84	Peak	253.00	200	Horizontal	Pass
3**	7600.279	43.06	54.0	10.94	AV	253.00	200	Horizontal	Pass
4	12459.488	53.89	74.0	20.11	Peak	165.00	200	Horizontal	Pass
4**	12459.488	46.03	54.0	7.97	AV	165.00	200	Horizontal	Pass
5	16096.030	52.35	74.0	21.65	Peak	240.00	300	Horizontal	Pass
5**	16096.030	47.28	54.0	6.72	AV	240.00	300	Horizontal	Pass
6	17417.335	58.96	74.0	15.04	Peak	302.00	100	Horizontal	Pass
6**	17417.335	44.82	54.0	9.18	AV	302.00	100	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.966	45.23	74.0	28.77	Peak	282.00	100	Vertical	Pass
1**	1332.966	34.83	54.0	19.17	AV	282.00	100	Vertical	Pass
2	1438.183	41.57	74.0	32.43	Peak	83.00	200	Vertical	Pass
2**	1438.183	37.58	54.0	16.42	AV	83.00	200	Vertical	Pass
3	4312.166	48.20	74.0	25.80	Peak	324.00	200	Vertical	Pass
3**	4312.166	37.52	54.0	16.48	AV	324.00	200	Vertical	Pass
4	7593.890	52.17	74.0	21.83	Peak	317.00	400	Vertical	Pass
4**	7593.890	45.84	54.0	8.16	AV	317.00	400	Vertical	Pass
5	12531.282	55.58	74.0	18.42	Peak	223.00	100	Vertical	Pass
5**	12531.282	44.31	54.0	9.69	AV	223.00	100	Vertical	Pass
6	15905.661	53.81	74.0	20.19	Peak	273.00	400	Vertical	Pass
6**	15905.661	46.78	54.0	7.22	AV	273.00	400	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.887	40.81	74.0	33.19	Peak	290.00	400	Horizontal	Pass
1**	1524.887	31.33	54.0	22.67	AV	290.00	400	Horizontal	Pass
2	4018.037	47.45	74.0	26.55	Peak	222.00	400	Horizontal	Pass
2**	4018.037	36.26	54.0	17.74	AV	222.00	400	Horizontal	Pass
3	7599.507	51.04	74.0	22.96	Peak	76.00	200	Horizontal	Pass
3**	7599.507	41.15	54.0	12.85	AV	76.00	200	Horizontal	Pass
4	12454.205	51.86	74.0	22.14	Peak	131.00	100	Horizontal	Pass
4**	12454.205	45.49	54.0	8.51	AV	131.00	100	Horizontal	Pass
5	16097.082	52.94	74.0	21.06	Peak	354.00	300	Horizontal	Pass
5**	16097.082	44.41	54.0	9.59	AV	354.00	300	Horizontal	Pass
6	17421.477	58.83	74.0	15.17	Peak	158.00	100	Horizontal	Pass
6**	17421.477	49.37	54.0	4.63	AV	158.00	100	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.238	46.91	74.0	27.09	Peak	111.00	100	Vertical	Pass
1**	1334.238	31.97	54.0	22.03	AV	111.00	100	Vertical	Pass
2	1442.965	40.50	74.0	33.50	Peak	2.00	200	Vertical	Pass
2**	1442.965	34.70	54.0	19.30	AV	2.00	200	Vertical	Pass
3	4314.434	50.31	74.0	23.69	Peak	47.00	200	Vertical	Pass
3**	4314.434	40.72	54.0	13.28	AV	47.00	200	Vertical	Pass
4	7593.593	52.56	74.0	21.44	Peak	303.00	100	Vertical	Pass
4**	7593.593	43.52	54.0	10.48	AV	303.00	100	Vertical	Pass
5	12538.729	52.81	74.0	21.19	Peak	299.00	100	Vertical	Pass
5**	12538.729	41.83	54.0	12.17	AV	299.00	100	Vertical	Pass
6	15906.879	51.87	74.0	22.13	Peak	87.00	300	Vertical	Pass
6**	15906.879	42.83	54.0	11.17	AV	87.00	300	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.735	40.80	74.0	33.20	Peak	329.00	200	Horizontal	Pass
1**	1524.735	29.73	54.0	24.27	AV	329.00	200	Horizontal	Pass
2	4023.130	47.55	74.0	26.45	Peak	63.00	200	Horizontal	Pass
2**	4023.130	38.70	54.0	15.30	AV	63.00	200	Horizontal	Pass
3	7600.643	53.46	74.0	20.54	Peak	89.00	200	Horizontal	Pass
3**	7600.643	43.81	54.0	10.19	AV	89.00	200	Horizontal	Pass
4	12453.824	50.91	74.0	23.09	Peak	69.00	200	Horizontal	Pass
4**	12453.824	43.59	54.0	10.41	AV	69.00	200	Horizontal	Pass
5	16095.957	54.59	74.0	19.41	Peak	206.00	200	Horizontal	Pass
5**	16095.957	47.29	54.0	6.71	AV	206.00	200	Horizontal	Pass
6	17416.928	55.94	74.0	18.06	Peak	125.00	300	Horizontal	Pass
6**	17416.928	46.31	54.0	7.69	AV	125.00	300	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.387	45.54	74.0	28.46	Peak	280.00	400	Vertical	Pass
1**	1336.387	34.68	54.0	19.32	AV	280.00	400	Vertical	Pass
2	1441.260	44.53	74.0	29.47	Peak	310.00	200	Vertical	Pass
2**	1441.260	36.66	54.0	17.34	AV	310.00	200	Vertical	Pass
3	4313.605	49.72	74.0	24.28	Peak	11.00	200	Vertical	Pass
3**	4313.605	38.90	54.0	15.10	AV	11.00	200	Vertical	Pass
4	7590.320	50.33	74.0	23.67	Peak	286.00	200	Vertical	Pass
4**	7590.320	43.92	54.0	10.08	AV	286.00	200	Vertical	Pass
5	12534.342	52.86	74.0	21.14	Peak	28.00	200	Vertical	Pass
5**	12534.342	42.17	54.0	11.83	AV	28.00	200	Vertical	Pass
6	15909.992	55.60	74.0	18.40	Peak	292.00	100	Vertical	Pass
6**	15909.992	46.67	54.0	7.33	AV	292.00	100	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass

	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass

Note ¹: All the configurations were pre tested, but only the worst data was shown in this report.

Note ²: All antenna were pre tested, but only the worst case has been reported in this report.

Test Data

SISO-Antenna 1

U-NII-1 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.861	57.36	74.0	16.64	Peak	242.00	300	Horizontal	Pass
1**	5076.861	45.36	54.0	8.64	AV	242.00	300	Horizontal	Pass
2	5150.000	56.1	74.0	17.90	Peak	1.00	200	Horizontal	Pass
2**	5150.000	43.84	54.0	10.16	AV	1.00	200	Horizontal	Pass

U-NII-1 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.6	74.0	18.40	Peak	330.00	200	Horizontal	Pass
1**	5350.000	42.45	54.0	11.55	AV	330.00	200	Horizontal	Pass
2	5422.454	56.37	74.0	17.63	Peak	304.00	300	Horizontal	Pass
2**	5422.454	46.01	54.0	7.99	AV	304.00	300	Horizontal	Pass

U-NII-1 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.573	54.21	74.0	19.79	Peak	82.00	100	Horizontal	Pass
1**	5077.573	44.75	54.0	9.25	AV	82.00	100	Horizontal	Pass
2	5150.000	52.34	74.0	21.66	Peak	22.00	200	Horizontal	Pass
2**	5150.000	43.41	54.0	10.59	AV	22.00	200	Horizontal	Pass

U-NII-1 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.83	74.0	18.17	Peak	175.00	200	Horizontal	Pass
1**	5350.000	43.39	54.0	10.61	AV	175.00	200	Horizontal	Pass
2	5423.521	58.53	74.0	15.47	Peak	111.00	300	Horizontal	Pass
2**	5423.521	46.47	54.0	7.53	AV	111.00	300	Horizontal	Pass

U-NII-1 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.330	57.65	74.0	16.35	Peak	100.00	200	Horizontal	Pass
1**	5076.330	44.27	54.0	9.73	AV	100.00	200	Horizontal	Pass
2	5150.000	55.57	74.0	18.43	Peak	110.00	300	Horizontal	Pass
2**	5150.000	44.05	54.0	9.95	AV	110.00	300	Horizontal	Pass

U-NII-1 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.59	74.0	18.41	Peak	111.00	300	Horizontal	Pass
1**	5350.000	44.73	54.0	9.27	AV	111.00	300	Horizontal	Pass
2	5423.173	55.1	74.0	18.90	Peak	1.00	100	Horizontal	Pass
2**	5423.173	44.97	54.0	9.03	AV	1.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.320	57.12	74.0	16.88	Peak	185.00	200	Horizontal	Pass
1**	5075.320	44.97	54.0	9.03	AV	185.00	200	Horizontal	Pass
2	5150.000	52.71	74.0	21.29	Peak	245.00	200	Horizontal	Pass
2**	5150.000	45.41	54.0	8.59	AV	245.00	200	Horizontal	Pass

U-NII-1 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.48	74.0	20.52	Peak	37.00	200	Horizontal	Pass
1**	5350.000	43.54	54.0	10.46	AV	37.00	200	Horizontal	Pass
2	5422.668	57.28	74.0	16.72	Peak	17.00	200	Horizontal	Pass
2**	5422.668	44.59	54.0	9.41	AV	17.00	200	Horizontal	Pass

U-NII-1 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.135	57.72	74.0	16.28	Peak	237.00	100	Horizontal	Pass
1**	5076.135	43.53	54.0	10.47	AV	237.00	100	Horizontal	Pass
2	5150.000	52.33	74.0	21.67	Peak	324.00	100	Horizontal	Pass
2**	5150.000	42.27	54.0	11.73	AV	324.00	100	Horizontal	Pass

U-NII-1 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.54	74.0	21.46	Peak	316.00	100	Horizontal	Pass
1**	5350.000	46.01	54.0	7.99	AV	316.00	100	Horizontal	Pass
2	5423.060	58.14	74.0	15.86	Peak	115.00	200	Horizontal	Pass
2**	5423.060	45.64	54.0	8.36	AV	115.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.937	56.04	74.0	17.96	Peak	169.00	300	Horizontal	Pass
1**	5077.937	42.51	54.0	11.49	AV	169.00	300	Horizontal	Pass
2	5150.000	53.78	74.0	20.22	Peak	334.00	100	Horizontal	Pass
2**	5150.000	44.87	54.0	9.13	AV	334.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.56	74.0	20.44	Peak	240.00	100	Horizontal	Pass
1**	5350.000	42.38	54.0	11.62	AV	240.00	100	Horizontal	Pass
2	5424.664	55.51	74.0	18.49	Peak	298.00	200	Horizontal	Pass
2**	5424.664	45.2	54.0	8.80	AV	298.00	200	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5078.000	57.99	74.0	16.01	Peak	179.00	100	Horizontal	Pass
1**	5078.000	45.78	54.0	8.22	AV	179.00	100	Horizontal	Pass
2	5150.000	54.6	74.0	19.40	Peak	18.00	300	Horizontal	Pass
2**	5150.000	45.64	54.0	8.36	AV	18.00	300	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.97	74.0	18.03	Peak	109.00	200	Horizontal	Pass
1**	5350.000	43.84	54.0	10.16	AV	109.00	200	Horizontal	Pass
2	5422.168	58.53	74.0	15.47	Peak	295.00	200	Horizontal	Pass
2**	5422.168	44.47	54.0	9.53	AV	295.00	200	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.053	57.45	74.0	16.55	Peak	313.00	200	Horizontal	Pass
1**	5077.053	45.95	54.0	8.05	AV	313.00	200	Horizontal	Pass
2	5150.000	53.7	74.0	20.30	Peak	42.00	100	Horizontal	Pass
2**	5150.000	42.87	54.0	11.13	AV	42.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.05	74.0	18.95	Peak	97.00	200	Horizontal	Pass
1**	5350.000	43.18	54.0	10.82	AV	97.00	200	Horizontal	Pass
2	5424.632	55.19	74.0	18.81	Peak	282.00	300	Horizontal	Pass
2**	5424.632	44.17	54.0	9.83	AV	282.00	300	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.340	57.1	74.0	16.90	Peak	20.00	100	Horizontal	Pass
1**	5077.340	44.9	54.0	9.10	AV	20.00	100	Horizontal	Pass
2	5150.000	52.53	74.0	21.47	Peak	122.00	100	Horizontal	Pass
2**	5150.000	43.59	54.0	10.41	AV	122.00	100	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.39	74.0	18.61	Peak	162.00	200	Horizontal	Pass
1**	5350.000	46.01	54.0	7.99	AV	162.00	200	Horizontal	Pass
2	5423.716	55.84	74.0	18.16	Peak	298.00	300	Horizontal	Pass
2**	5423.716	43.17	54.0	10.83	AV	298.00	300	Horizontal	Pass

U-NII-2A 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.772	55.8	74.0	18.20	Peak	214.00	200	Horizontal	Pass
1**	4998.772	44.36	54.0	9.64	AV	214.00	200	Horizontal	Pass
2	5150.000	53.6	74.0	20.40	Peak	138.00	100	Horizontal	Pass
2**	5150.000	44.46	54.0	9.54	AV	138.00	100	Horizontal	Pass

U-NII-2A 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.74	74.0	19.26	Peak	10.00	200	Horizontal	Pass
1**	5350.000	43.3	54.0	10.70	AV	10.00	200	Horizontal	Pass
2	5460.873	58.91	74.0	15.09	Peak	48.00	200	Horizontal	Pass
2**	5460.873	43.2	54.0	10.80	AV	48.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.291	57.35	74.0	16.65	Peak	245.00	300	Horizontal	Pass
1**	4998.291	44.63	54.0	9.37	AV	245.00	300	Horizontal	Pass
2	5150.000	54.49	74.0	19.51	Peak	269.00	100	Horizontal	Pass
2**	5150.000	42.96	54.0	11.04	AV	269.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.48	74.0	18.52	Peak	195.00	300	Horizontal	Pass
1**	5350.000	46.48	54.0	7.52	AV	195.00	300	Horizontal	Pass
2	5460.239	58.82	74.0	15.18	Peak	0.00	100	Horizontal	Pass
2**	5460.239	45.21	54.0	8.79	AV	0.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.775	55.24	74.0	18.76	Peak	305.00	100	Horizontal	Pass
1**	4997.775	42.46	54.0	11.54	AV	305.00	100	Horizontal	Pass
2	5150.000	52.06	74.0	21.94	Peak	206.00	200	Horizontal	Pass
2**	5150.000	44.27	54.0	9.73	AV	206.00	200	Horizontal	Pass

U-NII-2A 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.44	74.0	20.56	Peak	62.00	100	Horizontal	Pass
1**	5350.000	44.89	54.0	9.11	AV	62.00	100	Horizontal	Pass
2	5460.956	57.34	74.0	16.66	Peak	83.00	300	Horizontal	Pass
2**	5460.956	45.2	54.0	8.80	AV	83.00	300	Horizontal	Pass

U-NII-2A 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.146	57.17	74.0	16.83	Peak	193.00	300	Horizontal	Pass
1**	4997.146	45.42	54.0	8.58	AV	193.00	300	Horizontal	Pass
2	5150.000	54.04	74.0	19.96	Peak	139.00	300	Horizontal	Pass
2**	5150.000	44.75	54.0	9.25	AV	139.00	300	Horizontal	Pass

U-NII-2A 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.72	74.0	20.28	Peak	101.00	200	Horizontal	Pass
1**	5350.000	44.38	54.0	9.62	AV	101.00	200	Horizontal	Pass
2	5462.131	58.6	74.0	15.40	Peak	135.00	300	Horizontal	Pass
2**	5462.131	45.62	54.0	8.38	AV	135.00	300	Horizontal	Pass

U-NII-2A 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.224	54.79	74.0	19.21	Peak	359.00	300	Horizontal	Pass
1**	4998.224	45.45	54.0	8.55	AV	359.00	300	Horizontal	Pass
2	5150.000	54.59	74.0	19.41	Peak	239.00	200	Horizontal	Pass
2**	5150.000	45.34	54.0	8.66	AV	239.00	200	Horizontal	Pass

U-NII-2A 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.68	74.0	20.32	Peak	249.00	100	Horizontal	Pass
1**	5350.000	46.69	54.0	7.31	AV	249.00	100	Horizontal	Pass
2	5462.081	56.89	74.0	17.11	Peak	233.00	200	Horizontal	Pass
2**	5462.081	46.36	54.0	7.64	AV	233.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.375	56.47	74.0	17.53	Peak	355.00	200	Horizontal	Pass
1**	4998.375	43.22	54.0	10.78	AV	355.00	200	Horizontal	Pass
2	5150.000	51.75	74.0	22.25	Peak	129.00	300	Horizontal	Pass
2**	5150.000	43.98	54.0	10.02	AV	129.00	300	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.46	74.0	20.54	Peak	24.00	300	Horizontal	Pass
1**	5350.000	42.97	54.0	11.03	AV	24.00	300	Horizontal	Pass
2	5460.244	58.25	74.0	15.75	Peak	316.00	300	Horizontal	Pass
2**	5460.244	43.54	54.0	10.46	AV	316.00	300	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.102	56.85	74.0	17.15	Peak	145.00	300	Horizontal	Pass
1**	4998.102	43.11	54.0	10.89	AV	145.00	300	Horizontal	Pass
2	5150.000	54.09	74.0	19.91	Peak	10.00	300	Horizontal	Pass
2**	5150.000	46.06	54.0	7.94	AV	10.00	300	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.12	74.0	17.88	Peak	55.00	200	Horizontal	Pass
1**	5350.000	43.57	54.0	10.43	AV	55.00	200	Horizontal	Pass
2	5459.264	56.32	74.0	17.68	Peak	112.00	200	Horizontal	Pass
2**	5459.264	46.62	54.0	7.38	AV	112.00	200	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.043	56.68	74.0	17.32	Peak	215.00	200	Horizontal	Pass
1**	4997.043	42.52	54.0	11.48	AV	215.00	200	Horizontal	Pass
2	5150.000	54.84	74.0	19.16	Peak	229.00	100	Horizontal	Pass
2**	5150.000	42.75	54.0	11.25	AV	229.00	100	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.48	74.0	20.52	Peak	268.00	100	Horizontal	Pass
1**	5350.000	45.38	54.0	8.62	AV	268.00	100	Horizontal	Pass
2	5459.950	55.51	74.0	18.49	Peak	298.00	200	Horizontal	Pass
2**	5459.950	43.27	54.0	10.73	AV	298.00	200	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.478	57.05	74.0	16.95	Peak	198.00	300	Horizontal	Pass
1**	4998.478	42.65	54.0	11.35	AV	198.00	300	Horizontal	Pass
2	5150.000	54.47	74.0	19.53	Peak	329.00	200	Horizontal	Pass
2**	5150.000	42.73	54.0	11.27	AV	329.00	200	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.66	74.0	19.34	Peak	228.00	100	Horizontal	Pass
1**	5350.000	43.08	54.0	10.92	AV	228.00	100	Horizontal	Pass
2	5461.079	57.1	74.0	16.90	Peak	339.00	300	Horizontal	Pass
2**	5461.079	45.66	54.0	8.34	AV	339.00	300	Horizontal	Pass

U-NII-2C 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.243	55.39	74.0	18.61	Peak	181.00	200	Horizontal	Pass
1**	5413.391	45.33	54.0	8.67	AV	181.00	200	Horizontal	Pass
2	5460.000	53.64	74.0	20.36	Peak	80.00	100	Horizontal	Pass
2**	5460.000	47.26	54.0	6.74	AV	80.00	100	Horizontal	Pass
3	5468.739	55.91	68.2	12.29	Peak	1.00	200	Horizontal	Pass
3**	5468.435	45.27	--	--	AV	1.00	200	Horizontal	N/A
4	5470.000	54.89	68.2	13.31	Peak	267.00	300	Horizontal	Pass
4**	5470.000	45.47	--	--	AV	267.00	300	Horizontal	N/A

U-NII-2C 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.78	68.2	11.42	Peak	88.00	200	Horizontal	Pass
2	5777.586	58.29	68.2	9.91	Peak	243.00	300	Horizontal	Pass

U-NII-2C 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.430	57.27	74.0	16.73	Peak	131.00	200	Horizontal	Pass
1**	5413.182	43.43	54.0	10.57	AV	131.00	200	Horizontal	Pass
2	5460.000	57.14	74.0	16.86	Peak	240.00	300	Horizontal	Pass
2**	5460.000	45.08	54.0	8.92	AV	240.00	300	Horizontal	Pass
3	5468.839	58.08	68.2	10.12	Peak	21.00	300	Horizontal	Pass
3**	5468.673	46.84	--	--	AV	21.00	300	Horizontal	N/A
4	5470.000	53.11	68.2	15.09	Peak	231.00	300	Horizontal	Pass
4**	5470.000	45.92	--	--	AV	231.00	300	Horizontal	N/A

U-NII-2C 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.33	68.2	14.87	Peak	316.00	100	Horizontal	Pass
2	5776.178	56.87	68.2	11.33	Peak	147.00	200	Horizontal	Pass

U-NII-2C 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.951	57.42	74.0	16.58	Peak	312.00	100	Horizontal	Pass
1**	5410.773	45.5	54.0	8.50	AV	312.00	100	Horizontal	Pass
2	5460.000	55.73	74.0	18.27	Peak	178.00	200	Horizontal	Pass
2**	5460.000	45.64	54.0	8.36	AV	178.00	200	Horizontal	Pass
3	5466.370	55.62	68.2	12.58	Peak	271.00	300	Horizontal	Pass
3**	5467.651	47.49	--	--	AV	271.00	300	Horizontal	N/A
4	5470.000	56.51	68.2	11.69	Peak	47.00	100	Horizontal	Pass
4**	5470.000	44.47	--	--	AV	47.00	100	Horizontal	N/A

U-NII-2C 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54	68.2	14.20	Peak	252.00	300	Horizontal	Pass
2	5776.115	58.14	68.2	10.06	Peak	83.00	300	Horizontal	Pass

U-NII-2C 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.036	57.94	74.0	16.06	Peak	105.00	200	Horizontal	Pass
1**	5413.203	44.16	54.0	9.84	AV	105.00	200	Horizontal	Pass
2	5460.000	55.8	74.0	18.20	Peak	280.00	300	Horizontal	Pass
2**	5460.000	45.18	54.0	8.82	AV	280.00	300	Horizontal	Pass
3	5466.011	56.66	68.2	11.54	Peak	207.00	200	Horizontal	Pass
3**	5468.859	45.43	--	--	AV	207.00	200	Horizontal	N/A
4	5470.000	56.04	68.2	12.16	Peak	186.00	200	Horizontal	Pass
4**	5470.000	45.28	--	--	AV	186.00	200	Horizontal	N/A

U-NII-2C 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.76	68.2	13.44	Peak	179.00	200	Horizontal	Pass
2	5776.398	56.6	68.2	11.60	Peak	222.00	300	Horizontal	Pass

U-NII-2C 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.302	58.51	74.0	15.49	Peak	185.00	100	Horizontal	Pass
1**	5411.071	46.27	54.0	7.73	AV	185.00	100	Horizontal	Pass
2	5460.000	53.95	74.0	20.05	Peak	132.00	100	Horizontal	Pass
2**	5460.000	46.91	54.0	7.09	AV	132.00	100	Horizontal	Pass
3	5465.975	57.59	68.2	10.61	Peak	247.00	200	Horizontal	Pass
3**	5467.033	46.79	--	--	AV	247.00	200	Horizontal	N/A
4	5470.000	52.77	68.2	15.43	Peak	285.00	300	Horizontal	Pass
4**	5470.000	46.98	--	--	AV	285.00	300	Horizontal	N/A

U-NII-2C 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.53	68.2	12.67	Peak	263.00	100	Horizontal	Pass
2	5775.015	58.14	68.2	10.06	Peak	82.00	200	Horizontal	Pass

U-NII-2C 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.175	54.92	74.0	19.08	Peak	44.00	100	Horizontal	Pass
1**	5412.279	43.8	54.0	10.20	AV	44.00	100	Horizontal	Pass
2	5460.000	56.03	74.0	17.97	Peak	335.00	200	Horizontal	Pass
2**	5460.000	46.49	54.0	7.51	AV	335.00	200	Horizontal	Pass
3	5466.924	55.56	68.2	12.64	Peak	343.00	300	Horizontal	Pass
3**	5467.776	44.2	--	--	AV	343.00	300	Horizontal	N/A
4	5470.000	54.33	68.2	13.87	Peak	165.00	200	Horizontal	Pass
4**	5470.000	46.31	--	--	AV	165.00	200	Horizontal	N/A

U-NII-2C 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.83	68.2	14.37	Peak	340.00	300	Horizontal	Pass
2	5776.753	55.99	68.2	12.21	Peak	45.00	200	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.881	57.53	74.0	16.47	Peak	214.00	100	Horizontal	Pass
1**	5410.696	46.15	54.0	7.85	AV	214.00	100	Horizontal	Pass
2	5460.000	54.69	74.0	19.31	Peak	302.00	300	Horizontal	Pass
2**	5460.000	45.74	54.0	8.26	AV	302.00	300	Horizontal	Pass
3	5468.865	57.37	68.2	10.83	Peak	340.00	300	Horizontal	Pass
3**	5468.532	45.51	--	--	AV	340.00	300	Horizontal	N/A
4	5470.000	56.61	68.2	11.59	Peak	96.00	300	Horizontal	Pass
4**	5470.000	44.53	--	--	AV	96.00	300	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.26	68.2	13.94	Peak	107.00	100	Horizontal	Pass
2	5777.352	55	68.2	13.20	Peak	210.00	200	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.259	58.64	74.0	15.36	Peak	145.00	300	Horizontal	Pass
1**	5412.673	44.38	54.0	9.62	AV	145.00	300	Horizontal	Pass
2	5460.000	57.3	74.0	16.70	Peak	320.00	100	Horizontal	Pass
2**	5460.000	44.74	54.0	9.26	AV	320.00	100	Horizontal	Pass
3	5465.952	55.69	68.2	12.51	Peak	355.00	300	Horizontal	Pass
3**	5466.857	46.15	--	--	AV	355.00	300	Horizontal	N/A
4	5470.000	53.29	68.2	14.91	Peak	245.00	200	Horizontal	Pass
4**	5470.000	45.42	--	--	AV	245.00	200	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.59	68.2	12.61	Peak	357.00	100	Horizontal	Pass
2	5776.585	58.21	68.2	9.99	Peak	220.00	200	Horizontal	Pass

U-NII-2C 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.228	58.47	74.0	15.53	Peak	287.00	100	Horizontal	Pass
1**	5411.974	43.15	54.0	10.85	AV	287.00	100	Horizontal	Pass
2	5460.000	56.68	74.0	17.32	Peak	168.00	300	Horizontal	Pass
2**	5460.000	46.62	54.0	7.38	AV	168.00	300	Horizontal	Pass
3	5466.943	56.42	68.2	11.78	Peak	165.00	200	Horizontal	Pass
3**	5466.146	47.96	--	--	AV	165.00	200	Horizontal	N/A
4	5470.000	56.22	68.2	11.98	Peak	317.00	200	Horizontal	Pass
4**	5470.000	44.44	--	--	AV	317.00	200	Horizontal	N/A

U-NII-2C 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.63	68.2	14.57	Peak	88.00	200	Horizontal	Pass
2	5775.994	55.57	68.2	12.63	Peak	323.00	200	Horizontal	Pass

U-NII-3 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.936	56.59	68.2	11.61	Peak	117.00	200	Horizontal	Pass
2	5650.000	52.83	68.2	15.37	Peak	117.00	200	Horizontal	Pass

U-NII-3 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.49	68.2	12.71	Peak	173.00	100	Horizontal	Pass
2	5944.479	57.19	68.2	11.01	Peak	285.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.092	53.78	68.2	14.42	Peak	33.00	200	Horizontal	Pass
2	5650.000	51.42	68.2	16.78	Peak	33.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	52.59	68.2	15.61	Peak	26.00	100	Horizontal	Pass
2	5947.379	54.23	68.2	13.97	Peak	147.00	100	Horizontal	Pass

U-NII-3 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.135	52.25	68.2	15.95	Peak	54.00	100	Horizontal	Pass
2	5650.000	51.41	68.2	16.79	Peak	54.00	100	Horizontal	Pass

U-NII-3 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	49.79	68.2	18.41	Peak	317.00	200	Horizontal	Pass
2	5949.551	53.79	68.2	14.41	Peak	288.00	300	Horizontal	Pass

U-NII-3 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.340	50.14	68.2	18.06	Peak	161.00	200	Horizontal	Pass
2	5650.000	51.94	68.2	16.26	Peak	161.00	200	Horizontal	Pass

U-NII-3 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	48.22	68.2	19.98	Peak	69.00	100	Horizontal	Pass
2	5950.325	53.71	68.2	14.49	Peak	29.00	300	Horizontal	Pass

U-NII-3 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.440	47.43	68.2	20.77	Peak	96.00	300	Horizontal	Pass
2	5650.000	50.48	68.2	17.72	Peak	96.00	300	Horizontal	Pass

U-NII-3 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	49.21	68.2	18.99	Peak	214.00	100	Horizontal	Pass
2	5952.105	52.98	68.2	15.22	Peak	89.00	300	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.810	46.27	68.2	21.93	Peak	347.00	200	Horizontal	Pass
2	5650.000	47.74	68.2	20.46	Peak	347.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	49.49	68.2	18.71	Peak	257.00	100	Horizontal	Pass
2	5953.133	51.29	68.2	16.91	Peak	150.00	100	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.774	44.39	68.2	23.81	Peak	77.00	200	Horizontal	Pass
2	5650.000	46.51	68.2	21.69	Peak	77.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	48.27	68.2	19.93	Peak	179.00	200	Horizontal	Pass
2	5956.012	51.63	68.2	16.57	Peak	121.00	300	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5630.104	43.99	68.2	24.21	Peak	239.00	200	Horizontal	Pass
2	5650.000	47.3	68.2	20.90	Peak	239.00	200	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	46.79	68.2	21.41	Peak	340.00	300	Horizontal	Pass
2	5958.809	51.67	68.2	16.53	Peak	118.00	300	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5628.526	44.2	68.2	24.00	Peak	170.00	100	Horizontal	Pass
2	5650.000	46.41	68.2	21.79	Peak	170.00	100	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	46.87	68.2	21.33	Peak	71.00	100	Horizontal	Pass
2	5959.972	48.89	68.2	19.31	Peak	212.00	300	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2541655-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2541655-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2541655-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--