

RF Exposure Evaluation Report

Report No.: JYTSZ-R12-2500265

Applicant: OneHope Energy Technology Co., Ltd.

Address of Applicant: 2F, Building A11, Yunhui Valley, Software New City, No.156
Tiangu 8th Road, Gaoxin District, Xi'an, Shaanxi, P.R. China

Equipment Under Test (EUT)

Product Name: EQ Gateway

Model No.: EQ-MU-WG

Trade mark: OneHo

FCC ID: 2BN7REQMU-WG

Applicable standards: FCC CFR Title 47 Part 2 (§2.1091)

Date of sample receipt: 05 Mar., 2025

Date of Test: 06 Mar., to 25 Mar., 2025

Date of report issue: 28 Mar., 2025

Test Result: PASS

Project by: Wenjun
Project Engineer

Reviewed by: Detan Chang
Senior Engineer

Approved by: Janet Wei
Manager

Date: 28 Mar., 2025

Date: 28 Mar., 2025

Date: 28 Mar., 2025

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in above the application standard version. Test results reported herein relate only to the item(s) tested.

This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

1 Version

Version No.	Date	Description
00	28 Mar., 2025	Original

2 Contents

Page

Cover Page	1
1 Version	2
2 Contents.....	3
3 General Information.....	4
3.1 Client Information	4
3.2 General Description of E.U.T.	4
3.3 Operating Modes.....	4
3.4 Additions to, deviations, or exclusions from the method.....	6
3.5 Laboratory Facility	6
3.6 Laboratory Location.....	6
4 Technical Requirements Specification	7
4.1 Limits	7
4.2 Test Procedure	7
4.3 Result	8
4.4 Conclusion.....	8

3 General Information

3.1 Client Information

Applicant:	OneHope Energy Technology Co., Ltd.
Address:	2F, Building A11, Yunhui Valley, Software New City, No.156 Tiangu 8th Road, Gaoxin District, Xi'an, Shaanxi, P.R. China
Manufacturer:	OneHope Energy Technology Co., Ltd.
Address:	2F, Building A11, Yunhui Valley, Software New City, No.156 Tiangu 8th Road, Gaoxin District, Xi'an, Shaanxi, P.R. China
Factory?:	Zhejiang dusun electron co.,ltd
Address:	No.640 Feng Qing St,DeQing Zhejiang China

3.2 General Description of E.U.T.

Product Name:	EQ Gateway		
Model No.:	EQ-MU-WG		
2.4GWi-Fi Specification			
Operation Frequency:	2412 MHz - 2462 MHz (802.11b, g, n-HT20)		
	2422 MHz - 2452 MHz (802.11n-HT40)		
Channel Numbers:	11 (802.11b, g, n-HT20)		
	7 (802.11n-HT40)		
Channel Separation:	5MHz		
Modulation Technology: (IEEE 802.11b)	DSSS-DBPSK, DQPSK, CCK		
Modulation Technology: (IEEE 802.11g/n	OFDM-BPSK, QPSK, 16QAM, 64QAM		
Antenna Type:	Internal Antenna		
Antenna Gain:	2.26 dBi (declare by applicant)		
LTE Specification			
Operation Frequency Range:	LTE band 2:	Tx: 1850 MHz - 1910 MHz	Rx: 1930 MHz - 1990 MHz
	LTE band 4:	Tx: 1710 MHz - 1755 MHz	Rx: 2110 MHz - 2155 MHz
	LTE band 5:	Tx: 824 MHz - 849 MHz	Rx: 869 MHz - 894 MHz
	LTE band 7:	Tx: 2500 MHz - 2570 MHz	Rx: 2620 MHz - 2690 MHz
	LTE band 12:	Tx: 699 MHz - 716 MHz	Rx: 729 MHz - 746 MHz
	LTE band 13:	Tx: 777 MHz - 787 MHz	Rx: 746 MHz - 756 MHz
	LTE band 25:	Tx: 1850 MHz - 1915 MHz	Rx: 1930 MHz - 1995 MHz
	LTE band 26:	Tx: 814 MHz - 849 MHz	Rx: 859 MHz - 894 MHz
	LTE band 38:	Tx: 2570 MHz - 2620 MHz	Rx: 2570 MHz - 2620 MHz
	LTE band 41:	Tx: 2496 MHz - 2690 MHz	Rx: 2496 MHz - 2690 MHz
	LTE band 66:	Tx: 1710 MHz - 1780 MHz	Rx: 2110 MHz - 2200 MHz
Modulation Type:	<input checked="" type="checkbox"/> QPSK <input checked="" type="checkbox"/> 16QAM <input type="checkbox"/> 64QAM		
Antenna Type:	External Antenna		
Antenna Gain:	LTE band 2:	3.78 dBi (declare by Applicant)	
	LTE band 4:	5.31 dBi (declare by Applicant)	
	LTE band 5:	-0.85 dBi (declare by Applicant)	
	LTE band 7:	0.08 dBi (declare by Applicant)	
	LTE band 12:	-0.06 dBi (declare by Applicant)	
	LTE band 13:	-1.03 dBi (declare by Applicant)	

	LTE band 25:	3.78 dBi (declare by Applicant)
	LTE band 26:	-0.85 dBi (declare by Applicant)
	LTE band 38:	0.08 dBi (declare by Applicant)
	LTE band 41:	0.08 dBi (declare by Applicant)
	LTE band 66:	3.72 dBi (declare by Applicant)
Test Sample Condition:	The test samples were provided in good working order with no visible defects.	

3.3 Operating Modes

Operating mode	Detail description
2.4G WIFI mode	Keep the EUT in continuously transmitting in 2.4G WIFI mode
LTE mode	Keep the EUT in continuously transmitting in LTE Band 2/4/5/7/12/13/25/26/38/41/66 mode

3.4 Additions to, deviations, or exclusions from the method

No

3.5 Laboratory Facility

The test facility is recognized, certified, or accredited by the following organizations:

● **FCC - Designation No.: CN1211**

JianYan Testing Group Shenzhen Co., Ltd. has been accredited as a testing laboratory by FCC(Federal Communications Commission). The test firm Registration No. is 727551.

● **ISED – CAB identifier.: CN0021**

The 3m Semi-anechoic chamber and 10m Semi-anechoic chamber of JianYan Testing Group Shenzhen Co., Ltd. has been Registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 10106A-1.

● **CNAS - Registration No.: CNAS L15527**

JianYan Testing Group Shenzhen Co., Ltd. is accredited to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration laboratories for the competence of testing. The Registration No. is CNAS L15527.

● **A2LA - Registration No.: 4346.01**

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. The test scope can be found as below link: <https://portal.a2la.org/scopepdf/4346-01.pdf>

3.6 Laboratory Location

JianYan Testing Group Shenzhen Co., Ltd.

Address: No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.

Tel: +86-755-23118282, Fax: +86-755-23116366

Email: info-JYTee@lets.com, Website: <http://jyt.lets.com>

4 Technical Requirements Specification

4.1 Limits

The criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) radiation as specified in 1.1307(b)

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)
(A) Limits for Occupational/Controlled Exposures				
0.3–3.0	614	1.63	*(100)	6
3.0–30	1842/f	4.89/f	*(900/f ²)	6
30–300	61.4	0.163	1.0	6
300–1500			f/300	6
1500–100,000			5	6
(B) Limits for General Population/Uncontrolled Exposure				
0.3–1.34	614	1.63	*(100)	30
1.34–30	824/f	2.19/f	*(180/f ²)	30
30–300	27.5	0.073	0.2	30
300–1500			f/1500	30
1500–100,000			1.0	30

4.2 Test Procedure

Equation from page 18 of OET Bulletin 65, Edition 97-01

$$S = \frac{P \times G}{4 \times \pi \times R^2}$$

Where:

S = power density

P = power input to the antenna

G = numeric gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the centre of radiation of the antenna

4.3 Result

Mode	Maximum Tune-up power (dBm)	Maximum Output power (mW)	Antenna Gain (dBi)	Antenna Gain (numeric)	Distance (cm)	Result (mW/cm ²)	Limits for General Population/ Uncontrolled Exposure (mW/cm ²)	Ratio
2.4G Wi-Fi								
802.11b	15.19	33.04	2.26	1.68	20.00	0.011	1.0	0.011
LTE								
Band 2	25.00	316.23	3.78	2.39	20.00	0.150	1.0	0.15
Band 4	25.00	316.23	5.31	3.40	20.00	0.214	1.0	0.21
Band 5	25.00	316.23	-0.85	0.82	20.00	0.052	0.56	0.09
Band 7	25.00	316.23	0.08	1.02	20.00	0.064	1.0	0.06
Band 12	25.00	316.23	-0.06	0.99	20.00	0.062	0.47	0.13
Band 13	25.00	316.23	-1.03	0.79	20.00	0.050	0.52	0.10
Band 25	25.00	316.23	3.78	2.39	20.00	0.150	1.0	0.15
Band26(L)	25.00	316.23	-0.85	0.82	20.00	0.052	0.55	0.09
Band26(U)	25.00	316.23	0.08	1.02	20.00	0.064	0.55	0.12
Band38	25.00	316.23	0.08	1.02	20.00	0.064	1.0	0.06
Band41	25.00	316.23	3.72	2.36	20.00	0.148	1.0	0.15
Band66	25.00	316.23	3.78	2.39	20.00	0.150	1.0	0.15

Simultaneous transmission(Worse mode):

ANT No.	Mode	Ratio	Total Ratio	Limit
Main ANT	LTE Band 4	0.21	0.221	1.00
Secondary ANT	2.4G WIFI	0.011		

- Note: Just the worst case mode was shown in report.
- Please refer to FCC ID: XMR2023EG916QGL, report No.: PD20230223RF02 is issued Hefei Panwin Technology Co., Ltd.

4.4 Conclusion

The device is exempt from the SAR test and satisfies RF exposure evaluation.

-----End of report-----