



Appendix A

RF Test Data for BT(Conducted Measurement)

Product Name: Smart Audio Glasses

Test Model: UF-SP01

Environmental Conditions

Temperature:	23.9° C
Relative Humidity:	52.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Jerry Chu
Supervised by:	Nick Peng





A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.943	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.942	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.941	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.268	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.287	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.282	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.294	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.29	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.296	N/A	Pass






Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.09	21	Pass
NVNT	1-DH5	2441	Ant1	0.21	21	Pass
NVNT	1-DH5	2480	Ant1	1.23	21	Pass
NVNT	2-DH5	2402	Ant1	0.45	21	Pass
NVNT	2-DH5	2441	Ant1	0.89	21	Pass
NVNT	2-DH5	2480	Ant1	0.02	21	Pass
NVNT	3-DH5	2402	Ant1	-0.75	21	Pass
NVNT	3-DH5	2441	Ant1	-0.03	21	Pass
NVNT	3-DH5	2480	Ant1	0.46	21	Pass






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1









Power NVNT 2-DH5 2441MHz Ant1



Power NVNT 2-DH5 2480MHz Ant1









A.3 Carrier Frequencies Separation


Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.838	2402.842	1.004	0.629	Pass
NVNT	2-DH5	Ant1	2402.072	2403.03	0.958	0.858	Pass
NVNT	3-DH5	Ant1	2402.022	2403.028	1.006	0.864	Pass







Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.91	291	100	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.898	321.678	111	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	344.743	119	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass







Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1







A.6 Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-56.58	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-57.61	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-51.64	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-51.89	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-51.7	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-54.14	-20	Pass






Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-61.21	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-61.66	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-60.1	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-58.99	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-61.5	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-56.55	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission









Shenzhen LCS Compliance Testing Laboratory Ltd.



Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China



Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity











A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-54.83	-20	Pass
NVNT	1-DH5	2441	Ant1	-54.69	-20	Pass
NVNT	1-DH5	2480	Ant1	-56.83	-20	Pass
NVNT	2-DH5	2402	Ant1	-53.28	-20	Pass
NVNT	2-DH5	2441	Ant1	-54.63	-20	Pass
NVNT	2-DH5	2480	Ant1	-52.63	-20	Pass
NVNT	3-DH5	2402	Ant1	-50.47	-20	Pass
NVNT	3-DH5	2441	Ant1	-51.63	-20	Pass
NVNT	3-DH5	2480	Ant1	-53.07	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref



Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2480	Ant1	77.33	1.12	0.34
NVNT	3-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant1	97.22	0.12	7.14
NVNT	3-DH5	2480	Ant1	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-51.36	2.0	-	45.90	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.91	2.0	1.1	39.45	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2379.792	-47.56	2.0	-	49.70	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2385.264	-57.43	2.0	1.1	40.93	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.99	2.0	-	46.27	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.26	2.0	1.1	40.10	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-50.32	2.0	-	46.94	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-57.48	2.0	1.1	40.88	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2485.912	-43.64	2.0	-	53.62	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2484.496	-56.98	2.0	1.1	41.38	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.54	2.0	-	47.72	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.06	2.0	1.1	40.30	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-49.34	2.0	-	47.92	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-59.04	2.0	1.12	39.34	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2364.048	-47.07	2.0	-	50.19	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2365.872	-57.67	2.0	1.12	40.71	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-50.81	2.0	-	46.45	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.69	2.0	1.12	39.69	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-48.47	2.0	-	48.79	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.81	2.0	1.12	40.57	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2490.592	-46.44	2.0	-	50.82	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2490.904	-57.21	2.0	1.12	41.17	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-50.37	2.0	-	46.89	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.13	2.0	1.12	40.25	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.68	2.0	-	46.58	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.35	2.0	1.12	40.03	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2350.704	-47.58	2.0	-	49.68	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2369.328	-57.61	2.0	1.12	40.77	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-51.99	2.0	-	45.27	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.92	2.0	1.12	39.46	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-49.57	2.0	-	47.69	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.34	2.0	1.12	41.04	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2484.4	-45.55	2.0	-	51.71	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.92	-57.02	2.0	1.12	41.36	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-50.48	2.0	-	46.78	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.08	2.0	1.12	40.30	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs



Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak







Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average














Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

