



















































Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	15.03	0.23	15.26	24	Pass
NVNT	a	5200	Ant1	14.77	0.21	14.98	24	Pass
NVNT	a	5240	Ant1	14.68	0.21	14.89	24	Pass
NVNT	a	5260	Ant1	14.49	0.23	14.72	24	Pass
NVNT	a	5280	Ant1	14.35	0.21	14.56	24	Pass
NVNT	a	5320	Ant1	14.36	0.21	14.57	24	Pass
NVNT	a	5500	Ant1	14.19	0.21	14.4	24	Pass
NVNT	a	5600	Ant1	14.67	0.21	14.88	24	Pass
NVNT	a	5700	Ant1	15.55	0.21	15.76	24	Pass
NVNT	a	5745	Ant1	15.37	0.21	15.58	30	Pass
NVNT	a	5785	Ant1	15.37	0.21	15.58	30	Pass
NVNT	a	5825	Ant1	14.83	0.21	15.04	30	Pass
NVNT	n20	5180	Ant1	14.45	0.27	14.72	24	Pass
NVNT	n20	5200	Ant1	14.64	0.22	14.86	24	Pass
NVNT	n20	5240	Ant1	14.61	0.25	14.86	24	Pass
NVNT	n20	5260	Ant1	14.41	0.27	14.68	24	Pass
NVNT	n20	5280	Ant1	14.22	0.25	14.47	24	Pass
NVNT	n20	5320	Ant1	14.33	0.1	14.43	24	Pass
NVNT	n20	5500	Ant1	13.97	0.22	14.19	24	Pass
NVNT	n20	5600	Ant1	14.56	0.25	14.81	24	Pass
NVNT	n20	5700	Ant1	15.39	0.27	15.66	24	Pass
NVNT	n20	5745	Ant1	15.24	0.1	15.34	30	Pass
NVNT	n20	5785	Ant1	15.26	0.1	15.36	30	Pass
NVNT	n20	5825	Ant1	14.93	0	14.93	30	Pass
NVNT	n40	5190	Ant1	14.53	0.49	15.02	24	Pass
NVNT	n40	5230	Ant1	14.07	0.49	14.56	24	Pass
NVNT	n40	5270	Ant1	14.05	0.15	14.2	24	Pass
NVNT	n40	5310	Ant1	14.05	0.2	14.25	24	Pass
NVNT	n40	5510	Ant1	12.99	0.49	13.48	24	Pass
NVNT	n40	5590	Ant1	14.62	0.15	14.77	24	Pass
NVNT	n40	5670	Ant1	14.48	0.49	14.97	24	Pass
NVNT	n40	5755	Ant1	14.64	0.49	15.13	30	Pass
NVNT	n40	5795	Ant1	15	0.2	15.2	30	Pass
NVNT	ac20	5180	Ant1	13.89	0.25	14.14	24	Pass
NVNT	ac20	5200	Ant1	14	0	14	24	Pass
NVNT	ac20	5240	Ant1	13.64	0.25	13.89	24	Pass
NVNT	ac20	5260	Ant1	13.63	0.22	13.85	24	Pass
NVNT	ac20	5280	Ant1	13.41	0.25	13.66	24	Pass
NVNT	ac20	5320	Ant1	13.5	0	13.5	24	Pass
NVNT	ac20	5500	Ant1	13.08	0.25	13.33	24	Pass
NVNT	ac20	5600	Ant1	13.73	0.22	13.95	24	Pass
NVNT	ac20	5700	Ant1	14.62	0	14.62	24	Pass
NVNT	ac20	5745	Ant1	14.18	0.22	14.4	30	Pass
NVNT	ac20	5785	Ant1	14.45	0	14.45	30	Pass
NVNT	ac20	5825	Ant1	13.96	0.1	14.06	30	Pass
NVNT	ac40	5190	Ant1	13.43	0.53	13.96	24	Pass
NVNT	ac40	5230	Ant1	13.45	0.15	13.6	24	Pass
NVNT	ac40	5270	Ant1	13.08	0.15	13.23	24	Pass
NVNT	ac40	5310	Ant1	13.16	0.15	13.31	24	Pass
NVNT	ac40	5510	Ant1	12.68	0.48	13.16	24	Pass
NVNT	ac40	5590	Ant1	13.52	0.48	14	24	Pass
NVNT	ac40	5670	Ant1	13.45	0.48	13.93	24	Pass
NVNT	ac40	5755	Ant1	14.04	0.15	14.19	30	Pass
NVNT	ac40	5795	Ant1	13.79	0.48	14.27	30	Pass
NVNT	ac80	5210	Ant1	13.25	0.3	13.55	24	Pass
NVNT	ac80	5290	Ant1	12.96	0.3	13.26	24	Pass
NVNT	ac80	5530	Ant1	12.96	0.4	13.36	24	Pass
NVNT	ac80	5610	Ant1	12.4	0.84	13.24	24	Pass
NVNT	ac80	5775	Ant1	13.98	0.3	14.28	30	Pass


-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	23.95	N/A	N/A
NVNT	a	5200	Ant1	23.91	N/A	N/A
NVNT	a	5240	Ant1	23.65	N/A	N/A
NVNT	a	5260	Ant1	23.64	N/A	N/A
NVNT	a	5280	Ant1	23.83	N/A	N/A
NVNT	a	5320	Ant1	24.56	N/A	N/A
NVNT	a	5500	Ant1	24.03	N/A	N/A
NVNT	a	5600	Ant1	23.86	N/A	N/A
NVNT	a	5700	Ant1	24.31	N/A	N/A
NVNT	n20	5180	Ant1	24.5	N/A	N/A
NVNT	n20	5200	Ant1	25.08	N/A	N/A
NVNT	n20	5240	Ant1	24.85	N/A	N/A
NVNT	n20	5260	Ant1	24.37	N/A	N/A
NVNT	n20	5280	Ant1	24.92	N/A	N/A
NVNT	n20	5320	Ant1	24.37	N/A	N/A
NVNT	n20	5500	Ant1	24.96	N/A	N/A
NVNT	n20	5600	Ant1	24.43	N/A	N/A
NVNT	n20	5700	Ant1	25.18	N/A	N/A
NVNT	n40	5190	Ant1	41.32	N/A	N/A
NVNT	n40	5230	Ant1	41.6	N/A	N/A
NVNT	n40	5270	Ant1	41.17	N/A	N/A
NVNT	n40	5310	Ant1	41.35	N/A	N/A
NVNT	n40	5510	Ant1	41.26	N/A	N/A
NVNT	n40	5590	Ant1	41.48	N/A	N/A
NVNT	n40	5670	Ant1	41.45	N/A	N/A
NVNT	ac20	5180	Ant1	25.04	N/A	N/A
NVNT	ac20	5200	Ant1	24.56	N/A	N/A
NVNT	ac20	5240	Ant1	24.34	N/A	N/A
NVNT	ac20	5260	Ant1	24.28	N/A	N/A
NVNT	ac20	5280	Ant1	24.45	N/A	N/A
NVNT	ac20	5320	Ant1	24.7	N/A	N/A
NVNT	ac20	5500	Ant1	24.73	N/A	N/A
NVNT	ac20	5600	Ant1	24.37	N/A	N/A
NVNT	ac20	5700	Ant1	25.01	N/A	N/A
NVNT	ac40	5190	Ant1	41.33	N/A	N/A
NVNT	ac40	5230	Ant1	41.12	N/A	N/A
NVNT	ac40	5270	Ant1	41.14	N/A	N/A
NVNT	ac40	5310	Ant1	40.89	N/A	N/A
NVNT	ac40	5510	Ant1	41.43	N/A	N/A
NVNT	ac40	5590	Ant1	41.82	N/A	N/A
NVNT	ac40	5670	Ant1	41.15	N/A	N/A
NVNT	ac80	5210	Ant1	85.2	N/A	N/A
NVNT	ac80	5290	Ant1	85.34	N/A	N/A
NVNT	ac80	5530	Ant1	84.95	N/A	N/A
NVNT	ac80	5610	Ant1	84.82	N/A	N/A





































































Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.732
NVNT	a	5200	Ant1	16.768
NVNT	a	5240	Ant1	16.732
NVNT	a	5260	Ant1	16.729
NVNT	a	5280	Ant1	16.726
NVNT	a	5320	Ant1	16.747
NVNT	a	5500	Ant1	16.768
NVNT	a	5600	Ant1	16.771
NVNT	a	5700	Ant1	16.786
NVNT	a	5745	Ant1	16.756
NVNT	a	5785	Ant1	16.789
NVNT	a	5825	Ant1	16.801
NVNT	n20	5180	Ant1	17.938
NVNT	n20	5200	Ant1	17.923
NVNT	n20	5240	Ant1	17.902
NVNT	n20	5260	Ant1	17.935
NVNT	n20	5280	Ant1	17.932
NVNT	n20	5320	Ant1	17.923
NVNT	n20	5500	Ant1	17.947
NVNT	n20	5600	Ant1	17.953
NVNT	n20	5700	Ant1	17.977
NVNT	n20	5745	Ant1	17.959
NVNT	n20	5785	Ant1	17.956
NVNT	n20	5825	Ant1	17.989
NVNT	n40	5190	Ant1	36.542
NVNT	n40	5230	Ant1	36.542
NVNT	n40	5270	Ant1	36.566
NVNT	n40	5310	Ant1	36.548
NVNT	n40	5510	Ant1	36.494
NVNT	n40	5590	Ant1	36.56
NVNT	n40	5670	Ant1	36.56
NVNT	n40	5755	Ant1	36.5
NVNT	n40	5795	Ant1	36.524
NVNT	ac20	5180	Ant1	17.923
NVNT	ac20	5200	Ant1	17.911
NVNT	ac20	5240	Ant1	17.92
NVNT	ac20	5260	Ant1	17.929
NVNT	ac20	5280	Ant1	17.92
NVNT	ac20	5320	Ant1	17.944
NVNT	ac20	5500	Ant1	17.923
NVNT	ac20	5600	Ant1	17.95
NVNT	ac20	5700	Ant1	17.941
NVNT	ac20	5745	Ant1	17.944
NVNT	ac20	5785	Ant1	17.935
NVNT	ac20	5825	Ant1	17.95
NVNT	ac40	5190	Ant1	36.512
NVNT	ac40	5230	Ant1	36.506
NVNT	ac40	5270	Ant1	36.542
NVNT	ac40	5310	Ant1	36.518
NVNT	ac40	5510	Ant1	36.506
NVNT	ac40	5590	Ant1	36.524
NVNT	ac40	5670	Ant1	36.524
NVNT	ac40	5755	Ant1	36.488
NVNT	ac40	5795	Ant1	36.506
NVNT	ac80	5210	Ant1	76.156
NVNT	ac80	5290	Ant1	76.288
NVNT	ac80	5530	Ant1	76.072
NVNT	ac80	5610	Ant1	76.18
NVNT	ac80	5775	Ant1	76.216






















































































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	3.12	0.23	3.35	11	Pass
NVNT	a	5200	Ant1	2.83	0.21	3.04	11	Pass
NVNT	a	5240	Ant1	3.17	0.21	3.38	11	Pass
NVNT	a	5260	Ant1	2.83	0.23	3.06	11	Pass
NVNT	a	5280	Ant1	2.79	0.21	3	11	Pass
NVNT	a	5320	Ant1	2.52	0.21	2.73	11	Pass
NVNT	a	5500	Ant1	2.68	0.21	2.89	11	Pass
NVNT	a	5600	Ant1	3.46	0.21	3.67	11	Pass
NVNT	a	5700	Ant1	4.14	0.21	4.35	11	Pass
NVNT	a	5745	Ant1	1.7	0.21	1.91	30	Pass
NVNT	a	5785	Ant1	0.46	0.21	0.67	30	Pass
NVNT	a	5825	Ant1	0.18	0.21	0.39	30	Pass
NVNT	n20	5180	Ant1	2.44	0.27	2.71	11	Pass
NVNT	n20	5200	Ant1	2.96	0.22	3.18	11	Pass
NVNT	n20	5240	Ant1	2.71	0.25	2.96	11	Pass
NVNT	n20	5260	Ant1	2.28	0.27	2.55	11	Pass
NVNT	n20	5280	Ant1	2.71	0.25	2.96	11	Pass
NVNT	n20	5320	Ant1	1.72	0.1	1.82	11	Pass
NVNT	n20	5500	Ant1	2.53	0.22	2.75	11	Pass
NVNT	n20	5600	Ant1	2.19	0.25	2.44	11	Pass
NVNT	n20	5700	Ant1	3.34	0.27	3.61	11	Pass
NVNT	n20	5745	Ant1	1.11	0.1	1.21	30	Pass
NVNT	n20	5785	Ant1	0.28	0.1	0.38	30	Pass
NVNT	n20	5825	Ant1	-0.45	0	-0.45	30	Pass
NVNT	n40	5190	Ant1	-0.65	0.49	-0.16	11	Pass
NVNT	n40	5230	Ant1	-1.28	0.49	-0.79	11	Pass
NVNT	n40	5270	Ant1	-2.03	0.15	-1.88	11	Pass
NVNT	n40	5310	Ant1	-2.33	0.2	-2.13	11	Pass
NVNT	n40	5510	Ant1	-2.37	0.49	-1.88	11	Pass
NVNT	n40	5590	Ant1	-1.24	0.15	-1.09	11	Pass
NVNT	n40	5670	Ant1	-1.13	0.49	-0.64	11	Pass
NVNT	n40	5755	Ant1	-3.83	0.49	-3.34	30	Pass
NVNT	n40	5795	Ant1	-4.56	0.2	-4.36	30	Pass
NVNT	ac20	5180	Ant1	2.06	0.25	2.31	11	Pass
NVNT	ac20	5200	Ant1	1.64	0	1.64	11	Pass
NVNT	ac20	5240	Ant1	1.87	0.25	2.12	11	Pass
NVNT	ac20	5260	Ant1	0.86	0.22	1.08	11	Pass
NVNT	ac20	5280	Ant1	1.19	0.25	1.44	11	Pass
NVNT	ac20	5320	Ant1	1.16	0	1.16	11	Pass
NVNT	ac20	5500	Ant1	1.55	0.25	1.8	11	Pass
NVNT	ac20	5600	Ant1	1.41	0.22	1.63	11	Pass
NVNT	ac20	5700	Ant1	2.59	0	2.59	11	Pass
NVNT	ac20	5745	Ant1	-0.55	0.22	-0.33	30	Pass
NVNT	ac20	5785	Ant1	-0.79	0	-0.79	30	Pass
NVNT	ac20	5825	Ant1	-1.26	0.1	-1.16	30	Pass
NVNT	ac40	5190	Ant1	-2.8	0.53	-2.27	11	Pass
NVNT	ac40	5230	Ant1	-3.25	0.15	-3.1	11	Pass
NVNT	ac40	5270	Ant1	-3.21	0.15	-3.06	11	Pass
NVNT	ac40	5310	Ant1	-2.65	0.15	-2.5	11	Pass
NVNT	ac40	5510	Ant1	-3.46	0.48	-2.98	11	Pass
NVNT	ac40	5590	Ant1	-2.45	0.48	-1.97	11	Pass
NVNT	ac40	5670	Ant1	-2.8	0.48	-2.32	11	Pass
NVNT	ac40	5755	Ant1	-5.13	0.15	-4.98	30	Pass
NVNT	ac40	5795	Ant1	-5.04	0.48	-4.56	30	Pass
NVNT	ac80	5210	Ant1	-7.52	0.3	-7.22	11	Pass
NVNT	ac80	5290	Ant1	-7.42	0.3	-7.12	11	Pass
NVNT	ac80	5530	Ant1	-7.9	0.4	-7.5	11	Pass
NVNT	ac80	5610	Ant1	-8.19	0.84	-7.35	11	Pass
NVNT	ac80	5775	Ant1	-10.68	0.3	-10.38	30	Pass

