



## 802.11ac(VHT40) HCH 5795MHz Ant1 NTN




## 802.11ac(VHT80) MCH 5775MHz Ant1 NTN




### 2.2.3 26dB BW


802.11a LCH 5180MHz Ant1 NTNv




802.11a MCH 5200MHz Ant1 NTNv




## 802.11a HCH 5240MHz Ant1 NTNv




## 802.11n(HT20)\_LCH\_5180MHz\_Ant1\_NTNv




## 802.11n(HT20) MCH 5200MHz Ant1 NTNv




## 802.11n(HT20) HCH 5240MHz Ant1 NTNv




## 802.11n(HT40) LCH 5190MHz Ant1 NTN




## 802.11n(HT40) HCH 5230MHz Ant1 NTN




## 802.11ac(VHT20) LCH 5180MHz Ant1 NTNv




## 802.11ac(VHT20) MCH 5200MHz Ant1 NTNv




## 802.11ac(VHT20) HCH 5240MHz Ant1 NTNv




## 802.11ac(VHT40) LCH 5190MHz Ant1 NTNv



## 802.11ac(VHT40) HCH 5230MHz Ant1 NTNv



## 802.11ac(VHT80) MCH 5210MHz Ant1 NTNv



### 3. Maximum Conducted Output Power


#### 3.1 Test Result

##### 3.1.1 Power


| Mode             | TX Type | Frequency (MHz) | Maximum Average Conducted Output Power (dBm) |         | Verdict |
|------------------|---------|-----------------|----------------------------------------------|---------|---------|
|                  |         |                 | ANT1                                         | Limit   |         |
| 802.11a          | SISO    | 5180            | 7.76                                         | <=23.98 | Pass    |
|                  |         | 5200            | 6.69                                         | <=23.98 | Pass    |
|                  |         | 5240            | 5.82                                         | <=23.98 | Pass    |
|                  |         | 5745            | 10.71                                        | <=30    | Pass    |
|                  |         | 5785            | 10.95                                        | <=30    | Pass    |
|                  |         | 5825            | 9.17                                         | <=30    | Pass    |
| 802.11n (HT20)   | SISO    | 5180            | 7.51                                         | <=23.98 | Pass    |
|                  |         | 5200            | 6.70                                         | <=23.98 | Pass    |
|                  |         | 5240            | 5.78                                         | <=23.98 | Pass    |
|                  |         | 5745            | 10.72                                        | <=30    | Pass    |
|                  |         | 5785            | 10.73                                        | <=30    | Pass    |
|                  |         | 5825            | 9.21                                         | <=30    | Pass    |
| 802.11n (HT40)   | SISO    | 5190            | 7.28                                         | <=23.98 | Pass    |
|                  |         | 5230            | 5.86                                         | <=23.98 | Pass    |
|                  |         | 5755            | 11.10                                        | <=30    | Pass    |
|                  |         | 5795            | 10.81                                        | <=30    | Pass    |
| 802.11ac (VHT20) | SISO    | 5180            | 8.76                                         | <=23.98 | Pass    |
|                  |         | 5200            | 7.80                                         | <=23.98 | Pass    |
|                  |         | 5240            | 6.91                                         | <=23.98 | Pass    |
|                  |         | 5745            | 10.71                                        | <=30    | Pass    |
|                  |         | 5785            | 10.62                                        | <=30    | Pass    |
|                  |         | 5825            | 9.09                                         | <=30    | Pass    |
| 802.11ac (VHT40) | SISO    | 5190            | 7.32                                         | <=23.98 | Pass    |
|                  |         | 5230            | 5.88                                         | <=23.98 | Pass    |
|                  |         | 5755            | 10.98                                        | <=30    | Pass    |
|                  |         | 5795            | 10.67                                        | <=30    | Pass    |
| 802.11ac (VHT80) | SISO    | 5210            | 6.42                                         | <=23.98 | Pass    |
|                  |         | 5775            | 11.04                                        | <=30    | Pass    |

## 3.2 Test Graph


### 3.2.1 Power




## 802.11a\_HCH\_5240MHz\_Ant1\_NTNV




## 802.11a\_LCH\_5745MHz\_Ant1\_NTNV




## 802.11a\_MCH\_5785MHz\_Ant1\_NTNV




## 802.11a\_HCH\_5825MHz\_Ant1\_NTNV




## 802.11n(HT20) LCH 5180MHz Ant1 NTN




## 802.11n(HT20) MCH 5200MHz Ant1 NTN




## 802.11n(HT20) HCH 5240MHz Ant1 NTN




## 802.11n(HT20) LCH 5745MHz Ant1 NTN




## 802.11n(HT20) MCH 5785MHz Ant1 NTN




## 802.11n(HT20) HCH 5825MHz Ant1 NTN




## 802.11n(HT40) LCH 5190MHz Ant1 NTN




## 802.11n(HT40) HCH 5230MHz Ant1 NTN




## 802.11n(HT40) LCH 5755MHz Ant1 NTN




## 802.11n(HT40) HCH 5795MHz Ant1 NTN




## 802.11ac(VHT20) LCH 5180MHz Ant1 NTN




## 802.11ac(VHT20) MCH 5200MHz Ant1 NTN




## 802.11ac(VHT20) HCH 5240MHz Ant1 NTN




## 802.11ac(VHT20) LCH 5745MHz Ant1 NTN




## 802.11ac(VHT20) MCH 5785MHz Ant1 NTN




## 802.11ac(VHT20) HCH 5825MHz Ant1 NTN




## 802.11ac(VHT40) LCH 5190MHz Ant1 NTN




## 802.11ac(VHT40) HCH 5230MHz Ant1 NTN




## 802.11ac(VHT40) LCH 5755MHz Ant1 NTN




## 802.11ac(VHT40) HCH 5795MHz Ant1 NTN



## 802.11ac(VHT80) MCH 5210MHz Ant1 NTN



## 802.11ac(VHT80) MCH 5775MHz Ant1 NTN



## 4. Maximum Power Spectral Density

### 4.1 Test Result

#### 4.1.1 PSD


| Mode             | TX Type | Frequency (MHz) | Maximum PSD (dBm/MHz) |       | Verdict |
|------------------|---------|-----------------|-----------------------|-------|---------|
|                  |         |                 | ANT1                  | Limit |         |
| 802.11a          | SISO    | 5180            | -2.34                 | <=11  | Pass    |
|                  |         | 5200            | -3.53                 | <=11  | Pass    |
|                  |         | 5240            | -4.54                 | <=11  | Pass    |
| 802.11n (HT20)   | SISO    | 5180            | -2.92                 | <=11  | Pass    |
|                  |         | 5200            | -3.75                 | <=11  | Pass    |
|                  |         | 5240            | -4.53                 | <=11  | Pass    |
| 802.11n (HT40)   | SISO    | 5190            | -6.08                 | <=11  | Pass    |
|                  |         | 5230            | -7.69                 | <=11  | Pass    |
| 802.11ac (VHT20) | SISO    | 5180            | -1.52                 | <=11  | Pass    |
|                  |         | 5200            | -2.71                 | <=11  | Pass    |
|                  |         | 5240            | -3.47                 | <=11  | Pass    |
| 802.11ac (VHT40) | SISO    | 5190            | -6.03                 | <=11  | Pass    |
|                  |         | 5230            | -7.56                 | <=11  | Pass    |
| 802.11ac (VHT80) | SISO    | 5210            | -10.27                | <=11  | Pass    |

#### 4.1.2 PSD-Band3


| Mode             | TX Type | Frequency (MHz) | Maximum PSD (dBm/500kHz) |       | Verdict |
|------------------|---------|-----------------|--------------------------|-------|---------|
|                  |         |                 | ANT1                     | Limit |         |
| 802.11a          | SISO    | 5745            | -2.29                    | <=30  | Pass    |
|                  |         | 5785            | -2.02                    | <=30  | Pass    |
|                  |         | 5825            | -3.77                    | <=30  | Pass    |
| 802.11n (HT20)   | SISO    | 5745            | -2.47                    | <=30  | Pass    |
|                  |         | 5785            | -2.54                    | <=30  | Pass    |
|                  |         | 5825            | -3.91                    | <=30  | Pass    |
| 802.11n (HT40)   | SISO    | 5755            | -5.23                    | <=30  | Pass    |
|                  |         | 5795            | -5.32                    | <=30  | Pass    |
| 802.11ac (VHT20) | SISO    | 5745            | -2.50                    | <=30  | Pass    |
|                  |         | 5785            | -2.70                    | <=30  | Pass    |
|                  |         | 5825            | -4.04                    | <=30  | Pass    |
| 802.11ac (VHT40) | SISO    | 5755            | -5.31                    | <=30  | Pass    |
|                  |         | 5795            | -5.44                    | <=30  | Pass    |
| 802.11ac (VHT80) | SISO    | 5775            | -8.19                    | <=30  | Pass    |

## 4.2 Test Graph


### 4.2.1 PSD




802.11a HCH 5240MHz Ant1 NTN




802.11n(HT20)\_LCH\_5180MHz\_Ant1\_NTN




## 802.11n(HT20) MCH 5200MHz Ant1 NTNv




## 802.11n(HT20) HCH 5240MHz Ant1 NTNv




## 802.11n(HT40) LCH 5190MHz Ant1 NTN




## 802.11n(HT40) HCH 5230MHz Ant1 NTN




## 802.11ac(VHT20) LCH 5180MHz Ant1 NTNv




## 802.11ac(VHT20) MCH 5200MHz Ant1 NTNv




## 802.11ac(VHT20) HCH 5240MHz Ant1 NTN




## 802.11ac(VHT40) LCH 5190MHz Ant1 NTN



## 802.11ac(VHT40) HCH 5230MHz Ant1 NTN




## 802.11ac(VHT80) MCH 5210MHz Ant1 NTN




## 4.2.2 PSD-Band3


802.11a LCH 5745MHz Ant1 NTN




802.11a MCH 5785MHz Ant1 NTN




## 802.11a HCH 5825MHz Ant1 NTNv




## 802.11n(HT20)\_LCH\_5745MHz\_Ant1\_NTNv




## 802.11n(HT20) MCH 5785MHz Ant1 NTNv




## 802.11n(HT20) HCH 5825MHz Ant1 NTNv




## 802.11n(HT40) LCH 5755MHz Ant1 NTV




## 802.11n(HT40) HCH 5795MHz Ant1 NTV




## 802.11ac(VHT20) LCH 5745MHz\_Ant1\_NTNV




## 802.11ac(VHT20)\_MCH\_5785MHz\_Ant1\_NTNV




## 802.11ac(VHT20) HCH 5825MHz Ant1 NTN




## 802.11ac(VHT40) LCH 5755MHz Ant1 NTN



## 802.11ac(VHT40) HCH 5795MHz Ant1 NTN



## 802.11ac(VHT80) MCH 5775MHz Ant1 NTN



## 5. Frequency Stability

### 5.1 Test Result

#### 5.1.1 Ant1

| Ant1         |         |                 |                  |               |                          |              |         |
|--------------|---------|-----------------|------------------|---------------|--------------------------|--------------|---------|
| Mode         | TX Type | Frequency (MHz) | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| Carrier Wave | SISO    | 5180            | 20               | 102           | 5179.983                 | 5150 to 5250 | Pass    |
|              |         |                 |                  | 120           | 5179.983                 | 5150 to 5250 | Pass    |
|              |         |                 |                  | 138           | 5179.983                 | 5150 to 5250 | Pass    |
|              |         |                 | -30              | 120           | 5179.983                 | 5150 to 5250 | Pass    |
|              |         |                 | -20              | 120           | 5179.983                 | 5150 to 5250 | Pass    |
|              |         |                 | -10              | 120           | 5179.983                 | 5150 to 5250 | Pass    |
|              |         |                 | 0                | 120           | 5179.983                 | 5150 to 5250 | Pass    |
|              |         |                 | 10               | 120           | 5179.983                 | 5150 to 5250 | Pass    |
|              |         |                 | 30               | 120           | 5179.982                 | 5150 to 5250 | Pass    |
|              |         |                 | 40               | 120           | 5179.982                 | 5150 to 5250 | Pass    |
|              |         |                 | 50               | 120           | 5179.982                 | 5150 to 5250 | Pass    |
|              |         | 5200            | 20               | 102           | 5199.980                 | 5150 to 5250 | Pass    |
|              |         |                 |                  | 120           | 5199.979                 | 5150 to 5250 | Pass    |
|              |         |                 |                  | 138           | 5199.979                 | 5150 to 5250 | Pass    |
|              |         |                 | -30              | 120           | 5199.979                 | 5150 to 5250 | Pass    |
|              |         |                 | -20              | 120           | 5199.979                 | 5150 to 5250 | Pass    |
|              |         |                 | -10              | 120           | 5199.979                 | 5150 to 5250 | Pass    |
|              |         |                 | 0                | 120           | 5199.979                 | 5150 to 5250 | Pass    |
|              |         |                 | 10               | 120           | 5199.979                 | 5150 to 5250 | Pass    |
|              |         |                 | 30               | 120           | 5199.979                 | 5150 to 5250 | Pass    |
|              |         |                 | 40               | 120           | 5199.979                 | 5150 to 5250 | Pass    |
|              |         |                 | 50               | 120           | 5199.979                 | 5150 to 5250 | Pass    |
|              |         | 5240            | 20               | 102           | 5239.978                 | 5150 to 5250 | Pass    |
|              |         |                 |                  | 120           | 5239.978                 | 5150 to 5250 | Pass    |
|              |         |                 |                  | 138           | 5239.978                 | 5150 to 5250 | Pass    |
|              |         |                 | -30              | 120           | 5239.978                 | 5150 to 5250 | Pass    |
|              |         |                 | -20              | 120           | 5239.978                 | 5150 to 5250 | Pass    |
|              |         |                 | -10              | 120           | 5239.978                 | 5150 to 5250 | Pass    |
|              |         |                 | 0                | 120           | 5239.978                 | 5150 to 5250 | Pass    |
|              |         |                 | 10               | 120           | 5239.978                 | 5150 to 5250 | Pass    |
|              |         |                 | 30               | 120           | 5239.978                 | 5150 to 5250 | Pass    |
|              |         |                 | 40               | 120           | 5239.978                 | 5150 to 5250 | Pass    |
|              |         |                 | 50               | 120           | 5239.978                 | 5150 to 5250 | Pass    |
|              |         | 5745            | 20               | 102           | 5744.976                 | 5725 to 5850 | Pass    |
|              |         |                 |                  | 120           | 5744.976                 | 5725 to 5850 | Pass    |
|              |         |                 |                  | 138           | 5744.976                 | 5725 to 5850 | Pass    |
|              |         |                 | -30              | 120           | 5744.975                 | 5725 to 5850 | Pass    |
|              |         |                 | -20              | 120           | 5744.975                 | 5725 to 5850 | Pass    |
|              |         |                 | -10              | 120           | 5744.975                 | 5725 to 5850 | Pass    |
|              |         |                 | 0                | 120           | 5744.975                 | 5725 to 5850 | Pass    |
|              |         |                 | 10               | 120           | 5744.975                 | 5725 to 5850 | Pass    |
|              |         |                 | 30               | 120           | 5744.975                 | 5725 to 5850 | Pass    |
|              |         |                 | 40               | 120           | 5744.975                 | 5725 to 5850 | Pass    |
|              |         |                 | 50               | 120           | 5744.975                 | 5725 to 5850 | Pass    |
|              |         | 5785            | 20               | 102           | 5784.975                 | 5725 to 5850 | Pass    |
|              |         |                 |                  | 120           | 5784.974                 | 5725 to 5850 | Pass    |

|  |  |      |     |     |          |              |      |
|--|--|------|-----|-----|----------|--------------|------|
|  |  |      |     | 138 | 5784.974 | 5725 to 5850 | Pass |
|  |  |      | -30 | 120 | 5784.974 | 5725 to 5850 | Pass |
|  |  |      | -20 | 120 | 5784.974 | 5725 to 5850 | Pass |
|  |  |      | -10 | 120 | 5784.974 | 5725 to 5850 | Pass |
|  |  |      | 0   | 120 | 5784.974 | 5725 to 5850 | Pass |
|  |  |      | 10  | 120 | 5784.974 | 5725 to 5850 | Pass |
|  |  |      | 30  | 120 | 5784.974 | 5725 to 5850 | Pass |
|  |  |      | 40  | 120 | 5784.974 | 5725 to 5850 | Pass |
|  |  |      | 50  | 120 | 5784.974 | 5725 to 5850 | Pass |
|  |  | 5825 | 20  | 102 | 5824.974 | 5725 to 5850 | Pass |
|  |  |      |     | 120 | 5824.973 | 5725 to 5850 | Pass |
|  |  |      |     | 138 | 5824.973 | 5725 to 5850 | Pass |
|  |  |      | -30 | 120 | 5824.973 | 5725 to 5850 | Pass |
|  |  |      | -20 | 120 | 5824.973 | 5725 to 5850 | Pass |
|  |  |      | -10 | 120 | 5824.973 | 5725 to 5850 | Pass |
|  |  |      | 0   | 120 | 5824.973 | 5725 to 5850 | Pass |
|  |  |      | 10  | 120 | 5824.973 | 5725 to 5850 | Pass |
|  |  |      | 30  | 120 | 5824.973 | 5725 to 5850 | Pass |
|  |  |      | 40  | 120 | 5824.973 | 5725 to 5850 | Pass |
|  |  |      | 50  | 120 | 5824.973 | 5725 to 5850 | Pass |
|  |  | 5190 | 20  | 102 | 5189.976 | 5150 to 5250 | Pass |
|  |  |      |     | 120 | 5189.976 | 5150 to 5250 | Pass |
|  |  |      |     | 138 | 5189.976 | 5150 to 5250 | Pass |
|  |  |      | -30 | 120 | 5189.976 | 5150 to 5250 | Pass |
|  |  |      | -20 | 120 | 5189.976 | 5150 to 5250 | Pass |
|  |  |      | -10 | 120 | 5189.976 | 5150 to 5250 | Pass |
|  |  |      | 0   | 120 | 5189.976 | 5150 to 5250 | Pass |
|  |  |      | 10  | 120 | 5189.976 | 5150 to 5250 | Pass |
|  |  |      | 30  | 120 | 5189.975 | 5150 to 5250 | Pass |
|  |  |      | 40  | 120 | 5189.975 | 5150 to 5250 | Pass |
|  |  |      | 50  | 120 | 5189.975 | 5150 to 5250 | Pass |
|  |  | 5230 | 20  | 102 | 5229.975 | 5150 to 5250 | Pass |
|  |  |      |     | 120 | 5229.975 | 5150 to 5250 | Pass |
|  |  |      |     | 138 | 5229.975 | 5150 to 5250 | Pass |
|  |  |      | -30 | 120 | 5229.975 | 5150 to 5250 | Pass |
|  |  |      | -20 | 120 | 5229.975 | 5150 to 5250 | Pass |
|  |  |      | -10 | 120 | 5229.975 | 5150 to 5250 | Pass |
|  |  |      | 0   | 120 | 5229.975 | 5150 to 5250 | Pass |
|  |  |      | 10  | 120 | 5229.975 | 5150 to 5250 | Pass |
|  |  |      | 30  | 120 | 5229.975 | 5150 to 5250 | Pass |
|  |  |      | 40  | 120 | 5229.975 | 5150 to 5250 | Pass |
|  |  |      | 50  | 120 | 5229.975 | 5150 to 5250 | Pass |
|  |  | 5755 | 20  | 102 | 5754.973 | 5725 to 5850 | Pass |
|  |  |      |     | 120 | 5754.972 | 5725 to 5850 | Pass |
|  |  |      |     | 138 | 5754.972 | 5725 to 5850 | Pass |
|  |  |      | -30 | 120 | 5754.972 | 5725 to 5850 | Pass |
|  |  |      | -20 | 120 | 5754.972 | 5725 to 5850 | Pass |
|  |  |      | -10 | 120 | 5754.972 | 5725 to 5850 | Pass |
|  |  |      | 0   | 120 | 5754.972 | 5725 to 5850 | Pass |
|  |  |      | 10  | 120 | 5754.972 | 5725 to 5850 | Pass |
|  |  |      | 30  | 120 | 5754.972 | 5725 to 5850 | Pass |
|  |  |      | 40  | 120 | 5754.972 | 5725 to 5850 | Pass |
|  |  |      | 50  | 120 | 5754.972 | 5725 to 5850 | Pass |
|  |  | 5795 | 20  | 102 | 5794.972 | 5725 to 5850 | Pass |
|  |  |      |     | 120 | 5794.972 | 5725 to 5850 | Pass |
|  |  |      |     | 138 | 5794.972 | 5725 to 5850 | Pass |
|  |  |      | -30 | 120 | 5794.972 | 5725 to 5850 | Pass |
|  |  |      | -20 | 120 | 5794.972 | 5725 to 5850 | Pass |
|  |  |      | -10 | 120 | 5794.972 | 5725 to 5850 | Pass |

|  |  |      |     |     |          |              |      |
|--|--|------|-----|-----|----------|--------------|------|
|  |  |      | 0   | 120 | 5794.971 | 5725 to 5850 | Pass |
|  |  |      | 10  | 120 | 5794.971 | 5725 to 5850 | Pass |
|  |  |      | 30  | 120 | 5794.971 | 5725 to 5850 | Pass |
|  |  |      | 40  | 120 | 5794.971 | 5725 to 5850 | Pass |
|  |  |      | 50  | 120 | 5794.971 | 5725 to 5850 | Pass |
|  |  | 5210 | 20  | 102 | 5209.974 | 5150 to 5250 | Pass |
|  |  |      |     | 120 | 5209.974 | 5150 to 5250 | Pass |
|  |  |      |     | 138 | 5209.974 | 5150 to 5250 | Pass |
|  |  |      | -30 | 120 | 5209.974 | 5150 to 5250 | Pass |
|  |  |      | -20 | 120 | 5209.974 | 5150 to 5250 | Pass |
|  |  |      | -10 | 120 | 5209.974 | 5150 to 5250 | Pass |
|  |  |      | 0   | 120 | 5209.974 | 5150 to 5250 | Pass |
|  |  |      | 10  | 120 | 5209.974 | 5150 to 5250 | Pass |
|  |  |      | 30  | 120 | 5209.974 | 5150 to 5250 | Pass |
|  |  |      | 40  | 120 | 5209.974 | 5150 to 5250 | Pass |
|  |  |      | 50  | 120 | 5209.974 | 5150 to 5250 | Pass |
|  |  | 5775 | 20  | 102 | 5774.971 | 5725 to 5850 | Pass |
|  |  |      |     | 120 | 5774.971 | 5725 to 5850 | Pass |
|  |  |      |     | 138 | 5774.971 | 5725 to 5850 | Pass |
|  |  |      | -30 | 120 | 5774.971 | 5725 to 5850 | Pass |
|  |  |      | -20 | 120 | 5774.971 | 5725 to 5850 | Pass |
|  |  |      | -10 | 120 | 5774.971 | 5725 to 5850 | Pass |
|  |  |      | 0   | 120 | 5774.971 | 5725 to 5850 | Pass |
|  |  |      | 10  | 120 | 5774.971 | 5725 to 5850 | Pass |
|  |  |      | 30  | 120 | 5774.971 | 5725 to 5850 | Pass |
|  |  |      | 40  | 120 | 5774.971 | 5725 to 5850 | Pass |
|  |  |      | 50  | 120 | 5774.971 | 5725 to 5850 | Pass |

## 6. Form731

### 6.1 Test Result

#### 6.1.1 Form731

| Lower Freq (MHz) | High Freq (MHz) | MAX Power (W) | MAX Power (dBm) |
|------------------|-----------------|---------------|-----------------|
| 5180             | 5240            | 0.0075        | 8.76            |
| 5745             | 5825            | 0.0124        | 10.95           |
| 5190             | 5230            | 0.0054        | 7.32            |
| 5755             | 5795            | 0.0129        | 11.10           |
| 5210             | 5210            | 0.0044        | 6.42            |