


InvertedF Antenna Specification

Summary

ITEM	ANTSPEC					
ModelName	2.4GANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2450MHz	2500MHz	2400MHz	2450MHz	2500MHz
	0.89	1.39	1.57	-3.1	-0.31	0.29
MAX.Gain	1.57dBi					
Polarization	HorizontalandVertical					
AzimuthBeam Pattern	Omni-directional					
Impedance	50Ohm					
AntennaLength	38.20mm					
Manufacture	ZHUHAIJIELITECHNOLOGYCO.,LTD					


AntennaPhoto&Length(mm)



Horizontal:2400MHz2450MHz2500MHz


Power(dBi)

Max:2.15Min:-37.85Scale:5/div



Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
2400	-0.88826	--27.9301	-5.03716
2450	1.384198	-34.4104	-5.33023
2500	1.564418	-19.8815	-4.44127

Vertical:2400MHz2450MHz2500MHz Power
 (dBi)
 Max:2.15Min:-27.85Scale:5/div



Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
2400	-3.1037	-19.9924	-10.2794
2450	-0.3152	-22.4337	-8.3202
2500	0.2888	-27.3714	-7.05432

ANTTestLabs: AttestationofGlobalComplianceCo.,Ltd.