











Speechi
SpeechiTouch


Model No./Modelo: **ST-65-CONNECT-PRO5**
Input (Entrada): **100-240V~50/60Hz 4.0A**
S/N: 
XXXXXXXXXXXXXXXXXXXX


FCC ID:2BNI5-CGXXGB
IC: 33496-CGXXGB
CAN ICES-003 (B) / NMB-003 (B)
WWW.SPEECHI.COM





Made in China







CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN.




CAUTION: TO PREVENT ELECTRIC SHOCK,
DO NOT REMOVE THE COVER OR SCREWS.
NO USER SERVICEABLE PARTS INSIDE.
REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.
WARNING: DISCONNECT ELECTRICAL POWER PLUG
FROM WALL OUTLET WHEN NOT IN USE.
DANGEROUS HIGH VOLTAGE INSIDE.
Speechi
Address: 12 rue de Weppes, 59800 Lille, France
This device complies with Part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.


Low Blue Light
(Software
Solution)
www.tuv.com
ID XXXXXXXXXX


www.tuv.com
p XXXXXXXXXX





Speechi
SpeechiTouch


Model No./Modelo: **ST-75-CONNECT-PRO5**
Input (Entrada): **100-240V~50/60Hz 4.0A**
S/N: 
XXXXXXXXXXXXXXXXXXXX


FCC ID:2BNI5-CGXXGB
IC: 33496-CGXXGB
CAN ICES-003 (B) / NMB-003 (B)
WWW.SPEECHI.COM





Made in China







CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN.




CAUTION: TO PREVENT ELECTRIC SHOCK,
DO NOT REMOVE THE COVER OR SCREWS.
NO USER SERVICEABLE PARTS INSIDE.
REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.
WARNING: DISCONNECT ELECTRICAL POWER PLUG
FROM WALL OUTLET WHEN NOT IN USE.
DANGEROUS HIGH VOLTAGE INSIDE.
Speechi
Address: 12 rue de Weppes, 59800 Lille, France
This device complies with Part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.


Low Blue Light
(Software
Solution)
www.tuv.com
ID XXXXXXXXXX


www.tuv.com
p XXXXXXXXXX





Speechi
SpeechiTouch

Model No./Modelo: **ST-86-CONNECT-PRO5**
Input (Entrada): **100-240V~50/60Hz 5.0A**
S/N: 
XXXXXXXXXXXXXXXXXXXX

FCC ID:2BNI5-CGXXGB
IC: 33496-CGXXGB
CAN ICES-003 (B) / NMB-003 (B)
WWW.SPEECHI.COM





Made in China


CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN.


CAUTION: TO PREVENT ELECTRIC SHOCK,
DO NOT REMOVE THE COVER OR SCREWS.
NO USER SERVICEABLE PARTS INSIDE.
REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.
WARNING: DISCONNECT ELECTRICAL POWER PLUG
FROM WALL OUTLET WHEN NOT IN USE.
DANGEROUS HIGH VOLTAGE INSIDE.
Speechi
Address: 12 rue de Weppes, 59800 Lille, France
This device complies with Part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.


Low Blue Light
(Software
Solution)
www.tuv.com
ID XXXXXXXXXX


www.tuv.com
p XXXXXXXXXX

Interactive Intelligent Panel

Model No. : **CG98GA**

Supply source: **100-240V~ 50/60Hz 5.0A**

S/N:



XXXXXXXXXXXXXX

FCC ID:2AFG6-CGXXGA

IC:22166-CGXXGA

Guangzhou Shirui Electronics Co.,Ltd

Made in China



CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN



CAUTION : TO PREVENT ELECTRIC SHOCK,
DO NOT REMOVE THE COVER OR SCREWS.
NO USER SERVICEABLE PARTS INSIDE.REFER
SERVICING TO QUALIFIED SERVICE PERSONNEL.

WARNING: DISCONNECT ELECTRICAL POWER
PLUG FROM WALL OUTLET WHEN NOT IN USE.

DANGEROUS HIGH VOLTAGE INSIDE.

This device complies with Part 15 of the FCC Rules. Operation is subject
to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received,including
interference that may cause undesired operation.

CAN ICES-003(B)/NMB-003(B)



Label Location

