




Mode	802.11a	Channel	116
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5439.55	27.89	19.85	47.74	54	-6.26	AVG
		5445.5	40.39	19.87	60.26	74	-13.74	PK
		5467.2	38.93	19.98	58.91	68.2	-9.29	PK
	@	5580	92.32	20.08	112.4	N/A	N/A	PK
	@	5580	84.35	20.08	104.43	N/A	N/A	AVG
		5745.45	40.22	20.39	60.61	68.2	-7.59	PK
	*	11160	31.04	18.93	49.97	74	-24.03	PK
Vertical		5435	39.55	19.82	59.37	74	-14.63	PK
		5447.95	27.81	19.89	47.7	54	-6.3	AVG
		5468.6	40.34	19.99	60.33	68.2	-7.87	PK
	@	5580	84.12	20.08	104.2	N/A	N/A	PK
	@	5580	75.96	20.08	96.04	N/A	N/A	AVG
		5730.4	41.07	20.24	61.31	68.2	-6.89	PK
	*	11160	31.81	18.93	50.74	74	-23.26	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 116)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 116)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 116)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 116)
Band Edge (Average), Vertical



TX, 802.11a (Ch 116)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 116)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	140
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5449.7	27.86	19.9	47.76	54	-6.24	AVG
		5457.75	40.25	19.94	60.19	74	-13.81	PK
		5467.55	39.14	19.99	59.13	68.2	-9.07	PK
	@	5700	89.71	19.96	109.67	N/A	N/A	PK
	@	5700	81.77	19.96	101.73	N/A	N/A	AVG
		5727.25	47.14	20.22	67.36	68.2	-0.84	PK
	*	11400	31.73	19.28	51.01	74	-22.99	PK
Vertical		5428.35	40.24	19.78	60.02	74	-13.98	PK
		5455.65	27.89	19.93	47.82	54	-6.18	AVG
		5460.9	38.67	19.95	58.62	68.2	-9.58	PK
	@	5700	80.5	19.96	100.46	N/A	N/A	PK
	@	5700	73.73	19.96	93.69	N/A	N/A	AVG
		5736.35	41.32	20.31	61.63	68.2	-6.57	PK
	*	11400	31.2	19.28	50.48	74	-23.52	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000





Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1







Mode	802.11a	Channel	149
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5630	40.65	20.07	60.72	68.2	-7.48	PK
		5699	42.93	19.96	62.89	104.46	-41.57	PK
	@	5745	89.5	20.39	109.89	N/A	N/A	PK
	*	11490	31.23	19.52	50.75	74	-23.25	PK
Vertical		5604.5	40.26	20.1	60.36	68.2	-7.84	PK
		5690	40.69	19.98	60.67	97.83	-37.16	PK
	@	5745	82.95	20.39	103.34	N/A	N/A	PK
	*	11490	30.98	19.52	50.5	74	-23.5	PK



Mode	802.11a	Channel	157
------	---------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5639	43.15	20.05	63.2	68.2	-5	PK
		5694	48.41	19.97	68.38	100.78	-32.4	PK
		5785	92.72	20.83	113.55	N/A	N/A	PK
	*	5883.5	50.55	21.26	71.81	98.89	-27.08	PK
		5946	44.28	21.22	65.5	68.2	-2.7	PK
		11570	31.03	19.03	50.06	74	-23.94	PK
Vertical	@	5569	40.34	20.07	60.41	68.2	-7.79	PK
		5700	42.38	19.96	62.34	105.2	-42.86	PK
		5785	84.75	20.83	105.58	N/A	N/A	PK
	*	5892	42.94	21.27	64.21	92.58	-28.37	PK
		5989	40.23	21.33	61.56	68.2	-6.64	PK
		11570	30.22	19.03	49.25	74	-24.75	PK




Mode	802.11a	Channel	165
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	91.3	21.12	112.42	N/A	N/A	PK
		5897	41.07	21.28	62.35	88.88	-26.53	PK
		5988	41.04	21.33	62.37	68.2	-5.83	PK
	*	11650	30.78	18.75	49.53	74	-24.47	PK
Vertical	@	5825	81.9	21.12	103.02	N/A	N/A	PK
		5886.5	40.39	21.27	61.66	96.66	-35	PK
		5932	41.31	21.23	62.54	68.2	-5.66	PK
	*	11650	31.19	18.75	49.94	74	-24.06	PK


TX, 802.11a (Ch 165)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 165)
Radiated Spurious Emission, Vertical



TX, 802.11a (Ch 165)
Band Edge (Peak), Horizontal




TX, 802.11a (Ch 165)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	36
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5148.05	50.31	19.76	70.07	74	-3.93	PK
		5149.8	30.02	19.76	49.78	54	-4.22	AVG
	@	5180	87.35	19.67	107.02	N/A	N/A	PK
	@	5180	79.19	19.67	98.86	N/A	N/A	AVG
Vertical		5144.2	43.16	19.75	62.91	74	-11.09	PK
		5149.8	28.36	19.76	48.12	54	-5.88	AVG
	@	5180	81.63	19.67	101.3	N/A	N/A	PK
	@	5180	72.97	19.67	92.64	N/A	N/A	AVG




Mode	802.11ax(HE20)	Channel	44
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5147.7	39.76	19.75	59.51	74	-14.49	PK
		5149.1	27.49	19.76	47.25	54	-6.75	AVG
	@	5220	87.27	19.48	106.75	N/A	N/A	PK
	@	5220	79.45	19.48	98.93	N/A	N/A	AVG
Vertical		5076.3	39.53	19.58	59.11	74	-14.89	PK
		5136.15	27.57	19.73	47.3	54	-6.7	AVG
	@	5220	82.41	19.48	101.89	N/A	N/A	PK
	@	5220	73	19.48	92.48	N/A	N/A	AVG




Mode	802.11ax(HE20)	Channel	48
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5116.9	40.4	19.69	60.09	74	-13.91	PK
		5137.9	27.41	19.73	47.14	54	-6.86	AVG
	@	5240	87.93	19.35	107.28	N/A	N/A	PK
	@	5240	79.34	19.35	98.69	N/A	N/A	AVG
Vertical		5048.3	40.07	19.49	59.56	74	-14.44	PK
		5142.1	27.46	19.74	47.2	54	-6.8	AVG
	@	5240	84.23	19.35	103.58	N/A	N/A	PK
	@	5240	73.84	19.35	93.19	N/A	N/A	AVG




Mode	802.11ax(HE20)	Channel	52
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	90.76	19.24	110	N/A	N/A	PK
	@	5260	79.8	19.24	99.04	N/A	N/A	AVG
		5457.6	40.55	19.94	60.49	74	-13.51	PK
		5459.9	27.89	19.95	47.84	54	-6.16	AVG
Vertical	@	5260	82.25	19.24	101.49	N/A	N/A	PK
	@	5260	73.87	19.24	93.11	N/A	N/A	AVG
		5455.5	27.84	19.93	47.77	54	-6.23	AVG
		5457.9	40.36	19.94	60.3	74	-13.7	PK




Mode	802.11ax(HE20)	Channel	60
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	88.06	19.08	107.14	N/A	N/A	PK
	@	5300	79.7	19.08	98.78	N/A	N/A	AVG
		5350.8	33.88	19.29	53.17	54	-0.83	AVG
		5351.7	45.72	19.3	65.02	74	-8.98	PK
Vertical	@	5300	87.04	19.08	106.12	N/A	N/A	PK
	@	5300	78.06	19.08	97.14	N/A	N/A	AVG
		5350.8	33.99	19.29	53.28	54	-0.72	AVG
		5352.6	45.77	19.31	65.08	74	-8.92	PK




Mode	802.11ax(HE20)	Channel	64
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	89.62	19.17	108.79	N/A	N/A	PK
	@	5320	80.26	19.17	99.43	N/A	N/A	AVG
		5350.8	51.18	19.29	70.47	74	-3.53	PK
		5351.1	31.63	19.3	50.93	54	-3.07	AVG
Vertical	@	5320	88.47	19.17	107.64	N/A	N/A	PK
	@	5320	78.01	19.17	97.18	N/A	N/A	AVG
		5350.2	31.07	19.29	50.36	54	-3.64	AVG
		5352	50.65	19.3	69.95	74	-4.05	PK



Mode	802.11ax(HE20)	Channel	100
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5459.15	30.76	19.95	50.71	54	-3.29	AVG
		5459.5	45.14	19.95	65.09	74	-8.91	PK
		5463	47.85	19.97	67.82	68.2	-0.38	PK
	@	5500	89.35	20.13	109.48	N/A	N/A	PK
	@	5500	80.74	20.13	100.87	N/A	N/A	AVG
Vertical		5456.7	41.78	19.93	61.71	74	-12.29	PK
		5459.5	30.2	19.95	50.15	54	-3.85	AVG
		5466.15	43.69	19.98	63.67	68.2	-4.53	PK
	@	5500	85.5	20.13	105.63	N/A	N/A	PK
	@	5500	78.08	20.13	98.21	N/A	N/A	AVG




Mode	802.11ax(HE20)	Channel	116
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5419.95	40.6	19.74	60.34	74	-13.66	PK
		5459.85	29.23	19.95	49.18	54	-4.82	AVG
		5464.75	40.35	19.97	60.32	68.2	-7.88	PK
	@	5580	91.71	20.08	111.79	N/A	N/A	PK
	@	5580	83.03	20.08	103.11	N/A	N/A	AVG
		5732.15	41.69	20.27	61.96	68.2	-6.24	PK
Vertical		5429.75	40.88	19.79	60.67	74	-13.33	PK
		5458.1	28.88	19.94	48.82	54	-5.18	AVG
		5468.25	39.92	19.99	59.91	68.2	-8.29	PK
	@	5580	88.28	20.08	108.36	N/A	N/A	PK
	@	5580	79.95	20.08	100.03	N/A	N/A	AVG
		5725.15	40.79	20.2	60.99	68.2	-7.21	PK


TX, 802.11ax(HE20) (Ch 116)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 116)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 116)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 116)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	140
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5449	40.74	19.9	60.64	74	-13.36	PK
		5459.85	28.41	19.95	48.36	54	-5.64	AVG
		5467.2	40.03	19.98	60.01	68.2	-8.19	PK
	@	5700	89.64	19.96	109.6	N/A	N/A	PK
	@	5700	80.49	19.96	100.45	N/A	N/A	AVG
		5726.2	47.36	20.21	67.57	68.2	-0.63	PK
Vertical		5452.15	28.54	19.91	48.45	54	-5.55	AVG
		5452.85	41.11	19.92	61.03	74	-12.97	PK
		5467.2	40.02	19.98	60	68.2	-8.2	PK
	@	5700	84.76	19.96	104.72	N/A	N/A	PK
	@	5700	76.02	19.96	95.98	N/A	N/A	AVG
		5725	45.48	20.2	65.68	68.2	-2.52	PK


TX, 802.11ax(HE20) (Ch 140)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5640.5	39.66	20.05	59.71	68.2	-8.49	PK
		5695	42.26	19.97	62.23	101.51	-39.28	PK
	@	5745	88.9	20.39	109.29	N/A	N/A	PK
Vertical		5615	40.19	20.09	60.28	68.2	-7.92	PK
		5671	40.71	20.01	60.72	83.78	-23.06	PK
	@	5745	83.43	20.39	103.82	N/A	N/A	PK



Mode	802.11ax(HE20)	Channel	157
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5630	41.29	20.07	61.36	68.2	-6.84	PK
		5699	40.77	19.96	60.73	104.46	-43.73	PK
		5785	89	20.83	109.83	N/A	N/A	PK
		5916.5	41.7	21.25	62.95	74.47	-11.52	PK
		6035	41.21	21.42	62.63	68.2	-5.57	PK
Vertical	@	5556.5	41.11	20.05	61.16	68.2	-7.04	PK
		5685	40.62	19.99	60.61	94.13	-33.52	PK
		5785	84.84	20.83	105.67	N/A	N/A	PK
		5899.5	42.16	21.27	63.43	87.03	-23.6	PK
		5972	41.22	21.28	62.5	68.2	-5.7	PK




Mode	802.11ax(HE20)	Channel	165
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	88.63	21.12	109.75	N/A	N/A	PK
		5909.5	41.01	21.26	62.27	79.64	-17.37	PK
		6018.5	41.81	21.4	63.21	68.2	-4.99	PK
Vertical	@	5825	83.18	21.12	104.3	N/A	N/A	PK
		5906	41	21.27	62.27	82.22	-19.95	PK
		6020	40.86	21.4	62.26	68.2	-5.94	PK

TX, 802.11ax(HE20) (Ch 165)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 165)
Band Edge (Peak), Vertical




Mode	802.11ax(HE40)	Channel	38
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5147.7	46.11	19.75	65.86	74	-8.14	PK
		5148.05	33.6	19.76	53.36	54	-0.64	AVG
	@	5190	83.53	19.65	103.18	N/A	N/A	PK
	@	5190	73.24	19.65	92.89	N/A	N/A	AVG
Vertical		5148.4	31.37	19.76	51.13	54	-2.87	AVG
		5149.45	40.4	19.76	60.16	74	-13.84	PK
	@	5190	83.01	19.65	102.66	N/A	N/A	PK
	@	5190	70.88	19.65	90.53	N/A	N/A	AVG


TX, 802.11ax(HE40) (Ch 38)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 38)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 38)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 38)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	46
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5144.55	43.75	19.75	63.5	74	-10.5	PK
		5148.75	29.74	19.76	49.5	54	-4.5	AVG
	@	5230	84.82	19.42	104.24	N/A	N/A	PK
	@	5230	74.36	19.42	93.78	N/A	N/A	AVG
Vertical		5138.25	40.78	19.73	60.51	74	-13.49	PK
		5149.8	29.3	19.76	49.06	54	-4.94	AVG
	@	5230	83.24	19.42	102.66	N/A	N/A	PK
	@	5230	72.74	19.42	92.16	N/A	N/A	AVG



Mode	802.11ax(HE40)	Channel	54
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5270	84.09	19.2	103.29	N/A	N/A	PK
	@	5270	73.71	19.2	92.91	N/A	N/A	AVG
		5355.6	43.29	19.33	62.62	74	-11.38	PK
		5456.7	28.77	19.93	48.7	54	-5.3	AVG
Vertical	@	5270	82.66	19.2	101.86	N/A	N/A	PK
	@	5270	71.85	19.2	91.05	N/A	N/A	AVG
		5448.3	41.59	19.89	61.48	74	-12.52	PK
		5459.1	28.65	19.95	48.6	54	-5.4	AVG

