

1. Duty Cycle


1.1 Test Result

1.1.1 Ant1


Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5180	1.394	1.436	97.08	0.13	0.03
		5200	1.393	1.437	96.94	0.14	0.10
		5240	1.394	1.437	97.01	0.13	0.04
		5745	1.393	1.437	96.94	0.14	0.03
		5785	1.392	1.436	96.94	0.14	0.03
		5825	1.393	1.437	96.94	0.14	0.03
802.11n (HT20)	SISO	5180	1.290	1.333	96.77	0.14	0.04
		5200	1.290	1.333	96.77	0.14	0.07
		5240	1.288	1.333	96.62	0.15	0.07
		5745	1.288	1.332	96.70	0.15	0.00
		5785	1.289	1.333	96.70	0.15	0.04
		5825	1.288	1.332	96.70	0.15	0.07
802.11n (HT40)	SISO	5190	0.636	0.680	93.53	0.29	0.03
		5230	0.637	0.680	93.68	0.28	0.03
		5755	0.637	0.680	93.68	0.28	0.04
		5795	0.636	0.680	93.53	0.29	0.03
802.11ac (VHT20)	SISO	5180	1.314	1.357	96.83	0.14	0.04
		5200	1.313	1.356	96.83	0.14	0.03
		5240	1.313	1.357	96.76	0.14	0.07
		5745	1.313	1.357	96.76	0.14	0.03
		5785	1.313	1.357	96.76	0.14	0.03
		5825	1.312	1.356	96.76	0.14	0.03
802.11ac (VHT40)	SISO	5190	0.653	0.696	93.82	0.28	0.06
		5230	0.652	0.696	93.68	0.28	0.04
		5755	0.653	0.696	93.82	0.28	0.03
		5795	0.652	0.696	93.68	0.28	0.04
802.11ac (VHT80)	SISO	5210	0.325	0.369	88.08	0.55	0.10
		5775	0.324	0.368	88.04	0.55	0.07

1.2 Test Graph


1.2.1 Ant1




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20) LCH 5180MHz Ant1 NTN




802.11n(HT20) MCH 5200MHz Ant1 NTN




802.11n(HT20) HCH 5240MHz Ant1 NTN




802.11n(HT20) LCH 5745MHz Ant1 NTN




802.11n(HT20) MCH 5785MHz Ant1 NTN




802.11n(HT20) HCH 5825MHz Ant1 NTN




802.11n(HT40) LCH 5190MHz Ant1 NTN




802.11n(HT40)_HCH 5230MHz_Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40)_HCH 5795MHz_Ant1 NTN




802.11ac(VHT20) LCH 5180MHz Ant1 NTN




802.11ac(VHT20) MCH 5200MHz Ant1 NTN




802.11ac(VHT20) HCH 5240MHz Ant1 NTN




802.11ac(VHT20) LCH 5745MHz Ant1 NTN




802.11ac(VHT20) MCH 5785MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ac(VHT40) LCH 5190MHz Ant1 NTNv




802.11ac(VHT40) HCH 5230MHz Ant1 NTNv




802.11ac(VHT40) LCH 5755MHz Ant1 NTN




802.11ac(VHT40) HCH 5795MHz Ant1 NTN



802.11ac(VHT80) MCH 5210MHz Ant1 NTNv



802.11ac(VHT80) MCH 5775MHz Ant1 NTNv



2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	17.469	/	Pass
		5200	1	17.489	/	Pass
		5240	1	17.500	/	Pass
		5745	1	17.407	/	Pass
		5785	1	17.478	/	Pass
		5825	1	17.506	/	Pass
802.11n (HT20)	SISO	5180	1	18.355	/	Pass
		5200	1	18.507	/	Pass
		5240	1	18.503	/	Pass
		5745	1	18.489	/	Pass
		5785	1	18.453	/	Pass
		5825	1	18.449	/	Pass
802.11n (HT40)	SISO	5190	1	36.853	/	Pass
		5230	1	36.840	/	Pass
		5755	1	36.763	/	Pass
		5795	1	36.877	/	Pass
802.11ac (VHT20)	SISO	5180	1	18.296	/	Pass
		5200	1	18.266	/	Pass
		5240	1	18.380	/	Pass
		5745	1	18.259	/	Pass
		5785	1	18.322	/	Pass
		5825	1	18.361	/	Pass
802.11ac (VHT40)	SISO	5190	1	36.486	/	Pass
		5230	1	36.603	/	Pass
		5755	1	36.540	/	Pass
		5795	1	36.573	/	Pass
802.11ac (VHT80)	SISO	5210	1	76.031	/	Pass
		5775	1	75.524	/	Pass

2.1.2 6dB BW

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5745	1	15.158	≥ 0.5	Pass
		5785	1	15.158	≥ 0.5	Pass
		5825	1	15.160	≥ 0.5	Pass
802.11n (HT20)	SISO	5745	1	15.157	≥ 0.5	Pass
		5785	1	15.132	≥ 0.5	Pass
		5825	1	15.155	≥ 0.5	Pass
802.11n (HT40)	SISO	5755	1	35.137	≥ 0.5	Pass
		5795	1	35.117	≥ 0.5	Pass
802.11ac (VHT20)	SISO	5745	1	15.153	≥ 0.5	Pass
		5785	1	15.143	≥ 0.5	Pass
		5825	1	15.154	≥ 0.5	Pass
802.11ac (VHT40)	SISO	5755	1	35.138	≥ 0.5	Pass
		5795	1	35.130	≥ 0.5	Pass


802.11ac (VHT80)	SISO	5775	1	75.118	≥ 0.5	Pass
---------------------	------	------	---	--------	------------	------

2.1.3 26dB BW


Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	19.914	/	Pass
		5200	1	19.885	/	Pass
		5240	1	20.005	/	Pass
802.11n (HT20)	SISO	5180	1	20.360	/	Pass
		5200	1	20.719	/	Pass
		5240	1	20.275	/	Pass
802.11n (HT40)	SISO	5190	1	40.941	/	Pass
		5230	1	40.835	/	Pass
802.11ac (VHT20)	SISO	5180	1	20.277	/	Pass
		5200	1	20.211	/	Pass
		5240	1	20.226	/	Pass
802.11ac (VHT40)	SISO	5190	1	40.615	/	Pass
		5230	1	41.223	/	Pass
802.11ac (VHT80)	SISO	5210	1	104.856	/	Pass

2.2 Test Graph


2.2.1 OBW




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20) LCH 5180MHz Ant1 NTN




802.11n(HT20) MCH 5200MHz Ant1 NTN




802.11n(HT20) HCH 5240MHz Ant1 NTNv




802.11n(HT20) LCH 5745MHz Ant1 NTNv




802.11n(HT20) MCH 5785MHz Ant1 NTNv




802.11n(HT20) HCH 5825MHz Ant1 NTNv




802.11n(HT40) LCH 5190MHz Ant1 NTN




802.11n(HT40) HCH 5230MHz Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40) HCH 5795MHz Ant1 NTN




802.11ac(VHT20) LCH 5180MHz Ant1 NTN




802.11ac(VHT20) MCH 5200MHz Ant1 NTN




802.11ac(VHT20) HCH 5240MHz Ant1 NTN




802.11ac(VHT20) LCH 5745MHz Ant1 NTN




802.11ac(VHT20) MCH 5785MHz Ant1 NTNv




802.11ac(VHT20) HCH 5825MHz Ant1 NTNv




802.11ac(VHT40) LCH 5190MHz Ant1 NTN




802.11ac(VHT40) HCH 5230MHz Ant1 NTN




802.11ac(VHT40) LCH 5755MHz Ant1 NTN




802.11ac(VHT40) HCH 5795MHz Ant1 NTN



802.11ac(VHT80) MCH 5210MHz Ant1 NTN




802.11ac(VHT80) MCH 5775MHz Ant1 NTN




2.2.2 6dB BW


802.11a LCH 5745MHz Ant1 NTN




802.11a MCH 5785MHz Ant1 NTN




802.11a HCH 5825MHz Ant1 NTNv




802.11n(HT20)_LCH_5745MHz_Ant1_NTNv




802.11n(HT20) MCH 5785MHz Ant1 NTN




802.11n(HT20) HCH 5825MHz Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40) HCH 5795MHz Ant1 NTN




802.11ac(VHT20) LCH 5745MHz Ant1 NTN




802.11ac(VHT20) MCH 5785MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ac(VHT40) LCH 5755MHz Ant1 NTN



802.11ac(VHT40) HCH 5795MHz Ant1 NTN




802.11ac(VHT80) MCH 5775MHz Ant1 NTN




2.2.3 26dB BW


802.11a LCH 5180MHz Ant1 NTN




802.11a MCH 5200MHz Ant1 NTN




802.11a HCH 5240MHz Ant1 NTNv




802.11n(HT20)_LCH_5180MHz_Ant1_NTNv




802.11n(HT20) MCH 5200MHz Ant1 NTNv




802.11n(HT20) HCH 5240MHz Ant1 NTNv




802.11n(HT40) LCH 5190MHz Ant1 NTN




802.11n(HT40) HCH 5230MHz Ant1 NTN




802.11ac(VHT20) LCH 5180MHz Ant1 NTN




802.11ac(VHT20) MCH 5200MHz Ant1 NTN




802.11ac(VHT20) HCH 5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV



802.11ac(VHT40) HCH 5230MHz Ant1 NTN



802.11ac(VHT80) MCH 5210MHz Ant1 NTN



3. Maximum Conducted Output Power


3.1 Test Result

3.1.1 Power


Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	9.12	<=23.98	Pass
		5200	8.31	<=23.98	Pass
		5240	8.47	<=23.98	Pass
		5745	8.54	<=30	Pass
		5785	8.96	<=30	Pass
		5825	6.86	<=30	Pass
802.11n (HT20)	SISO	5180	8.81	<=23.98	Pass
		5200	9.32	<=23.98	Pass
		5240	9.16	<=23.98	Pass
		5745	9.53	<=30	Pass
		5785	8.91	<=30	Pass
		5825	6.60	<=30	Pass
802.11n (HT40)	SISO	5190	9.67	<=23.98	Pass
		5230	8.91	<=23.98	Pass
		5755	9.79	<=30	Pass
		5795	9.60	<=30	Pass
802.11ac (VHT20)	SISO	5180	9.37	<=23.98	Pass
		5200	8.24	<=23.98	Pass
		5240	8.99	<=23.98	Pass
		5745	7.60	<=30	Pass
		5785	6.87	<=30	Pass
		5825	7.05	<=30	Pass
802.11ac (VHT40)	SISO	5190	9.58	<=23.98	Pass
		5230	8.94	<=23.98	Pass
		5755	10.13	<=30	Pass
		5795	9.25	<=30	Pass
802.11ac (VHT80)	SISO	5210	7.14	<=23.98	Pass
		5775	10.04	<=30	Pass

3.2 Test Graph


3.2.1 Power




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20) LCH 5180MHz Ant1 NTN




802.11n(HT20) MCH 5200MHz Ant1 NTN




802.11n(HT20) HCH 5240MHz Ant1 NTNv




802.11n(HT20) LCH 5745MHz Ant1 NTNv




802.11n(HT20) MCH 5785MHz Ant1 NTNv




802.11n(HT20) HCH 5825MHz Ant1 NTNv




802.11n(HT40) LCH 5190MHz Ant1 NTN




802.11n(HT40) HCH 5230MHz Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40) HCH 5795MHz Ant1 NTN




802.11ac(VHT20) LCH 5180MHz Ant1 NTN




802.11ac(VHT20) MCH 5200MHz Ant1 NTN




802.11ac(VHT20) HCH 5240MHz Ant1 NTN




802.11ac(VHT20) LCH 5745MHz Ant1 NTN




802.11ac(VHT20) MCH 5785MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ac(VHT40) LCH 5190MHz Ant1 NTN




802.11ac(VHT40) HCH 5230MHz Ant1 NTN




802.11ac(VHT40) LCH 5755MHz Ant1 NTN




802.11ac(VHT40) HCH 5795MHz Ant1 NTN



802.11ac(VHT80) MCH 5210MHz Ant1 NTNv



802.11ac(VHT80) MCH 5775MHz Ant1 NTNv



4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	-0.96	<=11	Pass
		5200	-1.88	<=11	Pass
		5240	-1.67	<=11	Pass
802.11n (HT20)	SISO	5180	-1.48	<=11	Pass
		5200	-1.22	<=11	Pass
		5240	-1.25	<=11	Pass
802.11n (HT40)	SISO	5190	-3.51	<=11	Pass
		5230	-4.44	<=11	Pass
802.11ac (VHT20)	SISO	5180	-1.05	<=11	Pass
		5200	-2.06	<=11	Pass
		5240	-1.55	<=11	Pass
802.11ac (VHT40)	SISO	5190	-3.77	<=11	Pass
		5230	-4.41	<=11	Pass
802.11ac (VHT80)	SISO	5210	-9.34	<=11	Pass

4.1.2 PSD-Band3

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5745	-4.47	<=30	Pass
		5785	-4.02	<=30	Pass
		5825	-6.31	<=30	Pass
802.11n (HT20)	SISO	5745	-3.73	<=30	Pass
		5785	-4.36	<=30	Pass
		5825	-6.52	<=30	Pass
802.11n (HT40)	SISO	5755	-6.33	<=30	Pass
		5795	-6.26	<=30	Pass
802.11ac (VHT20)	SISO	5745	-5.68	<=30	Pass
		5785	-6.19	<=30	Pass
		5825	-6.17	<=30	Pass
802.11ac (VHT40)	SISO	5755	-5.76	<=30	Pass
		5795	-7.02	<=30	Pass
802.11ac (VHT80)	SISO	5775	-9.18	<=30	Pass