

Antenna data sheet

Manufacturer:	Dongguan Weifu Circuit TechnologyCo., Ltd.
Add:	3rd Floor, No. 6, Hebeiling 2nd Road, Guanjingtou Village, Fenggang Town, Dongguan City
Model:	ZY-108
Type:	Wire
Date:	February 11, 2025
Versions:	V1.0



1. Ant Size:



2. Test equipment list

name	Manufacturer	Model
Network analyzer	KEYSIGHT	E5071C
Network analyzer	KEYSIGHT	E5071C
Comprehensive Measuring Instrument	R&S	CWM500
OTA test system	GTS	RayZone-5000

3. Test setup





4. Performance parameter

Frequency range	2400-2500MHz
VSWR	≤ 7.0
Input impedance	50 Ω
Peak Gain(dBi)	1.65
Antenna type	Wire Antenna
Temperature	-40~80

5. VSWR Test Data

Frequency(MHz)	Return Loss	VSWR
2400	-8.11	2.14
2450	-10.87	1.82
2500	-10.84	2.18







6. Gain and Effi

Frequency(MHz)	Effi	Peak Gain
2400	1.60	1.65
2410	1.26	1.29
2420	1.68	1.16
2430	1.36	1.04
2440	1.52	1.25
2450	1.24	1.33
2460	1.24	1.04
2470	1.53	0.90
2480	1.64	1.30
2490	1.26	0.94
2500	1.67	0.97


7. Test Directional diagram



2400MHz



2440MHz



2500MHz

-----The end-----