

A.6 Radiated Spurious Emissions and Band Edge (Restricted-band)

Note¹: The symbol of “--” in the table which means not application.

Note²: For the test data above 1 GHz, According the ANSI C63.4, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.


Note⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Note⁵: For Multiple transmitter output, the quantity $10 \log (NANT)$ dB is added to each spectrum value before comparing to the emission limit. When testing out-of-band and spurious emissions against relative emission limits, tests may be performed on each output individually without summing or adding $10 \log (NANT)$ if the measurements are made relative to the in-band emissions on the individual outputs.

Test Data and Plots

30 MHz to 1 GHz, ANT H


10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	215.951	20.31	-28.88	33.0	12.69	Peak	90.00	200	Horizontal	Pass
2	261.530	21.45	-26.46	35.5	14.05	Peak	96.00	200	Horizontal	Pass
3	333.777	27.36	-23.99	35.5	8.14	Peak	74.00	200	Horizontal	Pass
4	499.848	30.05	-19.33	35.5	5.45	Peak	282.00	200	Horizontal	Pass
5	624.983	33.87	-15.73	35.5	1.63	Peak	259.00	138	Horizontal	N/A
5*	624.983	31.55	-15.73	35.5	3.95	QP	259.00	138	Horizontal	Pass
6	874.977	35.43	-11.18	35.5	0.07	Peak	159.00	100	Horizontal	N/A
6*	874.977	31.96	-11.18	35.5	3.54	QP	159.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	63.238	25.27	-27.02	29.5	4.23	Peak	155.00	133	Vertical	N/A
1*	63.238	21.33	-27.02	29.5	8.17	QP	155.00	133	Vertical	Pass
2	69.330	24.36	-28.19	29.5	5.14	Peak	130.00	192	Vertical	N/A
2*	69.330	20.29	-28.19	29.5	9.21	QP	130.00	192	Vertical	Pass
3	164.311	29.84	-25.68	33.0	3.16	Peak	223.00	100	Vertical	Pass
4	215.951	29.33	-28.88	33.0	3.67	Peak	25.00	100	Vertical	Pass
5	499.986	34.45	-19.33	35.5	1.05	Peak	233.00	101	Vertical	N/A
5*	499.986	32.38	-19.33	35.5	3.12	QP	233.00	101	Vertical	Pass
6	874.901	32.34	-11.18	35.5	3.16	Peak	124.00	200	Vertical	Pass

Note ¹: The spurious above 18G is noise only, do not show on the report.

Note ²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note ³: All antenna were pre tested, but only the worst case has been reported in this report.

Aux. Antenna

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.850	40.60	74.0	33.40	Peak	189.00	400	Horizontal	Pass
1**	1507.850	26.97	54.0	27.03	AV	189.00	400	Horizontal	Pass
2	2351.522	47.01	74.0	26.99	Peak	100.00	100	Horizontal	Pass
2**	2351.522	37.71	54.0	16.29	AV	100.00	100	Horizontal	Pass
3	4202.429	46.57	74.0	27.43	Peak	360.00	200	Horizontal	Pass
3**	4202.429	36.03	54.0	17.97	AV	360.00	200	Horizontal	Pass
4	7432.327	56.72	74.0	17.28	Peak	333.00	300	Horizontal	Pass
4**	7432.327	42.77	54.0	11.23	AV	333.00	300	Horizontal	Pass
5	12514.717	58.00	74.0	16.00	Peak	253.00	400	Horizontal	Pass
5**	12514.717	48.00	54.0	6.00	AV	253.00	400	Horizontal	Pass
6	16144.024	53.16	74.0	20.84	Peak	227.00	300	Horizontal	Pass
6**	16144.024	42.06	54.0	11.94	AV	227.00	300	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.440	35.31	74.0	38.69	Peak	122.00	100	Vertical	Pass
1**	1572.440	26.78	54.0	27.22	AV	122.00	100	Vertical	Pass
2	2344.158	42.19	74.0	31.81	Peak	11.00	400	Vertical	Pass
2**	2344.158	35.41	54.0	18.59	AV	11.00	400	Vertical	Pass
3	3914.542	43.55	74.0	30.45	Peak	156.00	200	Vertical	Pass
3**	3914.542	37.94	54.0	16.06	AV	156.00	200	Vertical	Pass
4	7678.270	49.66	74.0	24.34	Peak	124.00	300	Vertical	Pass
4**	7678.270	44.14	54.0	9.86	AV	124.00	300	Vertical	Pass
5	12533.488	54.80	74.0	19.20	Peak	91.00	300	Vertical	Pass
5**	12533.488	45.17	54.0	8.83	AV	91.00	300	Vertical	Pass
6	15382.523	53.66	74.0	20.34	Peak	192.00	300	Vertical	Pass
6**	15382.523	42.46	54.0	11.54	AV	192.00	300	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.176	37.08	74.0	36.92	Peak	90.00	300	Horizontal	Pass
1**	1515.176	31.66	54.0	22.34	AV	90.00	300	Horizontal	Pass
2	2351.121	47.48	74.0	26.52	Peak	255.00	300	Horizontal	Pass
2**	2351.121	37.46	54.0	16.54	AV	255.00	300	Horizontal	Pass
3	4208.003	46.84	74.0	27.16	Peak	246.00	200	Horizontal	Pass
3**	4208.003	38.95	54.0	15.05	AV	246.00	200	Horizontal	Pass
4	7432.679	55.38	74.0	18.62	Peak	48.00	200	Horizontal	Pass
4**	7432.679	45.64	54.0	8.36	AV	48.00	200	Horizontal	Pass
5	12514.140	53.08	74.0	20.92	Peak	215.00	100	Horizontal	Pass
5**	12514.140	48.50	54.0	5.50	AV	215.00	100	Horizontal	Pass
6	16146.303	57.26	74.0	16.74	Peak	321.00	400	Horizontal	Pass
6**	16146.303	40.83	54.0	13.17	AV	321.00	400	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.265	36.65	74.0	37.35	Peak	342.00	100	Vertical	Pass
1**	1571.265	26.78	54.0	27.22	AV	342.00	100	Vertical	Pass
2	2346.975	47.49	74.0	26.51	Peak	349.00	300	Vertical	Pass
2**	2346.975	33.65	54.0	20.35	AV	349.00	300	Vertical	Pass
3	3914.710	43.01	74.0	30.99	Peak	207.00	200	Vertical	Pass
3**	3914.710	35.30	54.0	18.70	AV	207.00	200	Vertical	Pass
4	7682.918	51.13	74.0	22.87	Peak	121.00	300	Vertical	Pass
4**	7682.918	41.18	54.0	12.82	AV	121.00	300	Vertical	Pass
5	12533.027	55.65	74.0	18.35	Peak	115.00	200	Vertical	Pass
5**	12533.027	41.86	54.0	12.14	AV	115.00	200	Vertical	Pass
6	15380.006	50.55	74.0	23.45	Peak	326.00	200	Vertical	Pass
6**	15380.006	42.94	54.0	11.06	AV	326.00	200	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.697	38.04	74.0	35.96	Peak	350.00	200	Horizontal	Pass
1**	1513.697	31.66	54.0	22.34	AV	350.00	200	Horizontal	Pass
2	2347.507	41.98	74.0	32.02	Peak	227.00	200	Horizontal	Pass
2**	2347.507	34.59	54.0	19.41	AV	227.00	200	Horizontal	Pass
3	4207.769	47.39	74.0	26.61	Peak	67.00	200	Horizontal	Pass
3**	4207.769	36.34	54.0	17.66	AV	67.00	200	Horizontal	Pass
4	7438.279	56.19	74.0	17.81	Peak	54.00	400	Horizontal	Pass
4**	7438.279	40.20	54.0	13.80	AV	54.00	400	Horizontal	Pass
5	12516.299	57.20	74.0	16.80	Peak	344.00	300	Horizontal	Pass
5**	12516.299	48.75	54.0	5.25	AV	344.00	300	Horizontal	Pass
6	16149.844	53.93	74.0	20.07	Peak	170.00	300	Horizontal	Pass
6**	16149.844	45.76	54.0	8.24	AV	170.00	300	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.310	36.44	74.0	37.56	Peak	209.00	100	Vertical	Pass
1**	1572.310	25.67	54.0	28.33	AV	209.00	100	Vertical	Pass
2	2344.789	44.55	74.0	29.45	Peak	131.00	300	Vertical	Pass
2**	2344.789	34.12	54.0	19.88	AV	131.00	300	Vertical	Pass
3	3919.636	42.82	74.0	31.18	Peak	227.00	200	Vertical	Pass
3**	3919.636	35.69	54.0	18.31	AV	227.00	200	Vertical	Pass
4	7678.164	51.18	74.0	22.82	Peak	336.00	200	Vertical	Pass
4**	7678.164	46.55	54.0	7.45	AV	336.00	200	Vertical	Pass
5	12530.765	53.10	74.0	20.90	Peak	217.00	100	Vertical	Pass
5**	12530.765	42.81	54.0	11.19	AV	217.00	100	Vertical	Pass
6	15384.075	50.55	74.0	23.45	Peak	53.00	200	Vertical	Pass
6**	15384.075	43.99	54.0	10.01	AV	53.00	200	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.602	37.38	74.0	36.62	Peak	290.00	100	Horizontal	Pass
1**	1512.602	30.81	54.0	23.19	AV	290.00	100	Horizontal	Pass
2	2346.722	43.03	74.0	30.97	Peak	322.00	200	Horizontal	Pass
2**	2346.722	39.35	54.0	14.65	AV	322.00	200	Horizontal	Pass
3	4203.749	50.42	74.0	23.58	Peak	286.00	200	Horizontal	Pass
3**	4203.749	38.41	54.0	15.59	AV	286.00	200	Horizontal	Pass
4	7434.997	56.33	74.0	17.67	Peak	221.00	300	Horizontal	Pass
4**	7434.997	41.20	54.0	12.80	AV	221.00	300	Horizontal	Pass
5	12514.760	54.50	74.0	19.50	Peak	262.00	300	Horizontal	Pass
5**	12514.760	48.29	54.0	5.71	AV	262.00	300	Horizontal	Pass
6	16148.584	55.80	74.0	18.20	Peak	43.00	300	Horizontal	Pass
6**	16148.584	45.60	54.0	8.40	AV	43.00	300	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.535	38.50	74.0	35.50	Peak	231.00	400	Vertical	Pass
1**	1568.535	28.63	54.0	25.37	AV	231.00	400	Vertical	Pass
2	2346.696	45.81	74.0	28.19	Peak	259.00	300	Vertical	Pass
2**	2346.696	32.15	54.0	21.85	AV	259.00	300	Vertical	Pass
3	3917.659	46.98	74.0	27.02	Peak	150.00	200	Vertical	Pass
3**	3917.659	37.99	54.0	16.01	AV	150.00	200	Vertical	Pass
4	7683.519	53.80	74.0	20.20	Peak	147.00	100	Vertical	Pass
4**	7683.519	43.51	54.0	10.49	AV	147.00	100	Vertical	Pass
5	12525.888	56.87	74.0	17.13	Peak	163.00	400	Vertical	Pass
5**	12525.888	40.41	54.0	13.59	AV	163.00	400	Vertical	Pass
6	15380.308	52.24	74.0	21.76	Peak	153.00	300	Vertical	Pass
6**	15380.308	46.91	54.0	7.09	AV	153.00	300	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.829	38.63	74.0	35.37	Peak	279.00	400	Horizontal	Pass
1**	1508.829	31.41	54.0	22.59	AV	279.00	400	Horizontal	Pass
2	2346.578	45.00	74.0	29.00	Peak	114.00	100	Horizontal	Pass
2**	2346.578	39.20	54.0	14.80	AV	114.00	100	Horizontal	Pass
3	4204.609	45.73	74.0	28.27	Peak	348.00	200	Horizontal	Pass
3**	4204.609	38.25	54.0	15.75	AV	348.00	200	Horizontal	Pass
4	7435.359	52.41	74.0	21.59	Peak	346.00	200	Horizontal	Pass
4**	7435.359	40.08	54.0	13.92	AV	346.00	200	Horizontal	Pass
5	12520.188	57.36	74.0	16.64	Peak	82.00	100	Horizontal	Pass
5**	12520.188	44.85	54.0	9.15	AV	82.00	100	Horizontal	Pass
6	16150.010	55.39	74.0	18.61	Peak	10.00	100	Horizontal	Pass
6**	16150.010	41.35	54.0	12.65	AV	10.00	100	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.902	38.45	74.0	35.55	Peak	312.00	300	Vertical	Pass
1**	1572.902	24.54	54.0	29.46	AV	312.00	300	Vertical	Pass
2	2346.989	46.76	74.0	27.24	Peak	36.00	100	Vertical	Pass
2**	2346.989	35.79	54.0	18.21	AV	36.00	100	Vertical	Pass
3	3913.951	44.61	74.0	29.39	Peak	319.00	200	Vertical	Pass
3**	3913.951	37.32	54.0	16.68	AV	319.00	200	Vertical	Pass
4	7683.415	52.86	74.0	21.14	Peak	196.00	300	Vertical	Pass
4**	7683.415	42.33	54.0	11.67	AV	196.00	300	Vertical	Pass
5	12530.625	58.74	74.0	15.26	Peak	102.00	100	Vertical	Pass
5**	12530.625	45.51	54.0	8.49	AV	102.00	100	Vertical	Pass
6	15384.275	51.80	74.0	22.20	Peak	3.00	100	Vertical	Pass
6**	15384.275	46.19	54.0	7.81	AV	3.00	100	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.669	37.03	74.0	36.97	Peak	304.00	200	Horizontal	Pass
1**	1511.669	29.17	54.0	24.83	AV	304.00	200	Horizontal	Pass
2	2352.191	45.26	74.0	28.74	Peak	179.00	100	Horizontal	Pass
2**	2352.191	39.94	54.0	14.06	AV	179.00	100	Horizontal	Pass
3	4202.575	48.01	74.0	25.99	Peak	279.00	200	Horizontal	Pass
3**	4202.575	37.80	54.0	16.20	AV	279.00	200	Horizontal	Pass
4	7436.224	52.73	74.0	21.27	Peak	142.00	200	Horizontal	Pass
4**	7436.224	40.06	54.0	13.94	AV	142.00	200	Horizontal	Pass
5	12514.444	57.76	74.0	16.24	Peak	304.00	400	Horizontal	Pass
5**	12514.444	48.84	54.0	5.16	AV	304.00	400	Horizontal	Pass
6	16149.423	53.20	74.0	20.80	Peak	122.00	400	Horizontal	Pass
6**	16149.423	42.93	54.0	11.07	AV	122.00	400	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.250	39.29	74.0	34.71	Peak	18.00	300	Vertical	Pass
1**	1571.250	26.94	54.0	27.06	AV	18.00	300	Vertical	Pass
2	2344.657	43.78	74.0	30.22	Peak	350.00	400	Vertical	Pass
2**	2344.657	31.36	54.0	22.64	AV	350.00	400	Vertical	Pass
3	3915.106	47.30	74.0	26.70	Peak	344.00	200	Vertical	Pass
3**	3915.106	39.16	54.0	14.84	AV	344.00	200	Vertical	Pass
4	7684.002	50.92	74.0	23.08	Peak	94.00	100	Vertical	Pass
4**	7684.002	44.30	54.0	9.70	AV	94.00	100	Vertical	Pass
5	12531.069	53.89	74.0	20.11	Peak	311.00	300	Vertical	Pass
5**	12531.069	44.23	54.0	9.77	AV	311.00	300	Vertical	Pass
6	15380.005	53.40	74.0	20.60	Peak	330.00	200	Vertical	Pass
6**	15380.005	46.16	54.0	7.84	AV	330.00	200	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.990	42.28	74.0	31.72	Peak	225.00	200	Horizontal	Pass
1**	1511.990	32.49	54.0	21.51	AV	225.00	200	Horizontal	Pass
2	2345.883	46.47	74.0	27.53	Peak	237.00	300	Horizontal	Pass
2**	2345.883	37.29	54.0	16.71	AV	237.00	300	Horizontal	Pass
3	4207.743	49.68	74.0	24.32	Peak	90.00	200	Horizontal	Pass
3**	4207.743	37.06	54.0	16.94	AV	90.00	200	Horizontal	Pass
4	7432.164	55.39	74.0	18.61	Peak	12.00	400	Horizontal	Pass
4**	7432.164	40.11	54.0	13.89	AV	12.00	400	Horizontal	Pass
5	12518.420	57.80	74.0	16.20	Peak	15.00	200	Horizontal	Pass
5**	12518.420	49.37	54.0	4.63	AV	15.00	200	Horizontal	Pass
6	16150.863	53.56	74.0	20.44	Peak	284.00	100	Horizontal	Pass
6**	16150.863	45.31	54.0	8.69	AV	284.00	100	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.665	38.57	74.0	35.43	Peak	346.00	200	Vertical	Pass
1**	1570.665	29.38	54.0	24.62	AV	346.00	200	Vertical	Pass
2	2348.908	46.44	74.0	27.56	Peak	103.00	100	Vertical	Pass
2**	2348.908	30.53	54.0	23.47	AV	103.00	100	Vertical	Pass
3	3914.388	41.96	74.0	32.04	Peak	254.00	200	Vertical	Pass
3**	3914.388	35.62	54.0	18.38	AV	254.00	200	Vertical	Pass
4	7680.051	54.25	74.0	19.75	Peak	227.00	400	Vertical	Pass
4**	7680.051	43.03	54.0	10.97	AV	227.00	400	Vertical	Pass
5	12530.980	57.30	74.0	16.70	Peak	185.00	100	Vertical	Pass
5**	12530.980	41.34	54.0	12.66	AV	185.00	100	Vertical	Pass
6	15386.191	54.16	74.0	19.84	Peak	338.00	300	Vertical	Pass
6**	15386.191	46.25	54.0	7.75	AV	338.00	300	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.210	40.66	74.0	33.34	Peak	17.00	400	Horizontal	Pass
1**	1514.210	31.72	54.0	22.28	AV	17.00	400	Horizontal	Pass
2	2346.873	43.57	74.0	30.43	Peak	314.00	400	Horizontal	Pass
2**	2346.873	37.54	54.0	16.46	AV	314.00	400	Horizontal	Pass
3	4204.283	49.48	74.0	24.52	Peak	226.00	200	Horizontal	Pass
3**	4204.283	35.04	54.0	18.96	AV	226.00	200	Horizontal	Pass
4	7431.510	57.21	74.0	16.79	Peak	92.00	200	Horizontal	Pass
4**	7431.510	45.11	54.0	8.89	AV	92.00	200	Horizontal	Pass
5	12518.925	52.92	74.0	21.08	Peak	0.00	200	Horizontal	Pass
5**	12518.925	47.55	54.0	6.45	AV	0.00	200	Horizontal	Pass
6	16150.608	56.86	74.0	17.14	Peak	224.00	400	Horizontal	Pass
6**	16150.608	42.07	54.0	11.93	AV	224.00	400	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.370	34.66	74.0	39.34	Peak	211.00	400	Vertical	Pass
1**	1569.370	29.77	54.0	24.23	AV	211.00	400	Vertical	Pass
2	2345.257	43.05	74.0	30.95	Peak	99.00	200	Vertical	Pass
2**	2345.257	34.97	54.0	19.03	AV	99.00	200	Vertical	Pass
3	3914.404	42.37	74.0	31.63	Peak	346.00	200	Vertical	Pass
3**	3914.404	37.52	54.0	16.48	AV	346.00	200	Vertical	Pass
4	7676.683	54.37	74.0	19.63	Peak	319.00	100	Vertical	Pass
4**	7676.683	43.27	54.0	10.73	AV	319.00	100	Vertical	Pass
5	12531.038	58.00	74.0	16.00	Peak	24.00	400	Vertical	Pass
5**	12531.038	43.52	54.0	10.48	AV	24.00	400	Vertical	Pass
6	15380.948	53.10	74.0	20.90	Peak	133.00	200	Vertical	Pass
6**	15380.948	47.08	54.0	6.92	AV	133.00	200	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.079	42.34	74.0	31.66	Peak	143.00	100	Horizontal	Pass
1**	1508.079	29.88	54.0	24.12	AV	143.00	100	Horizontal	Pass
2	2346.287	44.30	74.0	29.70	Peak	211.00	400	Horizontal	Pass
2**	2346.287	34.49	54.0	19.51	AV	211.00	400	Horizontal	Pass
3	4203.238	46.76	74.0	27.24	Peak	148.00	200	Horizontal	Pass
3**	4203.238	36.63	54.0	17.37	AV	148.00	200	Horizontal	Pass
4	7431.267	53.46	74.0	20.54	Peak	294.00	300	Horizontal	Pass
4**	7431.267	42.82	54.0	11.18	AV	294.00	300	Horizontal	Pass
5	12519.955	58.40	74.0	15.60	Peak	163.00	100	Horizontal	Pass
5**	12519.955	46.84	54.0	7.16	AV	163.00	100	Horizontal	Pass
6	16148.664	53.96	74.0	20.04	Peak	308.00	200	Horizontal	Pass
6**	16148.664	45.28	54.0	8.72	AV	308.00	200	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.647	36.12	74.0	37.88	Peak	191.00	400	Vertical	Pass
1**	1570.647	26.06	54.0	27.94	AV	191.00	400	Vertical	Pass
2	2344.503	43.09	74.0	30.91	Peak	344.00	400	Vertical	Pass
2**	2344.503	30.67	54.0	23.33	AV	344.00	400	Vertical	Pass
3	3919.238	44.51	74.0	29.49	Peak	81.00	200	Vertical	Pass
3**	3919.238	38.71	54.0	15.29	AV	81.00	200	Vertical	Pass
4	7683.328	49.36	74.0	24.64	Peak	343.00	400	Vertical	Pass
4**	7683.328	43.73	54.0	10.27	AV	343.00	400	Vertical	Pass
5	12531.014	56.80	74.0	17.20	Peak	35.00	400	Vertical	Pass
5**	12531.014	42.53	54.0	11.47	AV	35.00	400	Vertical	Pass
6	15381.962	52.15	74.0	21.85	Peak	19.00	100	Vertical	Pass
6**	15381.962	42.42	54.0	11.58	AV	19.00	100	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.829	40.10	74.0	33.90	Peak	98.00	100	Horizontal	Pass
1**	1509.829	32.07	54.0	21.93	AV	98.00	100	Horizontal	Pass
2	2345.398	47.27	74.0	26.73	Peak	189.00	100	Horizontal	Pass
2**	2345.398	36.43	54.0	17.57	AV	189.00	100	Horizontal	Pass
3	4204.170	49.68	74.0	24.32	Peak	256.00	200	Horizontal	Pass
3**	4204.170	35.30	54.0	18.70	AV	256.00	200	Horizontal	Pass
4	7434.928	54.80	74.0	19.20	Peak	288.00	300	Horizontal	Pass
4**	7434.928	45.67	54.0	8.33	AV	288.00	300	Horizontal	Pass
5	12515.047	53.31	74.0	20.69	Peak	3.00	100	Horizontal	Pass
5**	12515.047	45.99	54.0	8.01	AV	3.00	100	Horizontal	Pass
6	16149.766	52.62	74.0	21.38	Peak	198.00	200	Horizontal	Pass
6**	16149.766	44.15	54.0	9.85	AV	198.00	200	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.895	36.67	74.0	37.33	Peak	276.00	100	Vertical	Pass
1**	1570.895	28.76	54.0	25.24	AV	276.00	100	Vertical	Pass
2	2343.616	47.52	74.0	26.48	Peak	12.00	400	Vertical	Pass
2**	2343.616	36.01	54.0	17.99	AV	12.00	400	Vertical	Pass
3	3916.800	44.38	74.0	29.62	Peak	359.00	200	Vertical	Pass
3**	3916.800	37.75	54.0	16.25	AV	359.00	200	Vertical	Pass
4	7683.972	54.45	74.0	19.55	Peak	328.00	300	Vertical	Pass
4**	7683.972	44.48	54.0	9.52	AV	328.00	300	Vertical	Pass
5	12526.922	55.78	74.0	18.22	Peak	247.00	400	Vertical	Pass
5**	12526.922	42.10	54.0	11.90	AV	247.00	400	Vertical	Pass
6	15379.303	50.62	74.0	23.38	Peak	215.00	200	Vertical	Pass
6**	15379.303	45.75	54.0	8.25	AV	215.00	200	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.714	39.74	74.0	34.26	Peak	37.00	200	Horizontal	Pass
1**	1511.714	30.01	54.0	23.99	AV	37.00	200	Horizontal	Pass
2	2346.808	44.80	74.0	29.20	Peak	109.00	300	Horizontal	Pass
2**	2346.808	39.10	54.0	14.90	AV	109.00	300	Horizontal	Pass
3	4202.679	49.34	74.0	24.66	Peak	194.00	200	Horizontal	Pass
3**	4202.679	38.80	54.0	15.20	AV	194.00	200	Horizontal	Pass
4	7435.140	55.43	74.0	18.57	Peak	46.00	300	Horizontal	Pass
4**	7435.140	44.28	54.0	9.72	AV	46.00	300	Horizontal	Pass
5	12517.189	54.40	74.0	19.60	Peak	263.00	100	Horizontal	Pass
5**	12517.189	49.00	54.0	5.00	AV	263.00	100	Horizontal	Pass
6	16148.819	52.53	74.0	21.47	Peak	117.00	200	Horizontal	Pass
6**	16148.819	46.03	54.0	7.97	AV	117.00	200	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.930	37.82	74.0	36.18	Peak	0.00	300	Vertical	Pass
1**	1570.930	25.04	54.0	28.96	AV	0.00	300	Vertical	Pass
2	2344.417	43.48	74.0	30.52	Peak	161.00	400	Vertical	Pass
2**	2344.417	35.98	54.0	18.02	AV	161.00	400	Vertical	Pass
3	3920.492	47.55	74.0	26.45	Peak	54.00	200	Vertical	Pass
3**	3920.492	35.88	54.0	18.12	AV	54.00	200	Vertical	Pass
4	7680.320	51.26	74.0	22.74	Peak	192.00	200	Vertical	Pass
4**	7680.320	42.26	54.0	11.74	AV	192.00	200	Vertical	Pass
5	12530.330	55.45	74.0	18.55	Peak	28.00	400	Vertical	Pass
5**	12530.330	43.78	54.0	10.22	AV	28.00	400	Vertical	Pass
6	15379.917	52.64	74.0	21.36	Peak	339.00	100	Vertical	Pass
6**	15379.917	46.60	54.0	7.40	AV	339.00	100	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.413	39.03	74.0	34.97	Peak	98.00	400	Horizontal	Pass
1**	1511.413	31.66	54.0	22.34	AV	98.00	400	Horizontal	Pass
2	2344.900	42.36	74.0	31.64	Peak	45.00	200	Horizontal	Pass
2**	2344.900	37.60	54.0	16.40	AV	45.00	200	Horizontal	Pass
3	4207.532	47.52	74.0	26.48	Peak	357.00	200	Horizontal	Pass
3**	4207.532	38.90	54.0	15.10	AV	357.00	200	Horizontal	Pass
4	7431.925	51.95	74.0	22.05	Peak	137.00	100	Horizontal	Pass
4**	7431.925	41.79	54.0	12.21	AV	137.00	100	Horizontal	Pass
5	12514.727	54.12	74.0	19.88	Peak	107.00	400	Horizontal	Pass
5**	12514.727	47.50	54.0	6.50	AV	107.00	400	Horizontal	Pass
6	16145.547	53.35	74.0	20.65	Peak	171.00	300	Horizontal	Pass
6**	16145.547	43.94	54.0	10.06	AV	171.00	300	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.456	35.66	74.0	38.34	Peak	6.00	300	Vertical	Pass
1**	1569.456	27.99	54.0	26.01	AV	6.00	300	Vertical	Pass
2	2346.670	46.49	74.0	27.51	Peak	136.00	300	Vertical	Pass
2**	2346.670	31.91	54.0	22.09	AV	136.00	300	Vertical	Pass
3	3920.566	46.37	74.0	27.63	Peak	302.00	200	Vertical	Pass
3**	3920.566	35.47	54.0	18.53	AV	302.00	200	Vertical	Pass
4	7677.199	53.54	74.0	20.46	Peak	26.00	400	Vertical	Pass
4**	7677.199	41.40	54.0	12.60	AV	26.00	400	Vertical	Pass
5	12528.326	54.09	74.0	19.91	Peak	38.00	400	Vertical	Pass
5**	12528.326	45.26	54.0	8.74	AV	38.00	400	Vertical	Pass
6	15384.414	55.04	74.0	18.96	Peak	210.00	200	Vertical	Pass
6**	15384.414	47.23	54.0	6.77	AV	210.00	200	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.812	42.20	74.0	31.80	Peak	298.00	200	Horizontal	Pass
1**	1508.812	32.19	54.0	21.81	AV	298.00	200	Horizontal	Pass
2	2344.757	43.05	74.0	30.95	Peak	32.00	200	Horizontal	Pass
2**	2344.757	35.37	54.0	18.63	AV	32.00	200	Horizontal	Pass
3	4202.022	46.60	74.0	27.40	Peak	116.00	200	Horizontal	Pass
3**	4202.022	40.24	54.0	13.76	AV	116.00	200	Horizontal	Pass
4	7434.242	53.29	74.0	20.71	Peak	105.00	200	Horizontal	Pass
4**	7434.242	44.72	54.0	9.28	AV	105.00	200	Horizontal	Pass
5	12517.632	58.33	74.0	15.67	Peak	38.00	400	Horizontal	Pass
5**	12517.632	46.52	54.0	7.48	AV	38.00	400	Horizontal	Pass
6	16146.027	55.93	74.0	18.07	Peak	237.00	300	Horizontal	Pass
6**	16146.027	44.17	54.0	9.83	AV	237.00	300	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.966	36.10	74.0	37.90	Peak	56.00	100	Vertical	Pass
1**	1569.966	25.93	54.0	28.07	AV	56.00	100	Vertical	Pass
2	2344.398	47.65	74.0	26.35	Peak	17.00	200	Vertical	Pass
2**	2344.398	32.38	54.0	21.62	AV	17.00	200	Vertical	Pass
3	3915.698	46.01	74.0	27.99	Peak	153.00	200	Vertical	Pass
3**	3915.698	37.54	54.0	16.46	AV	153.00	200	Vertical	Pass
4	7683.661	49.86	74.0	24.14	Peak	163.00	200	Vertical	Pass
4**	7683.661	42.51	54.0	11.49	AV	163.00	200	Vertical	Pass
5	12527.578	55.85	74.0	18.15	Peak	261.00	200	Vertical	Pass
5**	12527.578	44.47	54.0	9.53	AV	261.00	200	Vertical	Pass
6	15382.243	55.34	74.0	18.66	Peak	88.00	400	Vertical	Pass
6**	15382.243	42.08	54.0	11.92	AV	88.00	400	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.985	37.51	74.0	36.49	Peak	104.00	400	Horizontal	Pass
1**	1508.985	29.32	54.0	24.68	AV	104.00	400	Horizontal	Pass
2	2348.647	46.71	74.0	27.29	Peak	311.00	400	Horizontal	Pass
2**	2348.647	36.80	54.0	17.20	AV	311.00	400	Horizontal	Pass
3	4201.998	46.58	74.0	27.42	Peak	27.00	200	Horizontal	Pass
3**	4201.998	37.22	54.0	16.78	AV	27.00	200	Horizontal	Pass
4	7434.768	56.60	74.0	17.40	Peak	96.00	300	Horizontal	Pass
4**	7434.768	45.85	54.0	8.15	AV	96.00	300	Horizontal	Pass
5	12515.801	52.83	74.0	21.17	Peak	24.00	100	Horizontal	Pass
5**	12515.801	49.70	54.0	4.30	AV	24.00	100	Horizontal	Pass
6	16151.089	56.28	74.0	17.72	Peak	189.00	400	Horizontal	Pass
6**	16151.089	41.61	54.0	12.39	AV	189.00	400	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.329	38.56	74.0	35.44	Peak	111.00	300	Vertical	Pass
1**	1573.329	27.12	54.0	26.88	AV	111.00	300	Vertical	Pass
2	2344.031	43.19	74.0	30.81	Peak	353.00	200	Vertical	Pass
2**	2344.031	32.62	54.0	21.38	AV	353.00	200	Vertical	Pass
3	3918.911	43.64	74.0	30.36	Peak	282.00	200	Vertical	Pass
3**	3918.911	37.45	54.0	16.55	AV	282.00	200	Vertical	Pass
4	7679.312	50.58	74.0	23.42	Peak	211.00	100	Vertical	Pass
4**	7679.312	44.16	54.0	9.84	AV	211.00	100	Vertical	Pass
5	12532.063	57.62	74.0	16.38	Peak	133.00	400	Vertical	Pass
5**	12532.063	45.63	54.0	8.37	AV	133.00	400	Vertical	Pass
6	15384.927	55.83	74.0	18.17	Peak	75.00	100	Vertical	Pass
6**	15384.927	45.99	54.0	8.01	AV	75.00	100	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.236	38.19	74.0	35.81	Peak	318.00	400	Horizontal	Pass
1**	1508.236	27.31	54.0	26.69	AV	318.00	400	Horizontal	Pass
2	2350.631	45.61	74.0	28.39	Peak	28.00	300	Horizontal	Pass
2**	2350.631	36.75	54.0	17.25	AV	28.00	300	Horizontal	Pass
3	4208.593	48.35	74.0	25.65	Peak	88.00	200	Horizontal	Pass
3**	4208.593	39.16	54.0	14.84	AV	88.00	200	Horizontal	Pass
4	7436.612	54.94	74.0	19.06	Peak	268.00	400	Horizontal	Pass
4**	7436.612	41.09	54.0	12.91	AV	268.00	400	Horizontal	Pass
5	12519.262	57.79	74.0	16.21	Peak	308.00	100	Horizontal	Pass
5**	12519.262	44.91	54.0	9.09	AV	308.00	100	Horizontal	Pass
6	16148.763	51.48	74.0	22.52	Peak	281.00	400	Horizontal	Pass
6**	16148.763	42.25	54.0	11.75	AV	281.00	400	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.752	33.92	74.0	40.08	Peak	212.00	100	Vertical	Pass
1**	1569.752	28.86	54.0	25.14	AV	212.00	100	Vertical	Pass
2	2347.984	47.58	74.0	26.42	Peak	203.00	100	Vertical	Pass
2**	2347.984	32.58	54.0	21.42	AV	203.00	100	Vertical	Pass
3	3920.441	47.72	74.0	26.28	Peak	102.00	200	Vertical	Pass
3**	3920.441	34.51	54.0	19.49	AV	102.00	200	Vertical	Pass
4	7678.219	49.45	74.0	24.55	Peak	355.00	100	Vertical	Pass
4**	7678.219	41.27	54.0	12.73	AV	355.00	100	Vertical	Pass
5	12530.812	53.34	74.0	20.66	Peak	235.00	300	Vertical	Pass
5**	12530.812	41.50	54.0	12.50	AV	235.00	300	Vertical	Pass
6	15382.456	51.99	74.0	22.01	Peak	241.00	400	Vertical	Pass
6**	15382.456	46.06	54.0	7.94	AV	241.00	400	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.171	36.97	74.0	37.03	Peak	0.00	300	Horizontal	Pass
1**	1508.171	29.10	54.0	24.90	AV	0.00	300	Horizontal	Pass
2	2348.894	46.48	74.0	27.52	Peak	84.00	100	Horizontal	Pass
2**	2348.894	34.50	54.0	19.50	AV	84.00	100	Horizontal	Pass
3	4209.195	49.97	74.0	24.03	Peak	45.00	200	Horizontal	Pass
3**	4209.195	40.47	54.0	13.53	AV	45.00	200	Horizontal	Pass
4	7436.001	52.45	74.0	21.55	Peak	338.00	100	Horizontal	Pass
4**	7436.001	40.94	54.0	13.06	AV	338.00	100	Horizontal	Pass
5	12514.695	58.45	74.0	15.55	Peak	321.00	100	Horizontal	Pass
5**	12514.695	44.40	54.0	9.60	AV	321.00	100	Horizontal	Pass
6	16150.780	52.36	74.0	21.64	Peak	108.00	200	Horizontal	Pass
6**	16150.780	45.20	54.0	8.80	AV	108.00	200	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.491	36.53	74.0	37.47	Peak	156.00	300	Vertical	Pass
1**	1566.491	24.58	54.0	29.42	AV	156.00	300	Vertical	Pass
2	2346.433	42.79	74.0	31.21	Peak	66.00	100	Vertical	Pass
2**	2346.433	35.44	54.0	18.56	AV	66.00	100	Vertical	Pass
3	3919.940	45.97	74.0	28.03	Peak	270.00	200	Vertical	Pass
3**	3919.940	33.39	54.0	20.61	AV	270.00	200	Vertical	Pass
4	7684.093	54.17	74.0	19.83	Peak	162.00	100	Vertical	Pass
4**	7684.093	46.18	54.0	7.82	AV	162.00	100	Vertical	Pass
5	12529.301	55.59	74.0	18.41	Peak	166.00	100	Vertical	Pass
5**	12529.301	42.94	54.0	11.06	AV	166.00	100	Vertical	Pass
6	15378.840	50.22	74.0	23.78	Peak	316.00	300	Vertical	Pass
6**	15378.840	42.45	54.0	11.55	AV	316.00	300	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.413	41.35	74.0	32.65	Peak	317.00	400	Horizontal	Pass
1**	1513.413	29.23	54.0	24.77	AV	317.00	400	Horizontal	Pass
2	2346.356	47.71	74.0	26.29	Peak	272.00	100	Horizontal	Pass
2**	2346.356	37.00	54.0	17.00	AV	272.00	100	Horizontal	Pass
3	4204.850	49.78	74.0	24.22	Peak	23.00	200	Horizontal	Pass
3**	4204.850	40.25	54.0	13.75	AV	23.00	200	Horizontal	Pass
4	7435.373	55.95	74.0	18.05	Peak	300.00	300	Horizontal	Pass
4**	7435.373	41.93	54.0	12.07	AV	300.00	300	Horizontal	Pass
5	12518.533	53.40	74.0	20.60	Peak	110.00	300	Horizontal	Pass
5**	12518.533	49.43	54.0	4.57	AV	110.00	300	Horizontal	Pass
6	16145.431	55.24	74.0	18.76	Peak	64.00	300	Horizontal	Pass
6**	16145.431	42.28	54.0	11.72	AV	64.00	300	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.709	36.06	74.0	37.94	Peak	58.00	300	Vertical	Pass
1**	1568.709	28.15	54.0	25.85	AV	58.00	300	Vertical	Pass
2	2349.089	45.05	74.0	28.95	Peak	113.00	300	Vertical	Pass
2**	2349.089	32.15	54.0	21.85	AV	113.00	300	Vertical	Pass
3	3913.476	43.80	74.0	30.20	Peak	116.00	200	Vertical	Pass
3**	3913.476	38.63	54.0	15.37	AV	116.00	200	Vertical	Pass
4	7680.669	49.34	74.0	24.66	Peak	230.00	400	Vertical	Pass
4**	7680.669	45.68	54.0	8.32	AV	230.00	400	Vertical	Pass
5	12532.184	58.57	74.0	15.43	Peak	333.00	100	Vertical	Pass
5**	12532.184	42.14	54.0	11.86	AV	333.00	100	Vertical	Pass
6	15378.724	52.43	74.0	21.57	Peak	226.00	200	Vertical	Pass
6**	15378.724	45.02	54.0	8.98	AV	226.00	200	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.603	42.39	74.0	31.61	Peak	271.00	200	Horizontal	Pass
1**	1509.603	26.60	54.0	27.40	AV	271.00	200	Horizontal	Pass
2	2351.637	42.13	74.0	31.87	Peak	339.00	300	Horizontal	Pass
2**	2351.637	36.76	54.0	17.24	AV	339.00	300	Horizontal	Pass
3	4205.351	46.99	74.0	27.01	Peak	275.00	200	Horizontal	Pass
3**	4205.351	40.73	54.0	13.27	AV	275.00	200	Horizontal	Pass
4	7437.574	52.10	74.0	21.90	Peak	216.00	400	Horizontal	Pass
4**	7437.574	45.29	54.0	8.71	AV	216.00	400	Horizontal	Pass
5	12517.470	56.73	74.0	17.27	Peak	153.00	300	Horizontal	Pass
5**	12517.470	48.31	54.0	5.69	AV	153.00	300	Horizontal	Pass
6	16148.143	56.11	74.0	17.89	Peak	281.00	100	Horizontal	Pass
6**	16148.143	42.12	54.0	11.88	AV	281.00	100	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.496	38.63	74.0	35.37	Peak	38.00	200	Vertical	Pass
1**	1566.496	25.20	54.0	28.80	AV	38.00	200	Vertical	Pass
2	2349.536	46.41	74.0	27.59	Peak	19.00	100	Vertical	Pass
2**	2349.536	30.94	54.0	23.06	AV	19.00	100	Vertical	Pass
3	3919.202	44.23	74.0	29.77	Peak	107.00	200	Vertical	Pass
3**	3919.202	33.46	54.0	20.54	AV	107.00	200	Vertical	Pass
4	7678.959	54.33	74.0	19.67	Peak	238.00	300	Vertical	Pass
4**	7678.959	43.41	54.0	10.59	AV	238.00	300	Vertical	Pass
5	12533.052	56.16	74.0	17.84	Peak	228.00	100	Vertical	Pass
5**	12533.052	45.15	54.0	8.85	AV	228.00	100	Vertical	Pass
6	15383.113	52.79	74.0	21.21	Peak	283.00	200	Vertical	Pass
6**	15383.113	43.54	54.0	10.46	AV	283.00	200	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.784	40.52	74.0	33.48	Peak	238.00	100	Horizontal	Pass
1**	1509.784	28.23	54.0	25.77	AV	238.00	100	Horizontal	Pass
2	2350.251	44.52	74.0	29.48	Peak	243.00	200	Horizontal	Pass
2**	2350.251	37.51	54.0	16.49	AV	243.00	200	Horizontal	Pass
3	4208.279	48.68	74.0	25.32	Peak	213.00	200	Horizontal	Pass
3**	4208.279	35.15	54.0	18.85	AV	213.00	200	Horizontal	Pass
4	7432.996	54.44	74.0	19.56	Peak	264.00	300	Horizontal	Pass
4**	7432.996	44.48	54.0	9.52	AV	264.00	300	Horizontal	Pass
5	12514.632	56.06	74.0	17.94	Peak	335.00	200	Horizontal	Pass
5**	12514.632	45.06	54.0	8.94	AV	335.00	200	Horizontal	Pass
6	16147.316	53.10	74.0	20.90	Peak	312.00	100	Horizontal	Pass
6**	16147.316	46.32	54.0	7.68	AV	312.00	100	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.101	39.19	74.0	34.81	Peak	177.00	400	Vertical	Pass
1**	1567.101	25.76	54.0	28.24	AV	177.00	400	Vertical	Pass
2	2349.764	42.37	74.0	31.63	Peak	140.00	400	Vertical	Pass
2**	2349.764	34.15	54.0	19.85	AV	140.00	400	Vertical	Pass
3	3919.392	46.86	74.0	27.14	Peak	171.00	200	Vertical	Pass
3**	3919.392	33.47	54.0	20.53	AV	171.00	200	Vertical	Pass
4	7682.169	49.49	74.0	24.51	Peak	347.00	100	Vertical	Pass
4**	7682.169	41.35	54.0	12.65	AV	347.00	100	Vertical	Pass
5	12532.289	57.32	74.0	16.68	Peak	12.00	300	Vertical	Pass
5**	12532.289	44.89	54.0	9.11	AV	12.00	300	Vertical	Pass
6	15378.245	54.07	74.0	19.93	Peak	237.00	200	Vertical	Pass
6**	15378.245	44.39	54.0	9.61	AV	237.00	200	Vertical	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.243	39.68	74.0	34.32	Peak	173.00	300	Horizontal	Pass
1**	1510.243	32.57	54.0	21.43	AV	173.00	300	Horizontal	Pass
2	2346.977	43.56	74.0	30.44	Peak	116.00	400	Horizontal	Pass
2**	2346.977	36.20	54.0	17.80	AV	116.00	400	Horizontal	Pass
3	4204.511	48.10	74.0	25.90	Peak	66.00	200	Horizontal	Pass
3**	4204.511	39.48	54.0	14.52	AV	66.00	200	Horizontal	Pass
4	7437.320	53.94	74.0	20.06	Peak	97.00	200	Horizontal	Pass
4**	7437.320	40.44	54.0	13.56	AV	97.00	200	Horizontal	Pass
5	12520.587	53.02	74.0	20.98	Peak	159.00	400	Horizontal	Pass
5**	12520.587	49.66	54.0	4.34	AV	159.00	400	Horizontal	Pass
6	16149.557	53.21	74.0	20.79	Peak	282.00	400	Horizontal	Pass
6**	16149.557	44.37	54.0	9.63	AV	282.00	400	Horizontal	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.724	36.69	74.0	37.31	Peak	307.00	100	Vertical	Pass
1**	1566.724	28.98	54.0	25.02	AV	307.00	100	Vertical	Pass
2	2347.726	43.03	74.0	30.97	Peak	6.00	100	Vertical	Pass
2**	2347.726	34.78	54.0	19.22	AV	6.00	100	Vertical	Pass
3	3917.054	43.22	74.0	30.78	Peak	319.00	200	Vertical	Pass
3**	3917.054	37.97	54.0	16.03	AV	319.00	200	Vertical	Pass
4	7680.701	51.89	74.0	22.11	Peak	275.00	300	Vertical	Pass
4**	7680.701	42.38	54.0	11.62	AV	275.00	300	Vertical	Pass
5	12528.790	52.81	74.0	21.19	Peak	225.00	200	Vertical	Pass
5**	12528.790	45.05	54.0	8.95	AV	225.00	200	Vertical	Pass
6	15381.551	52.84	74.0	21.16	Peak	48.00	200	Vertical	Pass
6**	15381.551	47.30	54.0	6.70	AV	48.00	200	Vertical	Pass

11ax160(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.151	39.40	74.0	34.60	Peak	73.00	200	Horizontal	Pass
1**	1509.151	32.31	54.0	21.69	AV	73.00	200	Horizontal	Pass
2	2346.567	42.54	74.0	31.46	Peak	98.00	100	Horizontal	Pass
2**	2346.567	36.51	54.0	17.49	AV	98.00	100	Horizontal	Pass
3	4204.406	46.45	74.0	27.55	Peak	7.00	200	Horizontal	Pass
3**	4204.406	36.74	54.0	17.26	AV	7.00	200	Horizontal	Pass
4	7436.792	55.49	74.0	18.51	Peak	37.00	400	Horizontal	Pass
4**	7436.792	43.66	54.0	10.34	AV	37.00	400	Horizontal	Pass
5	12518.643	56.35	74.0	17.65	Peak	52.00	400	Horizontal	Pass
5**	12518.643	45.33	54.0	8.67	AV	52.00	400	Horizontal	Pass
6	16149.698	55.47	74.0	18.53	Peak	90.00	200	Horizontal	Pass
6**	16149.698	46.55	54.0	7.45	AV	90.00	200	Horizontal	Pass

11ax160(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.705	36.34	74.0	37.66	Peak	151.00	100	Vertical	Pass
1**	1569.705	29.00	54.0	25.00	AV	151.00	100	Vertical	Pass
2	2349.353	43.82	74.0	30.18	Peak	315.00	200	Vertical	Pass
2**	2349.353	33.48	54.0	20.52	AV	315.00	200	Vertical	Pass
3	3915.116	42.65	74.0	31.35	Peak	4.00	200	Vertical	Pass
3**	3915.116	33.74	54.0	20.26	AV	4.00	200	Vertical	Pass
4	7681.700	52.41	74.0	21.59	Peak	286.00	100	Vertical	Pass
4**	7681.700	44.34	54.0	9.66	AV	286.00	100	Vertical	Pass
5	12526.473	57.03	74.0	16.97	Peak	308.00	100	Vertical	Pass
5**	12526.473	42.67	54.0	11.33	AV	308.00	100	Vertical	Pass
6	15383.500	52.40	74.0	21.60	Peak	273.00	400	Vertical	Pass
6**	15383.500	45.58	54.0	8.42	AV	273.00	400	Vertical	Pass

11be20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.179	39.50	74.0	34.50	Peak	288.00	100	Horizontal	Pass
1**	1509.179	32.31	54.0	21.69	AV	288.00	100	Horizontal	Pass
2	2349.814	42.16	74.0	31.84	Peak	308.00	400	Horizontal	Pass
2**	2349.814	40.01	54.0	13.99	AV	308.00	400	Horizontal	Pass
3	4201.666	50.05	74.0	23.95	Peak	338.00	200	Horizontal	Pass
3**	4201.666	40.82	54.0	13.18	AV	338.00	200	Horizontal	Pass
4	7434.004	53.64	74.0	20.36	Peak	51.00	200	Horizontal	Pass
4**	7434.004	43.89	54.0	10.11	AV	51.00	200	Horizontal	Pass
5	12520.746	57.07	74.0	16.93	Peak	339.00	300	Horizontal	Pass
5**	12520.746	49.55	54.0	4.45	AV	339.00	300	Horizontal	Pass
6	16148.244	55.43	74.0	18.57	Peak	207.00	200	Horizontal	Pass
6**	16148.244	46.06	54.0	7.94	AV	207.00	200	Horizontal	Pass

11be20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.539	38.70	74.0	35.30	Peak	14.00	400	Vertical	Pass
1**	1566.539	26.72	54.0	27.28	AV	14.00	400	Vertical	Pass
2	2347.305	44.07	74.0	29.93	Peak	276.00	100	Vertical	Pass
2**	2347.305	31.64	54.0	22.36	AV	276.00	100	Vertical	Pass
3	3914.294	45.59	74.0	28.41	Peak	327.00	200	Vertical	Pass
3**	3914.294	39.12	54.0	14.88	AV	327.00	200	Vertical	Pass
4	7682.563	49.90	74.0	24.10	Peak	37.00	300	Vertical	Pass
4**	7682.563	44.49	54.0	9.51	AV	37.00	300	Vertical	Pass
5	12527.000	52.85	74.0	21.15	Peak	266.00	200	Vertical	Pass
5**	12527.000	43.76	54.0	10.24	AV	266.00	200	Vertical	Pass
6	15382.616	53.43	74.0	20.57	Peak	241.00	200	Vertical	Pass
6**	15382.616	47.02	54.0	6.98	AV	241.00	200	Vertical	Pass

11be20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.179	40.24	74.0	33.76	Peak	191.00	300	Horizontal	Pass
1**	1509.179	28.98	54.0	25.02	AV	191.00	300	Horizontal	Pass
2	2349.814	47.65	74.0	26.35	Peak	338.00	200	Horizontal	Pass
2**	2349.814	40.47	54.0	13.53	AV	338.00	200	Horizontal	Pass
3	4203.512	47.96	74.0	26.04	Peak	348.00	200	Horizontal	Pass
3**	4201.666	36.84	54.0	17.16	AV	348.00	200	Horizontal	Pass
4	7434.004	54.38	74.0	19.62	Peak	182.00	200	Horizontal	Pass
4**	7434.004	44.56	54.0	9.44	AV	182.00	200	Horizontal	Pass
5	12520.746	58.34	74.0	15.66	Peak	5.00	300	Horizontal	Pass
5**	12520.746	48.52	54.0	5.48	AV	5.00	300	Horizontal	Pass
6	16148.244	53.41	74.0	20.59	Peak	340.00	300	Horizontal	Pass
6**	16148.244	41.39	54.0	12.61	AV	340.00	300	Horizontal	Pass

11be20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.472	37.00	74.0	37.00	Peak	202.00	400	Vertical	Pass
1**	1571.472	28.02	54.0	25.98	AV	202.00	400	Vertical	Pass
2	2350.110	46.66	74.0	27.34	Peak	288.00	200	Vertical	Pass
2**	2350.110	35.84	54.0	18.16	AV	288.00	200	Vertical	Pass
3	3920.336	46.68	74.0	27.32	Peak	254.00	200	Vertical	Pass
3**	3920.336	35.68	54.0	18.32	AV	254.00	200	Vertical	Pass
4	7679.657	53.42	74.0	20.58	Peak	52.00	400	Vertical	Pass
4**	7679.657	43.77	54.0	10.23	AV	52.00	400	Vertical	Pass
5	12526.865	57.24	74.0	16.76	Peak	199.00	300	Vertical	Pass
5**	12526.865	42.05	54.0	11.95	AV	199.00	300	Vertical	Pass
6	15378.906	51.14	74.0	22.86	Peak	302.00	200	Vertical	Pass
6**	15378.906	41.67	54.0	12.33	AV	302.00	200	Vertical	Pass

11be20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.179	40.24	74.0	33.76	Peak	191.00	300	Horizontal	Pass
1**	1509.179	28.98	54.0	25.02	AV	191.00	300	Horizontal	Pass
2	2349.814	47.65	74.0	26.35	Peak	338.00	200	Horizontal	Pass
2**	2349.814	40.47	54.0	13.53	AV	338.00	200	Horizontal	Pass
3	4203.512	47.96	74.0	26.04	Peak	348.00	200	Horizontal	Pass
3**	4201.666	36.84	54.0	17.16	AV	348.00	200	Horizontal	Pass
4	7434.004	54.38	74.0	19.62	Peak	182.00	200	Horizontal	Pass
4**	7434.004	44.56	54.0	9.44	AV	182.00	200	Horizontal	Pass
5	12520.746	58.34	74.0	15.66	Peak	5.00	300	Horizontal	Pass
5**	12520.746	48.52	54.0	5.48	AV	5.00	300	Horizontal	Pass
6	16148.244	53.41	74.0	20.59	Peak	340.00	300	Horizontal	Pass
6**	16148.244	41.39	54.0	12.61	AV	340.00	300	Horizontal	Pass

11be20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.108	34.70	74.0	39.30	Peak	100.00	100	Vertical	Pass
1**	1570.108	24.32	54.0	29.68	AV	100.00	100	Vertical	Pass
2	2343.876	42.46	74.0	31.54	Peak	263.00	300	Vertical	Pass
2**	2343.876	33.69	54.0	20.31	AV	263.00	300	Vertical	Pass
3	3913.748	46.01	74.0	27.99	Peak	134.00	200	Vertical	Pass
3**	3913.748	34.18	54.0	19.82	AV	134.00	200	Vertical	Pass
4	7681.654	51.90	74.0	22.10	Peak	125.00	400	Vertical	Pass
4**	7681.654	42.63	54.0	11.37	AV	125.00	400	Vertical	Pass
5	12528.344	54.74	74.0	19.26	Peak	304.00	400	Vertical	Pass
5**	12528.344	40.75	54.0	13.25	AV	304.00	400	Vertical	Pass
6	15382.362	52.92	74.0	21.08	Peak	299.00	300	Vertical	Pass
6**	15382.362	44.64	54.0	9.36	AV	299.00	300	Vertical	Pass

11be40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.179	40.24	74.0	33.76	Peak	191.00	300	Horizontal	Pass
1**	1509.179	28.98	54.0	25.02	AV	191.00	300	Horizontal	Pass
2	2349.814	47.65	74.0	26.35	Peak	338.00	200	Horizontal	Pass
2**	2349.814	40.47	54.0	13.53	AV	338.00	200	Horizontal	Pass
3	4203.512	47.96	74.0	26.04	Peak	348.00	200	Horizontal	Pass
3**	4201.666	36.84	54.0	17.16	AV	348.00	200	Horizontal	Pass
4	7434.004	54.38	74.0	19.62	Peak	182.00	200	Horizontal	Pass
4**	7434.004	44.56	54.0	9.44	AV	182.00	200	Horizontal	Pass
5	12520.746	58.34	74.0	15.66	Peak	5.00	300	Horizontal	Pass
5**	12520.746	48.52	54.0	5.48	AV	5.00	300	Horizontal	Pass
6	16148.244	53.41	74.0	20.59	Peak	340.00	300	Horizontal	Pass
6**	16148.244	41.39	54.0	12.61	AV	340.00	300	Horizontal	Pass

11be40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.424	39.05	74.0	34.95	Peak	110.00	200	Vertical	Pass
1**	1567.424	27.76	54.0	26.24	AV	110.00	200	Vertical	Pass
2	2343.084	42.77	74.0	31.23	Peak	5.00	400	Vertical	Pass
2**	2343.084	35.07	54.0	18.93	AV	5.00	400	Vertical	Pass
3	3918.072	45.85	74.0	28.15	Peak	315.00	200	Vertical	Pass
3**	3918.072	35.53	54.0	18.47	AV	315.00	200	Vertical	Pass
4	7681.859	49.41	74.0	24.59	Peak	285.00	100	Vertical	Pass
4**	7681.859	43.02	54.0	10.98	AV	285.00	100	Vertical	Pass
5	12532.002	53.79	74.0	20.21	Peak	304.00	200	Vertical	Pass
5**	12532.002	42.85	54.0	11.15	AV	304.00	200	Vertical	Pass
6	15382.096	54.17	74.0	19.83	Peak	273.00	300	Vertical	Pass
6**	15382.096	43.06	54.0	10.94	AV	273.00	300	Vertical	Pass

11be40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.179	40.24	74.0	33.76	Peak	191.00	300	Horizontal	Pass
1**	1509.179	28.98	54.0	25.02	AV	191.00	300	Horizontal	Pass
2	2349.814	47.65	74.0	26.35	Peak	338.00	200	Horizontal	Pass
2**	2349.814	40.47	54.0	13.53	AV	338.00	200	Horizontal	Pass
3	4203.512	47.96	74.0	26.04	Peak	348.00	200	Horizontal	Pass
3**	4201.666	36.84	54.0	17.16	AV	348.00	200	Horizontal	Pass
4	7434.004	54.38	74.0	19.62	Peak	182.00	200	Horizontal	Pass
4**	7434.004	44.56	54.0	9.44	AV	182.00	200	Horizontal	Pass
5	12520.746	58.34	74.0	15.66	Peak	5.00	300	Horizontal	Pass
5**	12520.746	48.52	54.0	5.48	AV	5.00	300	Horizontal	Pass
6	16148.244	53.41	74.0	20.59	Peak	340.00	300	Horizontal	Pass
6**	16148.244	41.39	54.0	12.61	AV	340.00	300	Horizontal	Pass

11be40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.744	35.07	74.0	38.93	Peak	216.00	100	Vertical	Pass
1**	1569.744	24.25	54.0	29.75	AV	216.00	100	Vertical	Pass
2	2343.187	47.05	74.0	26.95	Peak	57.00	100	Vertical	Pass
2**	2343.187	32.82	54.0	21.18	AV	57.00	100	Vertical	Pass
3	3918.226	45.20	74.0	28.80	Peak	337.00	200	Vertical	Pass
3**	3918.226	33.73	54.0	20.27	AV	337.00	200	Vertical	Pass
4	7681.438	53.94	74.0	20.06	Peak	16.00	300	Vertical	Pass
4**	7681.438	42.44	54.0	11.56	AV	16.00	300	Vertical	Pass
5	12532.665	58.18	74.0	15.82	Peak	251.00	200	Vertical	Pass
5**	12532.665	42.07	54.0	11.93	AV	251.00	200	Vertical	Pass
6	15382.281	52.08	74.0	21.92	Peak	17.00	400	Vertical	Pass
6**	15382.281	41.59	54.0	12.41	AV	17.00	400	Vertical	Pass

11be80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.179	40.24	74.0	33.76	Peak	191.00	300	Horizontal	Pass
1**	1509.179	28.98	54.0	25.02	AV	191.00	300	Horizontal	Pass
2	2349.814	47.65	74.0	26.35	Peak	338.00	200	Horizontal	Pass
2**	2349.814	40.47	54.0	13.53	AV	338.00	200	Horizontal	Pass
3	4203.512	47.96	74.0	26.04	Peak	348.00	200	Horizontal	Pass
3**	4201.666	36.84	54.0	17.16	AV	348.00	200	Horizontal	Pass
4	7434.004	54.38	74.0	19.62	Peak	182.00	200	Horizontal	Pass
4**	7434.004	44.56	54.0	9.44	AV	182.00	200	Horizontal	Pass
5	12520.746	58.34	74.0	15.66	Peak	5.00	300	Horizontal	Pass
5**	12520.746	48.52	54.0	5.48	AV	5.00	300	Horizontal	Pass
6	16148.244	53.41	74.0	20.59	Peak	340.00	300	Horizontal	Pass
6**	16148.244	41.39	54.0	12.61	AV	340.00	300	Horizontal	Pass

11be80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.368	38.58	74.0	35.42	Peak	266.00	300	Vertical	Pass
1**	1574.368	24.17	54.0	29.83	AV	266.00	300	Vertical	Pass
2	2346.375	45.79	74.0	28.21	Peak	160.00	300	Vertical	Pass
2**	2346.375	31.51	54.0	22.49	AV	160.00	300	Vertical	Pass
3	3920.883	45.70	74.0	28.30	Peak	325.00	200	Vertical	Pass
3**	3920.883	33.73	54.0	20.27	AV	325.00	200	Vertical	Pass
4	7682.587	51.34	74.0	22.66	Peak	0.00	400	Vertical	Pass
4**	7682.587	46.67	54.0	7.33	AV	0.00	400	Vertical	Pass
5	12531.420	56.67	74.0	17.33	Peak	213.00	100	Vertical	Pass
5**	12531.420	44.62	54.0	9.38	AV	213.00	100	Vertical	Pass
6	15380.482	52.41	74.0	21.59	Peak	213.00	400	Vertical	Pass
6**	15380.482	44.07	54.0	9.93	AV	213.00	400	Vertical	Pass

11be160(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.179	40.24	74.0	33.76	Peak	191.00	300	Horizontal	Pass
1**	1509.179	28.98	54.0	25.02	AV	191.00	300	Horizontal	Pass
2	2349.814	47.65	74.0	26.35	Peak	338.00	200	Horizontal	Pass
2**	2349.814	40.47	54.0	13.53	AV	338.00	200	Horizontal	Pass
3	4203.512	47.96	74.0	26.04	Peak	348.00	200	Horizontal	Pass
3**	4201.666	36.84	54.0	17.16	AV	348.00	200	Horizontal	Pass
4	7434.004	54.38	74.0	19.62	Peak	182.00	200	Horizontal	Pass
4**	7434.004	44.56	54.0	9.44	AV	182.00	200	Horizontal	Pass
5	12520.746	58.34	74.0	15.66	Peak	5.00	300	Horizontal	Pass
5**	12520.746	48.52	54.0	5.48	AV	5.00	300	Horizontal	Pass
6	16148.244	53.41	74.0	20.59	Peak	340.00	300	Horizontal	Pass
6**	16148.244	41.39	54.0	12.61	AV	340.00	300	Horizontal	Pass

11be160(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.439	33.77	74.0	40.23	Peak	123.00	400	Vertical	Pass
1**	1570.439	25.44	54.0	28.56	AV	123.00	400	Vertical	Pass
2	2350.042	42.48	74.0	31.52	Peak	202.00	400	Vertical	Pass
2**	2350.042	32.53	54.0	21.47	AV	202.00	400	Vertical	Pass
3	3913.662	43.79	74.0	30.21	Peak	120.00	200	Vertical	Pass
3**	3913.662	36.54	54.0	17.46	AV	120.00	200	Vertical	Pass
4	7683.489	51.59	74.0	22.41	Peak	329.00	200	Vertical	Pass
4**	7683.489	46.18	54.0	7.82	AV	329.00	200	Vertical	Pass
5	12533.718	53.71	74.0	20.29	Peak	93.00	300	Vertical	Pass
5**	12533.718	43.85	54.0	10.15	AV	93.00	300	Vertical	Pass
6	15378.852	54.52	74.0	19.48	Peak	216.00	300	Vertical	Pass
6**	15378.852	45.86	54.0	8.14	AV	216.00	300	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.202	40.73	74.0	33.27	Peak	86.00	400	Horizontal	Pass
1**	1526.202	28.68	54.0	25.32	AV	86.00	400	Horizontal	Pass
2	2276.855	44.86	74.0	29.14	Peak	263.00	300	Horizontal	Pass
2**	2276.855	33.88	54.0	20.12	AV	263.00	300	Horizontal	Pass
3	4047.221	46.27	74.0	27.73	Peak	221.00	200	Horizontal	Pass
3**	4047.221	39.97	54.0	14.03	AV	221.00	200	Horizontal	Pass
4	7618.933	53.70	74.0	20.30	Peak	23.00	300	Horizontal	Pass
4**	7618.933	40.82	54.0	13.18	AV	23.00	300	Horizontal	Pass
5	12456.885	55.66	74.0	18.34	Peak	66.00	300	Horizontal	Pass
5**	12456.885	42.53	54.0	11.47	AV	66.00	300	Horizontal	Pass
6	15904.628	54.56	74.0	19.44	Peak	334.00	100	Horizontal	Pass
6**	15904.628	46.69	54.0	7.31	AV	334.00	100	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.655	37.92	74.0	36.08	Peak	343.00	300	Vertical	Pass
1**	1527.655	28.83	54.0	25.17	AV	343.00	300	Vertical	Pass
2	2338.350	46.34	74.0	27.66	Peak	294.00	400	Vertical	Pass
2**	2338.350	36.46	54.0	17.54	AV	294.00	400	Vertical	Pass
3	4902.724	49.82	74.0	24.18	Peak	37.00	200	Vertical	Pass
3**	4902.724	39.58	54.0	14.42	AV	37.00	200	Vertical	Pass
4	7327.442	51.08	74.0	22.92	Peak	161.00	400	Vertical	Pass
4**	7327.442	46.05	54.0	7.95	AV	161.00	400	Vertical	Pass
5	12484.468	50.76	74.0	23.24	Peak	340.00	300	Vertical	Pass
5**	12484.468	43.81	54.0	10.19	AV	340.00	300	Vertical	Pass
6	15688.994	56.08	74.0	17.92	Peak	57.00	100	Vertical	Pass
6**	15688.994	46.77	54.0	7.23	AV	57.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.823	37.23	74.0	36.77	Peak	360.00	100	Horizontal	Pass
1**	1521.823	28.83	54.0	25.17	AV	360.00	100	Horizontal	Pass
2	2273.503	42.55	74.0	31.45	Peak	298.00	200	Horizontal	Pass
2**	2273.503	32.35	54.0	21.65	AV	298.00	200	Horizontal	Pass
3	4048.363	47.38	74.0	26.62	Peak	53.00	200	Horizontal	Pass
3**	4048.363	36.36	54.0	17.64	AV	53.00	200	Horizontal	Pass
4	7619.237	53.91	74.0	20.09	Peak	175.00	300	Horizontal	Pass
4**	7619.237	46.22	54.0	7.78	AV	175.00	300	Horizontal	Pass
5	12452.243	51.93	74.0	22.07	Peak	116.00	400	Horizontal	Pass
5**	12452.243	42.18	54.0	11.82	AV	116.00	400	Horizontal	Pass
6	15907.148	51.53	74.0	22.47	Peak	37.00	200	Horizontal	Pass
6**	15907.148	46.02	54.0	7.98	AV	37.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.594	40.00	74.0	34.00	Peak	179.00	200	Vertical	Pass
1**	1532.594	25.54	54.0	28.46	AV	179.00	200	Vertical	Pass
2	2338.319	45.69	74.0	28.31	Peak	71.00	100	Vertical	Pass
2**	2338.319	36.92	54.0	17.08	AV	71.00	100	Vertical	Pass
3	4899.073	49.36	74.0	24.64	Peak	35.00	200	Vertical	Pass
3**	4899.073	36.75	54.0	17.25	AV	35.00	200	Vertical	Pass
4	7331.076	56.04	74.0	17.96	Peak	112.00	100	Vertical	Pass
4**	7331.076	40.95	54.0	13.05	AV	112.00	100	Vertical	Pass
5	12486.569	52.10	74.0	21.90	Peak	124.00	200	Vertical	Pass
5**	12486.569	44.76	54.0	9.24	AV	124.00	200	Vertical	Pass
6	15692.118	52.00	74.0	22.00	Peak	172.00	200	Vertical	Pass
6**	15692.118	46.66	54.0	7.34	AV	172.00	200	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.139	40.74	74.0	33.26	Peak	34.00	200	Horizontal	Pass
1**	1525.139	31.55	54.0	22.45	AV	34.00	200	Horizontal	Pass
2	2273.275	44.86	74.0	29.14	Peak	211.00	100	Horizontal	Pass
2**	2273.275	37.06	54.0	16.94	AV	211.00	100	Horizontal	Pass
3	4043.955	47.15	74.0	26.85	Peak	149.00	200	Horizontal	Pass
3**	4043.955	34.69	54.0	19.31	AV	149.00	200	Horizontal	Pass
4	7617.823	53.77	74.0	20.23	Peak	206.00	400	Horizontal	Pass
4**	7617.823	41.57	54.0	12.43	AV	206.00	400	Horizontal	Pass
5	12457.213	52.20	74.0	21.80	Peak	37.00	200	Horizontal	Pass
5**	12457.213	42.82	54.0	11.18	AV	37.00	200	Horizontal	Pass
6	15905.968	51.31	74.0	22.69	Peak	27.00	200	Horizontal	Pass
6**	15905.968	44.85	54.0	9.15	AV	27.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.771	40.13	74.0	33.87	Peak	115.00	200	Vertical	Pass
1**	1527.771	26.06	54.0	27.94	AV	115.00	200	Vertical	Pass
2	2336.610	41.65	74.0	32.35	Peak	31.00	100	Vertical	Pass
2**	2336.610	33.64	54.0	20.36	AV	31.00	100	Vertical	Pass
3	4903.325	47.17	74.0	26.83	Peak	123.00	200	Vertical	Pass
3**	4903.325	41.61	54.0	12.39	AV	123.00	200	Vertical	Pass
4	7326.495	52.67	74.0	21.33	Peak	280.00	300	Vertical	Pass
4**	7326.495	44.60	54.0	9.40	AV	280.00	300	Vertical	Pass
5	12490.136	52.38	74.0	21.62	Peak	103.00	100	Vertical	Pass
5**	12490.136	46.69	54.0	7.31	AV	103.00	100	Vertical	Pass
6	15687.850	56.74	74.0	17.26	Peak	147.00	100	Vertical	Pass
6**	15687.850	42.91	54.0	11.09	AV	147.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.484	35.88	74.0	38.12	Peak	235.00	400	Horizontal	Pass
1**	1522.484	26.29	54.0	27.71	AV	235.00	400	Horizontal	Pass
2	2273.632	41.06	74.0	32.94	Peak	112.00	200	Horizontal	Pass
2**	2273.632	31.66	54.0	22.34	AV	112.00	200	Horizontal	Pass
3	4044.747	49.28	74.0	24.72	Peak	173.00	200	Horizontal	Pass
3**	4044.747	36.41	54.0	17.59	AV	173.00	200	Horizontal	Pass
4	7617.689	55.24	74.0	18.76	Peak	118.00	300	Horizontal	Pass
4**	7617.689	45.23	54.0	8.77	AV	118.00	300	Horizontal	Pass
5	12456.191	50.51	74.0	23.49	Peak	185.00	300	Horizontal	Pass
5**	12456.191	43.61	54.0	10.39	AV	185.00	300	Horizontal	Pass
6	15906.597	54.29	74.0	19.71	Peak	356.00	100	Horizontal	Pass
6**	15906.597	46.89	54.0	7.11	AV	356.00	100	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.790	39.21	74.0	34.79	Peak	53.00	100	Vertical	Pass
1**	1532.790	25.71	54.0	28.29	AV	53.00	100	Vertical	Pass
2	2333.335	42.39	74.0	31.61	Peak	303.00	400	Vertical	Pass
2**	2333.335	35.74	54.0	18.26	AV	303.00	400	Vertical	Pass
3	4903.246	50.43	74.0	23.57	Peak	192.00	200	Vertical	Pass
3**	4903.246	39.62	54.0	14.38	AV	192.00	200	Vertical	Pass
4	7326.371	54.84	74.0	19.16	Peak	16.00	200	Vertical	Pass
4**	7326.371	45.86	54.0	8.14	AV	16.00	200	Vertical	Pass
5	12488.822	51.35	74.0	22.65	Peak	113.00	300	Vertical	Pass
5**	12488.822	43.95	54.0	10.05	AV	113.00	300	Vertical	Pass
6	15693.954	54.89	74.0	19.11	Peak	268.00	200	Vertical	Pass
6**	15693.954	47.41	54.0	6.59	AV	268.00	200	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.022	40.23	74.0	33.77	Peak	174.00	100	Horizontal	Pass
1**	1524.022	31.44	54.0	22.56	AV	174.00	100	Horizontal	Pass
2	2277.545	44.89	74.0	29.11	Peak	163.00	300	Horizontal	Pass
2**	2277.545	33.79	54.0	20.21	AV	163.00	300	Horizontal	Pass
3	4048.892	45.22	74.0	28.78	Peak	63.00	200	Horizontal	Pass
3**	4048.892	34.29	54.0	19.71	AV	63.00	200	Horizontal	Pass
4	7617.279	51.05	74.0	22.95	Peak	150.00	100	Horizontal	Pass
4**	7617.279	46.50	54.0	7.50	AV	150.00	100	Horizontal	Pass
5	12458.545	55.38	74.0	18.62	Peak	322.00	100	Horizontal	Pass
5**	12458.545	46.33	54.0	7.67	AV	322.00	100	Horizontal	Pass
6	15901.153	54.29	74.0	19.71	Peak	116.00	400	Horizontal	Pass
6**	15901.153	46.40	54.0	7.60	AV	116.00	400	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.822	37.22	74.0	36.78	Peak	230.00	200	Vertical	Pass
1**	1529.822	27.04	54.0	26.96	AV	230.00	200	Vertical	Pass
2	2338.662	46.60	74.0	27.40	Peak	152.00	300	Vertical	Pass
2**	2338.662	37.57	54.0	16.43	AV	152.00	300	Vertical	Pass
3	4904.227	52.31	74.0	21.69	Peak	360.00	200	Vertical	Pass
3**	4904.227	37.16	54.0	16.84	AV	360.00	200	Vertical	Pass
4	7324.682	52.81	74.0	21.19	Peak	303.00	200	Vertical	Pass
4**	7324.682	42.10	54.0	11.90	AV	303.00	200	Vertical	Pass
5	12483.379	52.50	74.0	21.50	Peak	47.00	200	Vertical	Pass
5**	12483.379	43.43	54.0	10.57	AV	47.00	200	Vertical	Pass
6	15694.477	53.75	74.0	20.25	Peak	247.00	300	Vertical	Pass
6**	15694.477	47.21	54.0	6.79	AV	247.00	300	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.810	41.20	74.0	32.80	Peak	11.00	100	Horizontal	Pass
1**	1525.810	27.05	54.0	26.95	AV	11.00	100	Horizontal	Pass
2	2275.469	41.02	74.0	32.98	Peak	35.00	200	Horizontal	Pass
2**	2275.469	34.44	54.0	19.56	AV	35.00	200	Horizontal	Pass
3	4045.939	46.64	74.0	27.36	Peak	329.00	200	Horizontal	Pass
3**	4045.939	38.40	54.0	15.60	AV	329.00	200	Horizontal	Pass
4	7622.356	52.63	74.0	21.37	Peak	194.00	400	Horizontal	Pass
4**	7622.356	45.22	54.0	8.78	AV	194.00	400	Horizontal	Pass
5	12452.722	55.28	74.0	18.72	Peak	42.00	200	Horizontal	Pass
5**	12452.722	47.09	54.0	6.91	AV	42.00	200	Horizontal	Pass
6	15899.679	51.72	74.0	22.28	Peak	62.00	100	Horizontal	Pass
6**	15899.679	47.34	54.0	6.66	AV	62.00	100	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.349	40.03	74.0	33.97	Peak	214.00	100	Vertical	Pass
1**	1529.349	30.28	54.0	23.72	AV	214.00	100	Vertical	Pass
2	2332.636	46.78	74.0	27.22	Peak	64.00	100	Vertical	Pass
2**	2332.636	37.37	54.0	16.63	AV	64.00	100	Vertical	Pass
3	4901.372	49.75	74.0	24.25	Peak	334.00	200	Vertical	Pass
3**	4901.372	39.34	54.0	14.66	AV	334.00	200	Vertical	Pass
4	7323.656	53.79	74.0	20.21	Peak	213.00	300	Vertical	Pass
4**	7323.656	44.74	54.0	9.26	AV	213.00	300	Vertical	Pass
5	12487.250	52.29	74.0	21.71	Peak	18.00	200	Vertical	Pass
5**	12487.250	45.22	54.0	8.78	AV	18.00	200	Vertical	Pass
6	15693.323	53.41	74.0	20.59	Peak	278.00	100	Vertical	Pass
6**	15693.323	43.05	54.0	10.95	AV	278.00	100	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.495	39.01	74.0	34.99	Peak	292.00	100	Horizontal	Pass
1**	1524.495	28.03	54.0	25.97	AV	292.00	100	Horizontal	Pass
2	2277.453	44.45	74.0	29.55	Peak	292.00	300	Horizontal	Pass
2**	2277.453	35.51	54.0	18.49	AV	292.00	300	Horizontal	Pass
3	4046.892	46.38	74.0	27.62	Peak	132.00	200	Horizontal	Pass
3**	4046.892	36.81	54.0	17.19	AV	132.00	200	Horizontal	Pass
4	7616.870	51.01	74.0	22.99	Peak	113.00	400	Horizontal	Pass
4**	7616.870	41.94	54.0	12.06	AV	113.00	400	Horizontal	Pass
5	12456.534	53.60	74.0	20.40	Peak	124.00	300	Horizontal	Pass
5**	12456.534	45.52	54.0	8.48	AV	124.00	300	Horizontal	Pass
6	15900.777	54.64	74.0	19.36	Peak	189.00	400	Horizontal	Pass
6**	15900.777	43.72	54.0	10.28	AV	189.00	400	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.229	36.82	74.0	37.18	Peak	205.00	100	Vertical	Pass
1**	1533.229	30.95	54.0	23.05	AV	205.00	100	Vertical	Pass
2	2332.688	46.58	74.0	27.42	Peak	77.00	400	Vertical	Pass
2**	2332.688	34.54	54.0	19.46	AV	77.00	400	Vertical	Pass
3	4897.164	48.38	74.0	25.62	Peak	95.00	200	Vertical	Pass
3**	4897.164	39.86	54.0	14.14	AV	95.00	200	Vertical	Pass
4	7328.750	50.36	74.0	23.64	Peak	353.00	300	Vertical	Pass
4**	7328.750	46.64	54.0	7.36	AV	353.00	300	Vertical	Pass
5	12487.557	54.27	74.0	19.73	Peak	123.00	400	Vertical	Pass
5**	12487.557	44.56	54.0	9.44	AV	123.00	400	Vertical	Pass
6	15687.350	52.19	74.0	21.81	Peak	339.00	100	Vertical	Pass
6**	15687.350	43.49	54.0	10.51	AV	339.00	100	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.609	38.14	74.0	35.86	Peak	297.00	300	Horizontal	Pass
1**	1522.609	29.12	54.0	24.88	AV	297.00	300	Horizontal	Pass
2	2276.720	41.44	74.0	32.56	Peak	89.00	200	Horizontal	Pass
2**	2276.720	34.27	54.0	19.73	AV	89.00	200	Horizontal	Pass
3	4045.987	46.55	74.0	27.45	Peak	250.00	200	Horizontal	Pass
3**	4045.987	37.96	54.0	16.04	AV	250.00	200	Horizontal	Pass
4	7622.966	53.20	74.0	20.80	Peak	8.00	100	Horizontal	Pass
4**	7622.966	40.64	54.0	13.36	AV	8.00	100	Horizontal	Pass
5	12456.827	51.34	74.0	22.66	Peak	185.00	100	Horizontal	Pass
5**	12456.827	42.62	54.0	11.38	AV	185.00	100	Horizontal	Pass
6	15905.937	55.42	74.0	18.58	Peak	99.00	400	Horizontal	Pass
6**	15905.937	43.96	54.0	10.04	AV	99.00	400	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.487	41.37	74.0	32.63	Peak	67.00	400	Vertical	Pass
1**	1531.487	30.07	54.0	23.93	AV	67.00	400	Vertical	Pass
2	2335.297	46.37	74.0	27.63	Peak	52.00	200	Vertical	Pass
2**	2335.297	33.23	54.0	20.77	AV	52.00	200	Vertical	Pass
3	4897.422	50.54	74.0	23.46	Peak	311.00	200	Vertical	Pass
3**	4897.422	40.76	54.0	13.24	AV	311.00	200	Vertical	Pass
4	7326.763	52.73	74.0	21.27	Peak	151.00	200	Vertical	Pass
4**	7326.763	41.74	54.0	12.26	AV	151.00	200	Vertical	Pass
5	12489.056	51.64	74.0	22.36	Peak	182.00	300	Vertical	Pass
5**	12489.056	44.89	54.0	9.11	AV	182.00	300	Vertical	Pass
6	15693.182	51.18	74.0	22.82	Peak	290.00	300	Vertical	Pass
6**	15693.182	46.29	54.0	7.71	AV	290.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.512	37.09	74.0	36.91	Peak	47.00	400	Horizontal	Pass
1**	1526.512	27.83	54.0	26.17	AV	47.00	400	Horizontal	Pass
2	2275.345	45.50	74.0	28.50	Peak	140.00	300	Horizontal	Pass
2**	2275.345	32.60	54.0	21.40	AV	140.00	300	Horizontal	Pass
3	4048.065	45.94	74.0	28.06	Peak	186.00	200	Horizontal	Pass
3**	4048.065	37.99	54.0	16.01	AV	186.00	200	Horizontal	Pass
4	7623.700	50.68	74.0	23.32	Peak	90.00	100	Horizontal	Pass
4**	7623.700	40.87	54.0	13.13	AV	90.00	100	Horizontal	Pass
5	12458.125	52.55	74.0	21.45	Peak	120.00	400	Horizontal	Pass
5**	12458.125	43.00	54.0	11.00	AV	120.00	400	Horizontal	Pass
6	15901.605	51.69	74.0	22.31	Peak	186.00	300	Horizontal	Pass
6**	15901.605	42.47	54.0	11.53	AV	186.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.445	35.90	74.0	38.10	Peak	91.00	200	Vertical	Pass
1**	1527.445	30.90	54.0	23.10	AV	91.00	200	Vertical	Pass
2	2334.385	41.87	74.0	32.13	Peak	130.00	100	Vertical	Pass
2**	2334.385	37.44	54.0	16.56	AV	130.00	100	Vertical	Pass
3	4903.023	47.02	74.0	26.98	Peak	95.00	200	Vertical	Pass
3**	4903.023	37.61	54.0	16.39	AV	95.00	200	Vertical	Pass
4	7326.665	53.06	74.0	20.94	Peak	257.00	300	Vertical	Pass
4**	7326.665	45.25	54.0	8.75	AV	257.00	300	Vertical	Pass
5	12488.350	51.55	74.0	22.45	Peak	268.00	400	Vertical	Pass
5**	12488.350	47.01	54.0	6.99	AV	268.00	400	Vertical	Pass
6	15691.726	52.89	74.0	21.11	Peak	194.00	300	Vertical	Pass
6**	15691.726	43.39	54.0	10.61	AV	194.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.167	40.93	74.0	33.07	Peak	46.00	200	Horizontal	Pass
1**	1526.167	26.30	54.0	27.70	AV	46.00	200	Horizontal	Pass
2	2271.438	41.31	74.0	32.69	Peak	133.00	400	Horizontal	Pass
2**	2271.438	34.25	54.0	19.75	AV	133.00	400	Horizontal	Pass
3	4043.964	48.56	74.0	25.44	Peak	358.00	200	Horizontal	Pass
3**	4043.964	39.99	54.0	14.01	AV	358.00	200	Horizontal	Pass
4	7618.180	54.45	74.0	19.55	Peak	110.00	300	Horizontal	Pass
4**	7618.180	42.28	54.0	11.72	AV	110.00	300	Horizontal	Pass
5	12456.589	51.51	74.0	22.49	Peak	158.00	200	Horizontal	Pass
5**	12456.589	44.11	54.0	9.89	AV	158.00	200	Horizontal	Pass
6	15901.256	51.70	74.0	22.30	Peak	244.00	100	Horizontal	Pass
6**	15901.256	44.72	54.0	9.28	AV	244.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.318	37.90	74.0	36.10	Peak	174.00	300	Vertical	Pass
1**	1532.318	27.89	54.0	26.11	AV	174.00	300	Vertical	Pass
2	2337.472	45.19	74.0	28.81	Peak	223.00	300	Vertical	Pass
2**	2337.472	34.53	54.0	19.47	AV	223.00	300	Vertical	Pass
3	4897.821	51.03	74.0	22.97	Peak	273.00	200	Vertical	Pass
3**	4897.821	39.17	54.0	14.83	AV	273.00	200	Vertical	Pass
4	7328.556	50.61	74.0	23.39	Peak	337.00	200	Vertical	Pass
4**	7328.556	41.80	54.0	12.20	AV	337.00	200	Vertical	Pass
5	12489.817	51.62	74.0	22.38	Peak	315.00	200	Vertical	Pass
5**	12489.817	44.92	54.0	9.08	AV	315.00	200	Vertical	Pass
6	15690.471	52.10	74.0	21.90	Peak	162.00	100	Vertical	Pass
6**	15690.471	46.53	54.0	7.47	AV	162.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.258	41.36	74.0	32.64	Peak	78.00	300	Horizontal	Pass
1**	1522.258	30.67	54.0	23.33	AV	78.00	300	Horizontal	Pass
2	2271.755	44.24	74.0	29.76	Peak	53.00	400	Horizontal	Pass
2**	2271.755	37.19	54.0	16.81	AV	53.00	400	Horizontal	Pass
3	4043.977	44.24	74.0	29.76	Peak	223.00	200	Horizontal	Pass
3**	4043.977	36.96	54.0	17.04	AV	223.00	200	Horizontal	Pass
4	7624.298	54.33	74.0	19.67	Peak	87.00	400	Horizontal	Pass
4**	7624.298	45.10	54.0	8.90	AV	87.00	400	Horizontal	Pass
5	12452.370	52.11	74.0	21.89	Peak	353.00	100	Horizontal	Pass
5**	12452.370	45.21	54.0	8.79	AV	353.00	100	Horizontal	Pass
6	15905.888	51.77	74.0	22.23	Peak	209.00	200	Horizontal	Pass
6**	15905.888	43.37	54.0	10.63	AV	209.00	200	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.713	41.62	74.0	32.38	Peak	169.00	100	Vertical	Pass
1**	1527.713	30.72	54.0	23.28	AV	169.00	100	Vertical	Pass
2	2334.010	42.28	74.0	31.72	Peak	152.00	200	Vertical	Pass
2**	2334.010	35.95	54.0	18.05	AV	152.00	200	Vertical	Pass
3	4904.026	50.65	74.0	23.35	Peak	227.00	200	Vertical	Pass
3**	4904.026	37.33	54.0	16.67	AV	227.00	200	Vertical	Pass
4	7325.768	51.50	74.0	22.50	Peak	234.00	200	Vertical	Pass
4**	7325.768	41.98	54.0	12.02	AV	234.00	200	Vertical	Pass
5	12486.508	50.98	74.0	23.02	Peak	229.00	100	Vertical	Pass
5**	12486.508	41.85	54.0	12.15	AV	229.00	100	Vertical	Pass
6	15693.954	56.18	74.0	17.82	Peak	190.00	100	Vertical	Pass
6**	15693.954	43.08	54.0	10.92	AV	190.00	100	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.605	35.84	74.0	38.16	Peak	73.00	300	Horizontal	Pass
1**	1523.605	30.72	54.0	23.28	AV	73.00	300	Horizontal	Pass
2	2271.421	46.15	74.0	27.85	Peak	192.00	400	Horizontal	Pass
2**	2271.421	37.01	54.0	16.99	AV	192.00	400	Horizontal	Pass
3	4043.698	44.90	74.0	29.10	Peak	227.00	200	Horizontal	Pass
3**	4043.698	36.80	54.0	17.20	AV	227.00	200	Horizontal	Pass
4	7622.238	55.35	74.0	18.65	Peak	53.00	100	Horizontal	Pass
4**	7622.238	43.94	54.0	10.06	AV	53.00	100	Horizontal	Pass
5	12453.513	50.48	74.0	23.52	Peak	55.00	200	Horizontal	Pass
5**	12453.513	45.43	54.0	8.57	AV	55.00	200	Horizontal	Pass
6	15906.867	55.36	74.0	18.64	Peak	284.00	100	Horizontal	Pass
6**	15906.867	47.12	54.0	6.88	AV	284.00	100	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.950	40.90	74.0	33.10	Peak	46.00	300	Vertical	Pass
1**	1528.950	26.32	54.0	27.68	AV	46.00	300	Vertical	Pass
2	2336.273	42.66	74.0	31.34	Peak	157.00	200	Vertical	Pass
2**	2336.273	36.05	54.0	17.95	AV	157.00	200	Vertical	Pass
3	4901.244	52.87	74.0	21.13	Peak	46.00	200	Vertical	Pass
3**	4901.244	36.97	54.0	17.03	AV	46.00	200	Vertical	Pass
4	7329.169	52.82	74.0	21.18	Peak	84.00	200	Vertical	Pass
4**	7329.169	42.28	54.0	11.72	AV	84.00	200	Vertical	Pass
5	12487.951	50.69	74.0	23.31	Peak	329.00	100	Vertical	Pass
5**	12487.951	42.00	54.0	12.00	AV	329.00	100	Vertical	Pass
6	15694.221	56.46	74.0	17.54	Peak	214.00	100	Vertical	Pass
6**	15694.221	42.79	54.0	11.21	AV	214.00	100	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.718	41.11	74.0	32.89	Peak	281.00	200	Horizontal	Pass
1**	1524.718	28.93	54.0	25.07	AV	281.00	200	Horizontal	Pass
2	2271.589	43.35	74.0	30.65	Peak	37.00	300	Horizontal	Pass
2**	2271.589	37.14	54.0	16.86	AV	37.00	300	Horizontal	Pass
3	4042.739	45.13	74.0	28.87	Peak	305.00	200	Horizontal	Pass
3**	4042.739	38.09	54.0	15.91	AV	305.00	200	Horizontal	Pass
4	7618.407	51.68	74.0	22.32	Peak	15.00	200	Horizontal	Pass
4**	7618.407	40.86	54.0	13.14	AV	15.00	200	Horizontal	Pass
5	12457.455	55.89	74.0	18.11	Peak	71.00	400	Horizontal	Pass
5**	12457.455	45.01	54.0	8.99	AV	71.00	400	Horizontal	Pass
6	15906.969	56.56	74.0	17.44	Peak	16.00	200	Horizontal	Pass
6**	15906.969	45.18	54.0	8.82	AV	16.00	200	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.275	36.52	74.0	37.48	Peak	113.00	100	Vertical	Pass
1**	1534.275	25.85	54.0	28.15	AV	113.00	100	Vertical	Pass
2	2337.995	44.75	74.0	29.25	Peak	148.00	400	Vertical	Pass
2**	2337.995	33.84	54.0	20.16	AV	148.00	400	Vertical	Pass
3	4903.522	52.52	74.0	21.48	Peak	140.00	200	Vertical	Pass
3**	4903.522	41.86	54.0	12.14	AV	140.00	200	Vertical	Pass
4	7325.497	51.78	74.0	22.22	Peak	301.00	200	Vertical	Pass
4**	7325.497	45.92	54.0	8.08	AV	301.00	200	Vertical	Pass
5	12486.927	54.58	74.0	19.42	Peak	111.00	300	Vertical	Pass
5**	12486.927	43.33	54.0	10.67	AV	111.00	300	Vertical	Pass
6	15691.623	54.90	74.0	19.10	Peak	283.00	300	Vertical	Pass
6**	15691.623	45.82	54.0	8.18	AV	283.00	300	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.277	41.51	74.0	32.49	Peak	206.00	200	Horizontal	Pass
1**	1526.277	28.20	54.0	25.80	AV	206.00	200	Horizontal	Pass
2	2271.261	43.76	74.0	30.24	Peak	179.00	100	Horizontal	Pass
2**	2271.261	33.14	54.0	20.86	AV	179.00	100	Horizontal	Pass
3	4050.006	48.05	74.0	25.95	Peak	177.00	200	Horizontal	Pass
3**	4050.006	39.68	54.0	14.32	AV	177.00	200	Horizontal	Pass
4	7620.530	49.99	74.0	24.01	Peak	166.00	300	Horizontal	Pass
4**	7620.530	42.67	54.0	11.33	AV	166.00	300	Horizontal	Pass
5	12455.239	53.42	74.0	20.58	Peak	200.00	200	Horizontal	Pass
5**	12455.239	45.46	54.0	8.54	AV	200.00	200	Horizontal	Pass
6	15901.918	53.48	74.0	20.52	Peak	4.00	400	Horizontal	Pass
6**	15901.918	46.14	54.0	7.86	AV	4.00	400	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.271	38.65	74.0	35.35	Peak	256.00	100	Vertical	Pass
1**	1529.271	27.27	54.0	26.73	AV	256.00	100	Vertical	Pass
2	2332.567	46.49	74.0	27.51	Peak	225.00	400	Vertical	Pass
2**	2332.567	34.79	54.0	19.21	AV	225.00	400	Vertical	Pass
3	4903.617	49.68	74.0	24.32	Peak	12.00	200	Vertical	Pass
3**	4903.617	40.01	54.0	13.99	AV	12.00	200	Vertical	Pass
4	7328.401	53.26	74.0	20.74	Peak	231.00	200	Vertical	Pass
4**	7328.401	43.66	54.0	10.34	AV	231.00	200	Vertical	Pass
5	12486.688	53.17	74.0	20.83	Peak	248.00	200	Vertical	Pass
5**	12486.688	42.31	54.0	11.69	AV	248.00	200	Vertical	Pass
6	15691.214	51.72	74.0	22.28	Peak	254.00	300	Vertical	Pass
6**	15691.214	47.01	54.0	6.99	AV	254.00	300	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.279	36.25	74.0	37.75	Peak	170.00	300	Horizontal	Pass
1**	1522.279	29.97	54.0	24.03	AV	170.00	300	Horizontal	Pass
2	2273.290	43.84	74.0	30.16	Peak	338.00	200	Horizontal	Pass
2**	2273.290	32.00	54.0	22.00	AV	338.00	200	Horizontal	Pass
3	4046.316	44.89	74.0	29.11	Peak	90.00	200	Horizontal	Pass
3**	4046.316	36.36	54.0	17.64	AV	90.00	200	Horizontal	Pass
4	7618.583	51.94	74.0	22.06	Peak	133.00	400	Horizontal	Pass
4**	7618.583	46.42	54.0	7.58	AV	133.00	400	Horizontal	Pass
5	12450.587	53.08	74.0	20.92	Peak	238.00	100	Horizontal	Pass
5**	12450.587	44.85	54.0	9.15	AV	238.00	100	Horizontal	Pass
6	15906.461	54.44	74.0	19.56	Peak	146.00	400	Horizontal	Pass
6**	15906.461	47.44	54.0	6.56	AV	146.00	400	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.036	41.42	74.0	32.58	Peak	194.00	100	Vertical	Pass
1**	1531.036	26.90	54.0	27.10	AV	194.00	100	Vertical	Pass
2	2335.666	42.41	74.0	31.59	Peak	263.00	200	Vertical	Pass
2**	2335.666	33.95	54.0	20.05	AV	263.00	200	Vertical	Pass
3	4903.118	47.32	74.0	26.68	Peak	311.00	200	Vertical	Pass
3**	4903.118	42.08	54.0	11.92	AV	311.00	200	Vertical	Pass
4	7327.031	51.66	74.0	22.34	Peak	249.00	100	Vertical	Pass
4**	7327.031	44.50	54.0	9.50	AV	249.00	100	Vertical	Pass
5	12484.539	52.58	74.0	21.42	Peak	140.00	300	Vertical	Pass
5**	12484.539	41.28	54.0	12.72	AV	140.00	300	Vertical	Pass
6	15690.644	53.64	74.0	20.36	Peak	204.00	400	Vertical	Pass
6**	15690.644	41.46	54.0	12.54	AV	204.00	400	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.519	37.89	74.0	36.11	Peak	338.00	300	Horizontal	Pass
1**	1523.519	29.09	54.0	24.91	AV	338.00	300	Horizontal	Pass
2	2276.450	42.54	74.0	31.46	Peak	256.00	400	Horizontal	Pass
2**	2276.450	36.77	54.0	17.23	AV	256.00	400	Horizontal	Pass
3	4044.360	45.39	74.0	28.61	Peak	308.00	200	Horizontal	Pass
3**	4044.360	36.72	54.0	17.28	AV	308.00	200	Horizontal	Pass
4	7622.261	53.99	74.0	20.01	Peak	267.00	300	Horizontal	Pass
4**	7622.261	40.96	54.0	13.04	AV	267.00	300	Horizontal	Pass
5	12453.288	50.89	74.0	23.11	Peak	282.00	300	Horizontal	Pass
5**	12453.288	45.21	54.0	8.79	AV	282.00	300	Horizontal	Pass
6	15902.539	55.36	74.0	18.64	Peak	290.00	200	Horizontal	Pass
6**	15902.539	44.58	54.0	9.42	AV	290.00	200	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.340	37.62	74.0	36.38	Peak	216.00	200	Vertical	Pass
1**	1531.340	26.43	54.0	27.57	AV	216.00	200	Vertical	Pass
2	2333.299	47.42	74.0	26.58	Peak	59.00	200	Vertical	Pass
2**	2333.299	37.99	54.0	16.01	AV	59.00	200	Vertical	Pass
3	4903.570	49.13	74.0	24.87	Peak	235.00	200	Vertical	Pass
3**	4903.570	41.55	54.0	12.45	AV	235.00	200	Vertical	Pass
4	7324.929	53.31	74.0	20.69	Peak	35.00	400	Vertical	Pass
4**	7324.929	46.03	54.0	7.97	AV	35.00	400	Vertical	Pass
5	12483.520	55.67	74.0	18.33	Peak	312.00	200	Vertical	Pass
5**	12483.520	44.07	54.0	9.93	AV	312.00	200	Vertical	Pass
6	15690.001	56.12	74.0	17.88	Peak	21.00	400	Vertical	Pass
6**	15690.001	45.73	54.0	8.27	AV	21.00	400	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.484	37.15	74.0	36.85	Peak	38.00	100	Horizontal	Pass
1**	1522.484	30.61	54.0	23.39	AV	38.00	100	Horizontal	Pass
2	2275.645	42.53	74.0	31.47	Peak	219.00	300	Horizontal	Pass
2**	2275.645	36.52	54.0	17.48	AV	219.00	300	Horizontal	Pass
3	4048.685	46.62	74.0	27.38	Peak	360.00	200	Horizontal	Pass
3**	4048.685	35.60	54.0	18.40	AV	360.00	200	Horizontal	Pass
4	7617.683	51.30	74.0	22.70	Peak	219.00	200	Horizontal	Pass
4**	7617.683	45.92	54.0	8.08	AV	219.00	200	Horizontal	Pass
5	12453.918	51.90	74.0	22.10	Peak	318.00	400	Horizontal	Pass
5**	12453.918	43.81	54.0	10.19	AV	318.00	400	Horizontal	Pass
6	15901.995	54.06	74.0	19.94	Peak	87.00	200	Horizontal	Pass
6**	15901.995	43.38	54.0	10.62	AV	87.00	200	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.373	38.45	74.0	35.55	Peak	51.00	400	Vertical	Pass
1**	1529.373	27.71	54.0	26.29	AV	51.00	400	Vertical	Pass
2	2334.284	44.05	74.0	29.95	Peak	226.00	100	Vertical	Pass
2**	2334.284	32.76	54.0	21.24	AV	226.00	100	Vertical	Pass
3	4902.388	49.31	74.0	24.69	Peak	262.00	200	Vertical	Pass
3**	4902.388	42.09	54.0	11.91	AV	262.00	200	Vertical	Pass
4	7328.096	51.55	74.0	22.45	Peak	204.00	200	Vertical	Pass
4**	7328.096	45.74	54.0	8.26	AV	204.00	200	Vertical	Pass
5	12486.991	53.38	74.0	20.62	Peak	262.00	200	Vertical	Pass
5**	12486.991	43.92	54.0	10.08	AV	262.00	200	Vertical	Pass
6	15692.719	50.95	74.0	23.05	Peak	29.00	200	Vertical	Pass
6**	15692.719	42.34	54.0	11.66	AV	29.00	200	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.855	40.01	74.0	33.99	Peak	263.00	200	Horizontal	Pass
1**	1521.855	30.13	54.0	23.87	AV	263.00	200	Horizontal	Pass
2	2271.584	42.48	74.0	31.52	Peak	13.00	100	Horizontal	Pass
2**	2271.584	34.97	54.0	19.03	AV	13.00	100	Horizontal	Pass
3	4046.788	44.71	74.0	29.29	Peak	282.00	200	Horizontal	Pass
3**	4046.788	37.55	54.0	16.45	AV	282.00	200	Horizontal	Pass
4	7617.301	50.50	74.0	23.50	Peak	301.00	300	Horizontal	Pass
4**	7617.301	45.30	54.0	8.70	AV	301.00	300	Horizontal	Pass
5	12458.011	53.07	74.0	20.93	Peak	35.00	400	Horizontal	Pass
5**	12458.011	45.76	54.0	8.24	AV	35.00	400	Horizontal	Pass
6	15905.630	56.37	74.0	17.63	Peak	68.00	400	Horizontal	Pass
6**	15905.630	46.25	54.0	7.75	AV	68.00	400	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.678	40.13	74.0	33.87	Peak	212.00	200	Vertical	Pass
1**	1532.678	28.09	54.0	25.91	AV	212.00	200	Vertical	Pass
2	2339.174	46.53	74.0	27.47	Peak	113.00	300	Vertical	Pass
2**	2339.174	35.93	54.0	18.07	AV	113.00	300	Vertical	Pass
3	4903.956	50.96	74.0	23.04	Peak	140.00	200	Vertical	Pass
3**	4903.956	42.68	54.0	11.32	AV	140.00	200	Vertical	Pass
4	7326.600	53.79	74.0	20.21	Peak	207.00	300	Vertical	Pass
4**	7326.600	44.91	54.0	9.09	AV	207.00	300	Vertical	Pass
5	12485.525	52.24	74.0	21.76	Peak	188.00	300	Vertical	Pass
5**	12485.525	41.74	54.0	12.26	AV	188.00	300	Vertical	Pass
6	15694.955	54.60	74.0	19.40	Peak	61.00	100	Vertical	Pass
6**	15694.955	44.49	54.0	9.51	AV	61.00	100	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.127	36.01	74.0	37.99	Peak	263.00	100	Horizontal	Pass
1**	1521.127	30.28	54.0	23.72	AV	263.00	100	Horizontal	Pass
2	2274.264	41.15	74.0	32.85	Peak	359.00	100	Horizontal	Pass
2**	2274.264	33.33	54.0	20.67	AV	359.00	100	Horizontal	Pass
3	4047.251	48.11	74.0	25.89	Peak	192.00	200	Horizontal	Pass
3**	4047.251	37.45	54.0	16.55	AV	192.00	200	Horizontal	Pass
4	7622.900	53.55	74.0	20.45	Peak	215.00	200	Horizontal	Pass
4**	7622.900	44.91	54.0	9.09	AV	215.00	200	Horizontal	Pass
5	12451.919	51.68	74.0	22.32	Peak	360.00	200	Horizontal	Pass
5**	12451.919	43.97	54.0	10.03	AV	360.00	200	Horizontal	Pass
6	15901.384	50.79	74.0	23.21	Peak	264.00	100	Horizontal	Pass
6**	15901.384	43.18	54.0	10.82	AV	264.00	100	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.537	40.93	74.0	33.07	Peak	267.00	100	Vertical	Pass
1**	1529.537	26.18	54.0	27.82	AV	267.00	100	Vertical	Pass
2	2334.652	41.61	74.0	32.39	Peak	283.00	400	Vertical	Pass
2**	2334.652	35.64	54.0	18.36	AV	283.00	400	Vertical	Pass
3	4902.666	50.87	74.0	23.13	Peak	116.00	200	Vertical	Pass
3**	4902.666	36.82	54.0	17.18	AV	116.00	200	Vertical	Pass
4	7325.706	54.56	74.0	19.44	Peak	78.00	100	Vertical	Pass
4**	7325.706	43.23	54.0	10.77	AV	78.00	100	Vertical	Pass
5	12489.217	55.08	74.0	18.92	Peak	17.00	400	Vertical	Pass
5**	12489.217	43.91	54.0	10.09	AV	17.00	400	Vertical	Pass
6	15693.630	51.40	74.0	22.60	Peak	22.00	300	Vertical	Pass
6**	15693.630	43.81	54.0	10.19	AV	22.00	300	Vertical	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.266	40.37	74.0	33.63	Peak	331.00	200	Horizontal	Pass
1**	1521.266	29.62	54.0	24.38	AV	331.00	200	Horizontal	Pass
2	2276.147	41.85	74.0	32.15	Peak	173.00	400	Horizontal	Pass
2**	2276.147	36.11	54.0	17.89	AV	173.00	400	Horizontal	Pass
3	4042.863	47.07	74.0	26.93	Peak	284.00	200	Horizontal	Pass
3**	4042.863	38.07	54.0	15.93	AV	284.00	200	Horizontal	Pass
4	7622.196	53.37	74.0	20.63	Peak	207.00	100	Horizontal	Pass
4**	7622.196	42.34	54.0	11.66	AV	207.00	100	Horizontal	Pass
5	12451.871	50.83	74.0	23.17	Peak	212.00	100	Horizontal	Pass
5**	12451.871	41.65	54.0	12.35	AV	212.00	100	Horizontal	Pass
6	15906.634	55.71	74.0	18.29	Peak	4.00	300	Horizontal	Pass
6**	15906.634	41.59	54.0	12.41	AV	4.00	300	Horizontal	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.157	39.93	74.0	34.07	Peak	68.00	200	Vertical	Pass
1**	1527.157	27.24	54.0	26.76	AV	68.00	200	Vertical	Pass
2	2332.384	43.26	74.0	30.74	Peak	189.00	300	Vertical	Pass
2**	2332.384	33.82	54.0	20.18	AV	189.00	300	Vertical	Pass
3	4898.345	48.82	74.0	25.18	Peak	297.00	200	Vertical	Pass
3**	4898.345	41.37	54.0	12.63	AV	297.00	200	Vertical	Pass
4	7323.953	54.70	74.0	19.30	Peak	40.00	300	Vertical	Pass
4**	7323.953	42.10	54.0	11.90	AV	40.00	300	Vertical	Pass
5	12490.268	50.39	74.0	23.61	Peak	252.00	200	Vertical	Pass
5**	12490.268	43.25	54.0	10.75	AV	252.00	200	Vertical	Pass
6	15690.843	51.72	74.0	22.28	Peak	222.00	400	Vertical	Pass
6**	15690.843	46.28	54.0	7.72	AV	222.00	400	Vertical	Pass

11be20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.690	40.58	74.0	33.42	Peak	115.00	400	Horizontal	Pass
1**	1524.690	26.81	54.0	27.19	AV	115.00	400	Horizontal	Pass
2	2274.585	41.37	74.0	32.63	Peak	88.00	200	Horizontal	Pass
2**	2274.585	32.49	54.0	21.51	AV	88.00	200	Horizontal	Pass
3	4043.825	48.88	74.0	25.12	Peak	237.00	200	Horizontal	Pass
3**	4043.825	36.40	54.0	17.60	AV	237.00	200	Horizontal	Pass
4	7622.545	53.66	74.0	20.34	Peak	194.00	300	Horizontal	Pass
4**	7622.545	45.53	54.0	8.47	AV	194.00	300	Horizontal	Pass
5	12457.751	53.90	74.0	20.10	Peak	127.00	400	Horizontal	Pass
5**	12457.751	43.25	54.0	10.75	AV	127.00	400	Horizontal	Pass
6	15900.400	51.23	74.0	22.77	Peak	93.00	400	Horizontal	Pass
6**	15900.400	43.01	54.0	10.99	AV	93.00	400	Horizontal	Pass

11be20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.224	41.33	74.0	32.67	Peak	214.00	300	Vertical	Pass
1**	1529.224	27.88	54.0	26.12	AV	214.00	300	Vertical	Pass
2	2332.978	44.86	74.0	29.14	Peak	115.00	400	Vertical	Pass
2**	2332.978	37.97	54.0	16.03	AV	115.00	400	Vertical	Pass
3	4900.638	52.31	74.0	21.69	Peak	311.00	200	Vertical	Pass
3**	4900.638	42.62	54.0	11.38	AV	311.00	200	Vertical	Pass
4	7323.675	55.45	74.0	18.55	Peak	124.00	200	Vertical	Pass
4**	7323.675	44.89	54.0	9.11	AV	124.00	200	Vertical	Pass
5	12482.974	52.91	74.0	21.09	Peak	227.00	100	Vertical	Pass
5**	12482.974	43.55	54.0	10.45	AV	227.00	100	Vertical	Pass
6	15691.640	53.71	74.0	20.29	Peak	74.00	200	Vertical	Pass
6**	15691.640	47.37	54.0	6.63	AV	74.00	200	Vertical	Pass

11be20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.690	36.28	74.0	37.72	Peak	248.00	200	Horizontal	Pass
1**	1524.690	28.37	54.0	25.63	AV	248.00	200	Horizontal	Pass
2	2274.585	43.37	74.0	30.63	Peak	3.00	400	Horizontal	Pass
2**	2274.585	33.18	54.0	20.82	AV	3.00	400	Horizontal	Pass
3	4043.825	46.28	74.0	27.72	Peak	160.00	200	Horizontal	Pass
3**	4043.825	36.60	54.0	17.40	AV	160.00	200	Horizontal	Pass
4	7622.545	54.56	74.0	19.44	Peak	202.00	100	Horizontal	Pass
4**	7622.545	42.42	54.0	11.58	AV	202.00	100	Horizontal	Pass
5	12457.751	51.93	74.0	22.07	Peak	201.00	400	Horizontal	Pass
5**	12457.751	43.94	54.0	10.06	AV	201.00	400	Horizontal	Pass
6	15900.400	55.27	74.0	18.73	Peak	278.00	400	Horizontal	Pass
6**	15900.400	42.91	54.0	11.09	AV	278.00	400	Horizontal	Pass

11be20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.224	38.45	74.0	35.55	Peak	341.00	300	Vertical	Pass
1**	1532.422	28.53	54.0	25.47	AV	341.00	300	Vertical	Pass
2	2332.978	46.46	74.0	27.54	Peak	115.00	200	Vertical	Pass
2**	2336.067	34.79	54.0	19.21	AV	115.00	200	Vertical	Pass
3	4900.638	52.28	74.0	21.72	Peak	157.00	200	Vertical	Pass
3**	4899.423	42.19	54.0	11.81	AV	157.00	200	Vertical	Pass
4	7323.675	52.43	74.0	21.57	Peak	23.00	300	Vertical	Pass
4**	7323.476	40.98	54.0	13.02	AV	23.00	300	Vertical	Pass
5	12482.974	50.56	74.0	23.44	Peak	334.00	400	Vertical	Pass
5**	12482.974	43.53	54.0	10.47	AV	334.00	400	Vertical	Pass
6	15691.640	50.98	74.0	23.02	Peak	140.00	300	Vertical	Pass
6**	15691.893	41.55	54.0	12.45	AV	140.00	300	Vertical	Pass

11be20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.690	36.28	74.0	37.72	Peak	248.00	200	Horizontal	Pass
1**	1524.690	28.37	54.0	25.63	AV	248.00	200	Horizontal	Pass
2	2274.585	43.37	74.0	30.63	Peak	3.00	400	Horizontal	Pass
2**	2274.585	33.18	54.0	20.82	AV	3.00	400	Horizontal	Pass
3	4043.825	46.28	74.0	27.72	Peak	160.00	200	Horizontal	Pass
3**	4043.825	36.60	54.0	17.40	AV	160.00	200	Horizontal	Pass
4	7622.545	54.56	74.0	19.44	Peak	202.00	100	Horizontal	Pass
4**	7622.545	42.42	54.0	11.58	AV	202.00	100	Horizontal	Pass
5	12457.751	51.93	74.0	22.07	Peak	201.00	400	Horizontal	Pass
5**	12457.751	43.94	54.0	10.06	AV	201.00	400	Horizontal	Pass
6	15900.400	55.27	74.0	18.73	Peak	278.00	400	Horizontal	Pass
6**	15900.400	42.91	54.0	11.09	AV	278.00	400	Horizontal	Pass

11be20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.854	38.45	74.0	35.55	Peak	341.00	300	Vertical	Pass
1**	1532.422	28.53	54.0	25.47	AV	341.00	300	Vertical	Pass
2	2335.069	46.46	74.0	27.54	Peak	115.00	200	Vertical	Pass
2**	2336.067	34.79	54.0	19.21	AV	115.00	200	Vertical	Pass
3	4901.557	52.28	74.0	21.72	Peak	157.00	200	Vertical	Pass
3**	4899.423	42.19	54.0	11.81	AV	157.00	200	Vertical	Pass
4	7328.264	52.43	74.0	21.57	Peak	23.00	300	Vertical	Pass
4**	7323.476	40.98	54.0	13.02	AV	23.00	300	Vertical	Pass
5	12487.402	50.56	74.0	23.44	Peak	334.00	400	Vertical	Pass
5**	12487.402	43.53	54.0	10.47	AV	334.00	400	Vertical	Pass
6	15691.093	50.98	74.0	23.02	Peak	140.00	300	Vertical	Pass
6**	15691.893	41.55	54.0	12.45	AV	140.00	300	Vertical	Pass

11be40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.690	36.28	74.0	37.72	Peak	248.00	200	Horizontal	Pass
1**	1524.690	28.37	54.0	25.63	AV	248.00	200	Horizontal	Pass
2	2274.585	43.37	74.0	30.63	Peak	3.00	400	Horizontal	Pass
2**	2274.585	33.18	54.0	20.82	AV	3.00	400	Horizontal	Pass
3	4043.825	46.28	74.0	27.72	Peak	160.00	200	Horizontal	Pass
3**	4043.825	36.60	54.0	17.40	AV	160.00	200	Horizontal	Pass
4	7622.545	54.56	74.0	19.44	Peak	202.00	100	Horizontal	Pass
4**	7622.545	42.42	54.0	11.58	AV	202.00	100	Horizontal	Pass
5	12457.751	51.93	74.0	22.07	Peak	201.00	400	Horizontal	Pass
5**	12457.751	43.94	54.0	10.06	AV	201.00	400	Horizontal	Pass
6	15900.400	55.27	74.0	18.73	Peak	278.00	400	Horizontal	Pass
6**	15900.400	42.91	54.0	11.09	AV	278.00	400	Horizontal	Pass

11be40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.854	38.45	74.0	35.55	Peak	341.00	300	Vertical	Pass
1**	1532.422	28.53	54.0	25.47	AV	341.00	300	Vertical	Pass
2	2335.069	46.46	74.0	27.54	Peak	115.00	200	Vertical	Pass
2**	2336.067	34.79	54.0	19.21	AV	115.00	200	Vertical	Pass
3	4901.557	52.28	74.0	21.72	Peak	157.00	200	Vertical	Pass
3**	4899.423	42.19	54.0	11.81	AV	157.00	200	Vertical	Pass
4	7328.264	52.43	74.0	21.57	Peak	23.00	300	Vertical	Pass
4**	7323.476	40.98	54.0	13.02	AV	23.00	300	Vertical	Pass
5	12487.402	50.56	74.0	23.44	Peak	334.00	400	Vertical	Pass
5**	12487.402	43.53	54.0	10.47	AV	334.00	400	Vertical	Pass
6	15691.093	50.98	74.0	23.02	Peak	140.00	300	Vertical	Pass
6**	15691.893	41.55	54.0	12.45	AV	140.00	300	Vertical	Pass

11be40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.690	36.28	74.0	37.72	Peak	248.00	200	Horizontal	Pass
1**	1524.690	28.37	54.0	25.63	AV	248.00	200	Horizontal	Pass
2	2274.585	43.37	74.0	30.63	Peak	3.00	400	Horizontal	Pass
2**	2274.585	33.18	54.0	20.82	AV	3.00	400	Horizontal	Pass
3	4043.825	46.28	74.0	27.72	Peak	160.00	200	Horizontal	Pass
3**	4043.825	36.60	54.0	17.40	AV	160.00	200	Horizontal	Pass
4	7622.545	54.56	74.0	19.44	Peak	202.00	100	Horizontal	Pass
4**	7622.545	42.42	54.0	11.58	AV	202.00	100	Horizontal	Pass
5	12457.751	51.93	74.0	22.07	Peak	201.00	400	Horizontal	Pass
5**	12457.751	43.94	54.0	10.06	AV	201.00	400	Horizontal	Pass
6	15900.400	55.27	74.0	18.73	Peak	278.00	400	Horizontal	Pass
6**	15900.400	42.91	54.0	11.09	AV	278.00	400	Horizontal	Pass

11be40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.854	38.45	74.0	35.55	Peak	341.00	300	Vertical	Pass
1**	1532.422	28.53	54.0	25.47	AV	341.00	300	Vertical	Pass
2	2335.069	46.46	74.0	27.54	Peak	115.00	200	Vertical	Pass
2**	2336.067	34.79	54.0	19.21	AV	115.00	200	Vertical	Pass
3	4901.557	52.28	74.0	21.72	Peak	157.00	200	Vertical	Pass
3**	4899.423	42.19	54.0	11.81	AV	157.00	200	Vertical	Pass
4	7328.264	52.43	74.0	21.57	Peak	23.00	300	Vertical	Pass
4**	7323.476	40.98	54.0	13.02	AV	23.00	300	Vertical	Pass
5	12487.402	50.56	74.0	23.44	Peak	334.00	400	Vertical	Pass
5**	12487.402	43.53	54.0	10.47	AV	334.00	400	Vertical	Pass
6	15691.093	50.98	74.0	23.02	Peak	140.00	300	Vertical	Pass
6**	15691.893	41.55	54.0	12.45	AV	140.00	300	Vertical	Pass

11be80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.690	36.28	74.0	37.72	Peak	248.00	200	Horizontal	Pass
1**	1524.690	28.37	54.0	25.63	AV	248.00	200	Horizontal	Pass
2	2274.585	43.37	74.0	30.63	Peak	3.00	400	Horizontal	Pass
2**	2274.585	33.18	54.0	20.82	AV	3.00	400	Horizontal	Pass
3	4043.825	46.28	74.0	27.72	Peak	160.00	200	Horizontal	Pass
3**	4043.825	36.60	54.0	17.40	AV	160.00	200	Horizontal	Pass
4	7622.545	54.56	74.0	19.44	Peak	202.00	100	Horizontal	Pass
4**	7622.545	42.42	54.0	11.58	AV	202.00	100	Horizontal	Pass
5	12457.751	51.93	74.0	22.07	Peak	201.00	400	Horizontal	Pass
5**	12457.751	43.94	54.0	10.06	AV	201.00	400	Horizontal	Pass
6	15900.400	55.27	74.0	18.73	Peak	278.00	400	Horizontal	Pass
6**	15900.400	42.91	54.0	11.09	AV	278.00	400	Horizontal	Pass

11be80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.854	38.45	74.0	35.55	Peak	341.00	300	Vertical	Pass
1**	1532.422	28.53	54.0	25.47	AV	341.00	300	Vertical	Pass
2	2335.069	46.46	74.0	27.54	Peak	115.00	200	Vertical	Pass
2**	2336.067	34.79	54.0	19.21	AV	115.00	200	Vertical	Pass
3	4901.557	52.28	74.0	21.72	Peak	157.00	200	Vertical	Pass
3**	4899.423	42.19	54.0	11.81	AV	157.00	200	Vertical	Pass
4	7328.264	52.43	74.0	21.57	Peak	23.00	300	Vertical	Pass
4**	7323.476	40.98	54.0	13.02	AV	23.00	300	Vertical	Pass
5	12487.402	50.56	74.0	23.44	Peak	334.00	400	Vertical	Pass
5**	12487.402	43.53	54.0	10.47	AV	334.00	400	Vertical	Pass
6	15691.093	50.98	74.0	23.02	Peak	140.00	300	Vertical	Pass
6**	15691.893	41.55	54.0	12.45	AV	140.00	300	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.833	38.90	74.0	35.10	Peak	212.00	300	Horizontal	Pass
1**	1523.833	29.58	54.0	24.42	AV	212.00	300	Horizontal	Pass
2	2275.956	42.96	74.0	31.04	Peak	36.00	100	Horizontal	Pass
2**	2275.956	34.56	54.0	19.44	AV	36.00	100	Horizontal	Pass
3	4043.778	49.40	74.0	24.60	Peak	243.00	200	Horizontal	Pass
3**	4043.778	36.03	54.0	17.97	AV	243.00	200	Horizontal	Pass
4	7623.837	55.17	74.0	18.83	Peak	52.00	100	Horizontal	Pass
4**	7623.837	46.40	54.0	7.60	AV	52.00	100	Horizontal	Pass
5	12452.709	52.15	74.0	21.85	Peak	47.00	200	Horizontal	Pass
5**	12452.709	45.05	54.0	8.95	AV	47.00	200	Horizontal	Pass
6	15902.045	55.47	74.0	18.53	Peak	79.00	200	Horizontal	Pass
6**	15902.045	46.32	54.0	7.68	AV	79.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.333	40.98	74.0	33.02	Peak	240.00	300	Vertical	Pass
1**	1596.333	24.70	54.0	29.30	AV	240.00	300	Vertical	Pass
2	2230.074	39.98	74.0	34.02	Peak	192.00	400	Vertical	Pass
2**	2230.074	30.77	54.0	23.23	AV	192.00	400	Vertical	Pass
3	4261.433	48.52	74.0	25.48	Peak	172.00	200	Vertical	Pass
3**	4261.433	36.42	54.0	17.58	AV	172.00	200	Vertical	Pass
4	7709.165	54.58	74.0	19.42	Peak	186.00	200	Vertical	Pass
4**	7709.165	43.25	54.0	10.75	AV	186.00	200	Vertical	Pass
5	12496.139	55.47	74.0	18.53	Peak	23.00	200	Vertical	Pass
5**	12496.139	42.84	54.0	11.16	AV	23.00	200	Vertical	Pass
6	15672.557	57.72	74.0	16.28	Peak	181.00	200	Vertical	Pass
6**	15672.557	43.99	54.0	10.01	AV	181.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.952	39.11	74.0	34.89	Peak	310.00	100	Horizontal	Pass
1**	1526.952	29.89	54.0	24.11	AV	310.00	100	Horizontal	Pass
2	2271.229	44.55	74.0	29.45	Peak	128.00	300	Horizontal	Pass
2**	2271.229	33.38	54.0	20.62	AV	128.00	300	Horizontal	Pass
3	4046.904	45.62	74.0	28.38	Peak	301.00	200	Horizontal	Pass
3**	4046.904	39.74	54.0	14.26	AV	301.00	200	Horizontal	Pass
4	7622.547	51.92	74.0	22.08	Peak	44.00	300	Horizontal	Pass
4**	7622.547	41.20	54.0	12.80	AV	44.00	300	Horizontal	Pass
5	12456.323	55.54	74.0	18.46	Peak	181.00	300	Horizontal	Pass
5**	12456.323	42.61	54.0	11.39	AV	181.00	300	Horizontal	Pass
6	15901.234	50.91	74.0	23.09	Peak	284.00	100	Horizontal	Pass
6**	15901.234	47.08	54.0	6.92	AV	284.00	100	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.267	41.71	74.0	32.29	Peak	72.00	400	Vertical	Pass
1**	1597.267	25.67	54.0	28.33	AV	72.00	400	Vertical	Pass
2	2225.262	38.51	74.0	35.49	Peak	37.00	400	Vertical	Pass
2**	2225.262	29.15	54.0	24.85	AV	37.00	400	Vertical	Pass
3	4258.069	48.46	74.0	25.54	Peak	343.00	200	Vertical	Pass
3**	4258.069	38.56	54.0	15.44	AV	343.00	200	Vertical	Pass
4	7710.418	54.38	74.0	19.62	Peak	20.00	200	Vertical	Pass
4**	7710.418	45.29	54.0	8.71	AV	20.00	200	Vertical	Pass
5	12501.468	56.02	74.0	17.98	Peak	289.00	400	Vertical	Pass
5**	12501.468	41.27	54.0	12.73	AV	289.00	400	Vertical	Pass
6	15673.360	58.05	74.0	15.95	Peak	202.00	400	Vertical	Pass
6**	15673.360	40.04	54.0	13.96	AV	202.00	400	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.522	40.77	74.0	33.23	Peak	120.00	200	Horizontal	Pass
1**	1524.522	28.55	54.0	25.45	AV	120.00	200	Horizontal	Pass
2	2274.268	45.16	74.0	28.84	Peak	107.00	300	Horizontal	Pass
2**	2274.268	35.21	54.0	18.79	AV	107.00	300	Horizontal	Pass
3	4050.383	48.15	74.0	25.85	Peak	140.00	200	Horizontal	Pass
3**	4050.383	35.24	54.0	18.76	AV	140.00	200	Horizontal	Pass
4	7620.871	51.73	74.0	22.27	Peak	20.00	100	Horizontal	Pass
4**	7620.871	45.75	54.0	8.25	AV	20.00	100	Horizontal	Pass
5	12455.390	53.05	74.0	20.95	Peak	125.00	300	Horizontal	Pass
5**	12455.390	42.04	54.0	11.96	AV	125.00	300	Horizontal	Pass
6	15905.747	55.67	74.0	18.33	Peak	22.00	200	Horizontal	Pass
6**	15905.747	43.16	54.0	10.84	AV	22.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.936	41.18	74.0	32.82	Peak	334.00	200	Vertical	Pass
1**	1596.936	25.74	54.0	28.26	AV	334.00	200	Vertical	Pass
2	2230.654	43.39	74.0	30.61	Peak	220.00	300	Vertical	Pass
2**	2230.654	28.47	54.0	25.53	AV	220.00	300	Vertical	Pass
3	4258.751	46.32	74.0	27.68	Peak	351.00	200	Vertical	Pass
3**	4258.751	38.24	54.0	15.76	AV	351.00	200	Vertical	Pass
4	7711.502	54.59	74.0	19.41	Peak	40.00	300	Vertical	Pass
4**	7711.502	44.03	54.0	9.97	AV	40.00	300	Vertical	Pass
5	12500.752	51.73	74.0	22.27	Peak	273.00	400	Vertical	Pass
5**	12500.752	43.06	54.0	10.94	AV	273.00	400	Vertical	Pass
6	15669.777	55.74	74.0	18.26	Peak	61.00	400	Vertical	Pass
6**	15669.777	41.76	54.0	12.24	AV	61.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.756	39.41	74.0	34.59	Peak	318.00	200	Horizontal	Pass
1**	1526.756	31.20	54.0	22.80	AV	318.00	200	Horizontal	Pass
2	2277.390	41.96	74.0	32.04	Peak	251.00	400	Horizontal	Pass
2**	2277.390	36.34	54.0	17.66	AV	251.00	400	Horizontal	Pass
3	4045.266	47.21	74.0	26.79	Peak	238.00	200	Horizontal	Pass
3**	4045.266	34.95	54.0	19.05	AV	238.00	200	Horizontal	Pass
4	7624.143	55.24	74.0	18.76	Peak	81.00	300	Horizontal	Pass
4**	7624.143	45.44	54.0	8.56	AV	81.00	300	Horizontal	Pass
5	12455.931	50.65	74.0	23.35	Peak	351.00	300	Horizontal	Pass
5**	12455.931	42.15	54.0	11.85	AV	351.00	300	Horizontal	Pass
6	15901.784	54.34	74.0	19.66	Peak	7.00	400	Horizontal	Pass
6**	15901.784	45.39	54.0	8.61	AV	7.00	400	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.133	38.66	74.0	35.34	Peak	296.00	200	Vertical	Pass
1**	1600.133	28.68	54.0	25.32	AV	296.00	200	Vertical	Pass
2	2231.086	44.02	74.0	29.98	Peak	236.00	100	Vertical	Pass
2**	2231.086	31.53	54.0	22.47	AV	236.00	100	Vertical	Pass
3	4259.841	50.30	74.0	23.70	Peak	211.00	200	Vertical	Pass
3**	4259.841	37.15	54.0	16.85	AV	211.00	200	Vertical	Pass
4	7711.890	54.02	74.0	19.98	Peak	301.00	200	Vertical	Pass
4**	7711.890	42.22	54.0	11.78	AV	301.00	200	Vertical	Pass
5	12495.658	52.31	74.0	21.69	Peak	165.00	400	Vertical	Pass
5**	12495.658	40.56	54.0	13.44	AV	165.00	400	Vertical	Pass
6	15668.803	53.86	74.0	20.14	Peak	262.00	200	Vertical	Pass
6**	15668.803	43.18	54.0	10.82	AV	262.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.163	37.88	74.0	36.12	Peak	140.00	100	Horizontal	Pass
1**	1524.163	27.02	54.0	26.98	AV	140.00	100	Horizontal	Pass
2	2277.671	41.14	74.0	32.86	Peak	299.00	300	Horizontal	Pass
2**	2277.671	35.31	54.0	18.69	AV	299.00	300	Horizontal	Pass
3	4045.917	44.51	74.0	29.49	Peak	172.00	200	Horizontal	Pass
3**	4045.917	39.98	54.0	14.02	AV	172.00	200	Horizontal	Pass
4	7620.236	53.07	74.0	20.93	Peak	154.00	400	Horizontal	Pass
4**	7620.236	40.81	54.0	13.19	AV	154.00	400	Horizontal	Pass
5	12454.966	50.14	74.0	23.86	Peak	32.00	400	Horizontal	Pass
5**	12454.966	42.52	54.0	11.48	AV	32.00	400	Horizontal	Pass
6	15907.244	55.91	74.0	18.09	Peak	131.00	100	Horizontal	Pass
6**	15907.244	42.44	54.0	11.56	AV	131.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.945	41.54	74.0	32.46	Peak	351.00	100	Vertical	Pass
1**	1596.945	27.38	54.0	26.62	AV	351.00	100	Vertical	Pass
2	2228.293	39.18	74.0	34.82	Peak	97.00	200	Vertical	Pass
2**	2228.293	34.43	54.0	19.57	AV	97.00	200	Vertical	Pass
3	4254.308	50.25	74.0	23.75	Peak	325.00	200	Vertical	Pass
3**	4254.308	38.06	54.0	15.94	AV	325.00	200	Vertical	Pass
4	7706.539	53.72	74.0	20.28	Peak	21.00	400	Vertical	Pass
4**	7706.539	42.40	54.0	11.60	AV	21.00	400	Vertical	Pass
5	12496.760	52.74	74.0	21.26	Peak	177.00	300	Vertical	Pass
5**	12496.760	41.45	54.0	12.55	AV	177.00	300	Vertical	Pass
6	15672.046	53.13	74.0	20.87	Peak	15.00	300	Vertical	Pass
6**	15672.046	42.11	54.0	11.89	AV	15.00	300	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.963	37.99	74.0	36.01	Peak	347.00	200	Horizontal	Pass
1**	1527.963	25.84	54.0	28.16	AV	347.00	200	Horizontal	Pass
2	2272.246	44.07	74.0	29.93	Peak	282.00	300	Horizontal	Pass
2**	2272.246	35.44	54.0	18.56	AV	282.00	300	Horizontal	Pass
3	4043.689	48.11	74.0	25.89	Peak	163.00	200	Horizontal	Pass
3**	4043.689	36.93	54.0	17.07	AV	163.00	200	Horizontal	Pass
4	7616.889	49.90	74.0	24.10	Peak	52.00	200	Horizontal	Pass
4**	7616.889	42.21	54.0	11.79	AV	52.00	200	Horizontal	Pass
5	12455.689	54.83	74.0	19.17	Peak	132.00	200	Horizontal	Pass
5**	12455.689	43.38	54.0	10.62	AV	132.00	200	Horizontal	Pass
6	15907.405	52.44	74.0	21.56	Peak	238.00	200	Horizontal	Pass
6**	15907.405	42.78	54.0	11.22	AV	238.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.275	39.00	74.0	35.00	Peak	68.00	300	Vertical	Pass
1**	1602.275	23.41	54.0	30.59	AV	68.00	300	Vertical	Pass
2	2226.447	41.24	74.0	32.76	Peak	274.00	400	Vertical	Pass
2**	2226.447	31.26	54.0	22.74	AV	274.00	400	Vertical	Pass
3	4260.055	48.19	74.0	25.81	Peak	202.00	200	Vertical	Pass
3**	4260.055	37.46	54.0	16.54	AV	202.00	200	Vertical	Pass
4	7711.197	58.44	74.0	15.56	Peak	91.00	400	Vertical	Pass
4**	7711.197	40.40	54.0	13.60	AV	91.00	400	Vertical	Pass
5	12500.214	51.02	74.0	22.98	Peak	258.00	200	Vertical	Pass
5**	12500.214	42.33	54.0	11.67	AV	258.00	200	Vertical	Pass
6	15670.851	53.08	74.0	20.92	Peak	201.00	200	Vertical	Pass
6**	15670.851	41.81	54.0	12.19	AV	201.00	200	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.690	38.80	74.0	35.20	Peak	45.00	400	Horizontal	Pass
1**	1526.690	26.72	54.0	27.28	AV	45.00	400	Horizontal	Pass
2	2271.485	41.03	74.0	32.97	Peak	343.00	400	Horizontal	Pass
2**	2271.485	34.13	54.0	19.87	AV	343.00	400	Horizontal	Pass
3	4050.029	48.81	74.0	25.19	Peak	347.00	200	Horizontal	Pass
3**	4050.029	38.03	54.0	15.97	AV	347.00	200	Horizontal	Pass
4	7618.245	50.76	74.0	23.24	Peak	267.00	200	Horizontal	Pass
4**	7618.245	43.80	54.0	10.20	AV	267.00	200	Horizontal	Pass
5	12455.459	51.77	74.0	22.23	Peak	90.00	400	Horizontal	Pass
5**	12455.459	42.67	54.0	11.33	AV	90.00	400	Horizontal	Pass
6	15900.641	55.77	74.0	18.23	Peak	154.00	200	Horizontal	Pass
6**	15900.641	46.42	54.0	7.58	AV	154.00	200	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.762	42.98	74.0	31.02	Peak	352.00	100	Vertical	Pass
1**	1600.762	25.68	54.0	28.32	AV	352.00	100	Vertical	Pass
2	2230.515	39.94	74.0	34.06	Peak	319.00	300	Vertical	Pass
2**	2230.515	31.69	54.0	22.31	AV	319.00	300	Vertical	Pass
3	4258.421	49.65	74.0	24.35	Peak	4.00	200	Vertical	Pass
3**	4258.421	40.46	54.0	13.54	AV	4.00	200	Vertical	Pass
4	7709.691	53.98	74.0	20.02	Peak	261.00	300	Vertical	Pass
4**	7709.691	42.18	54.0	11.82	AV	261.00	300	Vertical	Pass
5	12501.543	53.99	74.0	20.01	Peak	30.00	100	Vertical	Pass
5**	12501.543	45.62	54.0	8.38	AV	30.00	100	Vertical	Pass
6	15669.815	57.09	74.0	16.91	Peak	95.00	400	Vertical	Pass
6**	15669.815	42.16	54.0	11.84	AV	95.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.120	40.42	74.0	33.58	Peak	237.00	200	Horizontal	Pass
1**	1522.120	26.19	54.0	27.81	AV	237.00	200	Horizontal	Pass
2	2274.049	45.23	74.0	28.77	Peak	321.00	200	Horizontal	Pass
2**	2274.049	31.85	54.0	22.15	AV	321.00	200	Horizontal	Pass
3	4042.662	48.46	74.0	25.54	Peak	87.00	200	Horizontal	Pass
3**	4042.662	37.29	54.0	16.71	AV	87.00	200	Horizontal	Pass
4	7621.667	53.84	74.0	20.16	Peak	267.00	100	Horizontal	Pass
4**	7621.667	43.84	54.0	10.16	AV	267.00	100	Horizontal	Pass
5	12456.058	54.85	74.0	19.15	Peak	201.00	200	Horizontal	Pass
5**	12456.058	44.47	54.0	9.53	AV	201.00	200	Horizontal	Pass
6	15900.380	51.99	74.0	22.01	Peak	176.00	200	Horizontal	Pass
6**	15900.380	43.94	54.0	10.06	AV	176.00	200	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.818	40.62	74.0	33.38	Peak	152.00	100	Vertical	Pass
1**	1601.818	28.75	54.0	25.25	AV	152.00	100	Vertical	Pass
2	2226.037	38.64	74.0	35.36	Peak	42.00	400	Vertical	Pass
2**	2226.037	34.14	54.0	19.86	AV	42.00	400	Vertical	Pass
3	4257.819	48.60	74.0	25.40	Peak	17.00	200	Vertical	Pass
3**	4257.819	38.27	54.0	15.73	AV	17.00	200	Vertical	Pass
4	7710.811	57.81	74.0	16.19	Peak	278.00	300	Vertical	Pass
4**	7710.811	44.44	54.0	9.56	AV	278.00	300	Vertical	Pass
5	12494.987	54.08	74.0	19.92	Peak	296.00	400	Vertical	Pass
5**	12494.987	43.16	54.0	10.84	AV	296.00	400	Vertical	Pass
6	15668.609	54.80	74.0	19.20	Peak	97.00	200	Vertical	Pass
6**	15668.609	40.70	54.0	13.30	AV	97.00	200	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.602	40.86	74.0	33.14	Peak	129.00	100	Horizontal	Pass
1**	1524.602	25.81	54.0	28.19	AV	129.00	100	Horizontal	Pass
2	2277.162	42.60	74.0	31.40	Peak	275.00	400	Horizontal	Pass
2**	2277.162	37.10	54.0	16.90	AV	275.00	400	Horizontal	Pass
3	4042.746	48.93	74.0	25.07	Peak	34.00	200	Horizontal	Pass
3**	4042.746	36.62	54.0	17.38	AV	34.00	200	Horizontal	Pass
4	7619.140	53.95	74.0	20.05	Peak	284.00	300	Horizontal	Pass
4**	7619.140	46.27	54.0	7.73	AV	284.00	300	Horizontal	Pass
5	12451.485	53.98	74.0	20.02	Peak	159.00	200	Horizontal	Pass
5**	12451.485	44.93	54.0	9.07	AV	159.00	200	Horizontal	Pass
6	15907.034	55.05	74.0	18.95	Peak	352.00	400	Horizontal	Pass
6**	15907.034	46.67	54.0	7.33	AV	352.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.207	40.77	74.0	33.23	Peak	227.00	300	Vertical	Pass
1**	1596.207	25.49	54.0	28.51	AV	227.00	300	Vertical	Pass
2	2225.745	39.44	74.0	34.56	Peak	316.00	400	Vertical	Pass
2**	2225.745	31.45	54.0	22.55	AV	316.00	400	Vertical	Pass
3	4254.983	50.74	74.0	23.26	Peak	286.00	200	Vertical	Pass
3**	4254.983	38.65	54.0	15.35	AV	286.00	200	Vertical	Pass
4	7710.325	53.36	74.0	20.64	Peak	158.00	200	Vertical	Pass
4**	7710.325	44.48	54.0	9.52	AV	158.00	200	Vertical	Pass
5	12499.813	56.21	74.0	17.79	Peak	19.00	400	Vertical	Pass
5**	12499.813	41.17	54.0	12.83	AV	19.00	400	Vertical	Pass
6	15670.621	57.87	74.0	16.13	Peak	13.00	400	Vertical	Pass
6**	15670.621	45.21	54.0	8.79	AV	13.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.659	40.07	74.0	33.93	Peak	222.00	100	Horizontal	Pass
1**	1524.659	30.42	54.0	23.58	AV	222.00	100	Horizontal	Pass
2	2278.043	44.40	74.0	29.60	Peak	352.00	200	Horizontal	Pass
2**	2278.043	35.57	54.0	18.43	AV	352.00	200	Horizontal	Pass
3	4048.875	47.59	74.0	26.41	Peak	61.00	200	Horizontal	Pass
3**	4048.875	39.08	54.0	14.92	AV	61.00	200	Horizontal	Pass
4	7616.733	54.97	74.0	19.03	Peak	77.00	100	Horizontal	Pass
4**	7616.733	41.35	54.0	12.65	AV	77.00	100	Horizontal	Pass
5	12456.258	51.42	74.0	22.58	Peak	260.00	400	Horizontal	Pass
5**	12456.258	42.18	54.0	11.82	AV	260.00	400	Horizontal	Pass
6	15904.367	53.50	74.0	20.50	Peak	311.00	300	Horizontal	Pass
6**	15904.367	47.08	54.0	6.92	AV	311.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.660	41.74	74.0	32.26	Peak	309.00	400	Vertical	Pass
1**	1599.660	25.64	54.0	28.36	AV	309.00	400	Vertical	Pass
2	2230.480	41.38	74.0	32.62	Peak	193.00	400	Vertical	Pass
2**	2230.480	32.41	54.0	21.59	AV	193.00	400	Vertical	Pass
3	4257.094	48.10	74.0	25.90	Peak	159.00	200	Vertical	Pass
3**	4257.094	40.61	54.0	13.39	AV	159.00	200	Vertical	Pass
4	7711.299	58.47	74.0	15.53	Peak	211.00	300	Vertical	Pass
4**	7711.299	40.52	54.0	13.48	AV	211.00	300	Vertical	Pass
5	12501.012	51.30	74.0	22.70	Peak	324.00	100	Vertical	Pass
5**	12501.012	40.19	54.0	13.81	AV	324.00	100	Vertical	Pass
6	15675.637	55.55	74.0	18.45	Peak	23.00	200	Vertical	Pass
6**	15675.637	40.23	54.0	13.77	AV	23.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.919	38.23	74.0	35.77	Peak	90.00	300	Horizontal	Pass
1**	1527.919	31.24	54.0	22.76	AV	90.00	300	Horizontal	Pass
2	2273.440	45.61	74.0	28.39	Peak	339.00	100	Horizontal	Pass
2**	2273.440	37.11	54.0	16.89	AV	339.00	100	Horizontal	Pass
3	4046.292	49.35	74.0	24.65	Peak	44.00	200	Horizontal	Pass
3**	4046.292	38.51	54.0	15.49	AV	44.00	200	Horizontal	Pass
4	7616.925	52.16	74.0	21.84	Peak	249.00	200	Horizontal	Pass
4**	7616.925	45.83	54.0	8.17	AV	249.00	200	Horizontal	Pass
5	12451.193	50.27	74.0	23.73	Peak	221.00	300	Horizontal	Pass
5**	12451.193	45.62	54.0	8.38	AV	221.00	300	Horizontal	Pass
6	15902.682	54.05	74.0	19.95	Peak	192.00	100	Horizontal	Pass
6**	15902.682	45.24	54.0	8.76	AV	192.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.216	39.21	74.0	34.79	Peak	238.00	100	Vertical	Pass
1**	1601.216	28.77	54.0	25.23	AV	238.00	100	Vertical	Pass
2	2229.191	42.19	74.0	31.81	Peak	316.00	400	Vertical	Pass
2**	2229.191	33.43	54.0	20.57	AV	316.00	400	Vertical	Pass
3	4255.172	48.21	74.0	25.79	Peak	120.00	200	Vertical	Pass
3**	4255.172	40.74	54.0	13.26	AV	120.00	200	Vertical	Pass
4	7710.321	58.00	74.0	16.00	Peak	342.00	400	Vertical	Pass
4**	7710.321	45.00	54.0	9.00	AV	342.00	400	Vertical	Pass
5	12498.180	56.28	74.0	17.72	Peak	291.00	100	Vertical	Pass
5**	12498.180	45.25	54.0	8.75	AV	291.00	100	Vertical	Pass
6	15672.021	58.34	74.0	15.66	Peak	179.00	200	Vertical	Pass
6**	15672.021	39.86	54.0	14.14	AV	179.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.748	40.06	74.0	33.94	Peak	286.00	100	Horizontal	Pass
1**	1521.748	28.49	54.0	25.51	AV	286.00	100	Horizontal	Pass
2	2275.064	45.83	74.0	28.17	Peak	331.00	100	Horizontal	Pass
2**	2275.064	36.37	54.0	17.63	AV	331.00	100	Horizontal	Pass
3	4044.636	49.55	74.0	24.45	Peak	71.00	200	Horizontal	Pass
3**	4044.636	40.12	54.0	13.88	AV	71.00	200	Horizontal	Pass
4	7621.421	51.67	74.0	22.33	Peak	93.00	200	Horizontal	Pass
4**	7621.421	43.30	54.0	10.70	AV	93.00	200	Horizontal	Pass
5	12452.633	52.08	74.0	21.92	Peak	221.00	100	Horizontal	Pass
5**	12452.633	41.59	54.0	12.41	AV	221.00	100	Horizontal	Pass
6	15905.036	56.18	74.0	17.82	Peak	165.00	100	Horizontal	Pass
6**	15905.036	47.04	54.0	6.96	AV	165.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.748	38.56	74.0	35.44	Peak	16.00	100	Vertical	Pass
1**	1597.748	26.11	54.0	27.89	AV	16.00	100	Vertical	Pass
2	2228.642	40.11	74.0	33.89	Peak	64.00	100	Vertical	Pass
2**	2228.642	28.69	54.0	25.31	AV	64.00	100	Vertical	Pass
3	4257.978	45.21	74.0	28.79	Peak	228.00	200	Vertical	Pass
3**	4257.978	41.03	54.0	12.97	AV	228.00	200	Vertical	Pass
4	7710.780	54.11	74.0	19.89	Peak	25.00	100	Vertical	Pass
4**	7710.780	42.09	54.0	11.91	AV	25.00	100	Vertical	Pass
5	12499.378	50.85	74.0	23.15	Peak	223.00	200	Vertical	Pass
5**	12499.378	40.93	54.0	13.07	AV	223.00	200	Vertical	Pass
6	15670.886	57.57	74.0	16.43	Peak	56.00	200	Vertical	Pass
6**	15670.886	44.55	54.0	9.45	AV	56.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.010	36.83	74.0	37.17	Peak	336.00	400	Horizontal	Pass
1**	1522.010	28.39	54.0	25.61	AV	336.00	400	Horizontal	Pass
2	2274.853	41.07	74.0	32.93	Peak	125.00	100	Horizontal	Pass
2**	2274.853	31.63	54.0	22.37	AV	125.00	100	Horizontal	Pass
3	4049.053	44.89	74.0	29.11	Peak	103.00	200	Horizontal	Pass
3**	4049.053	39.60	54.0	14.40	AV	103.00	200	Horizontal	Pass
4	7617.962	55.28	74.0	18.72	Peak	116.00	100	Horizontal	Pass
4**	7617.962	43.41	54.0	10.59	AV	116.00	100	Horizontal	Pass
5	12455.771	52.39	74.0	21.61	Peak	9.00	200	Horizontal	Pass
5**	12455.771	46.99	54.0	7.01	AV	9.00	200	Horizontal	Pass
6	15901.364	52.66	74.0	21.34	Peak	5.00	300	Horizontal	Pass
6**	15901.364	45.05	54.0	8.95	AV	5.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.591	40.70	74.0	33.30	Peak	334.00	400	Vertical	Pass
1**	1598.591	23.88	54.0	30.12	AV	334.00	400	Vertical	Pass
2	2224.865	42.79	74.0	31.21	Peak	195.00	200	Vertical	Pass
2**	2224.865	31.75	54.0	22.25	AV	195.00	200	Vertical	Pass
3	4258.392	44.88	74.0	29.12	Peak	7.00	200	Vertical	Pass
3**	4258.392	37.58	54.0	16.42	AV	7.00	200	Vertical	Pass
4	7711.856	53.21	74.0	20.79	Peak	266.00	300	Vertical	Pass
4**	7711.856	41.33	54.0	12.67	AV	266.00	300	Vertical	Pass
5	12496.406	55.41	74.0	18.59	Peak	316.00	400	Vertical	Pass
5**	12496.406	44.12	54.0	9.88	AV	316.00	400	Vertical	Pass
6	15673.099	57.33	74.0	16.67	Peak	317.00	300	Vertical	Pass
6**	15673.099	39.87	54.0	14.13	AV	317.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.837	39.23	74.0	34.77	Peak	84.00	400	Horizontal	Pass
1**	1520.837	29.16	54.0	24.84	AV	84.00	400	Horizontal	Pass
2	2272.565	41.20	74.0	32.80	Peak	109.00	200	Horizontal	Pass
2**	2272.565	31.93	54.0	22.07	AV	109.00	200	Horizontal	Pass
3	4046.484	48.30	74.0	25.70	Peak	232.00	200	Horizontal	Pass
3**	4046.484	37.01	54.0	16.99	AV	232.00	200	Horizontal	Pass
4	7616.952	53.25	74.0	20.75	Peak	341.00	400	Horizontal	Pass
4**	7616.952	42.27	54.0	11.73	AV	341.00	400	Horizontal	Pass
5	12451.625	50.24	74.0	23.76	Peak	94.00	200	Horizontal	Pass
5**	12451.625	45.19	54.0	8.81	AV	94.00	200	Horizontal	Pass
6	15906.798	55.77	74.0	18.23	Peak	281.00	100	Horizontal	Pass
6**	15906.798	41.80	54.0	12.20	AV	281.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.679	37.15	74.0	36.85	Peak	270.00	100	Vertical	Pass
1**	1601.679	28.58	54.0	25.42	AV	270.00	100	Vertical	Pass
2	2227.832	40.97	74.0	33.03	Peak	76.00	100	Vertical	Pass
2**	2227.832	34.35	54.0	19.65	AV	76.00	100	Vertical	Pass
3	4255.638	48.64	74.0	25.36	Peak	268.00	200	Vertical	Pass
3**	4255.638	38.10	54.0	15.90	AV	268.00	200	Vertical	Pass
4	7705.507	56.95	74.0	17.05	Peak	228.00	400	Vertical	Pass
4**	7705.507	42.85	54.0	11.15	AV	228.00	400	Vertical	Pass
5	12495.183	55.76	74.0	18.24	Peak	74.00	100	Vertical	Pass
5**	12495.183	43.34	54.0	10.66	AV	74.00	100	Vertical	Pass
6	15675.563	53.42	74.0	20.58	Peak	99.00	400	Vertical	Pass
6**	15675.563	42.84	54.0	11.16	AV	99.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.228	40.84	74.0	33.16	Peak	162.00	100	Horizontal	Pass
1**	1522.228	27.99	54.0	26.01	AV	162.00	100	Horizontal	Pass
2	2272.820	46.67	74.0	27.33	Peak	334.00	100	Horizontal	Pass
2**	2272.820	34.76	54.0	19.24	AV	334.00	100	Horizontal	Pass
3	4047.370	45.57	74.0	28.43	Peak	209.00	200	Horizontal	Pass
3**	4047.370	35.81	54.0	18.19	AV	209.00	200	Horizontal	Pass
4	7617.588	50.84	74.0	23.16	Peak	226.00	100	Horizontal	Pass
4**	7617.588	44.35	54.0	9.65	AV	226.00	100	Horizontal	Pass
5	12451.795	51.47	74.0	22.53	Peak	30.00	100	Horizontal	Pass
5**	12451.795	43.29	54.0	10.71	AV	30.00	100	Horizontal	Pass
6	15899.890	51.64	74.0	22.36	Peak	272.00	400	Horizontal	Pass
6**	15899.890	43.65	54.0	10.35	AV	272.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.142	42.19	74.0	31.81	Peak	240.00	100	Vertical	Pass
1**	1601.142	28.86	54.0	25.14	AV	240.00	100	Vertical	Pass
2	2227.441	44.00	74.0	30.00	Peak	99.00	100	Vertical	Pass
2**	2227.441	29.87	54.0	24.13	AV	99.00	100	Vertical	Pass
3	4261.556	50.83	74.0	23.17	Peak	127.00	200	Vertical	Pass
3**	4261.556	38.17	54.0	15.83	AV	127.00	200	Vertical	Pass
4	7705.009	57.44	74.0	16.56	Peak	328.00	400	Vertical	Pass
4**	7705.009	41.66	54.0	12.34	AV	328.00	400	Vertical	Pass
5	12496.049	50.70	74.0	23.30	Peak	44.00	300	Vertical	Pass
5**	12496.049	40.82	54.0	13.18	AV	44.00	300	Vertical	Pass
6	15673.955	56.37	74.0	17.63	Peak	212.00	400	Vertical	Pass
6**	15673.955	41.76	54.0	12.24	AV	212.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.041	40.90	74.0	33.10	Peak	51.00	400	Horizontal	Pass
1**	1528.041	31.27	54.0	22.73	AV	51.00	400	Horizontal	Pass
2	2271.993	42.76	74.0	31.24	Peak	251.00	300	Horizontal	Pass
2**	2271.993	31.58	54.0	22.42	AV	251.00	300	Horizontal	Pass
3	4045.321	48.52	74.0	25.48	Peak	312.00	200	Horizontal	Pass
3**	4045.321	36.05	54.0	17.95	AV	312.00	200	Horizontal	Pass
4	7623.888	51.09	74.0	22.91	Peak	101.00	100	Horizontal	Pass
4**	7623.888	45.84	54.0	8.16	AV	101.00	100	Horizontal	Pass
5	12451.123	54.23	74.0	19.77	Peak	282.00	400	Horizontal	Pass
5**	12451.123	42.25	54.0	11.75	AV	282.00	400	Horizontal	Pass
6	15900.136	53.69	74.0	20.31	Peak	286.00	200	Horizontal	Pass
6**	15900.136	44.49	54.0	9.51	AV	286.00	200	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.620	37.54	74.0	36.46	Peak	239.00	300	Vertical	Pass
1**	1599.620	24.04	54.0	29.96	AV	239.00	300	Vertical	Pass
2	2226.692	42.75	74.0	31.25	Peak	174.00	200	Vertical	Pass
2**	2226.692	30.90	54.0	23.10	AV	174.00	200	Vertical	Pass
3	4260.195	46.48	74.0	27.52	Peak	29.00	200	Vertical	Pass
3**	4260.195	36.99	54.0	17.01	AV	29.00	200	Vertical	Pass
4	7709.203	55.05	74.0	18.95	Peak	272.00	300	Vertical	Pass
4**	7709.203	39.95	54.0	14.05	AV	272.00	300	Vertical	Pass
5	12495.415	53.90	74.0	20.10	Peak	70.00	300	Vertical	Pass
5**	12495.415	41.51	54.0	12.49	AV	70.00	300	Vertical	Pass
6	15671.522	55.20	74.0	18.80	Peak	230.00	400	Vertical	Pass
6**	15671.522	40.66	54.0	13.34	AV	230.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.577	36.76	74.0	37.24	Peak	325.00	400	Horizontal	Pass
1**	1525.577	30.18	54.0	23.82	AV	325.00	400	Horizontal	Pass
2	2274.528	43.76	74.0	30.24	Peak	77.00	100	Horizontal	Pass
2**	2274.528	34.72	54.0	19.28	AV	77.00	100	Horizontal	Pass
3	4042.608	45.25	74.0	28.75	Peak	2.00	200	Horizontal	Pass
3**	4042.608	38.09	54.0	15.91	AV	2.00	200	Horizontal	Pass
4	7621.583	53.97	74.0	20.03	Peak	53.00	300	Horizontal	Pass
4**	7621.583	40.85	54.0	13.15	AV	53.00	300	Horizontal	Pass
5	12458.518	52.61	74.0	21.39	Peak	78.00	300	Horizontal	Pass
5**	12458.518	46.56	54.0	7.44	AV	78.00	300	Horizontal	Pass
6	15901.849	52.06	74.0	21.94	Peak	85.00	100	Horizontal	Pass
6**	15901.849	43.29	54.0	10.71	AV	85.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.203	40.14	74.0	33.86	Peak	141.00	400	Vertical	Pass
1**	1597.203	27.67	54.0	26.33	AV	141.00	400	Vertical	Pass
2	2229.476	43.00	74.0	31.00	Peak	300.00	200	Vertical	Pass
2**	2229.476	29.60	54.0	24.40	AV	300.00	200	Vertical	Pass
3	4258.222	46.36	74.0	27.64	Peak	245.00	200	Vertical	Pass
3**	4258.222	37.65	54.0	16.35	AV	245.00	200	Vertical	Pass
4	7710.980	54.32	74.0	19.68	Peak	234.00	400	Vertical	Pass
4**	7710.980	39.76	54.0	14.24	AV	234.00	400	Vertical	Pass
5	12499.387	52.01	74.0	21.99	Peak	112.00	400	Vertical	Pass
5**	12499.387	44.48	54.0	9.52	AV	112.00	400	Vertical	Pass
6	15673.252	56.08	74.0	17.92	Peak	136.00	400	Vertical	Pass
6**	15673.252	41.73	54.0	12.27	AV	136.00	400	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.168	40.21	74.0	33.79	Peak	138.00	400	Horizontal	Pass
1**	1528.168	30.16	54.0	23.84	AV	138.00	400	Horizontal	Pass
2	2275.175	45.49	74.0	28.51	Peak	160.00	400	Horizontal	Pass
2**	2275.175	32.43	54.0	21.57	AV	160.00	400	Horizontal	Pass
3	4048.891	50.11	74.0	23.89	Peak	311.00	200	Horizontal	Pass
3**	4048.891	37.39	54.0	16.61	AV	311.00	200	Horizontal	Pass
4	7618.736	50.50	74.0	23.50	Peak	157.00	100	Horizontal	Pass
4**	7618.736	45.45	54.0	8.55	AV	157.00	100	Horizontal	Pass
5	12450.943	51.02	74.0	22.98	Peak	48.00	100	Horizontal	Pass
5**	12450.943	42.40	54.0	11.60	AV	48.00	100	Horizontal	Pass
6	15900.120	53.33	74.0	20.67	Peak	153.00	100	Horizontal	Pass
6**	15900.120	42.08	54.0	11.92	AV	153.00	100	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.839	42.72	74.0	31.28	Peak	148.00	400	Vertical	Pass
1**	1597.839	27.45	54.0	26.55	AV	148.00	400	Vertical	Pass
2	2229.183	44.19	74.0	29.81	Peak	74.00	300	Vertical	Pass
2**	2229.183	32.12	54.0	21.88	AV	74.00	300	Vertical	Pass
3	4258.081	49.56	74.0	24.44	Peak	170.00	200	Vertical	Pass
3**	4258.081	40.13	54.0	13.87	AV	170.00	200	Vertical	Pass
4	7709.676	57.32	74.0	16.68	Peak	178.00	300	Vertical	Pass
4**	7709.676	45.43	54.0	8.57	AV	178.00	300	Vertical	Pass
5	12502.031	54.97	74.0	19.03	Peak	292.00	300	Vertical	Pass
5**	12502.031	44.15	54.0	9.85	AV	292.00	300	Vertical	Pass
6	15671.046	53.61	74.0	20.39	Peak	241.00	300	Vertical	Pass
6**	15671.046	42.35	54.0	11.65	AV	241.00	300	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.278	37.06	74.0	36.94	Peak	347.00	300	Horizontal	Pass
1**	1526.278	29.50	54.0	24.50	AV	347.00	300	Horizontal	Pass
2	2270.985	42.90	74.0	31.10	Peak	164.00	300	Horizontal	Pass
2**	2270.985	33.88	54.0	20.12	AV	164.00	300	Horizontal	Pass
3	4046.503	47.73	74.0	26.27	Peak	170.00	200	Horizontal	Pass
3**	4046.503	37.04	54.0	16.96	AV	170.00	200	Horizontal	Pass
4	7623.392	50.52	74.0	23.48	Peak	268.00	400	Horizontal	Pass
4**	7623.392	45.82	54.0	8.18	AV	268.00	400	Horizontal	Pass
5	12457.460	54.88	74.0	19.12	Peak	178.00	400	Horizontal	Pass
5**	12457.460	43.64	54.0	10.36	AV	178.00	400	Horizontal	Pass
6	15901.406	53.69	74.0	20.31	Peak	128.00	300	Horizontal	Pass
6**	15901.406	46.88	54.0	7.12	AV	128.00	300	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.766	39.05	74.0	34.95	Peak	57.00	100	Vertical	Pass
1**	1601.766	28.90	54.0	25.10	AV	57.00	100	Vertical	Pass
2	2224.157	42.55	74.0	31.45	Peak	76.00	200	Vertical	Pass
2**	2224.157	31.55	54.0	22.45	AV	76.00	200	Vertical	Pass
3	4261.835	49.81	74.0	24.19	Peak	202.00	200	Vertical	Pass
3**	4261.835	39.80	54.0	14.20	AV	202.00	200	Vertical	Pass
4	7706.750	54.73	74.0	19.27	Peak	211.00	200	Vertical	Pass
4**	7706.750	44.05	54.0	9.95	AV	211.00	200	Vertical	Pass
5	12502.490	54.85	74.0	19.15	Peak	297.00	200	Vertical	Pass
5**	12502.490	45.32	54.0	8.68	AV	297.00	200	Vertical	Pass
6	15670.604	54.70	74.0	19.30	Peak	121.00	400	Vertical	Pass
6**	15670.604	43.59	54.0	10.41	AV	121.00	400	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.179	37.48	74.0	36.52	Peak	90.00	300	Horizontal	Pass
1**	1522.179	31.20	54.0	22.80	AV	90.00	300	Horizontal	Pass
2	2272.552	42.34	74.0	31.66	Peak	184.00	400	Horizontal	Pass
2**	2272.552	33.89	54.0	20.11	AV	184.00	400	Horizontal	Pass
3	4049.080	49.83	74.0	24.17	Peak	204.00	200	Horizontal	Pass
3**	4049.080	35.46	54.0	18.54	AV	204.00	200	Horizontal	Pass
4	7619.941	50.57	74.0	23.43	Peak	46.00	400	Horizontal	Pass
4**	7619.941	46.18	54.0	7.82	AV	46.00	400	Horizontal	Pass
5	12452.078	52.27	74.0	21.73	Peak	69.00	300	Horizontal	Pass
5**	12452.078	42.88	54.0	11.12	AV	69.00	300	Horizontal	Pass
6	15900.824	53.37	74.0	20.63	Peak	241.00	100	Horizontal	Pass
6**	15900.824	45.30	54.0	8.70	AV	241.00	100	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.479	39.46	74.0	34.54	Peak	116.00	400	Vertical	Pass
1**	1600.479	24.60	54.0	29.40	AV	116.00	400	Vertical	Pass
2	2229.889	42.71	74.0	31.29	Peak	342.00	200	Vertical	Pass
2**	2229.889	28.91	54.0	25.09	AV	342.00	200	Vertical	Pass
3	4259.071	50.41	74.0	23.59	Peak	257.00	200	Vertical	Pass
3**	4259.071	39.12	54.0	14.88	AV	257.00	200	Vertical	Pass
4	7705.911	58.60	74.0	15.40	Peak	280.00	300	Vertical	Pass
4**	7705.911	41.89	54.0	12.11	AV	280.00	300	Vertical	Pass
5	12499.368	52.85	74.0	21.15	Peak	216.00	200	Vertical	Pass
5**	12499.368	45.48	54.0	8.52	AV	216.00	200	Vertical	Pass
6	15670.816	57.15	74.0	16.85	Peak	359.00	100	Vertical	Pass
6**	15670.816	40.75	54.0	13.25	AV	359.00	100	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.725	41.15	74.0	32.85	Peak	255.00	100	Horizontal	Pass
1**	1526.725	31.55	54.0	22.45	AV	255.00	100	Horizontal	Pass
2	2278.323	40.89	74.0	33.11	Peak	142.00	300	Horizontal	Pass
2**	2278.323	33.38	54.0	20.62	AV	142.00	300	Horizontal	Pass
3	4047.258	49.89	74.0	24.11	Peak	148.00	200	Horizontal	Pass
3**	4047.258	38.41	54.0	15.59	AV	148.00	200	Horizontal	Pass
4	7617.035	52.78	74.0	21.22	Peak	187.00	400	Horizontal	Pass
4**	7617.035	42.93	54.0	11.07	AV	187.00	400	Horizontal	Pass
5	12451.342	54.59	74.0	19.41	Peak	144.00	400	Horizontal	Pass
5**	12451.342	43.88	54.0	10.12	AV	144.00	400	Horizontal	Pass
6	15901.977	54.11	74.0	19.89	Peak	270.00	400	Horizontal	Pass
6**	15901.977	47.47	54.0	6.53	AV	270.00	400	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.075	41.38	74.0	32.62	Peak	85.00	100	Vertical	Pass
1**	1601.075	28.17	54.0	25.83	AV	85.00	100	Vertical	Pass
2	2225.821	41.78	74.0	32.22	Peak	360.00	200	Vertical	Pass
2**	2225.821	33.86	54.0	20.14	AV	360.00	200	Vertical	Pass
3	4257.516	47.20	74.0	26.80	Peak	319.00	200	Vertical	Pass
3**	4257.516	37.85	54.0	16.15	AV	319.00	200	Vertical	Pass
4	7709.411	56.82	74.0	17.18	Peak	289.00	100	Vertical	Pass
4**	7709.411	44.70	54.0	9.30	AV	289.00	100	Vertical	Pass
5	12502.370	53.30	74.0	20.70	Peak	186.00	400	Vertical	Pass
5**	12502.370	41.09	54.0	12.91	AV	186.00	400	Vertical	Pass
6	15670.334	54.29	74.0	19.71	Peak	159.00	100	Vertical	Pass
6**	15670.334	44.87	54.0	9.13	AV	159.00	100	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.268	39.42	74.0	34.58	Peak	351.00	200	Horizontal	Pass
1**	1521.268	29.61	54.0	24.39	AV	351.00	200	Horizontal	Pass
2	2277.490	41.86	74.0	32.14	Peak	301.00	200	Horizontal	Pass
2**	2277.490	32.86	54.0	21.14	AV	301.00	200	Horizontal	Pass
3	4042.510	47.08	74.0	26.92	Peak	176.00	200	Horizontal	Pass
3**	4042.510	38.20	54.0	15.80	AV	176.00	200	Horizontal	Pass
4	7623.279	53.89	74.0	20.11	Peak	29.00	100	Horizontal	Pass
4**	7623.279	45.71	54.0	8.29	AV	29.00	100	Horizontal	Pass
5	12458.440	50.78	74.0	23.22	Peak	19.00	300	Horizontal	Pass
5**	12458.440	42.79	54.0	11.21	AV	19.00	300	Horizontal	Pass
6	15899.957	51.93	74.0	22.07	Peak	175.00	200	Horizontal	Pass
6**	15899.957	44.75	54.0	9.25	AV	175.00	200	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.168	41.23	74.0	32.77	Peak	109.00	300	Vertical	Pass
1**	1598.168	25.34	54.0	28.66	AV	109.00	300	Vertical	Pass
2	2229.070	39.26	74.0	34.74	Peak	167.00	300	Vertical	Pass
2**	2229.070	32.75	54.0	21.25	AV	167.00	300	Vertical	Pass
3	4256.680	45.49	74.0	28.51	Peak	181.00	200	Vertical	Pass
3**	4256.680	39.77	54.0	14.23	AV	181.00	200	Vertical	Pass
4	7704.664	52.73	74.0	21.27	Peak	14.00	300	Vertical	Pass
4**	7704.664	43.67	54.0	10.33	AV	14.00	300	Vertical	Pass
5	12495.462	54.15	74.0	19.85	Peak	335.00	100	Vertical	Pass
5**	12495.462	44.46	54.0	9.54	AV	335.00	100	Vertical	Pass
6	15672.946	54.73	74.0	19.27	Peak	70.00	300	Vertical	Pass
6**	15672.946	43.95	54.0	10.05	AV	70.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.953	39.11	74.0	34.89	Peak	136.00	400	Horizontal	Pass
1**	1526.953	30.41	54.0	23.59	AV	136.00	400	Horizontal	Pass
2	2276.105	44.16	74.0	29.84	Peak	181.00	400	Horizontal	Pass
2**	2276.105	34.46	54.0	19.54	AV	181.00	400	Horizontal	Pass
3	4044.252	48.58	74.0	25.42	Peak	287.00	200	Horizontal	Pass
3**	4044.252	39.21	54.0	14.79	AV	287.00	200	Horizontal	Pass
4	7622.241	50.39	74.0	23.61	Peak	71.00	100	Horizontal	Pass
4**	7622.241	43.03	54.0	10.97	AV	71.00	100	Horizontal	Pass
5	12457.564	51.80	74.0	22.20	Peak	287.00	100	Horizontal	Pass
5**	12457.564	43.08	54.0	10.92	AV	287.00	100	Horizontal	Pass
6	15900.714	53.32	74.0	20.68	Peak	13.00	400	Horizontal	Pass
6**	15900.714	45.83	54.0	8.17	AV	13.00	400	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.294	41.56	74.0	32.44	Peak	223.00	400	Vertical	Pass
1**	1598.294	23.40	54.0	30.60	AV	223.00	400	Vertical	Pass
2	2225.040	42.81	74.0	31.19	Peak	84.00	300	Vertical	Pass
2**	2225.040	33.36	54.0	20.64	AV	84.00	300	Vertical	Pass
3	4259.247	46.70	74.0	27.30	Peak	169.00	200	Vertical	Pass
3**	4259.247	40.53	54.0	13.47	AV	169.00	200	Vertical	Pass
4	7707.295	55.49	74.0	18.51	Peak	196.00	200	Vertical	Pass
4**	7707.295	39.83	54.0	14.17	AV	196.00	200	Vertical	Pass
5	12498.434	51.55	74.0	22.45	Peak	247.00	300	Vertical	Pass
5**	12498.434	41.51	54.0	12.49	AV	247.00	300	Vertical	Pass
6	15670.282	52.71	74.0	21.29	Peak	224.00	100	Vertical	Pass
6**	15670.282	39.87	54.0	14.13	AV	224.00	100	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.059	39.24	74.0	34.76	Peak	132.00	200	Horizontal	Pass
1**	1525.059	30.07	54.0	23.93	AV	132.00	200	Horizontal	Pass
2	2271.855	42.60	74.0	31.40	Peak	78.00	200	Horizontal	Pass
2**	2271.855	35.81	54.0	18.19	AV	78.00	200	Horizontal	Pass
3	4049.577	44.53	74.0	29.47	Peak	72.00	200	Horizontal	Pass
3**	4049.577	38.10	54.0	15.90	AV	72.00	200	Horizontal	Pass
4	7623.491	51.24	74.0	22.76	Peak	16.00	300	Horizontal	Pass
4**	7623.491	44.92	54.0	9.08	AV	16.00	300	Horizontal	Pass
5	12457.135	52.86	74.0	21.14	Peak	273.00	100	Horizontal	Pass
5**	12457.135	45.96	54.0	8.04	AV	273.00	100	Horizontal	Pass
6	15900.224	52.76	74.0	21.24	Peak	298.00	100	Horizontal	Pass
6**	15900.224	43.29	54.0	10.71	AV	298.00	100	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.878	39.18	74.0	34.82	Peak	345.00	300	Vertical	Pass
1**	1600.878	24.36	54.0	29.64	AV	345.00	300	Vertical	Pass
2	2228.799	41.17	74.0	32.83	Peak	247.00	400	Vertical	Pass
2**	2228.799	30.49	54.0	23.51	AV	247.00	400	Vertical	Pass
3	4260.737	49.07	74.0	24.93	Peak	219.00	200	Vertical	Pass
3**	4260.737	37.46	54.0	16.54	AV	219.00	200	Vertical	Pass
4	7706.920	52.82	74.0	21.18	Peak	270.00	200	Vertical	Pass
4**	7706.920	39.77	54.0	14.23	AV	270.00	200	Vertical	Pass
5	12499.737	52.71	74.0	21.29	Peak	176.00	200	Vertical	Pass
5**	12499.737	43.50	54.0	10.50	AV	176.00	200	Vertical	Pass
6	15669.786	56.66	74.0	17.34	Peak	165.00	300	Vertical	Pass
6**	15669.786	44.26	54.0	9.74	AV	165.00	300	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.588	36.33	74.0	37.67	Peak	43.00	200	Horizontal	Pass
1**	1522.588	26.93	54.0	27.07	AV	43.00	200	Horizontal	Pass
2	2278.579	45.46	74.0	28.54	Peak	77.00	200	Horizontal	Pass
2**	2278.579	34.13	54.0	19.87	AV	77.00	200	Horizontal	Pass
3	4045.918	48.48	74.0	25.52	Peak	285.00	200	Horizontal	Pass
3**	4045.918	37.40	54.0	16.60	AV	285.00	200	Horizontal	Pass
4	7621.040	51.29	74.0	22.71	Peak	241.00	200	Horizontal	Pass
4**	7621.040	45.88	54.0	8.12	AV	241.00	200	Horizontal	Pass
5	12457.599	55.05	74.0	18.95	Peak	35.00	400	Horizontal	Pass
5**	12457.599	44.68	54.0	9.32	AV	35.00	400	Horizontal	Pass
6	15901.961	56.72	74.0	17.28	Peak	246.00	400	Horizontal	Pass
6**	15901.961	45.83	54.0	8.17	AV	246.00	400	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.210	38.37	74.0	35.63	Peak	336.00	300	Vertical	Pass
1**	1602.210	28.17	54.0	25.83	AV	336.00	300	Vertical	Pass
2	2224.149	42.65	74.0	31.35	Peak	174.00	200	Vertical	Pass
2**	2224.149	29.29	54.0	24.71	AV	174.00	200	Vertical	Pass
3	4257.453	48.10	74.0	25.90	Peak	89.00	200	Vertical	Pass
3**	4257.453	39.17	54.0	14.83	AV	89.00	200	Vertical	Pass
4	7710.342	54.99	74.0	19.01	Peak	318.00	300	Vertical	Pass
4**	7710.342	41.13	54.0	12.87	AV	318.00	300	Vertical	Pass
5	12498.421	55.14	74.0	18.86	Peak	62.00	100	Vertical	Pass
5**	12498.421	43.74	54.0	10.26	AV	62.00	100	Vertical	Pass
6	15670.750	56.17	74.0	17.83	Peak	31.00	100	Vertical	Pass
6**	15670.750	40.48	54.0	13.52	AV	31.00	100	Vertical	Pass

11ax160(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.604	40.69	74.0	33.31	Peak	348.00	200	Horizontal	Pass
1**	1523.604	31.17	54.0	22.83	AV	348.00	200	Horizontal	Pass
2	2272.928	43.73	74.0	30.27	Peak	262.00	400	Horizontal	Pass
2**	2272.928	31.81	54.0	22.19	AV	262.00	400	Horizontal	Pass
3	4050.393	44.17	74.0	29.83	Peak	3.00	200	Horizontal	Pass
3**	4050.393	38.71	54.0	15.29	AV	3.00	200	Horizontal	Pass
4	7622.227	53.92	74.0	20.08	Peak	177.00	100	Horizontal	Pass
4**	7622.227	43.59	54.0	10.41	AV	177.00	100	Horizontal	Pass
5	12456.075	53.45	74.0	20.55	Peak	90.00	300	Horizontal	Pass
5**	12456.075	44.24	54.0	9.76	AV	90.00	300	Horizontal	Pass
6	15902.807	55.43	74.0	18.57	Peak	78.00	400	Horizontal	Pass
6**	15902.807	43.38	54.0	10.62	AV	78.00	400	Horizontal	Pass

11ax160(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.995	38.22	74.0	35.78	Peak	88.00	200	Vertical	Pass
1**	1597.995	25.09	54.0	28.91	AV	88.00	200	Vertical	Pass
2	2229.781	40.43	74.0	33.57	Peak	176.00	200	Vertical	Pass
2**	2229.781	33.44	54.0	20.56	AV	176.00	200	Vertical	Pass
3	4254.927	47.45	74.0	26.55	Peak	6.00	200	Vertical	Pass
3**	4254.927	40.93	54.0	13.07	AV	6.00	200	Vertical	Pass
4	7706.385	57.46	74.0	16.54	Peak	77.00	400	Vertical	Pass
4**	7706.385	40.91	54.0	13.09	AV	77.00	400	Vertical	Pass
5	12499.781	52.07	74.0	21.93	Peak	257.00	200	Vertical	Pass
5**	12499.781	43.64	54.0	10.36	AV	257.00	200	Vertical	Pass
6	15676.491	58.29	74.0	15.71	Peak	252.00	200	Vertical	Pass
6**	15676.491	41.42	54.0	12.58	AV	252.00	200	Vertical	Pass

11be20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.270	40.19	74.0	33.81	Peak	307.00	300	Horizontal	Pass
1**	1523.270	26.23	54.0	27.77	AV	307.00	300	Horizontal	Pass
2	2277.450	42.81	74.0	31.19	Peak	26.00	300	Horizontal	Pass
2**	2277.450	34.30	54.0	19.70	AV	26.00	300	Horizontal	Pass
3	4048.635	44.34	74.0	29.66	Peak	270.00	200	Horizontal	Pass
3**	4048.635	37.52	54.0	16.48	AV	270.00	200	Horizontal	Pass
4	7622.627	54.27	74.0	19.73	Peak	63.00	200	Horizontal	Pass
4**	7622.627	45.33	54.0	8.67	AV	63.00	200	Horizontal	Pass
5	12454.506	54.93	74.0	19.07	Peak	227.00	300	Horizontal	Pass
5**	12454.506	43.66	54.0	10.34	AV	227.00	300	Horizontal	Pass
6	15906.931	55.40	74.0	18.60	Peak	295.00	300	Horizontal	Pass
6**	15906.931	44.33	54.0	9.67	AV	295.00	300	Horizontal	Pass

11be20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.755	41.85	74.0	32.15	Peak	0.00	100	Vertical	Pass
1**	1597.755	28.30	54.0	25.70	AV	0.00	100	Vertical	Pass
2	2223.445	41.60	74.0	32.40	Peak	287.00	100	Vertical	Pass
2**	2223.445	30.29	54.0	23.71	AV	287.00	100	Vertical	Pass
3	4257.934	45.53	74.0	28.47	Peak	37.00	200	Vertical	Pass
3**	4257.934	37.30	54.0	16.70	AV	37.00	200	Vertical	Pass
4	7704.747	58.19	74.0	15.81	Peak	104.00	400	Vertical	Pass
4**	7704.747	39.54	54.0	14.46	AV	104.00	400	Vertical	Pass
5	12501.857	53.49	74.0	20.51	Peak	356.00	200	Vertical	Pass
5**	12501.857	42.86	54.0	11.14	AV	356.00	200	Vertical	Pass
6	15670.448	52.69	74.0	21.31	Peak	8.00	200	Vertical	Pass
6**	15670.448	43.72	54.0	10.28	AV	8.00	200	Vertical	Pass

11be20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.270	37.77	74.0	36.23	Peak	128.00	200	Horizontal	Pass
1**	1523.270	31.31	54.0	22.69	AV	128.00	200	Horizontal	Pass
2	2277.450	42.62	74.0	31.38	Peak	9.00	100	Horizontal	Pass
2**	2277.450	36.96	54.0	17.04	AV	9.00	100	Horizontal	Pass
3	4048.635	44.90	74.0	29.10	Peak	202.00	200	Horizontal	Pass
3**	4048.635	36.95	54.0	17.05	AV	202.00	200	Horizontal	Pass
4	7622.627	50.22	74.0	23.78	Peak	13.00	300	Horizontal	Pass
4**	7622.627	45.03	54.0	8.97	AV	13.00	300	Horizontal	Pass
5	12454.506	51.09	74.0	22.91	Peak	277.00	100	Horizontal	Pass
5**	12454.506	46.63	54.0	7.37	AV	277.00	100	Horizontal	Pass
6	15906.931	52.22	74.0	21.78	Peak	159.00	100	Horizontal	Pass
6**	15906.931	45.50	54.0	8.50	AV	159.00	100	Horizontal	Pass

11be20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.755	37.96	74.0	36.04	Peak	309.00	200	Vertical	Pass
1**	1597.755	22.95	54.0	31.05	AV	309.00	200	Vertical	Pass
2	2223.445	42.20	74.0	31.80	Peak	178.00	400	Vertical	Pass
2**	2223.445	31.23	54.0	22.77	AV	178.00	400	Vertical	Pass
3	4257.934	48.33	74.0	25.67	Peak	320.00	200	Vertical	Pass
3**	4257.934	40.55	54.0	13.45	AV	320.00	200	Vertical	Pass
4	7704.747	54.32	74.0	19.68	Peak	75.00	200	Vertical	Pass
4**	7704.747	45.09	54.0	8.91	AV	75.00	200	Vertical	Pass
5	12454.506	52.22	74.0	21.78	Peak	13.00	200	Vertical	Pass
5**	12454.506	44.63	54.0	9.37	AV	13.00	200	Vertical	Pass
6	15670.448	52.70	74.0	21.30	Peak	242.00	200	Vertical	Pass
6**	15670.448	40.02	54.0	13.98	AV	242.00	200	Vertical	Pass

11be20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.270	37.77	74.0	36.23	Peak	128.00	200	Horizontal	Pass
1**	1523.270	31.31	54.0	22.69	AV	128.00	200	Horizontal	Pass
2	2277.450	42.62	74.0	31.38	Peak	9.00	100	Horizontal	Pass
2**	2277.450	36.96	54.0	17.04	AV	9.00	100	Horizontal	Pass
3	4048.635	44.90	74.0	29.10	Peak	202.00	200	Horizontal	Pass
3**	4048.635	36.95	54.0	17.05	AV	202.00	200	Horizontal	Pass
4	7622.627	50.22	74.0	23.78	Peak	13.00	300	Horizontal	Pass
4**	7622.627	45.03	54.0	8.97	AV	13.00	300	Horizontal	Pass
5	12454.506	51.09	74.0	22.91	Peak	277.00	100	Horizontal	Pass
5**	12454.506	46.63	54.0	7.37	AV	277.00	100	Horizontal	Pass
6	15906.931	52.22	74.0	21.78	Peak	159.00	100	Horizontal	Pass
6**	15906.931	45.50	54.0	8.50	AV	159.00	100	Horizontal	Pass

11be20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.755	37.96	74.0	36.04	Peak	309.00	200	Vertical	Pass
1**	1597.755	22.95	54.0	31.05	AV	309.00	200	Vertical	Pass
2	2223.445	42.20	74.0	31.80	Peak	178.00	400	Vertical	Pass
2**	2223.445	31.23	54.0	22.77	AV	178.00	400	Vertical	Pass
3	4257.934	48.33	74.0	25.67	Peak	320.00	200	Vertical	Pass
3**	4257.934	40.55	54.0	13.45	AV	320.00	200	Vertical	Pass
4	7704.747	54.32	74.0	19.68	Peak	75.00	200	Vertical	Pass
4**	7704.747	45.09	54.0	8.91	AV	75.00	200	Vertical	Pass
5	12454.506	52.22	74.0	21.78	Peak	13.00	200	Vertical	Pass
5**	12454.506	44.63	54.0	9.37	AV	13.00	200	Vertical	Pass
6	15670.448	52.70	74.0	21.30	Peak	242.00	200	Vertical	Pass
6**	15670.448	40.02	54.0	13.98	AV	242.00	200	Vertical	Pass

11be40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.236	41.49	74.0	32.51	Peak	269.00	300	Horizontal	Pass
1**	1526.236	26.91	54.0	27.09	AV	269.00	300	Horizontal	Pass
2	2277.863	44.22	74.0	29.78	Peak	0.00	400	Horizontal	Pass
2**	2277.863	34.20	54.0	19.80	AV	0.00	400	Horizontal	Pass
3	4049.950	44.40	74.0	29.60	Peak	83.00	200	Horizontal	Pass
3**	4049.950	38.85	54.0	15.15	AV	83.00	200	Horizontal	Pass
4	7623.624	49.99	74.0	24.01	Peak	138.00	100	Horizontal	Pass
4**	7623.624	40.54	54.0	13.46	AV	138.00	100	Horizontal	Pass
5	12455.208	51.42	74.0	22.58	Peak	144.00	300	Horizontal	Pass
5**	12455.208	43.70	54.0	10.30	AV	144.00	300	Horizontal	Pass
6	15899.959	53.95	74.0	20.05	Peak	323.00	100	Horizontal	Pass
6**	15899.959	46.67	54.0	7.33	AV	323.00	100	Horizontal	Pass

11be40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.755	37.96	74.0	36.04	Peak	309.00	200	Vertical	Pass
1**	1597.755	22.95	54.0	31.05	AV	309.00	200	Vertical	Pass
2	2223.445	42.20	74.0	31.80	Peak	178.00	400	Vertical	Pass
2**	2223.445	31.23	54.0	22.77	AV	178.00	400	Vertical	Pass
3	4257.934	48.33	74.0	25.67	Peak	320.00	200	Vertical	Pass
3**	4257.934	40.55	54.0	13.45	AV	320.00	200	Vertical	Pass
4	7704.747	54.32	74.0	19.68	Peak	75.00	200	Vertical	Pass
4**	7704.747	45.09	54.0	8.91	AV	75.00	200	Vertical	Pass
5	12454.506	52.22	74.0	21.78	Peak	13.00	200	Vertical	Pass
5**	12454.506	44.63	54.0	9.37	AV	13.00	200	Vertical	Pass
6	15670.448	52.70	74.0	21.30	Peak	242.00	200	Vertical	Pass
6**	15670.448	40.02	54.0	13.98	AV	242.00	200	Vertical	Pass

11be40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.657	35.74	74.0	38.26	Peak	40.00	100	Horizontal	Pass
1**	1525.657	27.19	54.0	26.81	AV	40.00	100	Horizontal	Pass
2	2278.692	45.20	74.0	28.80	Peak	192.00	400	Horizontal	Pass
2**	2278.692	34.49	54.0	19.51	AV	192.00	400	Horizontal	Pass
3	4042.761	48.58	74.0	25.42	Peak	42.00	200	Horizontal	Pass
3**	4042.761	39.30	54.0	14.70	AV	42.00	200	Horizontal	Pass
4	7617.210	55.19	74.0	18.81	Peak	270.00	400	Horizontal	Pass
4**	7617.210	44.09	54.0	9.91	AV	270.00	400	Horizontal	Pass
5	12454.552	51.48	74.0	22.52	Peak	41.00	300	Horizontal	Pass
5**	12454.552	45.11	54.0	8.89	AV	41.00	300	Horizontal	Pass
6	15899.974	55.16	74.0	18.84	Peak	280.00	300	Horizontal	Pass
6**	15899.974	42.73	54.0	11.27	AV	280.00	300	Horizontal	Pass

11be40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.023	38.75	74.0	35.25	Peak	282.00	300	Vertical	Pass
1**	1602.023	28.35	54.0	25.65	AV	282.00	300	Vertical	Pass
2	2225.620	38.90	74.0	35.10	Peak	356.00	200	Vertical	Pass
2**	2225.620	31.74	54.0	22.26	AV	356.00	200	Vertical	Pass
3	4261.603	50.61	74.0	23.39	Peak	276.00	200	Vertical	Pass
3**	4261.603	41.07	54.0	12.93	AV	276.00	200	Vertical	Pass
4	7709.798	53.43	74.0	20.57	Peak	229.00	400	Vertical	Pass
4**	7709.798	42.48	54.0	11.52	AV	229.00	400	Vertical	Pass
5	12501.954	51.66	74.0	22.34	Peak	261.00	100	Vertical	Pass
5**	12501.954	45.72	54.0	8.28	AV	261.00	100	Vertical	Pass
6	15671.583	54.50	74.0	19.50	Peak	147.00	100	Vertical	Pass
6**	15671.583	43.73	54.0	10.27	AV	147.00	100	Vertical	Pass

11be40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.811	37.86	74.0	36.14	Peak	246.00	300	Horizontal	Pass
1**	1527.811	26.20	54.0	27.80	AV	246.00	300	Horizontal	Pass
2	2275.832	42.25	74.0	31.75	Peak	332.00	400	Horizontal	Pass
2**	2275.832	36.37	54.0	17.63	AV	332.00	400	Horizontal	Pass
3	4046.697	50.01	74.0	23.99	Peak	78.00	200	Horizontal	Pass
3**	4046.697	38.79	54.0	15.21	AV	78.00	200	Horizontal	Pass
4	7616.504	50.19	74.0	23.81	Peak	313.00	300	Horizontal	Pass
4**	7616.504	41.76	54.0	12.24	AV	313.00	300	Horizontal	Pass
5	12455.247	54.70	74.0	19.30	Peak	211.00	300	Horizontal	Pass
5**	12455.247	46.43	54.0	7.57	AV	211.00	300	Horizontal	Pass
6	15905.592	55.01	74.0	18.99	Peak	187.00	300	Horizontal	Pass
6**	15905.592	42.60	54.0	11.40	AV	187.00	300	Horizontal	Pass

11be40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.181	41.60	74.0	32.40	Peak	195.00	100	Vertical	Pass
1**	1599.181	25.76	54.0	28.24	AV	195.00	100	Vertical	Pass
2	2224.665	38.39	74.0	35.61	Peak	3.00	400	Vertical	Pass
2**	2224.665	34.15	54.0	19.85	AV	3.00	400	Vertical	Pass
3	4254.660	48.98	74.0	25.02	Peak	189.00	200	Vertical	Pass
3**	4254.660	38.70	54.0	15.30	AV	189.00	200	Vertical	Pass
4	7705.765	54.45	74.0	19.55	Peak	118.00	100	Vertical	Pass
4**	7705.765	43.39	54.0	10.61	AV	118.00	100	Vertical	Pass
5	12497.864	54.94	74.0	19.06	Peak	233.00	400	Vertical	Pass
5**	12497.864	44.87	54.0	9.13	AV	233.00	400	Vertical	Pass
6	15672.298	54.01	74.0	19.99	Peak	87.00	100	Vertical	Pass
6**	15672.298	45.34	54.0	8.66	AV	87.00	100	Vertical	Pass

11be80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.667	37.73	74.0	36.27	Peak	124.00	100	Horizontal	Pass
1**	1520.667	30.92	54.0	23.08	AV	124.00	100	Horizontal	Pass
2	2274.736	41.13	74.0	32.87	Peak	165.00	300	Horizontal	Pass
2**	2274.736	34.44	54.0	19.56	AV	165.00	300	Horizontal	Pass
3	4049.650	44.27	74.0	29.73	Peak	207.00	200	Horizontal	Pass
3**	4049.650	38.31	54.0	15.69	AV	207.00	200	Horizontal	Pass
4	7622.788	55.07	74.0	18.93	Peak	184.00	300	Horizontal	Pass
4**	7622.788	45.68	54.0	8.32	AV	184.00	300	Horizontal	Pass
5	12451.649	50.45	74.0	23.55	Peak	350.00	400	Horizontal	Pass
5**	12451.649	44.82	54.0	9.18	AV	350.00	400	Horizontal	Pass
6	15904.567	56.34	74.0	17.66	Peak	204.00	200	Horizontal	Pass
6**	15904.567	46.22	54.0	7.78	AV	204.00	200	Horizontal	Pass

11be80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.976	40.77	74.0	33.23	Peak	341.00	200	Vertical	Pass
1**	1599.976	28.66	54.0	25.34	AV	341.00	200	Vertical	Pass
2	2226.463	40.41	74.0	33.59	Peak	249.00	200	Vertical	Pass
2**	2226.463	33.37	54.0	20.63	AV	249.00	200	Vertical	Pass
3	4254.726	46.80	74.0	27.20	Peak	201.00	200	Vertical	Pass
3**	4254.726	39.73	54.0	14.27	AV	201.00	200	Vertical	Pass
4	7709.353	54.46	74.0	19.54	Peak	186.00	400	Vertical	Pass
4**	7709.353	43.04	54.0	10.96	AV	186.00	400	Vertical	Pass
5	12496.019	53.84	74.0	20.16	Peak	330.00	100	Vertical	Pass
5**	12496.019	43.27	54.0	10.73	AV	330.00	100	Vertical	Pass
6	15673.335	55.74	74.0	18.26	Peak	133.00	100	Vertical	Pass
6**	15673.335	44.22	54.0	9.78	AV	133.00	100	Vertical	Pass

11be80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.372	37.31	74.0	36.69	Peak	31.00	200	Horizontal	Pass
1**	1527.372	26.39	54.0	27.61	AV	31.00	200	Horizontal	Pass
2	2272.449	45.52	74.0	28.48	Peak	32.00	200	Horizontal	Pass
2**	2272.449	32.55	54.0	21.45	AV	32.00	200	Horizontal	Pass
3	4042.720	44.17	74.0	29.83	Peak	89.00	200	Horizontal	Pass
3**	4042.720	36.54	54.0	17.46	AV	89.00	200	Horizontal	Pass
4	7620.270	51.42	74.0	22.58	Peak	206.00	300	Horizontal	Pass
4**	7620.270	41.40	54.0	12.60	AV	206.00	300	Horizontal	Pass
5	12452.730	54.79	74.0	19.21	Peak	48.00	100	Horizontal	Pass
5**	12452.730	41.91	54.0	12.09	AV	48.00	100	Horizontal	Pass
6	15906.769	54.77	74.0	19.23	Peak	205.00	100	Horizontal	Pass
6**	15906.769	42.36	54.0	11.64	AV	205.00	100	Horizontal	Pass

11be80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.352	38.88	74.0	35.12	Peak	202.00	200	Vertical	Pass
1**	1595.352	26.00	54.0	28.00	AV	202.00	200	Vertical	Pass
2	2228.151	40.75	74.0	33.25	Peak	19.00	300	Vertical	Pass
2**	2228.151	32.42	54.0	21.58	AV	19.00	300	Vertical	Pass
3	4259.874	48.63	74.0	25.37	Peak	331.00	200	Vertical	Pass
3**	4259.874	35.45	54.0	18.55	AV	331.00	200	Vertical	Pass
4	7706.144	53.48	74.0	20.52	Peak	52.00	100	Vertical	Pass
4**	7706.144	40.79	54.0	13.21	AV	52.00	100	Vertical	Pass
5	12496.116	50.77	74.0	23.23	Peak	61.00	300	Vertical	Pass
5**	12496.116	44.45	54.0	9.55	AV	61.00	300	Vertical	Pass
6	15670.524	54.02	74.0	19.98	Peak	123.00	100	Vertical	Pass
6**	15670.524	42.58	54.0	11.42	AV	123.00	100	Vertical	Pass

11be160(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.943	39.25	74.0	34.75	Peak	352.00	100	Horizontal	Pass
1**	1525.943	28.62	54.0	25.38	AV	352.00	100	Horizontal	Pass
2	2274.973	45.66	74.0	28.34	Peak	97.00	100	Horizontal	Pass
2**	2274.973	36.55	54.0	17.45	AV	97.00	100	Horizontal	Pass
3	4049.127	44.55	74.0	29.45	Peak	254.00	200	Horizontal	Pass
3**	4049.127	37.30	54.0	16.70	AV	254.00	200	Horizontal	Pass
4	7620.724	54.22	74.0	19.78	Peak	261.00	200	Horizontal	Pass
4**	7620.724	43.37	54.0	10.63	AV	261.00	200	Horizontal	Pass
5	12454.179	52.09	74.0	21.91	Peak	241.00	100	Horizontal	Pass
5**	12454.179	41.72	54.0	12.28	AV	241.00	100	Horizontal	Pass
6	15903.923	52.88	74.0	21.12	Peak	172.00	100	Horizontal	Pass
6**	15903.923	45.61	54.0	8.39	AV	172.00	100	Horizontal	Pass

11be160(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.644	41.99	74.0	32.01	Peak	224.00	100	Vertical	Pass
1**	1600.644	27.67	54.0	26.33	AV	224.00	100	Vertical	Pass
2	2223.397	42.97	74.0	31.03	Peak	141.00	100	Vertical	Pass
2**	2223.397	29.56	54.0	24.44	AV	141.00	100	Vertical	Pass
3	4256.407	48.72	74.0	25.28	Peak	349.00	200	Vertical	Pass
3**	4256.407	39.67	54.0	14.33	AV	349.00	200	Vertical	Pass
4	7711.060	55.43	74.0	18.57	Peak	73.00	100	Vertical	Pass
4**	7711.060	40.72	54.0	13.28	AV	73.00	100	Vertical	Pass
5	12494.932	54.40	74.0	19.60	Peak	341.00	100	Vertical	Pass
5**	12494.932	42.05	54.0	11.95	AV	341.00	100	Vertical	Pass
6	15670.582	56.34	74.0	17.66	Peak	212.00	400	Vertical	Pass
6**	15670.582	42.70	54.0	11.30	AV	212.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.897	40.05	74.0	33.95	Peak	358.00	200	Horizontal	Pass
1**	1519.897	31.56	54.0	22.44	AV	358.00	200	Horizontal	Pass
2	4023.625	49.40	74.0	24.60	Peak	71.00	300	Horizontal	Pass
2**	4023.625	36.87	54.0	17.13	AV	71.00	300	Horizontal	Pass
3	7596.330	53.81	74.0	20.19	Peak	101.00	200	Horizontal	Pass
3**	7596.330	42.40	54.0	11.60	AV	101.00	200	Horizontal	Pass
4	12458.189	55.66	74.0	18.34	Peak	35.00	200	Horizontal	Pass
4**	12458.189	47.13	54.0	6.87	AV	35.00	200	Horizontal	Pass
5	16093.161	51.09	74.0	22.91	Peak	122.00	200	Horizontal	Pass
5**	16093.161	45.88	54.0	8.12	AV	122.00	200	Horizontal	Pass
6	17418.074	55.64	74.0	18.36	Peak	182.00	100	Horizontal	Pass
6**	17418.074	49.28	54.0	4.72	AV	182.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.305	44.89	74.0	29.11	Peak	150.00	200	Vertical	Pass
1**	1336.305	32.22	54.0	21.78	AV	150.00	200	Vertical	Pass
2	1438.837	42.03	74.0	31.97	Peak	277.00	300	Vertical	Pass
2**	1438.837	34.02	54.0	19.98	AV	277.00	300	Vertical	Pass
3	4312.655	49.07	74.0	24.93	Peak	232.00	200	Vertical	Pass
3**	4312.655	40.23	54.0	13.77	AV	232.00	200	Vertical	Pass
4	7590.814	55.01	74.0	18.99	Peak	38.00	300	Vertical	Pass
4**	7590.814	45.30	54.0	8.70	AV	38.00	300	Vertical	Pass
5	12538.446	51.65	74.0	22.35	Peak	358.00	200	Vertical	Pass
5**	12538.446	43.91	54.0	10.09	AV	358.00	200	Vertical	Pass
6	15910.383	53.72	74.0	20.28	Peak	10.00	400	Vertical	Pass
6**	15910.383	48.30	54.0	5.70	AV	10.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.583	39.72	74.0	34.28	Peak	126.00	100	Horizontal	Pass
1**	1517.583	26.89	54.0	27.11	AV	126.00	100	Horizontal	Pass
2	4022.360	48.29	74.0	25.71	Peak	6.00	300	Horizontal	Pass
2**	4022.360	39.79	54.0	14.21	AV	6.00	300	Horizontal	Pass
3	7600.888	51.95	74.0	22.05	Peak	321.00	200	Horizontal	Pass
3**	7600.888	41.05	54.0	12.95	AV	321.00	200	Horizontal	Pass
4	12454.877	54.33	74.0	19.67	Peak	211.00	100	Horizontal	Pass
4**	12454.877	45.23	54.0	8.77	AV	211.00	100	Horizontal	Pass
5	16096.956	54.03	74.0	19.97	Peak	248.00	200	Horizontal	Pass
5**	16096.956	47.69	54.0	6.31	AV	248.00	200	Horizontal	Pass
6	17421.241	53.44	74.0	20.56	Peak	309.00	300	Horizontal	Pass
6**	17421.241	47.52	54.0	6.48	AV	309.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.129	45.01	74.0	28.99	Peak	254.00	400	Vertical	Pass
1**	1333.129	35.43	54.0	18.57	AV	254.00	400	Vertical	Pass
2	1442.323	44.28	74.0	29.72	Peak	112.00	400	Vertical	Pass
2**	1442.323	35.70	54.0	18.30	AV	112.00	400	Vertical	Pass
3	4308.538	47.95	74.0	26.05	Peak	342.00	200	Vertical	Pass
3**	4308.538	38.89	54.0	15.11	AV	342.00	200	Vertical	Pass
4	7591.187	52.41	74.0	21.59	Peak	34.00	300	Vertical	Pass
4**	7591.187	44.18	54.0	9.82	AV	34.00	300	Vertical	Pass
5	12538.088	52.25	74.0	21.75	Peak	144.00	300	Vertical	Pass
5**	12538.088	42.55	54.0	11.45	AV	144.00	300	Vertical	Pass
6	15903.969	56.76	74.0	17.24	Peak	314.00	200	Vertical	Pass
6**	15903.969	44.10	54.0	9.90	AV	314.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.576	38.51	74.0	35.49	Peak	296.00	200	Horizontal	Pass
1**	1522.576	31.27	54.0	22.73	AV	296.00	200	Horizontal	Pass
2	4018.789	48.13	74.0	25.87	Peak	289.00	100	Horizontal	Pass
2**	4018.789	37.57	54.0	16.43	AV	289.00	100	Horizontal	Pass
3	7599.633	51.06	74.0	22.94	Peak	314.00	200	Horizontal	Pass
3**	7599.633	40.71	54.0	13.29	AV	314.00	200	Horizontal	Pass
4	12459.568	54.91	74.0	19.09	Peak	174.00	100	Horizontal	Pass
4**	12459.568	43.98	54.0	10.02	AV	174.00	100	Horizontal	Pass
5	16097.549	51.50	74.0	22.50	Peak	32.00	400	Horizontal	Pass
5**	16097.549	42.93	54.0	11.07	AV	32.00	400	Horizontal	Pass
6	17417.367	56.20	74.0	17.80	Peak	347.00	100	Horizontal	Pass
6**	17417.367	49.88	54.0	4.12	AV	347.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.423	43.08	74.0	30.92	Peak	255.00	300	Vertical	Pass
1**	1330.423	32.87	54.0	21.13	AV	255.00	300	Vertical	Pass
2	1436.849	43.14	74.0	30.86	Peak	124.00	200	Vertical	Pass
2**	1436.849	38.96	54.0	15.04	AV	124.00	200	Vertical	Pass
3	4311.731	48.56	74.0	25.44	Peak	215.00	200	Vertical	Pass
3**	4311.731	39.58	54.0	14.42	AV	215.00	200	Vertical	Pass
4	7596.681	53.70	74.0	20.30	Peak	47.00	300	Vertical	Pass
4**	7596.681	44.10	54.0	9.90	AV	47.00	300	Vertical	Pass
5	12534.906	50.95	74.0	23.05	Peak	18.00	100	Vertical	Pass
5**	12534.906	46.33	54.0	7.67	AV	18.00	100	Vertical	Pass
6	15906.739	53.52	74.0	20.48	Peak	250.00	200	Vertical	Pass
6**	15906.739	46.41	54.0	7.59	AV	250.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.535	38.12	74.0	35.88	Peak	310.00	300	Horizontal	Pass
1**	1522.535	26.75	54.0	27.25	AV	310.00	300	Horizontal	Pass
2	4023.177	46.72	74.0	27.28	Peak	163.00	200	Horizontal	Pass
2**	4023.177	38.97	54.0	15.03	AV	163.00	200	Horizontal	Pass
3	7599.589	55.32	74.0	18.68	Peak	68.00	200	Horizontal	Pass
3**	7599.589	43.16	54.0	10.84	AV	68.00	200	Horizontal	Pass
4	12453.877	51.49	74.0	22.51	Peak	76.00	200	Horizontal	Pass
4**	12453.877	46.73	54.0	7.27	AV	76.00	200	Horizontal	Pass
5	16098.337	55.01	74.0	18.99	Peak	237.00	300	Horizontal	Pass
5**	16098.337	47.35	54.0	6.65	AV	237.00	300	Horizontal	Pass
6	17423.420	53.09	74.0	20.91	Peak	78.00	100	Horizontal	Pass
6**	17423.420	47.23	54.0	6.77	AV	78.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.471	43.54	74.0	30.46	Peak	134.00	200	Vertical	Pass
1**	1331.471	36.22	54.0	17.78	AV	134.00	200	Vertical	Pass
2	1443.713	40.02	74.0	33.98	Peak	125.00	100	Vertical	Pass
2**	1443.713	35.53	54.0	18.47	AV	125.00	100	Vertical	Pass
3	4312.672	47.79	74.0	26.21	Peak	193.00	200	Vertical	Pass
3**	4312.672	38.41	54.0	15.59	AV	193.00	200	Vertical	Pass
4	7591.236	51.76	74.0	22.24	Peak	350.00	200	Vertical	Pass
4**	7591.236	46.28	54.0	7.72	AV	350.00	200	Vertical	Pass
5	12534.662	55.51	74.0	18.49	Peak	257.00	300	Vertical	Pass
5**	12534.662	42.95	54.0	11.05	AV	257.00	300	Vertical	Pass
6	15905.146	52.84	74.0	21.16	Peak	116.00	300	Vertical	Pass
6**	15905.146	43.15	54.0	10.85	AV	116.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.761	37.46	74.0	36.54	Peak	31.00	400	Horizontal	Pass
1**	1518.761	32.33	54.0	21.67	AV	31.00	400	Horizontal	Pass
2	4021.343	48.65	74.0	25.35	Peak	180.00	100	Horizontal	Pass
2**	4021.343	39.75	54.0	14.25	AV	180.00	100	Horizontal	Pass
3	7600.848	53.48	74.0	20.52	Peak	342.00	200	Horizontal	Pass
3**	7600.848	41.84	54.0	12.16	AV	342.00	200	Horizontal	Pass
4	12457.789	56.32	74.0	17.68	Peak	109.00	100	Horizontal	Pass
4**	12457.789	42.30	54.0	11.70	AV	109.00	100	Horizontal	Pass
5	16095.548	53.21	74.0	20.79	Peak	3.00	200	Horizontal	Pass
5**	16095.548	47.70	54.0	6.30	AV	3.00	200	Horizontal	Pass
6	17420.155	53.47	74.0	20.53	Peak	82.00	300	Horizontal	Pass
6**	17420.155	45.19	54.0	8.81	AV	82.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.232	43.19	74.0	30.81	Peak	167.00	100	Vertical	Pass
1**	1335.232	34.89	54.0	19.11	AV	167.00	100	Vertical	Pass
2	1437.987	44.94	74.0	29.06	Peak	341.00	400	Vertical	Pass
2**	1437.987	36.87	54.0	17.13	AV	341.00	400	Vertical	Pass
3	4309.204	46.49	74.0	27.51	Peak	33.00	200	Vertical	Pass
3**	4309.204	36.45	54.0	17.55	AV	33.00	200	Vertical	Pass
4	7594.200	55.16	74.0	18.84	Peak	104.00	300	Vertical	Pass
4**	7594.200	42.10	54.0	11.90	AV	104.00	300	Vertical	Pass
5	12533.110	55.36	74.0	18.64	Peak	146.00	200	Vertical	Pass
5**	12533.110	46.02	54.0	7.98	AV	146.00	200	Vertical	Pass
6	15903.093	53.86	74.0	20.14	Peak	280.00	400	Vertical	Pass
6**	15903.093	44.29	54.0	9.71	AV	280.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.618	35.51	74.0	38.49	Peak	43.00	100	Horizontal	Pass
1**	1524.618	29.66	54.0	24.34	AV	43.00	100	Horizontal	Pass
2	4018.974	44.58	74.0	29.42	Peak	349.00	100	Horizontal	Pass
2**	4018.974	36.58	54.0	17.42	AV	349.00	100	Horizontal	Pass
3	7598.789	55.50	74.0	18.50	Peak	26.00	200	Horizontal	Pass
3**	7598.789	44.26	54.0	9.74	AV	26.00	200	Horizontal	Pass
4	12457.873	54.17	74.0	19.83	Peak	274.00	300	Horizontal	Pass
4**	12457.873	42.07	54.0	11.93	AV	274.00	300	Horizontal	Pass
5	16095.950	52.89	74.0	21.11	Peak	351.00	300	Horizontal	Pass
5**	16095.950	44.21	54.0	9.79	AV	351.00	300	Horizontal	Pass
6	17421.428	58.66	74.0	15.34	Peak	279.00	300	Horizontal	Pass
6**	17421.428	45.10	54.0	8.90	AV	279.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1337.001	43.58	74.0	30.42	Peak	125.00	300	Vertical	Pass
1**	1337.001	34.68	54.0	19.32	AV	125.00	300	Vertical	Pass
2	1438.086	42.77	74.0	31.23	Peak	184.00	400	Vertical	Pass
2**	1438.086	37.89	54.0	16.11	AV	184.00	400	Vertical	Pass
3	4315.242	48.22	74.0	25.78	Peak	151.00	200	Vertical	Pass
3**	4315.242	39.92	54.0	14.08	AV	151.00	200	Vertical	Pass
4	7593.417	52.01	74.0	21.99	Peak	137.00	200	Vertical	Pass
4**	7593.417	46.37	54.0	7.63	AV	137.00	200	Vertical	Pass
5	12533.661	50.88	74.0	23.12	Peak	38.00	400	Vertical	Pass
5**	12533.661	41.64	54.0	12.36	AV	38.00	400	Vertical	Pass
6	15906.076	53.57	74.0	20.43	Peak	115.00	300	Vertical	Pass
6**	15906.076	48.39	54.0	5.61	AV	115.00	300	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.580	40.01	74.0	33.99	Peak	199.00	300	Horizontal	Pass
1**	1520.580	29.93	54.0	24.07	AV	199.00	300	Horizontal	Pass
2	4023.389	44.50	74.0	29.50	Peak	69.00	200	Horizontal	Pass
2**	4023.389	35.09	54.0	18.91	AV	69.00	200	Horizontal	Pass
3	7596.132	51.87	74.0	22.13	Peak	300.00	200	Horizontal	Pass
3**	7596.132	41.95	54.0	12.05	AV	300.00	200	Horizontal	Pass
4	12459.684	53.21	74.0	20.79	Peak	49.00	300	Horizontal	Pass
4**	12459.684	46.96	54.0	7.04	AV	49.00	300	Horizontal	Pass
5	16096.876	55.46	74.0	18.54	Peak	252.00	200	Horizontal	Pass
5**	16096.876	46.04	54.0	7.96	AV	252.00	200	Horizontal	Pass
6	17417.106	53.81	74.0	20.19	Peak	223.00	400	Horizontal	Pass
6**	17417.106	44.92	54.0	9.08	AV	223.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.438	47.48	74.0	26.52	Peak	8.00	300	Vertical	Pass
1**	1332.438	32.49	54.0	21.51	AV	8.00	300	Vertical	Pass
2	1441.444	42.34	74.0	31.66	Peak	13.00	300	Vertical	Pass
2**	1441.444	37.85	54.0	16.15	AV	13.00	300	Vertical	Pass
3	4308.231	44.55	74.0	29.45	Peak	128.00	200	Vertical	Pass
3**	4308.231	38.80	54.0	15.20	AV	128.00	200	Vertical	Pass
4	7594.838	52.95	74.0	21.05	Peak	292.00	400	Vertical	Pass
4**	7594.838	45.92	54.0	8.08	AV	292.00	400	Vertical	Pass
5	12537.393	50.99	74.0	23.01	Peak	268.00	100	Vertical	Pass
5**	12537.393	44.26	54.0	9.74	AV	268.00	100	Vertical	Pass
6	15909.522	55.23	74.0	18.77	Peak	131.00	200	Vertical	Pass
6**	15909.522	43.50	54.0	10.50	AV	131.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.180	38.62	74.0	35.38	Peak	152.00	400	Horizontal	Pass
1**	1523.180	30.73	54.0	23.27	AV	152.00	400	Horizontal	Pass
2	4018.261	49.45	74.0	24.55	Peak	39.00	300	Horizontal	Pass
2**	4018.261	39.54	54.0	14.46	AV	39.00	300	Horizontal	Pass
3	7601.623	55.39	74.0	18.61	Peak	75.00	200	Horizontal	Pass
3**	7601.623	41.78	54.0	12.22	AV	75.00	200	Horizontal	Pass
4	12455.810	53.88	74.0	20.12	Peak	26.00	200	Horizontal	Pass
4**	12455.810	45.25	54.0	8.75	AV	26.00	200	Horizontal	Pass
5	16096.617	51.39	74.0	22.61	Peak	315.00	200	Horizontal	Pass
5**	16096.617	42.23	54.0	11.77	AV	315.00	200	Horizontal	Pass
6	17419.788	54.76	74.0	19.24	Peak	328.00	100	Horizontal	Pass
6**	17419.788	49.46	54.0	4.54	AV	328.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.954	41.71	74.0	32.29	Peak	6.00	100	Vertical	Pass
1**	1330.954	32.50	54.0	21.50	AV	6.00	100	Vertical	Pass
2	1440.456	42.69	74.0	31.31	Peak	299.00	300	Vertical	Pass
2**	1440.456	37.16	54.0	16.84	AV	299.00	300	Vertical	Pass
3	4313.756	48.03	74.0	25.97	Peak	357.00	200	Vertical	Pass
3**	4313.756	38.53	54.0	15.47	AV	357.00	200	Vertical	Pass
4	7593.424	52.91	74.0	21.09	Peak	274.00	400	Vertical	Pass
4**	7593.424	44.05	54.0	9.95	AV	274.00	400	Vertical	Pass
5	12536.572	54.80	74.0	19.20	Peak	210.00	200	Vertical	Pass
5**	12536.572	41.58	54.0	12.42	AV	210.00	200	Vertical	Pass
6	15904.266	54.01	74.0	19.99	Peak	283.00	100	Vertical	Pass
6**	15904.266	47.54	54.0	6.46	AV	283.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.767	35.94	74.0	38.06	Peak	278.00	300	Horizontal	Pass
1**	1521.767	31.50	54.0	22.50	AV	278.00	300	Horizontal	Pass
2	4019.143	44.50	74.0	29.50	Peak	248.00	300	Horizontal	Pass
2**	4019.143	34.80	54.0	19.20	AV	248.00	300	Horizontal	Pass
3	7598.465	55.66	74.0	18.34	Peak	160.00	200	Horizontal	Pass
3**	7598.465	43.64	54.0	10.36	AV	160.00	200	Horizontal	Pass
4	12457.566	55.84	74.0	18.16	Peak	174.00	200	Horizontal	Pass
4**	12457.566	41.32	54.0	12.68	AV	174.00	200	Horizontal	Pass
5	16097.555	54.79	74.0	19.21	Peak	143.00	100	Horizontal	Pass
5**	16097.555	42.59	54.0	11.41	AV	143.00	100	Horizontal	Pass
6	17416.280	57.88	74.0	16.12	Peak	348.00	200	Horizontal	Pass
6**	17416.280	44.34	54.0	9.66	AV	348.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.972	43.06	74.0	30.94	Peak	51.00	100	Vertical	Pass
1**	1335.972	35.26	54.0	18.74	AV	51.00	100	Vertical	Pass
2	1436.493	39.44	74.0	34.56	Peak	191.00	200	Vertical	Pass
2**	1436.493	38.36	54.0	15.64	AV	191.00	200	Vertical	Pass
3	4312.927	49.11	74.0	24.89	Peak	61.00	200	Vertical	Pass
3**	4312.927	39.70	54.0	14.30	AV	61.00	200	Vertical	Pass
4	7593.483	51.62	74.0	22.38	Peak	77.00	300	Vertical	Pass
4**	7593.483	44.39	54.0	9.61	AV	77.00	300	Vertical	Pass
5	12533.204	52.04	74.0	21.96	Peak	92.00	300	Vertical	Pass
5**	12533.204	42.79	54.0	11.21	AV	92.00	300	Vertical	Pass
6	15903.263	55.58	74.0	18.42	Peak	174.00	200	Vertical	Pass
6**	15903.263	43.41	54.0	10.59	AV	174.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.595	40.44	74.0	33.56	Peak	227.00	100	Horizontal	Pass
1**	1523.595	29.51	54.0	24.49	AV	227.00	100	Horizontal	Pass
2	4022.857	48.92	74.0	25.08	Peak	107.00	100	Horizontal	Pass
2**	4022.857	36.06	54.0	17.94	AV	107.00	100	Horizontal	Pass
3	7600.238	54.19	74.0	19.81	Peak	220.00	200	Horizontal	Pass
3**	7600.238	42.57	54.0	11.43	AV	220.00	200	Horizontal	Pass
4	12459.059	55.15	74.0	18.85	Peak	19.00	300	Horizontal	Pass
4**	12459.059	45.63	54.0	8.37	AV	19.00	300	Horizontal	Pass
5	16093.571	52.12	74.0	21.88	Peak	81.00	300	Horizontal	Pass
5**	16093.571	43.37	54.0	10.63	AV	81.00	300	Horizontal	Pass
6	17423.332	54.05	74.0	19.95	Peak	188.00	300	Horizontal	Pass
6**	17423.332	45.57	54.0	8.43	AV	188.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.427	44.35	74.0	29.65	Peak	149.00	300	Vertical	Pass
1**	1332.427	35.15	54.0	18.85	AV	149.00	300	Vertical	Pass
2	1439.315	39.90	74.0	34.10	Peak	15.00	200	Vertical	Pass
2**	1439.315	38.82	54.0	15.18	AV	15.00	200	Vertical	Pass
3	4313.796	47.27	74.0	26.73	Peak	93.00	200	Vertical	Pass
3**	4313.796	36.95	54.0	17.05	AV	93.00	200	Vertical	Pass
4	7591.592	54.64	74.0	19.36	Peak	223.00	200	Vertical	Pass
4**	7591.592	41.21	54.0	12.79	AV	223.00	200	Vertical	Pass
5	12538.094	55.56	74.0	18.44	Peak	66.00	400	Vertical	Pass
5**	12538.094	44.40	54.0	9.60	AV	66.00	400	Vertical	Pass
6	15909.412	52.68	74.0	21.32	Peak	124.00	300	Vertical	Pass
6**	15909.412	48.55	54.0	5.45	AV	124.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.296	40.31	74.0	33.69	Peak	96.00	200	Horizontal	Pass
1**	1517.296	29.21	54.0	24.79	AV	96.00	200	Horizontal	Pass
2	4018.552	46.84	74.0	27.16	Peak	144.00	400	Horizontal	Pass
2**	4018.552	38.53	54.0	15.47	AV	144.00	400	Horizontal	Pass
3	7599.366	55.95	74.0	18.05	Peak	314.00	200	Horizontal	Pass
3**	7599.366	44.50	54.0	9.50	AV	314.00	200	Horizontal	Pass
4	12453.269	55.64	74.0	18.36	Peak	150.00	200	Horizontal	Pass
4**	12453.269	44.21	54.0	9.79	AV	150.00	200	Horizontal	Pass
5	16095.978	51.82	74.0	22.18	Peak	116.00	300	Horizontal	Pass
5**	16095.978	45.48	54.0	8.52	AV	116.00	300	Horizontal	Pass
6	17418.261	58.94	74.0	15.06	Peak	343.00	400	Horizontal	Pass
6**	17418.261	48.39	54.0	5.61	AV	343.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.868	46.45	74.0	27.55	Peak	28.00	400	Vertical	Pass
1**	1336.868	36.73	54.0	17.27	AV	28.00	400	Vertical	Pass
2	1437.085	39.79	74.0	34.21	Peak	261.00	400	Vertical	Pass
2**	1437.085	36.12	54.0	17.88	AV	261.00	400	Vertical	Pass
3	4312.986	47.95	74.0	26.05	Peak	16.00	200	Vertical	Pass
3**	4312.986	37.91	54.0	16.09	AV	16.00	200	Vertical	Pass
4	7594.079	50.21	74.0	23.79	Peak	153.00	200	Vertical	Pass
4**	7594.079	43.46	54.0	10.54	AV	153.00	200	Vertical	Pass
5	12534.816	53.10	74.0	20.90	Peak	288.00	300	Vertical	Pass
5**	12534.816	44.92	54.0	9.08	AV	288.00	300	Vertical	Pass
6	15909.080	57.23	74.0	16.77	Peak	190.00	300	Vertical	Pass
6**	15909.080	45.28	54.0	8.72	AV	190.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.362	37.18	74.0	36.82	Peak	196.00	200	Horizontal	Pass
1**	1517.362	31.90	54.0	22.10	AV	196.00	200	Horizontal	Pass
2	4017.085	44.56	74.0	29.44	Peak	343.00	400	Horizontal	Pass
2**	4017.085	37.26	54.0	16.74	AV	343.00	400	Horizontal	Pass
3	7595.641	50.52	74.0	23.48	Peak	307.00	200	Horizontal	Pass
3**	7595.641	43.69	54.0	10.31	AV	307.00	200	Horizontal	Pass
4	12458.931	50.65	74.0	23.35	Peak	328.00	200	Horizontal	Pass
4**	12458.931	47.03	54.0	6.97	AV	328.00	200	Horizontal	Pass
5	16095.944	53.19	74.0	20.81	Peak	59.00	300	Horizontal	Pass
5**	16095.944	42.11	54.0	11.89	AV	59.00	300	Horizontal	Pass
6	17418.031	54.10	74.0	19.90	Peak	36.00	100	Horizontal	Pass
6**	17418.031	49.05	54.0	4.95	AV	36.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.983	42.07	74.0	31.93	Peak	232.00	400	Vertical	Pass
1**	1329.983	35.16	54.0	18.84	AV	232.00	400	Vertical	Pass
2	1436.816	40.60	74.0	33.40	Peak	34.00	200	Vertical	Pass
2**	1436.816	34.31	54.0	19.69	AV	34.00	200	Vertical	Pass
3	4312.985	46.19	74.0	27.81	Peak	168.00	200	Vertical	Pass
3**	4312.985	41.28	54.0	12.72	AV	168.00	200	Vertical	Pass
4	7593.242	50.18	74.0	23.82	Peak	150.00	300	Vertical	Pass
4**	7593.242	45.59	54.0	8.41	AV	150.00	300	Vertical	Pass
5	12534.760	51.12	74.0	22.88	Peak	182.00	400	Vertical	Pass
5**	12534.760	46.68	54.0	7.32	AV	182.00	400	Vertical	Pass
6	15906.179	56.43	74.0	17.57	Peak	0.00	400	Vertical	Pass
6**	15906.179	48.01	54.0	5.99	AV	0.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.106	40.21	74.0	33.79	Peak	18.00	100	Horizontal	Pass
1**	1519.106	30.56	54.0	23.44	AV	18.00	100	Horizontal	Pass
2	4020.716	45.81	74.0	28.19	Peak	50.00	100	Horizontal	Pass
2**	4020.716	35.97	54.0	18.03	AV	50.00	100	Horizontal	Pass
3	7601.594	53.82	74.0	20.18	Peak	204.00	200	Horizontal	Pass
3**	7601.594	45.66	54.0	8.34	AV	204.00	200	Horizontal	Pass
4	12453.675	56.52	74.0	17.48	Peak	79.00	100	Horizontal	Pass
4**	12453.675	43.93	54.0	10.07	AV	79.00	100	Horizontal	Pass
5	16095.703	50.54	74.0	23.46	Peak	73.00	300	Horizontal	Pass
5**	16095.703	42.78	54.0	11.22	AV	73.00	300	Horizontal	Pass
6	17417.471	54.19	74.0	19.81	Peak	287.00	400	Horizontal	Pass
6**	17417.471	47.82	54.0	6.18	AV	287.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.225	42.34	74.0	31.66	Peak	60.00	400	Vertical	Pass
1**	1331.225	36.51	54.0	17.49	AV	60.00	400	Vertical	Pass
2	1440.787	43.83	74.0	30.17	Peak	57.00	400	Vertical	Pass
2**	1440.787	35.50	54.0	18.50	AV	57.00	400	Vertical	Pass
3	4314.749	48.47	74.0	25.53	Peak	155.00	200	Vertical	Pass
3**	4314.749	39.04	54.0	14.96	AV	155.00	200	Vertical	Pass
4	7594.459	52.36	74.0	21.64	Peak	47.00	400	Vertical	Pass
4**	7594.459	44.58	54.0	9.42	AV	47.00	400	Vertical	Pass
5	12533.266	52.79	74.0	21.21	Peak	79.00	300	Vertical	Pass
5**	12533.266	43.05	54.0	10.95	AV	79.00	300	Vertical	Pass
6	15910.497	54.97	74.0	19.03	Peak	95.00	200	Vertical	Pass
6**	15910.497	47.42	54.0	6.58	AV	95.00	200	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.508	38.31	74.0	35.69	Peak	8.00	300	Horizontal	Pass
1**	1517.508	27.39	54.0	26.61	AV	8.00	300	Horizontal	Pass
2	4019.446	45.45	74.0	28.55	Peak	277.00	200	Horizontal	Pass
2**	4019.446	36.37	54.0	17.63	AV	277.00	200	Horizontal	Pass
3	7600.985	51.07	74.0	22.93	Peak	352.00	200	Horizontal	Pass
3**	7600.985	45.43	54.0	8.57	AV	352.00	200	Horizontal	Pass
4	12454.378	53.90	74.0	20.10	Peak	269.00	300	Horizontal	Pass
4**	12454.378	46.67	54.0	7.33	AV	269.00	300	Horizontal	Pass
5	16095.399	56.30	74.0	17.70	Peak	312.00	400	Horizontal	Pass
5**	16095.399	46.04	54.0	7.96	AV	312.00	400	Horizontal	Pass
6	17419.754	54.40	74.0	19.60	Peak	50.00	400	Horizontal	Pass
6**	17419.754	48.44	54.0	5.56	AV	50.00	400	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.592	42.59	74.0	31.41	Peak	66.00	400	Vertical	Pass
1**	1331.592	35.18	54.0	18.82	AV	66.00	400	Vertical	Pass
2	1441.392	40.31	74.0	33.69	Peak	345.00	400	Vertical	Pass
2**	1441.392	35.11	54.0	18.89	AV	345.00	400	Vertical	Pass
3	4308.534	44.76	74.0	29.24	Peak	343.00	200	Vertical	Pass
3**	4308.534	37.77	54.0	16.23	AV	343.00	200	Vertical	Pass
4	7591.380	52.65	74.0	21.35	Peak	229.00	100	Vertical	Pass
4**	7591.380	40.76	54.0	13.24	AV	229.00	100	Vertical	Pass
5	12531.070	54.05	74.0	19.95	Peak	348.00	400	Vertical	Pass
5**	12531.070	46.31	54.0	7.69	AV	348.00	400	Vertical	Pass
6	15907.006	51.49	74.0	22.51	Peak	135.00	100	Vertical	Pass
6**	15907.006	47.45	54.0	6.55	AV	135.00	100	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.314	37.68	74.0	36.32	Peak	27.00	100	Horizontal	Pass
1**	1518.314	30.13	54.0	23.87	AV	27.00	100	Horizontal	Pass
2	4016.278	47.19	74.0	26.81	Peak	328.00	400	Horizontal	Pass
2**	4016.278	36.45	54.0	17.55	AV	328.00	400	Horizontal	Pass
3	7601.953	54.14	74.0	19.86	Peak	71.00	200	Horizontal	Pass
3**	7601.953	42.18	54.0	11.82	AV	71.00	200	Horizontal	Pass
4	12455.627	50.61	74.0	23.39	Peak	151.00	400	Horizontal	Pass
4**	12455.627	45.70	54.0	8.30	AV	151.00	400	Horizontal	Pass
5	16092.927	53.25	74.0	20.75	Peak	300.00	200	Horizontal	Pass
5**	16092.927	47.35	54.0	6.65	AV	300.00	200	Horizontal	Pass
6	17422.113	57.89	74.0	16.11	Peak	108.00	300	Horizontal	Pass
6**	17422.113	46.46	54.0	7.54	AV	108.00	300	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.156	43.98	74.0	30.02	Peak	290.00	300	Vertical	Pass
1**	1335.156	32.39	54.0	21.61	AV	290.00	300	Vertical	Pass
2	1443.982	40.09	74.0	33.91	Peak	5.00	300	Vertical	Pass
2**	1443.982	39.75	54.0	14.25	AV	5.00	300	Vertical	Pass
3	4312.985	49.73	74.0	24.27	Peak	215.00	200	Vertical	Pass
3**	4312.985	39.71	54.0	14.29	AV	215.00	200	Vertical	Pass
4	7594.839	50.11	74.0	23.89	Peak	232.00	300	Vertical	Pass
4**	7594.839	41.67	54.0	12.33	AV	232.00	300	Vertical	Pass
5	12534.818	54.44	74.0	19.56	Peak	248.00	300	Vertical	Pass
5**	12534.818	42.93	54.0	11.07	AV	248.00	300	Vertical	Pass
6	15903.115	56.79	74.0	17.21	Peak	337.00	100	Vertical	Pass
6**	15903.115	45.96	54.0	8.04	AV	337.00	100	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.799	41.02	74.0	32.98	Peak	83.00	400	Horizontal	Pass
1**	1522.799	28.32	54.0	25.68	AV	83.00	400	Horizontal	Pass
2	4016.255	48.59	74.0	25.41	Peak	182.00	400	Horizontal	Pass
2**	4016.255	37.41	54.0	16.59	AV	182.00	400	Horizontal	Pass
3	7601.590	50.64	74.0	23.36	Peak	88.00	200	Horizontal	Pass
3**	7601.590	43.84	54.0	10.16	AV	88.00	200	Horizontal	Pass
4	12451.815	56.37	74.0	17.63	Peak	288.00	200	Horizontal	Pass
4**	12451.815	47.13	54.0	6.87	AV	288.00	200	Horizontal	Pass
5	16095.243	55.52	74.0	18.48	Peak	194.00	100	Horizontal	Pass
5**	16095.243	43.21	54.0	10.79	AV	194.00	100	Horizontal	Pass
6	17422.869	54.44	74.0	19.56	Peak	116.00	100	Horizontal	Pass
6**	17422.869	49.84	54.0	4.16	AV	116.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.843	43.99	74.0	30.01	Peak	352.00	200	Vertical	Pass
1**	1330.843	32.71	54.0	21.29	AV	352.00	200	Vertical	Pass
2	1442.326	40.68	74.0	33.32	Peak	109.00	200	Vertical	Pass
2**	1442.326	38.80	54.0	15.20	AV	109.00	200	Vertical	Pass
3	4308.338	44.91	74.0	29.09	Peak	222.00	200	Vertical	Pass
3**	4308.338	39.98	54.0	14.02	AV	222.00	200	Vertical	Pass
4	7594.067	55.05	74.0	18.95	Peak	16.00	300	Vertical	Pass
4**	7594.067	41.17	54.0	12.83	AV	16.00	300	Vertical	Pass
5	12533.250	52.31	74.0	21.69	Peak	71.00	200	Vertical	Pass
5**	12533.250	43.26	54.0	10.74	AV	71.00	200	Vertical	Pass
6	15909.243	56.94	74.0	17.06	Peak	314.00	400	Vertical	Pass
6**	15909.243	47.65	54.0	6.35	AV	314.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.170	36.04	74.0	37.96	Peak	71.00	300	Horizontal	Pass
1**	1523.170	31.11	54.0	22.89	AV	71.00	300	Horizontal	Pass
2	4017.751	48.82	74.0	25.18	Peak	36.00	400	Horizontal	Pass
2**	4017.751	38.93	54.0	15.07	AV	36.00	400	Horizontal	Pass
3	7602.003	51.54	74.0	22.46	Peak	194.00	200	Horizontal	Pass
3**	7602.003	46.15	54.0	7.85	AV	194.00	200	Horizontal	Pass
4	12459.419	52.84	74.0	21.16	Peak	72.00	300	Horizontal	Pass
4**	12459.419	42.74	54.0	11.26	AV	72.00	300	Horizontal	Pass
5	16091.745	51.33	74.0	22.67	Peak	186.00	400	Horizontal	Pass
5**	16091.745	42.33	54.0	11.67	AV	186.00	400	Horizontal	Pass
6	17420.759	54.71	74.0	19.29	Peak	72.00	200	Horizontal	Pass
6**	17420.759	48.51	54.0	5.49	AV	72.00	200	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.604	45.69	74.0	28.31	Peak	203.00	300	Vertical	Pass
1**	1330.604	34.03	54.0	19.97	AV	203.00	300	Vertical	Pass
2	1441.192	39.20	74.0	34.80	Peak	144.00	200	Vertical	Pass
2**	1441.192	34.68	54.0	19.32	AV	144.00	200	Vertical	Pass
3	4310.030	46.90	74.0	27.10	Peak	280.00	200	Vertical	Pass
3**	4310.030	38.74	54.0	15.26	AV	280.00	200	Vertical	Pass
4	7593.254	52.58	74.0	21.42	Peak	11.00	100	Vertical	Pass
4**	7593.254	42.88	54.0	11.12	AV	11.00	100	Vertical	Pass
5	12538.119	54.94	74.0	19.06	Peak	16.00	100	Vertical	Pass
5**	12538.119	42.98	54.0	11.02	AV	16.00	100	Vertical	Pass
6	15905.193	51.84	74.0	22.16	Peak	184.00	300	Vertical	Pass
6**	15905.193	47.05	54.0	6.95	AV	184.00	300	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.473	39.87	74.0	34.13	Peak	126.00	100	Horizontal	Pass
1**	1519.473	31.98	54.0	22.02	AV	126.00	100	Horizontal	Pass
2	4016.518	49.22	74.0	24.78	Peak	127.00	400	Horizontal	Pass
2**	4016.518	38.21	54.0	15.79	AV	127.00	400	Horizontal	Pass
3	7598.601	50.62	74.0	23.38	Peak	303.00	200	Horizontal	Pass
3**	7598.601	42.21	54.0	11.79	AV	303.00	200	Horizontal	Pass
4	12455.347	53.96	74.0	20.04	Peak	338.00	300	Horizontal	Pass
4**	12455.347	42.86	54.0	11.14	AV	338.00	300	Horizontal	Pass
5	16097.741	55.44	74.0	18.56	Peak	87.00	300	Horizontal	Pass
5**	16097.741	43.12	54.0	10.88	AV	87.00	300	Horizontal	Pass
6	17417.169	58.24	74.0	15.76	Peak	320.00	100	Horizontal	Pass
6**	17417.169	48.80	54.0	5.20	AV	320.00	100	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.677	46.61	74.0	27.39	Peak	302.00	400	Vertical	Pass
1**	1333.677	33.26	54.0	20.74	AV	302.00	400	Vertical	Pass
2	1442.213	40.88	74.0	33.12	Peak	64.00	200	Vertical	Pass
2**	1442.213	36.90	54.0	17.10	AV	64.00	200	Vertical	Pass
3	4313.462	44.74	74.0	29.26	Peak	276.00	200	Vertical	Pass
3**	4313.462	40.31	54.0	13.69	AV	276.00	200	Vertical	Pass
4	7597.024	51.67	74.0	22.33	Peak	223.00	100	Vertical	Pass
4**	7597.024	46.60	54.0	7.40	AV	223.00	100	Vertical	Pass
5	12537.764	54.73	74.0	19.27	Peak	15.00	200	Vertical	Pass
5**	12537.764	45.22	54.0	8.78	AV	15.00	200	Vertical	Pass
6	15907.673	52.64	74.0	21.36	Peak	167.00	100	Vertical	Pass
6**	15907.673	45.03	54.0	8.97	AV	167.00	100	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.008	35.90	74.0	38.10	Peak	35.00	400	Horizontal	Pass
1**	1519.008	31.79	54.0	22.21	AV	35.00	400	Horizontal	Pass
2	4020.348	49.37	74.0	24.63	Peak	181.00	300	Horizontal	Pass
2**	4020.348	34.78	54.0	19.22	AV	181.00	300	Horizontal	Pass
3	7597.861	53.06	74.0	20.94	Peak	305.00	200	Horizontal	Pass
3**	7597.861	46.02	54.0	7.98	AV	305.00	200	Horizontal	Pass
4	12453.470	55.41	74.0	18.59	Peak	92.00	300	Horizontal	Pass
4**	12453.470	46.23	54.0	7.77	AV	92.00	300	Horizontal	Pass
5	16093.821	53.01	74.0	20.99	Peak	59.00	300	Horizontal	Pass
5**	16093.821	43.67	54.0	10.33	AV	59.00	300	Horizontal	Pass
6	17416.942	58.92	74.0	15.08	Peak	276.00	400	Horizontal	Pass
6**	17416.942	44.90	54.0	9.10	AV	276.00	400	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.399	42.59	74.0	31.41	Peak	322.00	400	Vertical	Pass
1**	1332.399	36.63	54.0	17.37	AV	322.00	400	Vertical	Pass
2	1436.907	43.80	74.0	30.20	Peak	293.00	400	Vertical	Pass
2**	1436.907	39.41	54.0	14.59	AV	293.00	400	Vertical	Pass
3	4314.430	46.61	74.0	27.39	Peak	254.00	200	Vertical	Pass
3**	4314.430	35.77	54.0	18.23	AV	254.00	200	Vertical	Pass
4	7594.107	54.58	74.0	19.42	Peak	298.00	300	Vertical	Pass
4**	7594.107	45.70	54.0	8.30	AV	298.00	300	Vertical	Pass
5	12533.052	54.30	74.0	19.70	Peak	9.00	100	Vertical	Pass
5**	12533.052	43.03	54.0	10.97	AV	9.00	100	Vertical	Pass
6	15902.872	51.91	74.0	22.09	Peak	194.00	200	Vertical	Pass
6**	15902.872	46.99	54.0	7.01	AV	194.00	200	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.239	39.42	74.0	34.58	Peak	332.00	400	Horizontal	Pass
1**	1521.239	30.83	54.0	23.17	AV	332.00	400	Horizontal	Pass
2	4017.057	47.43	74.0	26.57	Peak	69.00	100	Horizontal	Pass
2**	4017.057	38.69	54.0	15.31	AV	69.00	100	Horizontal	Pass
3	7595.361	53.18	74.0	20.82	Peak	124.00	200	Horizontal	Pass
3**	7595.361	40.83	54.0	13.17	AV	124.00	200	Horizontal	Pass
4	12453.013	56.33	74.0	17.67	Peak	211.00	100	Horizontal	Pass
4**	12453.013	47.11	54.0	6.89	AV	211.00	100	Horizontal	Pass
5	16092.500	54.44	74.0	19.56	Peak	188.00	300	Horizontal	Pass
5**	16092.500	43.81	54.0	10.19	AV	188.00	300	Horizontal	Pass
6	17416.937	57.98	74.0	16.02	Peak	73.00	300	Horizontal	Pass
6**	17416.937	50.02	54.0	3.98	AV	73.00	300	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.396	42.74	74.0	31.26	Peak	13.00	400	Vertical	Pass
1**	1332.396	34.44	54.0	19.56	AV	13.00	400	Vertical	Pass
2	1441.484	39.05	74.0	34.95	Peak	350.00	200	Vertical	Pass
2**	1441.484	37.56	54.0	16.44	AV	350.00	200	Vertical	Pass
3	4315.107	49.27	74.0	24.73	Peak	265.00	200	Vertical	Pass
3**	4315.107	39.10	54.0	14.90	AV	265.00	200	Vertical	Pass
4	7595.108	51.17	74.0	22.83	Peak	121.00	300	Vertical	Pass
4**	7595.108	45.84	54.0	8.16	AV	121.00	300	Vertical	Pass
5	12535.866	50.79	74.0	23.21	Peak	145.00	300	Vertical	Pass
5**	12535.866	43.28	54.0	10.72	AV	145.00	300	Vertical	Pass
6	15907.091	54.89	74.0	19.11	Peak	234.00	400	Vertical	Pass
6**	15907.091	45.93	54.0	8.07	AV	234.00	400	Vertical	Pass

11be20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.975	35.28	74.0	38.72	Peak	162.00	400	Horizontal	Pass
1**	1519.975	27.37	54.0	26.63	AV	162.00	400	Horizontal	Pass
2	4023.636	44.31	74.0	29.69	Peak	109.00	400	Horizontal	Pass
2**	4023.636	38.51	54.0	15.49	AV	109.00	400	Horizontal	Pass
3	7600.470	53.07	74.0	20.93	Peak	27.00	200	Horizontal	Pass
3**	7600.470	44.50	54.0	9.50	AV	27.00	200	Horizontal	Pass
4	12454.040	55.65	74.0	18.35	Peak	131.00	300	Horizontal	Pass
4**	12454.040	46.88	54.0	7.12	AV	131.00	300	Horizontal	Pass
5	16096.227	56.07	74.0	17.93	Peak	55.00	300	Horizontal	Pass
5**	16096.227	46.26	54.0	7.74	AV	55.00	300	Horizontal	Pass
6	17420.747	55.18	74.0	18.82	Peak	107.00	300	Horizontal	Pass
6**	17420.747	50.20	54.0	3.80	AV	107.00	300	Horizontal	Pass

11be20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.907	42.57	74.0	31.43	Peak	193.00	100	Vertical	Pass
1**	1336.907	36.02	54.0	17.98	AV	193.00	100	Vertical	Pass
2	1436.549	40.43	74.0	33.57	Peak	194.00	100	Vertical	Pass
2**	1436.549	37.96	54.0	16.04	AV	194.00	100	Vertical	Pass
3	4307.263	49.92	74.0	24.08	Peak	140.00	200	Vertical	Pass
3**	4307.263	38.52	54.0	15.48	AV	140.00	200	Vertical	Pass
4	7593.062	52.31	74.0	21.69	Peak	99.00	400	Vertical	Pass
4**	7593.062	43.06	54.0	10.94	AV	99.00	400	Vertical	Pass
5	12534.379	55.94	74.0	18.06	Peak	87.00	100	Vertical	Pass
5**	12534.379	45.87	54.0	8.13	AV	87.00	100	Vertical	Pass
6	15903.400	52.29	74.0	21.71	Peak	206.00	400	Vertical	Pass
6**	15903.400	46.68	54.0	7.32	AV	206.00	400	Vertical	Pass

11be20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.975	35.24	74.0	38.76	Peak	311.00	300	Horizontal	Pass
1**	1519.975	27.44	54.0	26.56	AV	311.00	300	Horizontal	Pass
2	4023.636	50.18	74.0	23.82	Peak	190.00	100	Horizontal	Pass
2**	4023.636	37.48	54.0	16.52	AV	190.00	100	Horizontal	Pass
3	7600.470	51.10	74.0	22.90	Peak	39.00	200	Horizontal	Pass
3**	7600.470	41.53	54.0	12.47	AV	39.00	200	Horizontal	Pass
4	12454.040	51.25	74.0	22.75	Peak	64.00	400	Horizontal	Pass
4**	12454.040	44.77	54.0	9.23	AV	64.00	400	Horizontal	Pass
5	16096.227	54.75	74.0	19.25	Peak	268.00	200	Horizontal	Pass
5**	16096.227	42.62	54.0	11.38	AV	268.00	200	Horizontal	Pass
6	17420.747	57.36	74.0	16.64	Peak	198.00	400	Horizontal	Pass
6**	17420.747	46.96	54.0	7.04	AV	198.00	400	Horizontal	Pass

11be20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.907	42.62	74.0	31.38	Peak	77.00	400	Vertical	Pass
1**	1336.907	36.58	54.0	17.42	AV	77.00	400	Vertical	Pass
2	1436.549	39.90	74.0	34.10	Peak	32.00	400	Vertical	Pass
2**	1436.549	36.04	54.0	17.96	AV	32.00	400	Vertical	Pass
3	4307.263	48.88	74.0	25.12	Peak	108.00	200	Vertical	Pass
3**	4307.263	40.00	54.0	14.00	AV	108.00	200	Vertical	Pass
4	7593.062	50.43	74.0	23.57	Peak	329.00	200	Vertical	Pass
4**	7593.062	41.90	54.0	12.10	AV	329.00	200	Vertical	Pass
5	12534.379	55.76	74.0	18.24	Peak	116.00	200	Vertical	Pass
5**	12534.379	41.84	54.0	12.16	AV	116.00	200	Vertical	Pass
6	15903.400	53.78	74.0	20.22	Peak	160.00	200	Vertical	Pass
6**	15903.400	43.61	54.0	10.39	AV	160.00	200	Vertical	Pass

11be20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.293	38.43	74.0	35.57	Peak	81.00	100	Horizontal	Pass
1**	1517.293	31.82	54.0	22.18	AV	81.00	100	Horizontal	Pass
2	4022.376	45.60	74.0	28.40	Peak	148.00	100	Horizontal	Pass
2**	4022.376	36.08	54.0	17.92	AV	148.00	100	Horizontal	Pass
3	7598.327	51.24	74.0	22.76	Peak	20.00	200	Horizontal	Pass
3**	7598.327	40.66	54.0	13.34	AV	20.00	200	Horizontal	Pass
4	12456.120	56.30	74.0	17.70	Peak	126.00	200	Horizontal	Pass
4**	12456.120	44.62	54.0	9.38	AV	126.00	200	Horizontal	Pass
5	16095.745	52.17	74.0	21.83	Peak	187.00	400	Horizontal	Pass
5**	16095.745	47.19	54.0	6.81	AV	187.00	400	Horizontal	Pass
6	17419.687	54.83	74.0	19.17	Peak	187.00	300	Horizontal	Pass
6**	17419.687	49.39	54.0	4.61	AV	187.00	300	Horizontal	Pass

11be20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.855	47.32	74.0	26.68	Peak	5.00	400	Vertical	Pass
1**	1334.855	32.18	54.0	21.82	AV	5.00	400	Vertical	Pass
2	1442.471	41.52	74.0	32.48	Peak	57.00	200	Vertical	Pass
2**	1442.471	34.59	54.0	19.41	AV	57.00	200	Vertical	Pass
3	4312.963	46.41	74.0	27.59	Peak	239.00	200	Vertical	Pass
3**	4312.963	38.68	54.0	15.32	AV	239.00	200	Vertical	Pass
4	7596.667	51.96	74.0	22.04	Peak	204.00	100	Vertical	Pass
4**	7596.667	46.24	54.0	7.76	AV	204.00	100	Vertical	Pass
5	12534.140	56.02	74.0	17.98	Peak	47.00	400	Vertical	Pass
5**	12534.140	46.53	54.0	7.47	AV	47.00	400	Vertical	Pass
6	15902.792	56.82	74.0	17.18	Peak	97.00	400	Vertical	Pass
6**	15902.792	45.31	54.0	8.69	AV	97.00	400	Vertical	Pass

11be40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.508	36.65	74.0	37.35	Peak	233.00	400	Horizontal	Pass
1**	1523.508	30.90	54.0	23.10	AV	233.00	400	Horizontal	Pass
2	4020.121	46.67	74.0	27.33	Peak	85.00	400	Horizontal	Pass
2**	4020.121	38.54	54.0	15.46	AV	85.00	400	Horizontal	Pass
3	7596.425	50.72	74.0	23.28	Peak	360.00	200	Horizontal	Pass
3**	7596.425	40.84	54.0	13.16	AV	360.00	200	Horizontal	Pass
4	12459.328	56.14	74.0	17.86	Peak	207.00	300	Horizontal	Pass
4**	12459.328	46.51	54.0	7.49	AV	207.00	300	Horizontal	Pass
5	16096.891	56.14	74.0	17.86	Peak	171.00	400	Horizontal	Pass
5**	16096.891	45.17	54.0	8.83	AV	171.00	400	Horizontal	Pass
6	17422.304	59.04	74.0	14.96	Peak	45.00	100	Horizontal	Pass
6**	17422.304	45.89	54.0	8.11	AV	45.00	100	Horizontal	Pass

11be40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.029	42.56	74.0	31.44	Peak	100.00	200	Vertical	Pass
1**	1336.029	35.78	54.0	18.22	AV	100.00	200	Vertical	Pass
2	1436.455	43.91	74.0	30.09	Peak	190.00	400	Vertical	Pass
2**	1436.455	35.82	54.0	18.18	AV	190.00	400	Vertical	Pass
3	4308.726	48.87	74.0	25.13	Peak	217.00	200	Vertical	Pass
3**	4308.726	36.63	54.0	17.37	AV	217.00	200	Vertical	Pass
4	7595.299	51.69	74.0	22.31	Peak	74.00	100	Vertical	Pass
4**	7595.299	41.78	54.0	12.22	AV	74.00	100	Vertical	Pass
5	12537.729	51.70	74.0	22.30	Peak	309.00	300	Vertical	Pass
5**	12537.729	42.57	54.0	11.43	AV	309.00	300	Vertical	Pass
6	15905.401	56.95	74.0	17.05	Peak	331.00	200	Vertical	Pass
6**	15905.401	43.02	54.0	10.98	AV	331.00	200	Vertical	Pass

11be40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.466	36.12	74.0	37.88	Peak	230.00	300	Horizontal	Pass
1**	1524.466	30.86	54.0	23.14	AV	230.00	300	Horizontal	Pass
2	4016.381	45.37	74.0	28.63	Peak	225.00	100	Horizontal	Pass
2**	4016.381	37.52	54.0	16.48	AV	225.00	100	Horizontal	Pass
3	7600.035	55.60	74.0	18.40	Peak	244.00	200	Horizontal	Pass
3**	7600.035	43.33	54.0	10.67	AV	244.00	200	Horizontal	Pass
4	12451.763	55.53	74.0	18.47	Peak	36.00	400	Horizontal	Pass
4**	12451.763	43.83	54.0	10.17	AV	36.00	400	Horizontal	Pass
5	16098.861	52.64	74.0	21.36	Peak	6.00	100	Horizontal	Pass
5**	16098.861	44.95	54.0	9.05	AV	6.00	100	Horizontal	Pass
6	17422.953	53.74	74.0	20.26	Peak	242.00	100	Horizontal	Pass
6**	17422.953	49.08	54.0	4.92	AV	242.00	100	Horizontal	Pass

11be40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.714	46.02	74.0	27.98	Peak	129.00	100	Vertical	Pass
1**	1333.714	35.64	54.0	18.36	AV	129.00	100	Vertical	Pass
2	1439.370	40.25	74.0	33.75	Peak	337.00	400	Vertical	Pass
2**	1439.370	35.46	54.0	18.54	AV	337.00	400	Vertical	Pass
3	4314.654	48.25	74.0	25.75	Peak	147.00	200	Vertical	Pass
3**	4314.654	39.57	54.0	14.43	AV	147.00	200	Vertical	Pass
4	7596.989	55.44	74.0	18.56	Peak	156.00	200	Vertical	Pass
4**	7596.989	44.84	54.0	9.16	AV	156.00	200	Vertical	Pass
5	12532.477	52.94	74.0	21.06	Peak	291.00	100	Vertical	Pass
5**	12532.477	41.09	54.0	12.91	AV	291.00	100	Vertical	Pass
6	15908.017	54.64	74.0	19.36	Peak	309.00	100	Vertical	Pass
6**	15908.017	47.16	54.0	6.84	AV	309.00	100	Vertical	Pass

11be80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.135	38.25	74.0	35.75	Peak	135.00	300	Horizontal	Pass
1**	1521.135	27.33	54.0	26.67	AV	135.00	300	Horizontal	Pass
2	4019.412	46.54	74.0	27.46	Peak	270.00	400	Horizontal	Pass
2**	4019.412	34.76	54.0	19.24	AV	270.00	400	Horizontal	Pass
3	7600.451	54.25	74.0	19.75	Peak	178.00	200	Horizontal	Pass
3**	7600.451	43.47	54.0	10.53	AV	178.00	200	Horizontal	Pass
4	12453.119	53.69	74.0	20.31	Peak	86.00	400	Horizontal	Pass
4**	12453.119	44.93	54.0	9.07	AV	86.00	400	Horizontal	Pass
5	16093.941	53.95	74.0	20.05	Peak	149.00	100	Horizontal	Pass
5**	16093.941	45.97	54.0	8.03	AV	149.00	100	Horizontal	Pass
6	17422.770	54.03	74.0	19.97	Peak	349.00	300	Horizontal	Pass
6**	17422.770	46.96	54.0	7.04	AV	349.00	300	Horizontal	Pass

11be80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.527	45.04	74.0	28.96	Peak	359.00	100	Vertical	Pass
1**	1334.527	34.91	54.0	19.09	AV	359.00	100	Vertical	Pass
2	1436.888	40.40	74.0	33.60	Peak	36.00	300	Vertical	Pass
2**	1436.888	36.02	54.0	17.98	AV	36.00	300	Vertical	Pass
3	4315.092	47.20	74.0	26.80	Peak	95.00	200	Vertical	Pass
3**	4315.092	36.61	54.0	17.39	AV	95.00	200	Vertical	Pass
4	7597.041	50.36	74.0	23.64	Peak	132.00	300	Vertical	Pass
4**	7597.041	44.07	54.0	9.93	AV	132.00	300	Vertical	Pass
5	12533.778	52.90	74.0	21.10	Peak	261.00	200	Vertical	Pass
5**	12533.778	46.19	54.0	7.81	AV	261.00	200	Vertical	Pass
6	15903.006	53.99	74.0	20.01	Peak	294.00	200	Vertical	Pass
6**	15903.006	46.79	54.0	7.21	AV	294.00	200	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass
	802.11ax(HE160)(SU)	Middle	Pass
	802.11be(EHT20)(SU)	Low	Pass
		High	Pass
	802.11be(EHT40)(SU)	Low	Pass
		High	Pass
	802.11be(EHT80)(SU)	Middle	Pass
	802.11be(EHT160)(SU)	Middle	Pass
	802.11ax(HE20)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE40)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE80)(RU26)	Middle	Pass
	802.11ax(HE160)(RU26)	Middle	Pass
	802.11be(EHT20)(RU26)	Low	Pass
		High	Pass
	802.11be(EHT40)(RU26)	Low	Pass
		High	Pass
	802.11be(EHT80)(RU26)	Middle	Pass
	802.11be(EHT160)(RU26)	Middle	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass

		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass
	802.11be(EHT20)(SU)	Low	Pass
		High	Pass
	802.11be(EHT40)(SU)	Low	Pass
		High	Pass
	802.11be(EHT80)(SU)	Middle	Pass
	802.11ax(HE20)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE40)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE80)(RU26)	Middle	Pass
	802.11be(EHT20)(RU26)	Low	Pass
		High	Pass
	802.11be(EHT40)(RU26)	Low	Pass
		High	Pass
	802.11be(EHT80)(RU26)	Middle	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Low	Pass

		High	Pass
	802.11ax(HE160)(SU)	Middle	Pass
	802.11be(EHT20)(SU)	Low	Pass
		High	Pass
	802.11be(EHT40)(SU)	Low	Pass
		High	Pass
	802.11be(EHT80)(SU)	Low	Pass
		High	Pass
	802.11be(EHT160)(SU)	Middle	Pass
	802.11ax(HE20)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE40)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE80)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE160)(RU26)	Middle	Pass
	802.11be(EHT20)(RU26)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass
	802.11be(EHT20)(SU)	Low	Pass
		High	Pass
	802.11be(EHT40)(SU)	Low	Pass
		High	Pass

	802.11be(EHT80)(SU)	Middle	Pass
	802.11ax(HE20)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE40)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE80)(RU26)	Middle	Pass
	802.11be(EHT20)(RU26)	Low	Pass
		High	Pass
	802.11be(EHT40)(RU26)	Low	Pass
		High	Pass
	802.11be(EHT80)(RU26)	Middle	Pass

Note ¹: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note ²: All antenna were pre tested, but only the worst case has been reported in this report.

Aux. Antenna

U-NII-1 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.481	54.14	74.0	19.86	Peak	247.00	200	Horizontal	Pass
1**	5076.481	44.75	54.0	9.25	AV	247.00	200	Horizontal	Pass
2	5150.000	55.14	74.0	18.86	Peak	345.00	200	Horizontal	Pass
2**	5150.000	43.94	54.0	10.06	AV	345.00	200	Horizontal	Pass

U-NII-1 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.74	74.0	21.26	Peak	300.00	200	Horizontal	Pass
1**	5350.000	46.14	54.0	7.86	AV	300.00	200	Horizontal	Pass
2	5422.817	55.53	74.0	18.47	Peak	170.00	200	Horizontal	Pass
2**	5422.817	46.12	54.0	7.88	AV	170.00	200	Horizontal	Pass

U-NII-1 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.170	55.17	74.0	18.83	Peak	29.00	200	Horizontal	Pass
1**	5076.170	42.99	54.0	11.01	AV	29.00	200	Horizontal	Pass
2	5150.000	52.78	74.0	21.22	Peak	281.00	300	Horizontal	Pass
2**	5150.000	44.93	54.0	9.07	AV	281.00	300	Horizontal	Pass

U-NII-1 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.61	74.0	18.39	Peak	95.00	100	Horizontal	Pass
1**	5350.000	42.51	54.0	11.49	AV	95.00	100	Horizontal	Pass
2	5424.108	55.18	74.0	18.82	Peak	24.00	100	Horizontal	Pass
2**	5424.108	43.6	54.0	10.40	AV	24.00	100	Horizontal	Pass

U-NII-1 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.925	56.43	74.0	17.57	Peak	101.00	100	Horizontal	Pass
1**	5077.925	43.52	54.0	10.48	AV	101.00	100	Horizontal	Pass
2	5150.000	55	74.0	19.00	Peak	305.00	100	Horizontal	Pass
2**	5150.000	43.23	54.0	10.77	AV	305.00	100	Horizontal	Pass

U-NII-1 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.71	74.0	18.29	Peak	148.00	200	Horizontal	Pass
1**	5350.000	45.15	54.0	8.85	AV	148.00	200	Horizontal	Pass
2	5423.681	57.44	74.0	16.56	Peak	101.00	300	Horizontal	Pass
2**	5423.681	44.27	54.0	9.73	AV	101.00	300	Horizontal	Pass

U-NII-1 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.458	57.21	74.0	16.79	Peak	263.00	300	Horizontal	Pass
1**	5077.458	46.12	54.0	7.88	AV	263.00	300	Horizontal	Pass
2	5150.000	54.77	74.0	19.23	Peak	336.00	100	Horizontal	Pass
2**	5150.000	44.75	54.0	9.25	AV	336.00	100	Horizontal	Pass

U-NII-1 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.84	74.0	21.16	Peak	192.00	100	Horizontal	Pass
1**	5350.000	44.44	54.0	9.56	AV	192.00	100	Horizontal	Pass
2	5424.597	54.71	74.0	19.29	Peak	63.00	200	Horizontal	Pass
2**	5424.597	43.51	54.0	10.49	AV	63.00	200	Horizontal	Pass

U-NII-1 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.332	56.22	74.0	17.78	Peak	136.00	200	Horizontal	Pass
1**	5075.332	42.49	54.0	11.51	AV	136.00	200	Horizontal	Pass
2	5150.000	53.19	74.0	20.81	Peak	305.00	300	Horizontal	Pass
2**	5150.000	45.15	54.0	8.85	AV	305.00	300	Horizontal	Pass

U-NII-1 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.38	74.0	19.62	Peak	285.00	100	Horizontal	Pass
1**	5350.000	42.29	54.0	11.71	AV	285.00	100	Horizontal	Pass
2	5422.883	57.95	74.0	16.05	Peak	166.00	100	Horizontal	Pass
2**	5422.883	46.95	54.0	7.05	AV	166.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.988	56.7	74.0	17.30	Peak	271.00	300	Horizontal	Pass
1**	5075.988	44.8	54.0	9.20	AV	271.00	300	Horizontal	Pass
2	5150.000	52.45	74.0	21.55	Peak	299.00	300	Horizontal	Pass
2**	5150.000	45.78	54.0	8.22	AV	299.00	300	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.58	74.0	19.42	Peak	118.00	300	Horizontal	Pass
1**	5350.000	44.32	54.0	9.68	AV	118.00	300	Horizontal	Pass
2	5421.876	57.99	74.0	16.01	Peak	83.00	100	Horizontal	Pass
2**	5421.876	43.16	54.0	10.84	AV	83.00	100	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.128	55.2	74.0	18.80	Peak	326.00	100	Horizontal	Pass
1**	5076.128	44.15	54.0	9.85	AV	326.00	100	Horizontal	Pass
2	5150.000	54.93	74.0	19.07	Peak	164.00	100	Horizontal	Pass
2**	5150.000	46.18	54.0	7.82	AV	164.00	100	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.33	74.0	18.67	Peak	220.00	300	Horizontal	Pass
1**	5350.000	43.46	54.0	10.54	AV	220.00	300	Horizontal	Pass
2	5422.339	57.44	74.0	16.56	Peak	155.00	100	Horizontal	Pass
2**	5422.339	46.05	54.0	7.95	AV	155.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.514	55.82	74.0	18.18	Peak	61.00	300	Horizontal	Pass
1**	5075.514	45.72	54.0	8.28	AV	61.00	300	Horizontal	Pass
2	5150.000	53.17	74.0	20.83	Peak	71.00	100	Horizontal	Pass
2**	5150.000	45.59	54.0	8.41	AV	71.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.93	74.0	19.07	Peak	90.00	300	Horizontal	Pass
1**	5350.000	42.92	54.0	11.08	AV	90.00	300	Horizontal	Pass
2	5423.095	55.2	74.0	18.80	Peak	27.00	200	Horizontal	Pass
2**	5423.095	44.07	54.0	9.93	AV	27.00	200	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.663	57.45	74.0	16.55	Peak	50.00	200	Horizontal	Pass
1**	5075.663	44.58	54.0	9.42	AV	50.00	200	Horizontal	Pass
2	5150.000	53.84	74.0	20.16	Peak	321.00	100	Horizontal	Pass
2**	5150.000	42.99	54.0	11.01	AV	321.00	100	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.43	74.0	17.57	Peak	223.00	300	Horizontal	Pass
1**	5350.000	42.87	54.0	11.13	AV	223.00	300	Horizontal	Pass
2	5424.241	55.41	74.0	18.59	Peak	14.00	200	Horizontal	Pass
2**	5424.241	46.72	54.0	7.28	AV	14.00	200	Horizontal	Pass

U-NII-1 11ax160(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.367	57.56	74.0	16.44	Peak	184.00	300	Horizontal	Pass
1**	5077.367	46.11	54.0	7.89	AV	184.00	300	Horizontal	Pass
2	5150.000	54.73	74.0	19.27	Peak	259.00	100	Horizontal	Pass
2**	5150.000	44.1	54.0	9.90	AV	259.00	100	Horizontal	Pass

U-NII-1 11ax160(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.76	74.0	20.24	Peak	124.00	300	Horizontal	Pass
1**	5350.000	43.33	54.0	10.67	AV	124.00	300	Horizontal	Pass
2	5424.436	58.3	74.0	15.70	Peak	15.00	200	Horizontal	Pass
2**	5424.436	43.31	54.0	10.69	AV	15.00	200	Horizontal	Pass

U-NII-1 11be20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.948	58	74.0	16.00	Peak	135.00	100	Horizontal	Pass
1**	5075.948	43.53	54.0	10.47	AV	135.00	100	Horizontal	Pass
2	5150.000	54.9	74.0	19.10	Peak	112.00	200	Horizontal	Pass
2**	5150.000	43.8	54.0	10.20	AV	112.00	200	Horizontal	Pass

U-NII-1 11be20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.29	74.0	18.71	Peak	295.00	300	Horizontal	Pass
1**	5350.000	45.82	54.0	8.18	AV	295.00	300	Horizontal	Pass
2	5422.532	58.01	74.0	15.99	Peak	0.00	300	Horizontal	Pass
2**	5422.532	45.2	54.0	8.80	AV	0.00	300	Horizontal	Pass

U-NII-1 11be40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.577	56.13	74.0	17.87	Peak	163.00	100	Horizontal	Pass
1**	5075.577	46.01	54.0	7.99	AV	163.00	100	Horizontal	Pass
2	5150.000	52.64	74.0	21.36	Peak	355.00	200	Horizontal	Pass
2**	5150.000	43.27	54.0	10.73	AV	355.00	200	Horizontal	Pass

U-NII-1 11be40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.74	74.0	21.26	Peak	14.00	300	Horizontal	Pass
1**	5350.000	44.98	54.0	9.02	AV	14.00	300	Horizontal	Pass
2	5421.842	54.97	74.0	19.03	Peak	190.00	200	Horizontal	Pass
2**	5421.842	46.13	54.0	7.87	AV	190.00	200	Horizontal	Pass

U-NII-1 11be80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.546	56.75	74.0	17.25	Peak	99.00	300	Horizontal	Pass
1**	5076.546	45.01	54.0	8.99	AV	99.00	300	Horizontal	Pass
2	5150.000	53.66	74.0	20.34	Peak	312.00	200	Horizontal	Pass
2**	5150.000	44.19	54.0	9.81	AV	312.00	200	Horizontal	Pass

U-NII-1 11be80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.27	74.0	20.73	Peak	147.00	300	Horizontal	Pass
1**	5350.000	45.89	54.0	8.11	AV	147.00	300	Horizontal	Pass
2	5423.646	56.25	74.0	17.75	Peak	324.00	300	Horizontal	Pass
2**	5423.646	46.6	54.0	7.40	AV	324.00	300	Horizontal	Pass

U-NII-1 11be160(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.707	57.54	74.0	16.46	Peak	114.00	200	Horizontal	Pass
1**	5076.707	43.95	54.0	10.05	AV	114.00	200	Horizontal	Pass
2	5150.000	54.66	74.0	19.34	Peak	107.00	100	Horizontal	Pass
2**	5150.000	43.91	54.0	10.09	AV	107.00	100	Horizontal	Pass

U-NII-1 11be160(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.26	74.0	20.74	Peak	44.00	100	Horizontal	Pass
1**	5350.000	42.85	54.0	11.15	AV	44.00	100	Horizontal	Pass
2	5423.668	55.41	74.0	18.59	Peak	173.00	200	Horizontal	Pass
2**	5423.668	44.92	54.0	9.08	AV	173.00	200	Horizontal	Pass

U-NII-1 11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5129.170	53.91	74.0	20.09	Peak	285.00	300	Horizontal	Pass
1**	5129.170	43.98	54.0	10.02	AV	285.00	300	Horizontal	Pass
2	5150.000	52.77	74.0	21.23	Peak	203.00	200	Horizontal	Pass
2**	5150.000	44.31	54.0	9.69	AV	203.00	200	Horizontal	Pass

U-NII-1 11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.62	74.0	18.38	Peak	181.00	100	Horizontal	Pass
1**	5350.000	46.45	54.0	7.55	AV	181.00	100	Horizontal	Pass
2	5390.038	54.11	74.0	19.89	Peak	23.00	100	Horizontal	Pass
2**	5390.038	42.98	54.0	11.02	AV	23.00	100	Horizontal	Pass

U-NII-1 11ax40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5130.370	53.83	74.0	20.17	Peak	231.00	100	Horizontal	Pass
1**	5130.370	45.23	54.0	8.77	AV	231.00	100	Horizontal	Pass
2	5150.000	55.04	74.0	18.96	Peak	319.00	100	Horizontal	Pass
2**	5150.000	43.25	54.0	10.75	AV	319.00	100	Horizontal	Pass

U-NII-1 11ax40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.86	74.0	19.14	Peak	251.00	100	Horizontal	Pass
1**	5350.000	43.2	54.0	10.80	AV	251.00	100	Horizontal	Pass
2	5389.991	57.33	74.0	16.67	Peak	28.00	200	Horizontal	Pass
2**	5389.991	44.09	54.0	9.91	AV	28.00	200	Horizontal	Pass

U-NII-1 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5131.054	57.03	74.0	16.97	Peak	321.00	100	Horizontal	Pass
1**	5131.054	44.19	54.0	9.81	AV	321.00	100	Horizontal	Pass
2	5150.000	55.56	74.0	18.44	Peak	30.00	100	Horizontal	Pass
2**	5150.000	42.87	54.0	11.13	AV	30.00	100	Horizontal	Pass

U-NII-1 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.27	74.0	20.73	Peak	0.00	200	Horizontal	Pass
1**	5350.000	42.88	54.0	11.12	AV	0.00	200	Horizontal	Pass
2	5390.859	55.96	74.0	18.04	Peak	76.00	100	Horizontal	Pass
2**	5390.859	45.19	54.0	8.81	AV	76.00	100	Horizontal	Pass

U-NII-1 11ax160(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.654	57.4	74.0	16.60	Peak	291.00	200	Horizontal	Pass
1**	5077.654	46.27	54.0	7.73	AV	291.00	200	Horizontal	Pass
2	5150.000	54.9	74.0	19.10	Peak	88.00	200	Horizontal	Pass
2**	5150.000	44.65	54.0	9.35	AV	88.00	200	Horizontal	Pass

U-NII-1 11ax160(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.81	74.0	18.19	Peak	65.00	100	Horizontal	Pass
1**	5350.000	42.76	54.0	11.24	AV	65.00	100	Horizontal	Pass
2	5424.480	55.8	74.0	18.20	Peak	181.00	300	Horizontal	Pass
2**	5424.480	45.27	54.0	8.73	AV	181.00	300	Horizontal	Pass

U-NII-1 11be20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.956	55.2	74.0	18.80	Peak	113.00	100	Horizontal	Pass
1**	5128.956	42.09	54.0	11.91	AV	113.00	100	Horizontal	Pass
2	5150.000	55.18	74.0	18.82	Peak	340.00	300	Horizontal	Pass
2**	5150.000	44.14	54.0	9.86	AV	340.00	300	Horizontal	Pass

U-NII-1 11be20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.34	74.0	18.66	Peak	108.00	200	Horizontal	Pass
1**	5350.000	45.6	54.0	8.40	AV	108.00	200	Horizontal	Pass
2	5390.895	57.46	74.0	16.54	Peak	346.00	100	Horizontal	Pass
2**	5390.895	45.87	54.0	8.13	AV	346.00	100	Horizontal	Pass

U-NII-1 11be40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5130.457	55.5	74.0	18.50	Peak	260.00	100	Horizontal	Pass
1**	5130.457	44.07	54.0	9.93	AV	260.00	100	Horizontal	Pass
2	5150.000	55.81	74.0	18.19	Peak	123.00	300	Horizontal	Pass
2**	5150.000	44.58	54.0	9.42	AV	123.00	300	Horizontal	Pass

U-NII-1 11be40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.52	74.0	17.48	Peak	106.00	100	Horizontal	Pass
1**	5350.000	45.71	54.0	8.29	AV	106.00	100	Horizontal	Pass
2	5390.623	55.37	74.0	18.63	Peak	35.00	100	Horizontal	Pass
2**	5390.623	43.04	54.0	10.96	AV	35.00	100	Horizontal	Pass

U-NII-1 11be80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.445	54.42	74.0	19.58	Peak	242.00	300	Horizontal	Pass
1**	5128.445	42.54	54.0	11.46	AV	242.00	300	Horizontal	Pass
2	5150.000	54.76	74.0	19.24	Peak	99.00	200	Horizontal	Pass
2**	5150.000	44.92	54.0	9.08	AV	99.00	200	Horizontal	Pass

U-NII-1 11be80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.37	74.0	18.63	Peak	51.00	100	Horizontal	Pass
1**	5350.000	43.45	54.0	10.55	AV	51.00	100	Horizontal	Pass
2	5389.592	57.02	74.0	16.98	Peak	128.00	200	Horizontal	Pass
2**	5389.592	45.61	54.0	8.39	AV	128.00	200	Horizontal	Pass

U-NII-1 11be160(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.654	57.4	74.0	16.60	Peak	291.00	200	Horizontal	Pass
1**	5077.654	46.27	54.0	7.73	AV	291.00	200	Horizontal	Pass
2	5150.000	54.9	74.0	19.10	Peak	88.00	200	Horizontal	Pass
2**	5150.000	44.65	54.0	9.35	AV	88.00	200	Horizontal	Pass

U-NII-1 11be160(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.81	74.0	18.19	Peak	65.00	100	Horizontal	Pass
1**	5350.000	42.76	54.0	11.24	AV	65.00	100	Horizontal	Pass
2	5424.480	55.8	74.0	18.20	Peak	181.00	300	Horizontal	Pass
2**	5424.480	45.27	54.0	8.73	AV	181.00	300	Horizontal	Pass

U-NII-2A 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.646	56.96	74.0	17.04	Peak	256.00	200	Horizontal	Pass
1**	4997.646	42.41	54.0	11.59	AV	256.00	200	Horizontal	Pass
2	5150.000	54.83	74.0	19.17	Peak	149.00	200	Horizontal	Pass
2**	5150.000	44.68	54.0	9.32	AV	149.00	200	Horizontal	Pass

U-NII-2A 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.44	74.0	20.56	Peak	247.00	100	Horizontal	Pass
1**	5350.000	44.69	54.0	9.31	AV	247.00	100	Horizontal	Pass
2	5461.184	58.74	74.0	15.26	Peak	156.00	300	Horizontal	Pass
2**	5461.184	45.99	54.0	8.01	AV	156.00	300	Horizontal	Pass

U-NII-2A 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.925	55.86	74.0	18.14	Peak	214.00	200	Horizontal	Pass
1**	4996.925	44.61	54.0	9.39	AV	214.00	200	Horizontal	Pass
2	5150.000	52.5	74.0	21.50	Peak	340.00	200	Horizontal	Pass
2**	5150.000	43.88	54.0	10.12	AV	340.00	200	Horizontal	Pass

U-NII-2A 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.28	74.0	19.72	Peak	80.00	200	Horizontal	Pass
1**	5350.000	46.38	54.0	7.62	AV	80.00	200	Horizontal	Pass
2	5461.815	55.37	74.0	18.63	Peak	244.00	200	Horizontal	Pass
2**	5461.815	46.3	54.0	7.70	AV	244.00	200	Horizontal	Pass

U-NII-2A 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.390	55.98	74.0	18.02	Peak	152.00	100	Horizontal	Pass
1**	4997.390	43.88	54.0	10.12	AV	152.00	100	Horizontal	Pass
2	5150.000	54.91	74.0	19.09	Peak	133.00	100	Horizontal	Pass
2**	5150.000	43.5	54.0	10.50	AV	133.00	100	Horizontal	Pass

U-NII-2A 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.58	74.0	19.42	Peak	271.00	200	Horizontal	Pass
1**	5350.000	43.78	54.0	10.22	AV	271.00	200	Horizontal	Pass
2	5459.894	57.53	74.0	16.47	Peak	212.00	300	Horizontal	Pass
2**	5459.894	44.69	54.0	9.31	AV	212.00	300	Horizontal	Pass

U-NII-2A 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.971	56.84	74.0	17.16	Peak	281.00	100	Horizontal	Pass
1**	4997.971	44.12	54.0	9.88	AV	281.00	100	Horizontal	Pass
2	5150.000	52.14	74.0	21.86	Peak	18.00	100	Horizontal	Pass
2**	5150.000	42.59	54.0	11.41	AV	18.00	100	Horizontal	Pass

U-NII-2A 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.73	74.0	19.27	Peak	162.00	100	Horizontal	Pass
1**	5350.000	44.54	54.0	9.46	AV	162.00	100	Horizontal	Pass
2	5460.092	56.8	74.0	17.20	Peak	322.00	300	Horizontal	Pass
2**	5460.092	45.12	54.0	8.88	AV	322.00	300	Horizontal	Pass

U-NII-2A 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.180	55.57	74.0	18.43	Peak	243.00	200	Horizontal	Pass
1**	4996.180	43.28	54.0	10.72	AV	243.00	200	Horizontal	Pass
2	5150.000	53	74.0	21.00	Peak	319.00	200	Horizontal	Pass
2**	5150.000	44.97	54.0	9.03	AV	319.00	200	Horizontal	Pass

U-NII-2A 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.53	74.0	17.47	Peak	206.00	300	Horizontal	Pass
1**	5350.000	45.66	54.0	8.34	AV	206.00	300	Horizontal	Pass
2	5461.112	57.22	74.0	16.78	Peak	354.00	100	Horizontal	Pass
2**	5461.112	45.48	54.0	8.52	AV	354.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.353	57.1	74.0	16.90	Peak	348.00	300	Horizontal	Pass
1**	4997.353	44.68	54.0	9.32	AV	348.00	300	Horizontal	Pass
2	5150.000	55.58	74.0	18.42	Peak	25.00	100	Horizontal	Pass
2**	5150.000	46.27	54.0	7.73	AV	25.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.91	74.0	20.09	Peak	72.00	100	Horizontal	Pass
1**	5350.000	42.82	54.0	11.18	AV	72.00	100	Horizontal	Pass
2	5459.759	59.04	74.0	14.96	Peak	128.00	200	Horizontal	Pass
2**	5459.759	44.87	54.0	9.13	AV	128.00	200	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.604	56.41	74.0	17.59	Peak	28.00	100	Horizontal	Pass
1**	4998.604	44.15	54.0	9.85	AV	28.00	100	Horizontal	Pass
2	5150.000	54.8	74.0	19.20	Peak	170.00	300	Horizontal	Pass
2**	5150.000	44.49	54.0	9.51	AV	170.00	300	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.19	74.0	20.81	Peak	198.00	100	Horizontal	Pass
1**	5350.000	46.71	54.0	7.29	AV	198.00	100	Horizontal	Pass
2	5460.719	57.68	74.0	16.32	Peak	190.00	300	Horizontal	Pass
2**	5460.719	46.77	54.0	7.23	AV	190.00	300	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.526	56.72	74.0	17.28	Peak	349.00	100	Horizontal	Pass
1**	4998.526	45.04	54.0	8.96	AV	349.00	100	Horizontal	Pass
2	5150.000	54.94	74.0	19.06	Peak	208.00	200	Horizontal	Pass
2**	5150.000	43.62	54.0	10.38	AV	208.00	200	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.62	74.0	17.38	Peak	99.00	200	Horizontal	Pass
1**	5350.000	45.88	54.0	8.12	AV	99.00	200	Horizontal	Pass
2	5459.927	58.48	74.0	15.52	Peak	179.00	100	Horizontal	Pass
2**	5459.927	43.88	54.0	10.12	AV	179.00	100	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.920	56.2	74.0	17.80	Peak	188.00	100	Horizontal	Pass
1**	4997.920	45.47	54.0	8.53	AV	188.00	100	Horizontal	Pass
2	5150.000	52.02	74.0	21.98	Peak	289.00	100	Horizontal	Pass
2**	5150.000	42.98	54.0	11.02	AV	289.00	100	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.74	74.0	17.26	Peak	273.00	100	Horizontal	Pass
1**	5350.000	46.59	54.0	7.41	AV	273.00	100	Horizontal	Pass
2	5460.629	56.56	74.0	17.44	Peak	58.00	300	Horizontal	Pass
2**	5460.629	43.66	54.0	10.34	AV	58.00	300	Horizontal	Pass

U-NII-2A 11be20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.359	56.39	74.0	17.61	Peak	177.00	300	Horizontal	Pass
1**	4997.359	42.56	54.0	11.44	AV	177.00	300	Horizontal	Pass
2	5150.000	54.66	74.0	19.34	Peak	225.00	200	Horizontal	Pass
2**	5150.000	46.31	54.0	7.69	AV	225.00	200	Horizontal	Pass

U-NII-2A 11be20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.98	74.0	20.02	Peak	86.00	200	Horizontal	Pass
1**	5350.000	45.37	54.0	8.63	AV	86.00	200	Horizontal	Pass
2	5462.036	56.99	74.0	17.01	Peak	64.00	100	Horizontal	Pass
2**	5462.036	45	54.0	9.00	AV	64.00	100	Horizontal	Pass

U-NII-2A 11be40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.794	56.2	74.0	17.80	Peak	49.00	300	Horizontal	Pass
1**	4997.794	43.91	54.0	10.09	AV	49.00	300	Horizontal	Pass
2	5150.000	52.98	74.0	21.02	Peak	117.00	300	Horizontal	Pass
2**	5150.000	44.14	54.0	9.86	AV	117.00	300	Horizontal	Pass

U-NII-2A 11be40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.09	74.0	20.91	Peak	172.00	300	Horizontal	Pass
1**	5350.000	45.46	54.0	8.54	AV	172.00	300	Horizontal	Pass
2	5461.112	55.33	74.0	18.67	Peak	130.00	200	Horizontal	Pass
2**	5461.112	43.68	54.0	10.32	AV	130.00	200	Horizontal	Pass

U-NII-2A 11be80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.334	54.83	74.0	19.17	Peak	127.00	300	Horizontal	Pass
1**	4996.334	42.98	54.0	11.02	AV	127.00	300	Horizontal	Pass
2	5150.000	51.88	74.0	22.12	Peak	323.00	300	Horizontal	Pass
2**	5150.000	43.19	54.0	10.81	AV	323.00	300	Horizontal	Pass

U-NII-2A 11be80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.85	74.0	20.15	Peak	50.00	300	Horizontal	Pass
1**	5350.000	45.43	54.0	8.57	AV	50.00	300	Horizontal	Pass
2	5459.859	56.79	74.0	17.21	Peak	8.00	200	Horizontal	Pass
2**	5459.859	44.98	54.0	9.02	AV	8.00	200	Horizontal	Pass

U-NII-2A 11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4993.737	55.34	74.0	18.66	Peak	183.00	200	Horizontal	Pass
1**	4993.737	45.67	54.0	8.33	AV	183.00	200	Horizontal	Pass
2	5150.000	49.82	74.0	24.18	Peak	99.00	100	Horizontal	Pass
2**	5150.000	45.53	54.0	8.47	AV	99.00	100	Horizontal	Pass

U-NII-2A 11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.61	74.0	23.39	Peak	265.00	100	Horizontal	Pass
1**	5350.000	44.57	54.0	9.43	AV	265.00	100	Horizontal	Pass
2	5462.321	54.47	74.0	19.53	Peak	102.00	300	Horizontal	Pass
2**	5462.321	42.77	54.0	11.23	AV	102.00	300	Horizontal	Pass

U-NII-2A 11ax40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.119	58.96	74.0	15.04	Peak	62.00	100	Horizontal	Pass
1**	4996.119	45.81	54.0	8.19	AV	62.00	100	Horizontal	Pass
2	5150.000	51.95	74.0	22.05	Peak	42.00	200	Horizontal	Pass
2**	5150.000	45.23	54.0	8.77	AV	42.00	200	Horizontal	Pass

U-NII-2A 11ax40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.13	74.0	20.87	Peak	46.00	200	Horizontal	Pass
1**	5350.000	46.22	54.0	7.78	AV	46.00	200	Horizontal	Pass
2	5460.508	56.86	74.0	17.14	Peak	128.00	200	Horizontal	Pass
2**	5460.508	46.62	54.0	7.38	AV	128.00	200	Horizontal	Pass

U-NII-2A 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4995.162	57.76	74.0	16.24	Peak	321.00	300	Horizontal	Pass
1**	4995.162	43.36	54.0	10.64	AV	321.00	300	Horizontal	Pass
2	5150.000	49.02	74.0	24.98	Peak	119.00	100	Horizontal	Pass
2**	5150.000	46.71	54.0	7.29	AV	119.00	100	Horizontal	Pass

U-NII-2A 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.86	74.0	23.14	Peak	79.00	100	Horizontal	Pass
1**	5350.000	44.81	54.0	9.19	AV	79.00	100	Horizontal	Pass
2	5460.684	57.47	74.0	16.53	Peak	110.00	300	Horizontal	Pass
2**	5460.684	45.21	54.0	8.79	AV	110.00	300	Horizontal	Pass

U-NII-2A 11be20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4994.751	58.34	74.0	15.66	Peak	336.00	100	Horizontal	Pass
1**	4994.751	43.21	54.0	10.79	AV	336.00	100	Horizontal	Pass
2	5150.000	51.77	74.0	22.23	Peak	133.00	300	Horizontal	Pass
2**	5150.000	44.49	54.0	9.51	AV	133.00	300	Horizontal	Pass

U-NII-2A 11be20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.14	74.0	23.86	Peak	328.00	200	Horizontal	Pass
1**	5350.000	45.71	54.0	8.29	AV	328.00	200	Horizontal	Pass
2	5460.164	57.27	74.0	16.73	Peak	308.00	300	Horizontal	Pass
2**	5460.164	45.49	54.0	8.51	AV	308.00	300	Horizontal	Pass

U-NII-2A 11be40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4995.609	55.96	74.0	18.04	Peak	272.00	200	Horizontal	Pass
1**	4995.609	43.4	54.0	10.60	AV	272.00	200	Horizontal	Pass
2	5150.000	52.84	74.0	21.16	Peak	269.00	100	Horizontal	Pass
2**	5150.000	45.14	54.0	8.86	AV	269.00	100	Horizontal	Pass

U-NII-2A 11be40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.84	74.0	23.16	Peak	22.00	200	Horizontal	Pass
1**	5350.000	45.69	54.0	8.31	AV	22.00	200	Horizontal	Pass
2	5461.279	54.02	74.0	19.98	Peak	118.00	100	Horizontal	Pass
2**	5461.279	42.81	54.0	11.19	AV	118.00	100	Horizontal	Pass

U-NII-2A 11be80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4994.894	55.29	74.0	18.71	Peak	192.00	100	Horizontal	Pass
1**	4994.894	45.68	54.0	8.32	AV	192.00	100	Horizontal	Pass
2	5150.000	52.36	74.0	21.64	Peak	269.00	100	Horizontal	Pass
2**	5150.000	46.79	54.0	7.21	AV	269.00	100	Horizontal	Pass

U-NII-2A 11be80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.76	74.0	23.24	Peak	306.00	300	Horizontal	Pass
1**	5350.000	42.7	54.0	11.30	AV	306.00	300	Horizontal	Pass
2	5461.268	53.85	74.0	20.15	Peak	237.00	100	Horizontal	Pass
2**	5461.268	43.46	54.0	10.54	AV	237.00	100	Horizontal	Pass

U-NII-2C 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.047	56.15	74.0	17.85	Peak	111.00	200	Horizontal	Pass
1**	5410.452	44.32	54.0	9.68	AV	111.00	200	Horizontal	Pass
2	5460.000	56.4	74.0	17.60	Peak	154.00	300	Horizontal	Pass
2**	5460.000	44.16	54.0	9.84	AV	154.00	300	Horizontal	Pass
3	5467.253	56.51	68.2	11.69	Peak	59.00	200	Horizontal	Pass
3**	5467.714	44.67	--	--	AV	59.00	200	Horizontal	N/A
4	5470.000	53.2	68.2	15.00	Peak	304.00	300	Horizontal	Pass
4**	5470.000	46.31	--	--	AV	304.00	300	Horizontal	N/A

U-NII-2C 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.76	68.2	11.44	Peak	32.00	100	Horizontal	Pass
2	5775.581	56.93	68.2	11.27	Peak	264.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.617	56.47	74.0	17.53	Peak	86.00	100	Horizontal	Pass
1**	5411.863	46.34	54.0	7.66	AV	86.00	100	Horizontal	Pass
2	5460.000	56.94	74.0	17.06	Peak	301.00	300	Horizontal	Pass
2**	5460.000	45.81	54.0	8.19	AV	301.00	300	Horizontal	Pass
3	5467.463	55.52	68.2	12.68	Peak	16.00	200	Horizontal	Pass
3**	5465.941	45.57	--	--	AV	16.00	200	Horizontal	N/A
4	5470.000	54.57	68.2	13.63	Peak	346.00	300	Horizontal	Pass
4**	5470.000	45.24	--	--	AV	346.00	300	Horizontal	N/A

U-NII-2C 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.14	68.2	15.06	Peak	328.00	300	Horizontal	Pass
2	5777.030	56.67	68.2	11.53	Peak	336.00	200	Horizontal	Pass

U-NII-2C 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.314	55.4	74.0	18.60	Peak	197.00	300	Horizontal	Pass
1**	5412.116	44.74	54.0	9.26	AV	197.00	300	Horizontal	Pass
2	5460.000	54.91	74.0	19.09	Peak	168.00	100	Horizontal	Pass
2**	5460.000	47.2	54.0	6.80	AV	168.00	100	Horizontal	Pass
3	5466.914	57	68.2	11.20	Peak	92.00	300	Horizontal	Pass
3**	5466.347	45.79	--	--	AV	92.00	300	Horizontal	N/A
4	5470.000	54.23	68.2	13.97	Peak	79.00	100	Horizontal	Pass
4**	5470.000	46.12	--	--	AV	79.00	100	Horizontal	N/A

U-NII-2C 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.31	68.2	13.89	Peak	103.00	300	Horizontal	Pass
2	5777.396	56.25	68.2	11.95	Peak	199.00	200	Horizontal	Pass

U-NII-2C 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.986	58.09	74.0	15.91	Peak	340.00	200	Horizontal	Pass
1**	5413.273	45.29	54.0	8.71	AV	340.00	200	Horizontal	Pass
2	5460.000	54.95	74.0	19.05	Peak	287.00	300	Horizontal	Pass
2**	5460.000	43.76	54.0	10.24	AV	287.00	300	Horizontal	Pass
3	5466.652	58.33	68.2	9.87	Peak	251.00	200	Horizontal	Pass
3**	5467.219	45.82	--	--	AV	251.00	200	Horizontal	N/A
4	5470.000	56.35	68.2	11.85	Peak	159.00	100	Horizontal	Pass
4**	5470.000	45.39	--	--	AV	159.00	100	Horizontal	N/A

U-NII-2C 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.04	68.2	14.16	Peak	120.00	300	Horizontal	Pass
2	5777.543	55.93	68.2	12.27	Peak	158.00	200	Horizontal	Pass

U-NII-2C 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.758	56.57	74.0	17.43	Peak	332.00	100	Horizontal	Pass
1**	5411.262	43.63	54.0	10.37	AV	332.00	100	Horizontal	Pass
2	5460.000	56.14	74.0	17.86	Peak	84.00	100	Horizontal	Pass
2**	5460.000	44.63	54.0	9.37	AV	84.00	100	Horizontal	Pass
3	5466.334	58.57	68.2	9.63	Peak	247.00	100	Horizontal	Pass
3**	5467.661	46.11	--	--	AV	247.00	100	Horizontal	N/A
4	5470.000	55.14	68.2	13.06	Peak	26.00	100	Horizontal	Pass
4**	5470.000	46.19	--	--	AV	26.00	100	Horizontal	N/A

U-NII-2C 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.25	68.2	11.95	Peak	232.00	100	Horizontal	Pass
2	5775.978	57.22	68.2	10.98	Peak	231.00	200	Horizontal	Pass

U-NII-2C 11ac80 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.249	56.19	74.0	17.81	Peak	302.00	200	Horizontal	Pass
1**	5412.211	44.34	54.0	9.66	AV	302.00	200	Horizontal	Pass
2	5460.000	57.39	74.0	16.61	Peak	173.00	200	Horizontal	Pass
2**	5460.000	46.04	54.0	7.96	AV	173.00	200	Horizontal	Pass
3	5467.068	55.08	68.2	13.12	Peak	156.00	100	Horizontal	Pass
3**	5466.745	47.86	--	--	AV	156.00	100	Horizontal	N/A
4	5470.000	53.36	68.2	14.84	Peak	87.00	100	Horizontal	Pass
4**	5470.000	46.5	--	--	AV	87.00	100	Horizontal	N/A

U-NII-2C 11ac80 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.41	68.2	14.79	Peak	93.00	300	Horizontal	Pass
2	5775.815	57.16	68.2	11.04	Peak	143.00	300	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.060	58.16	74.0	15.84	Peak	71.00	200	Horizontal	Pass
1**	5410.722	44.49	54.0	9.51	AV	71.00	200	Horizontal	Pass
2	5460.000	57.2	74.0	16.80	Peak	32.00	200	Horizontal	Pass
2**	5460.000	44.27	54.0	9.73	AV	32.00	200	Horizontal	Pass
3	5468.158	57.73	68.2	10.47	Peak	208.00	300	Horizontal	Pass
3**	5467.720	46.25	--	--	AV	208.00	300	Horizontal	N/A
4	5470.000	54.58	68.2	13.62	Peak	312.00	100	Horizontal	Pass
4**	5470.000	44.56	--	--	AV	312.00	100	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.62	68.2	12.58	Peak	348.00	100	Horizontal	Pass
2	5776.798	55.03	68.2	13.17	Peak	217.00	200	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.951	58.61	74.0	15.39	Peak	8.00	300	Horizontal	Pass
1**	5410.925	42.86	54.0	11.14	AV	8.00	300	Horizontal	Pass
2	5460.000	53.86	74.0	20.14	Peak	201.00	100	Horizontal	Pass
2**	5460.000	44.79	54.0	9.21	AV	201.00	100	Horizontal	Pass
3	5467.815	54.66	68.2	13.54	Peak	96.00	300	Horizontal	Pass
3**	5468.784	45.6	--	--	AV	96.00	300	Horizontal	N/A
4	5470.000	53.42	68.2	14.78	Peak	116.00	300	Horizontal	Pass
4**	5470.000	46.98	--	--	AV	116.00	300	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.51	68.2	11.69	Peak	183.00	200	Horizontal	Pass
2	5776.578	55.15	68.2	13.05	Peak	161.00	100	Horizontal	Pass

U-NII-2C 11ax80(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.838	55.24	74.0	18.76	Peak	231.00	100	Horizontal	Pass
1**	5412.454	44.62	54.0	9.38	AV	231.00	100	Horizontal	Pass
2	5460.000	55.94	74.0	18.06	Peak	276.00	200	Horizontal	Pass
2**	5460.000	44.85	54.0	9.15	AV	276.00	200	Horizontal	Pass
3	5468.112	58.4	68.2	9.80	Peak	187.00	200	Horizontal	Pass
3**	5467.102	47.87	--	--	AV	187.00	200	Horizontal	N/A
4	5470.000	55.02	68.2	13.18	Peak	321.00	200	Horizontal	Pass
4**	5470.000	44.88	--	--	AV	321.00	200	Horizontal	N/A

U-NII-2C 11ax80(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.86	68.2	14.34	Peak	19.00	200	Horizontal	Pass
2	5776.740	56.38	68.2	11.82	Peak	343.00	200	Horizontal	Pass

U-NII-2C 11ax160(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.321	57.81	74.0	16.19	Peak	108.00	100	Horizontal	Pass
1**	5412.456	44.96	54.0	9.04	AV	108.00	100	Horizontal	Pass
2	5460.000	54.17	74.0	19.83	Peak	245.00	300	Horizontal	Pass
2**	5460.000	47.37	54.0	6.63	AV	245.00	300	Horizontal	Pass
3	5468.331	58.25	68.2	9.95	Peak	240.00	200	Horizontal	Pass
3**	5467.807	45.49	--	--	AV	240.00	200	Horizontal	N/A
4	5470.000	52.88	68.2	15.32	Peak	168.00	100	Horizontal	Pass
4**	5470.000	47.24	--	--	AV	168.00	100	Horizontal	N/A

U-NII-2C 11ax160(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.79	68.2	11.41	Peak	287.00	100	Horizontal	Pass
2	5775.578	57.46	68.2	10.74	Peak	187.00	200	Horizontal	Pass

U-NII-2C 11be20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.119	54.97	74.0	19.03	Peak	292.00	200	Horizontal	Pass
1**	5410.542	45.73	54.0	8.27	AV	292.00	200	Horizontal	Pass
2	5460.000	55.06	74.0	18.94	Peak	177.00	100	Horizontal	Pass
2**	5460.000	45.23	54.0	8.77	AV	177.00	100	Horizontal	Pass
3	5465.919	57.25	68.2	10.95	Peak	260.00	100	Horizontal	Pass
3**	5466.287	45.94	--	--	AV	260.00	100	Horizontal	N/A
4	5470.000	53.89	68.2	14.31	Peak	36.00	100	Horizontal	Pass
4**	5470.000	46.06	--	--	AV	36.00	100	Horizontal	N/A

U-NII-2C 11be20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.29	68.2	14.91	Peak	13.00	300	Horizontal	Pass
2	5776.261	55.41	68.2	12.79	Peak	16.00	300	Horizontal	Pass

U-NII-2C 11be40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.580	55.8	74.0	18.20	Peak	238.00	100	Horizontal	Pass
1**	5411.380	46.16	54.0	7.84	AV	238.00	100	Horizontal	Pass
2	5460.000	54.65	74.0	19.35	Peak	62.00	300	Horizontal	Pass
2**	5460.000	46.01	54.0	7.99	AV	62.00	300	Horizontal	Pass
3	5467.615	54.67	68.2	13.53	Peak	239.00	100	Horizontal	Pass
3**	5467.218	44.27	--	--	AV	239.00	100	Horizontal	N/A
4	5470.000	55.98	68.2	12.22	Peak	47.00	300	Horizontal	Pass
4**	5470.000	45.35	--	--	AV	47.00	300	Horizontal	N/A

U-NII-2C 11be40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.38	68.2	12.82	Peak	56.00	100	Horizontal	Pass
2	5775.238	55.49	68.2	12.71	Peak	315.00	200	Horizontal	Pass

U-NII-2C 11be80(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.972	54.92	74.0	19.08	Peak	244.00	300	Horizontal	Pass
1**	5410.687	42.66	54.0	11.34	AV	244.00	300	Horizontal	Pass
2	5460.000	56.69	74.0	17.31	Peak	38.00	200	Horizontal	Pass
2**	5460.000	47.1	54.0	6.90	AV	38.00	200	Horizontal	Pass
3	5466.840	57.27	68.2	10.93	Peak	358.00	200	Horizontal	Pass
3**	5466.878	46.59	--	--	AV	358.00	200	Horizontal	N/A
4	5470.000	54.4	68.2	13.80	Peak	193.00	100	Horizontal	Pass
4**	5470.000	45.95	--	--	AV	193.00	100	Horizontal	N/A

U-NII-2C 11be80(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.65	68.2	11.55	Peak	358.00	100	Horizontal	Pass
2	5777.610	55.96	68.2	12.24	Peak	130.00	200	Horizontal	Pass

U-NII-2C 11be160(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.030	57.62	74.0	16.38	Peak	157.00	300	Horizontal	Pass
1**	5412.465	44.6	54.0	9.40	AV	157.00	300	Horizontal	Pass
2	5460.000	55.98	74.0	18.02	Peak	166.00	300	Horizontal	Pass
2**	5460.000	45.91	54.0	8.09	AV	166.00	300	Horizontal	Pass
3	5467.675	55.79	68.2	12.41	Peak	348.00	300	Horizontal	Pass
3**	5466.074	46.11	--	--	AV	348.00	300	Horizontal	N/A
4	5470.000	55.9	68.2	12.30	Peak	122.00	300	Horizontal	Pass
4**	5470.000	45.3	--	--	AV	122.00	300	Horizontal	N/A

U-NII-2C 11be160(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.65	68.2	12.55	Peak	118.00	200	Horizontal	Pass
2	5777.656	58.38	68.2	9.82	Peak	180.00	300	Horizontal	Pass

U-NII-2C 11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.821	56.92	74.0	17.08	Peak	84.00	300	Horizontal	Pass
1**	5412.105	42.73	54.0	11.27	AV	84.00	300	Horizontal	Pass
2	5460.000	56.57	74.0	17.43	Peak	56.00	300	Horizontal	Pass
2**	5460.000	46.93	54.0	7.07	AV	56.00	300	Horizontal	Pass
3	5466.496	57.9	68.2	10.30	Peak	94.00	100	Horizontal	Pass
3**	5468.853	44.4	--	--	AV	94.00	100	Horizontal	N/A
4	5470.000	53.34	68.2	14.86	Peak	278.00	200	Horizontal	Pass
4**	5470.000	45.51	--	--	AV	278.00	200	Horizontal	N/A

U-NII-2C 11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.84	68.2	12.36	Peak	260.00	200	Horizontal	Pass
2	5777.854	55.45	68.2	12.75	Peak	297.00	100	Horizontal	Pass

U-NII-2C 11ax40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.649	56.9	74.0	17.10	Peak	105.00	200	Horizontal	Pass
1**	5411.295	44.84	54.0	9.16	AV	105.00	200	Horizontal	Pass
2	5460.000	56.91	74.0	17.09	Peak	311.00	300	Horizontal	Pass
2**	5460.000	47.59	54.0	6.41	AV	311.00	300	Horizontal	Pass
3	5467.109	57.14	68.2	11.06	Peak	66.00	100	Horizontal	Pass
3**	5467.888	45.1	--	--	AV	66.00	100	Horizontal	N/A
4	5470.000	55.35	68.2	12.85	Peak	276.00	300	Horizontal	Pass
4**	5470.000	44.27	--	--	AV	276.00	300	Horizontal	N/A

U-NII-2C 11ax40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.39	68.2	13.81	Peak	0.00	300	Horizontal	Pass
2	5775.548	56.33	68.2	11.87	Peak	274.00	200	Horizontal	Pass

U-NII-2C 11ax80(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.846	58.71	74.0	15.29	Peak	250.00	200	Horizontal	Pass
1**	5411.461	46.41	54.0	7.59	AV	250.00	200	Horizontal	Pass
2	5460.000	56.05	74.0	17.95	Peak	266.00	200	Horizontal	Pass
2**	5460.000	43.86	54.0	10.14	AV	266.00	200	Horizontal	Pass
3	5466.182	55.51	68.2	12.69	Peak	84.00	200	Horizontal	Pass
3**	5467.106	46.94	--	--	AV	84.00	200	Horizontal	N/A
4	5470.000	53.93	68.2	14.27	Peak	32.00	200	Horizontal	Pass
4**	5470.000	44.35	--	--	AV	32.00	200	Horizontal	N/A

U-NII-2C 11ax80(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.77	68.2	13.43	Peak	105.00	100	Horizontal	Pass
2	5774.962	58.04	68.2	10.16	Peak	112.00	100	Horizontal	Pass

U-NII-2C 11ax160(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.576	57.63	74.0	16.37	Peak	43.00	300	Horizontal	Pass
1**	5411.441	43.27	54.0	10.73	AV	43.00	300	Horizontal	Pass
2	5460.000	56.63	74.0	17.37	Peak	122.00	200	Horizontal	Pass
2**	5460.000	46.81	54.0	7.19	AV	122.00	200	Horizontal	Pass
3	5466.560	55.55	68.2	12.65	Peak	45.00	100	Horizontal	Pass
3**	5466.930	45.15	--	--	AV	45.00	100	Horizontal	N/A
4	5470.000	54.45	68.2	13.75	Peak	343.00	100	Horizontal	Pass
4**	5470.000	44.76	--	--	AV	343.00	100	Horizontal	N/A

U-NII-2C 11ax160(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.97	68.2	12.23	Peak	283.00	300	Horizontal	Pass
2	5777.198	57.46	68.2	10.74	Peak	305.00	300	Horizontal	Pass

U-NII-2C 11be20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.218	58.06	74.0	15.94	Peak	238.00	300	Horizontal	Pass
1**	5410.890	45	54.0	9.00	AV	238.00	300	Horizontal	Pass
2	5460.000	55.16	74.0	18.84	Peak	172.00	300	Horizontal	Pass
2**	5460.000	47.39	54.0	6.61	AV	172.00	300	Horizontal	Pass
3	5466.117	54.71	68.2	13.49	Peak	188.00	100	Horizontal	Pass
3**	5467.616	45.75	--	--	AV	188.00	100	Horizontal	N/A
4	5470.000	55.71	68.2	12.49	Peak	47.00	100	Horizontal	Pass
4**	5470.000	46.86	--	--	AV	47.00	100	Horizontal	N/A

U-NII-2C 11be20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.56	68.2	11.64	Peak	219.00	200	Horizontal	Pass
2	5776.859	56.56	68.2	11.64	Peak	161.00	200	Horizontal	Pass

U-NII-2C 11be40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.270	57.27	74.0	16.73	Peak	339.00	300	Horizontal	Pass
1**	5411.856	45.52	54.0	8.48	AV	339.00	300	Horizontal	Pass
2	5460.000	55.42	74.0	18.58	Peak	126.00	200	Horizontal	Pass
2**	5460.000	45.1	54.0	8.90	AV	126.00	200	Horizontal	Pass
3	5465.927	57.9	68.2	10.30	Peak	52.00	300	Horizontal	Pass
3**	5465.997	45.97	--	--	AV	52.00	300	Horizontal	N/A
4	5470.000	54.1	68.2	14.10	Peak	132.00	300	Horizontal	Pass
4**	5470.000	45.1	--	--	AV	132.00	300	Horizontal	N/A

U-NII-2C 11be40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.83	68.2	11.37	Peak	290.00	300	Horizontal	Pass
2	5775.414	57.46	68.2	10.74	Peak	346.00	200	Horizontal	Pass

U-NII-2C 11be80(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.391	57.48	74.0	16.52	Peak	72.00	300	Horizontal	Pass
1**	5412.982	44.86	54.0	9.14	AV	72.00	300	Horizontal	Pass
2	5460.000	54.29	74.0	19.71	Peak	151.00	300	Horizontal	Pass
2**	5460.000	45.93	54.0	8.07	AV	151.00	300	Horizontal	Pass
3	5468.805	57.28	68.2	10.92	Peak	79.00	100	Horizontal	Pass
3**	5467.959	47.36	--	--	AV	79.00	100	Horizontal	N/A
4	5470.000	56.29	68.2	11.91	Peak	101.00	300	Horizontal	Pass
4**	5470.000	44.9	--	--	AV	101.00	300	Horizontal	N/A

U-NII-2C 11be80(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.32	68.2	12.88	Peak	256.00	200	Horizontal	Pass
2	5776.885	57.22	68.2	10.98	Peak	105.00	300	Horizontal	Pass

U-NII-2C 11be160(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.892	56.77	74.0	17.23	Peak	165.00	300	Horizontal	Pass
1**	5412.039	44.74	54.0	9.26	AV	165.00	300	Horizontal	Pass
2	5460.000	56.92	74.0	17.08	Peak	256.00	100	Horizontal	Pass
2**	5460.000	46.58	54.0	7.42	AV	256.00	100	Horizontal	Pass
3	5468.653	55.7	68.2	12.50	Peak	190.00	200	Horizontal	Pass
3**	5468.891	47.05	--	--	AV	190.00	200	Horizontal	N/A
4	5470.000	56.7	68.2	11.50	Peak	278.00	200	Horizontal	Pass
4**	5470.000	44.59	--	--	AV	278.00	200	Horizontal	N/A

U-NII-2C 11be160(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.35	68.2	13.85	Peak	205.00	300	Horizontal	Pass
2	5775.932	55.46	68.2	12.74	Peak	223.00	100	Horizontal	Pass

U-NII-3 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.648	56.75	68.2	11.45	Peak	183.00	200	Horizontal	Pass
2	5650.000	54.8	68.2	13.40	Peak	183.00	200	Horizontal	Pass

U-NII-3 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.74	68.2	12.46	Peak	220.00	100	Horizontal	Pass
2	5941.902	56.07	68.2	12.13	Peak	307.00	300	Horizontal	Pass

U-NII-3 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.178	55.85	68.2	12.35	Peak	109.00	300	Horizontal	Pass
2	5650.000	54.47	68.2	13.73	Peak	109.00	300	Horizontal	Pass

U-NII-3 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.24	68.2	14.96	Peak	266.00	300	Horizontal	Pass
2	5943.838	56.02	68.2	12.18	Peak	207.00	200	Horizontal	Pass

U-NII-3 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.660	53.6	68.2	14.60	Peak	100.00	100	Horizontal	Pass
2	5650.000	54.1	68.2	14.10	Peak	100.00	100	Horizontal	Pass

U-NII-3 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.15	68.2	15.05	Peak	259.00	200	Horizontal	Pass
2	5945.580	55.07	68.2	13.13	Peak	289.00	100	Horizontal	Pass

U-NII-3 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.515	51.98	68.2	16.22	Peak	139.00	300	Horizontal	Pass
2	5650.000	54.76	68.2	13.44	Peak	139.00	300	Horizontal	Pass

U-NII-3 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	50.61	68.2	17.59	Peak	233.00	100	Horizontal	Pass
2	5947.645	53.61	68.2	14.59	Peak	150.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.958	49.98	68.2	18.22	Peak	267.00	300	Horizontal	Pass
2	5650.000	53.76	68.2	14.44	Peak	267.00	300	Horizontal	Pass

U-NII-3 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	48.14	68.2	20.06	Peak	44.00	300	Horizontal	Pass
2	5949.115	51.96	68.2	16.24	Peak	206.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.272	50.49	68.2	17.71	Peak	196.00	300	Horizontal	Pass
2	5650.000	51.48	68.2	16.72	Peak	196.00	300	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	49.13	68.2	19.07	Peak	49.00	200	Horizontal	Pass
2	5950.710	49.63	68.2	18.57	Peak	344.00	300	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.293	49.13	68.2	19.07	Peak	157.00	200	Horizontal	Pass
2	5650.000	51.42	68.2	16.78	Peak	157.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	49.14	68.2	19.06	Peak	242.00	100	Horizontal	Pass
2	5952.438	48.94	68.2	19.26	Peak	227.00	300	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.349	49.86	68.2	18.34	Peak	10.00	300	Horizontal	Pass
2	5650.000	51.35	68.2	16.85	Peak	10.00	300	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	47.82	68.2	20.38	Peak	165.00	300	Horizontal	Pass
2	5954.388	47.39	68.2	20.81	Peak	284.00	100	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.062	48.12	68.2	20.08	Peak	325.00	300	Horizontal	Pass
2	5650.000	49.09	68.2	19.11	Peak	325.00	300	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	46.09	68.2	22.11	Peak	176.00	200	Horizontal	Pass
2	5954.752	45.51	68.2	22.69	Peak	343.00	100	Horizontal	Pass

U-NII-3 11be20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.142	46.06	68.2	22.14	Peak	324.00	300	Horizontal	Pass
2	5650.000	49.94	68.2	18.26	Peak	324.00	300	Horizontal	Pass

U-NII-3 11be20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	45.73	68.2	22.47	Peak	267.00	200	Horizontal	Pass
2	5956.104	43.03	68.2	25.17	Peak	77.00	300	Horizontal	Pass

U-NII-3 11be40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5629.683	44.34	68.2	23.86	Peak	46.00	300	Horizontal	Pass
2	5650.000	49.06	68.2	19.14	Peak	46.00	300	Horizontal	Pass

U-NII-3 11be40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	46.36	68.2	21.84	Peak	100.00	100	Horizontal	Pass
2	5957.483	41.9	68.2	26.30	Peak	335.00	300	Horizontal	Pass

U-NII-3 11be80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5629.557	42.15	68.2	26.05	Peak	328.00	100	Horizontal	Pass
2	5650.000	47.79	68.2	20.41	Peak	328.00	100	Horizontal	Pass

U-NII-3 11be80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	43.54	68.2	24.66	Peak	130.00	200	Horizontal	Pass
2	5959.847	42.08	68.2	26.12	Peak	189.00	100	Horizontal	Pass

U-NII-3 11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.201	56.82	68.2	11.38	Peak	66.00	300	Horizontal	Pass
2	5650.000	53.63	68.2	14.57	Peak	66.00	300	Horizontal	Pass

U-NII-3 11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.61	68.2	12.59	Peak	116.00	100	Horizontal	Pass
2	5943.508	56.3	68.2	11.90	Peak	173.00	100	Horizontal	Pass

U-NII-3 11ax40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.799	56.7	68.2	11.50	Peak	57.00	100	Horizontal	Pass
2	5650.000	52.71	68.2	15.49	Peak	57.00	100	Horizontal	Pass

U-NII-3 11ax40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	52.75	68.2	15.45	Peak	24.00	300	Horizontal	Pass
2	5944.453	55.86	68.2	12.34	Peak	76.00	300	Horizontal	Pass

U-NII-3 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.730	57.44	68.2	10.76	Peak	81.00	100	Horizontal	Pass
2	5650.000	52.39	68.2	15.81	Peak	81.00	100	Horizontal	Pass

U-NII-3 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.45	68.2	14.75	Peak	213.00	100	Horizontal	Pass
2	5944.782	56.37	68.2	11.83	Peak	321.00	200	Horizontal	Pass

U-NII-3 11be20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.024	58.21	68.2	9.99	Peak	331.00	100	Horizontal	Pass
2	5650.000	53.47	68.2	14.73	Peak	331.00	100	Horizontal	Pass

U-NII-3 11be20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.93	68.2	13.27	Peak	254.00	200	Horizontal	Pass
2	5942.807	55.53	68.2	12.67	Peak	310.00	100	Horizontal	Pass

U-NII-3 11be40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.629	58.06	68.2	10.14	Peak	299.00	200	Horizontal	Pass
2	5650.000	52.77	68.2	15.43	Peak	299.00	200	Horizontal	Pass

U-NII-3 11be40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.92	68.2	14.28	Peak	330.00	300	Horizontal	Pass
2	5945.319	55.55	68.2	12.65	Peak	117.00	100	Horizontal	Pass

U-NII-3 11be80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.937	56.24	68.2	11.96	Peak	353.00	200	Horizontal	Pass
2	5650.000	51.28	68.2	16.92	Peak	353.00	200	Horizontal	Pass

U-NII-3 11be80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.33	68.2	13.87	Peak	356.00	200	Horizontal	Pass
2	5946.525	53.4	68.2	14.80	Peak	81.00	200	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2510665-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2510665-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2510665-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--