


TEST REPORT

Applicant: EDGEAI LABS INC
Address: 185-115 9040 BLUNDELL ROAD RICHMOND BC
V6Y 1K3 CANADA
Equipment Type: Edge AI Gateway
Model Name: XR7
Brand Name: EdgeX
FCC ID: 2BNLK-XR7
ISED Number: 33505-XR7
Test Standard: 47 CFR Part 15 Subpart E
RSS-Gen Issue 5
RSS-248 Issue 2
(refer to section 3.1)
Sample Arrival Date: Mar. 07, 2025
Test Date: Mar. 30, 2025 - May 19, 2025
Date of Issue: Jun. 17, 2025

ISSUED BY:

Shenzhen BALUN Technology Co., Ltd.

Tested by: Li Ganming**Checked by:** Ye Hongji**Approved by:** Sunny Zou
(Technical Director)

Revision History

Version	Issue Date	Revisions
<u>Rev. 01</u>	<u>Jun. 17, 2025</u>	<u>Initial Issue</u>

TABLE OF CONTENTS

1	GENERAL INFORMATION	4
1.1	Test Laboratory	4
1.2	Test Location	4
2	PRODUCT INFORMATION	5
2.1	Applicant Information	5
2.2	Manufacturer Information	5
2.3	General Description for Equipment under Test (EUT)	5
2.4	Technical Information	6
2.5	Channel List	8
3	SUMMARY OF TEST RESULTS	14
3.1	Test Standards	14
3.2	Test Verdict	14
4	GENERAL TEST CONFIGURATIONS	15
4.1	Test Environments	15
4.2	Test Equipment List	15
4.3	Test Software List	16
4.4	Measurement Uncertainty	16
4.5	Description of Test Setup	16
5	TEST ITEMS	19
5.1	RF Output Power	19
5.2	Emission Bandwidth & 99% Bandwidth	21
5.3	Power Spectral density (PSD)	22
5.4	Conducted Emission	23
5.5	Radiated Spurious Emissions and Band Edge (Restricted-band)	24

5.6	Contention Based Protocol.....	29
5.7	In-Band Emissions	30
ANNEX A	TEST RESULT	32
A.1	RF Output Power.....	32
A.2	Emission Bandwidth & 99% Bandwidth.....	87
A.3	Power Spectral Density	91
A.4	Conducted Emissions.....	99
A.5	Radiated Spurious Emissions and Band Edge (Restricted-band).....	101
A.6	Contention Based Protocol.....	201
A.7	In-Band Emissions	204
ANNEX B	TEST SETUP PHOTOS	250
ANNEX C	EUT EXTERNAL PHOTOS	250
ANNEX D	EUT INTERNAL PHOTOS	250

1 GENERAL INFORMATION

1.1 Test Laboratory

Name	Shenzhen BALUN Technology Co., Ltd.
Address	Block B, 1/F, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Phone Number	+86 755 6685 0100

1.2 Test Location

Name	Shenzhen BALUN Technology Co., Ltd.
Location	☒ Block B, 1/F, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
	☐ 1/F, Building B, Ganghongji High-tech Intelligent Industrial Park, No. 1008, Songbai Road, Yangguang Community, Xili Sub-district, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Accreditation Certificate	The laboratory is a testing organization accredited by FCC as a accredited testing laboratory. The designation number is CN1196. The laboratory has been listed by Industry Canada to perform electromagnetic emission measurements. The recognition numbers of test site are 11524A.

2 PRODUCT INFORMATION

2.1 Applicant Information

Applicant	EDGEAI LABS INC
Address	185-115 9040 BLUNDELL ROAD RICHMOND BC V6Y 1K3 CANADA

2.2 Manufacturer Information

Manufacturer	Shenzhen HashDog Technology Co., Ltd
Address	Room 319, Building No.8, Yungu Phase 2, Xili Street, Nanshan District Shenzhen, Guangdong Province, China

2.3 General Description for Equipment under Test (EUT)

EUT Name	Edge AI Gateway
Model Name Under Test	XR7
Series Model Name	N/A
Description of Model name differentiation	N/A
Serial Number	XR72502003103
Hardware Version	1.2
Software Version	1.1
Dimensions (Approx.)	N/A
Weight (Approx.)	N/A

2.4 Technical Information

Network and Wireless connectivity	WIFI 802.11a, 802.11b, 802.11g, 802.11n, 802.11ac, 802.11ax and 802.11be
-----------------------------------	--

The requirement for the following technical information of the EUT was tested in this report:

Frequency Range	U-NII-5: 5925 MHz to 6425 MHz, U-NII-6: 6425 MHz to 6525 MHz, U-NII-7: 6525 MHz to 6875 MHz, U-NII-8: 6875 MHz to 7125 MHz	
Product Type	☐ Mobile ☐ Portable ☒ Fix Location Indoor for IC standard	
Modulation technology	OFDM, OFDMA	
Modulation Type	4096QAM, 1024QAM, 256QAM, 64QAM, 16QAM, BPSK, QPSK	
Transfer Rate (Mbps) (Single RF path)	802.11a: 54/ 48/ 36/ 24/ 18/ 12/ 9/ 6 Mbps 802.11ax up to 1201 Mbps 802.11be up to 2882 Mbps	
Channel Bandwidth	802.11ax: 20 MHz, 40 MHz, 80 MHz, 160MHz 802.11be: 20 MHz, 40 MHz, 80 MHz, 160MHz, 320MHz	
Maximum Output Power	U-NII-5: 25.82 mW U-NII-6: 23.55 mW U-NII-7: 24.60 mW U-NII-8: 22.13 mW	
Antenna System (eg., MIMO, Smart Antenna)	Multi Input Multi Output (MIMO) for 802.11ax/be	
Categorization as Correlated or Completely Uncorrelated	Categorization as Uncorrelated for 802.11ax/be	
Antenna Type	Main Antenna Aux. Antenna	PCB Antenna
Antenna Gain	Main Antenna Aux. Antenna	3.14 dBi 5.95 dBi
Total directional gain	For power spectral density (PSD) measurements	Correlated: 7.67 dBi Formulas: Directional gain = $10 \log[(10^{G1/20} + 10^{G2/20} + \dots + 10^{GN/20})^2 / NANT]$ dBi Uncorrelated: 4.77 dBi Formulas: Directional gain = $10 \log[(10^{G1/10} + 10^{G2/10} + \dots + 10^{GN/10}) / NANT]$ dBi
	For power measurements	Correlated: 7.67 dBi Formulas: Directional gain = $10 \log[10^{G1/20} + 10^{G2/20} + \dots +$

		$10^{(G_N/20)^2 / NANT}$ dBi Uncorrelated: 4.77 dBi Formulas: Directional gain = $10 \log[(10^{G_1/10} + 10^{G_2/10} + \dots + 10^{G_N/10}) / NANT]$ dBi
About the Product		The equipment is Edge AI Gateway, intended for used with information technology equipment.

Mode	Antenna		
	Main Antenna	Aux. Antenna	MIMO
802.11ax20	√	√	√
802.11ax40	√	√	√
802.11ax80	√	√	√
802.11ax160	√	√	√
802.11be20	√	√	√
802.11be40	√	√	√
802.11be80	√	√	√
802.11be160	√	√	√
802.11be320	√	√	√
Note: All the configurations were tested, but only the worst data was shown in this report.			

802.11ax/be RU configuration table							
Mode	Full RU (SU)	RU_26	RU_52	RU_106	RU_242	RU_484	RU_996
802.11ax20	√	√	√	√	--	--	--
802.11ax40	√	√	√	√	√	--	--
802.11ax80	√	√	√	√	√	√	--
802.11ax160	√	√	√	√	√	√	√
802.11be20	√	√	√	√	--	--	--
802.11be40	√	√	√	√	√	--	--
802.11be80	√	√	√	√	√	√	--
802.11be160	√	√	√	√	√	√	√
802.11be320	√	√	√	√	√	√	√

Note: The above EUT information in section 2.4 was declared by manufacturer and for more detailed features description, please refer to the manufacturer's specifications or user's manual.

2.5 Channel List

20 MHz		40 MHz		80 MHz		160 MHz		320 MHz	
Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)
1	5955	3	5965	7	5985	15	6025	31	6105
5	5975	11	6005	23	6065	47	6185	63	6265
9	5995	19	6045	39	6145	79	6345	95	6425
13	6015	27	6085	55	6225	111	6505	127	6585
17	6035	35	6125	71	6305	143	6665	159	6745
21	6055	43	6165	87	6385	175	6825	191	6905
25	6075	51	6205	103	6465	207	6985		
29	6095	59	6245	119	6545				
33	6115	67	6285	135	6625				
37	6135	75	6325	151	6705				
41	6155	83	6365	167	6785				
45	6175	91	6405	183	6865				
49	6195	99	6445	199	6945				
53	6215	107	6485	215	7025				
57	6235	115	6525						
61	6255	123	6565						
65	6275	131	6605						
69	6295	139	6645						
73	6315	147	6685						
77	6335	155	6725						
81	6355	163	6765						
85	6375	171	6805						
89	6395	179	6845						
93	6415	187	6885						
97	6435	195	6925						
101	6455	203	6965						
105	6475	211	7005						
109	6495	219	7045						
113	6515	227	7085						
117	6535								
121	6555								
125	6575								
129	6595								
133	6615								
137	6635								
141	6655								
145	6675								
149	6695								

153	6715								
157	6735								
161	6755								
165	6775								
169	6795								
173	6815								
177	6835								
181	6855								
185	6875								
189	6895								
193	6915								
197	6935								
201	6955								
205	6975								
209	6995								
213	7015								
217	7035								
221	7055								
225	7075								
229	7095								
233	7115								

The Lowest frequency, the middle frequency and the highest frequency of channel were selected to perform the test, and the selected channel see below:

For 802.11ax(HE20)/be(EHT20)

U-NII-5 (5925 - 6425 MHz)			U-NII-6 (6425 - 6525 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
1	Low	5955	97	Low	6435
45	Mid	6175	105	Mid	6475
93	High	6415	113	High	6515

U-NII-7 (6525 - 6875 MHz)			U-NII-8 (6875 - 7125 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
117	Low	6535	185	Low	6875
149	Mid	6695	209	Mid	6995
181	High	6855	229	Mid	7095
			233	High	7115

For 802.11ax(HE40)/be(EHT40)

U-NII-5 (5925 - 6425 MHz)			U-NII-6 (6425 - 6525 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
3	Low	5965	99	Low	6445
43	Mid	6165	107	High	6485
91	High	6405			

U-NII-7 (6525 - 6875 MHz)			U-NII-8 (6875 - 7125 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
115	Low	6525	187	Low	6885
147	Mid	6685	211	Mid	7005
179	High	6845	227	High	7085

For 802.11ax(HE80)/be(EHT80)

U-NII-5 (5925 - 6425 MHz)			U-NII-6 (6425 - 6525 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
7	Low	5985	103	Low	6465
39	Mid	6145	119	High	6545
87	High	6385			

U-NII-7 (6525 - 6875 MHz)			U-NII-8 (6875 - 7125 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
135	Low	6625	183	Low	6865
151	Mid	6705	199	Mid	6945
167	High	6785	215	High	7025

For 802.ax(HE160)/be(EHT160)

U-NII-5 (5925 - 6425 MHz)			U-NII-6 (6425 - 6525 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
15	Low	6025	111	Mid	6505
47	Mid	6185			
79	High	6345			

U-NII-7 (6525 - 6875 MHz)			U-NII-8 (6875 - 7125 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
143	Mid	6665	175	Low	6825
			207	High	6985

For 802.be(EHT320)

U-NII-5 (5925 - 6425 MHz)		
Channel Number	Channel	Frequency (MHz)
31	Low	6105
63	Mid	6265
95	High	6425

U-NII-7 (6525 - 6875 MHz)			U-NII-8 (6875 - 7125 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
127	Low	6585	191	Mid	6905
159	High	6745			

Note: Preliminary tests were performed in different data rate in above table to find the worst radiated emission. The data rate shown in the table below is the worst-case rate with respect to the specific test item. Investigation has been done on all the possible configurations for searching the worst cases. The following table is a list of the test modes shown in this test report.

Test Items	Mode	Data Rate	Modulation Type	U-NII-5	U-NII-6	U-NII-7	U-NII-8
				Channel	Channel	Channel	Channel
RF Output Power	11ax(20 MHz)	4	OFDMA	93/45/1	113/105/97	181/149/117	233/229/209/185
	11ax(40 MHz)	8		91/43/3	107/99	179/147/115	227/211/187
	11ax(80 MHz)	17		87/39/7	119/103	167/151/135	215/199/183
	11ax(160 MHz)	34		79/47/15	111	143	207/175
	11be(20 MHz)	4		93/45/1	113/105/97	181/149/117	233/229/209/185
	11be(40 MHz)	8		91/43/3	107/99	179/147/115	227/211/187
	11be(80 MHz)	17		87/39/7	119/103	167/151/135	215/199/183
	11be(160 MHz)	34		79/47/15	111	143	207/175
	11be(320 MHz)	68		95/63/31	/	159/127	191
Emission Bandwidth & 99% Occupied Bandwidth	11ax(20 MHz)	4	OFDMA	93/45/1	113/105/97	181/149/117	233/229/209/185
	11ax(40 MHz)	8		91/43/3	107/99	179/147/115	227/211/187
	11ax(80 MHz)	17		87/39/7	119/103	167/151/135	215/199/183
	11ax(160 MHz)	34		79/47/15	111	143	207/175
	11be(20 MHz)	4		93/45/1	113/105/97	181/149/117	233/229/209/185
	11be(40 MHz)	8		91/43/3	107/99	179/147/115	227/211/187
	11be(80 MHz)	17		87/39/7	119/103	167/151/135	215/199/183
	11be(160 MHz)	34		79/47/15	111	143	207/175
	11be(320 MHz)	68		95/63/31	/	159/127	191
Power Spectral Density	11ax(20 MHz)	4	OFDMA	93/45/1	113/105/97	181/149/117	233/229/209/185
	11ax(40 MHz)	8		91/43/3	107/99	179/147/115	227/211/187
	11ax(80 MHz)	17		87/39/7	119/103	167/151/135	215/199/183
	11ax(160 MHz)	34		79/47/15	111	143	207/175
	11be(20 MHz)	4		93/45/1	113/105/97	181/149/117	233/229/209/185
	11be(40 MHz)	8		91/43/3	107/99	179/147/115	227/211/187
	11be(80 MHz)	17		87/39/7	119/103	167/151/135	215/199/183
	11be(160 MHz)	34		79/47/15	111	143	207/175
	11be(320 MHz)	68		95/63/31	/	159/127	191
Radiated Spurious Emissions	11ax(20 MHz)	4	OFDMA	93/45/1	113/105/97	181/149/117	233/229/209/185
	11ax(40 MHz)	8		91/43/3	107/99	179/147/115	227/211/187
	11ax(80 MHz)	17		87/39/7	119/103	167/151/135	215/199/183
	11ax(160 MHz)	34		79/47/15	111	143	207/175
	11be(20 MHz)	4		93/45/1	113/105/97	181/149/117	233/229/209/185
	11be(40 MHz)	8		91/43/3	107/99	179/147/115	227/211/187
	11be(80 MHz)	17		87/39/7	119/103	167/151/135	215/199/183
	11be(160 MHz)	34		79/47/15	111	143	207/175
	11be(320 MHz)	68		95/63/31	/	159/127	191

Band Edge (Restricted-band)	11ax(20 MHz)	4	OFDMA	1	N/A	N/A	233
	11ax(40 MHz)	8		3	N/A	N/A	227
	11ax(80 MHz)	17		7	N/A	N/A	215
	11ax(160 MHz)	34		15	N/A	N/A	207
	11be(20 MHz)	4		1	N/A	N/A	233
	11be(40 MHz)	8		3	N/A	N/A	227
	11be(80 MHz)	17		7	N/A	N/A	215
	11be(160 MHz)	34		15	N/A	N/A	207
	11be(320 MHz)	68		31	N/A	N/A	191
Contention Based Protocol	11be(20 MHz)	4	OFDMA	73	101	149	213
	11be(320 MHz)	68		31	95	159	/
In-Band Emissions	11ax(20 MHz)	4	OFDMA	93/45/1	113/105/97	181/149/117	233/229/209/185
	11ax(40 MHz)	8		91/43/3	107/99	179/147/115	227/211/187
	11ax(80 MHz)	17		87/39/7	119/103	167/151/135	215/199/183
	11ax(160 MHz)	34		79/47/15	111	143	207/175
	11be(20 MHz)	4		93/45/1	113/105/97	181/149/117	233/229/209/185
	11be(40 MHz)	8		91/43/3	107/99	179/147/115	227/211/187
	11be(80 MHz)	17		87/39/7	119/103	167/151/135	215/199/183
	11be(160 MHz)	34		79/47/15	111	143	207/175
	11be(320 MHz)	68		95/63/31	/	159/127	191

3 SUMMARY OF TEST RESULTS

3.1 Test Standards

No.	Identity	Document Title
1	47 CFR Part 15 Subpart E	Unlicensed National Information Infrastructure Devices
2	KDB Publication 789033 D02v02r01	Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices Part 15, Subpart E
3	KDB Publication 987594 D02v03	Guidelines for Compliance Testing of Unlicensed National Information Infrastructure 6 GHz (U-NII) Devices Part 15, Subpart E
4	KDB Publication 662911 D01v02r01	Emissions Testing of Transmitters with Multiple Outputs in the Same Band (e.g., MIMO, Smart Antenna, etc)
5	RSS-Gen Issue 5	General Requirements for Compliance of Radio Apparatus
6	RSS-248 Issue 2	Radio Local Area Network (RLAN) Devices Operating in the 5925-7125 MHz Band
7	ANSI C63.10-2013	American National Standard for Testing Unlicensed Wireless Devices

3.2 Test Verdict

No.	Description	FCC Part No.	RSS Part No.	Test Result	Verdict
1	Antenna Requirement	15.203	--	--	Pass ^{Note1}
2	RF Output Power	15.407(a)	RSS-248, 4.5	ANNEX A.1	Pass
3	Emission Bandwidth & 99% Occupied Bandwidth	15.407(a)	RSS-248, 4.4	ANNEX A.2	Pass
4	Power Spectral Density	15.407(a)	RSS-248, 4.5	ANNEX A.3	Pass
5	Conducted Emission	15.207	RSS-GEN, 8.8	ANNEX A.4	Pass
6	Radiated Spurious Emissions and Band Edge (Restricted-band)	15.407(b)	RSS-248, 4.6	ANNEX A.5	Pass
7	Contention Based Protocol	15.407(d)	RSS-248, 4.7	ANNEX A.6	Pass
8	In-Band Emissions	15.407(b)	RSS-248, 4.6	ANNEX A.7	Pass
9	Receiver Spurious Emissions	--	RSS-Gen, 7.1.2	--	N/A ^{Note2}

Note ¹: The EUT has a permanently and irreplaceable attached antenna, which complies with the requirement FCC 15.203.

Note ²: Only radio communication receivers operating in stand-alone mode within the U-NII-30-960 MHz, as well as scanner receivers, are subject to Industry Canada requirements, so this test is not applicable.

Note ³: Under all normal operating conditions specified in the user manual, frequency stability can keep radiation within the operating frequency band.

4 GENERAL TEST CONFIGURATIONS

4.1 Test Environments

During the measurement, the normal environmental conditions were within the listed ranges:

Relative Humidity	40% to 69%	
Atmospheric Pressure	100 kPa to 102 kPa	
Temperature	NT (Normal Temperature)	+19.1℃ to +26.9℃
Working Voltage of the EUT	NV (Normal Voltage)	110V

4.2 Test Equipment List

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
Spectrum Analyzer	ROHDE&SCHWARZ	FSV-40	101544	2024.12.16	2025.12.15
Spectrum Analyzer	KEYSIGHT	N9020A	MY56060183	2024.08.01	2025.07.31
Power Sensor	KEYSIGHT	U2063XA	MY58000247	2024.07.04	2025.07.03
Vector Signal Generator	ROHDE&SCHWARZ	SMCV100B	103663	2024.07.04	2025.07.03
Spectrum Analyzer	KEYSIGHT	N9020A	MY50531259	2024.08.01	2025.07.31
Signaling Unit	ROHDE&SCHWARZ	CMW500	171150	2024.05.22	2025.05.21
Test Antenna-Horn	SCHWARZBECK	BBHA 9120D	02460	2024.05.16	2027.05.15
Test Antenna-Horn	A-INFO	LB-180400KF	J211060273	2024.06.15	2027.06.14
Anechoic Chamber	RAINFORD	9m*6m*6m	140	2024.07.28	2027.07.27
Amplifier	COM-MV	LSCX_LNA1-12G-01	7210214	2024.08.01	2025.07.31
Amplifier	COM-MV	XKu_LNA7-18G-01	7210209	2024.08.01	2025.07.31
Amplifier	COM-MV	KA LNA18 40G-01	18050001	2024.12.05	2025.12.04
EMI Receiver	ROHDE&SCHWARZ	ESRP	101036	2024.08.01	2025.07.31
Test Antenna-Bi-Log	SCHWARZBECK	VULB 9168	9168-01162	2023.08.04	2026.08.03
Test Antenna-Loop	SCHWARZBECK	FMZB 1519	1519-037	2024.01.23	2027.01.22
Amplifier	COM-MV	ZT30-1000M	B2018054558	2024.11.28	2025.11.27
Anechoic Chamber	EMC Electronic Co., Ltd	20.10*11.60*7.35m	130	2024.07.13	2027.07.12
EMI Receiver	KEYSIGHT	N9010B	MY57110309	2024.08.01	2025.07.31
LISN	SCHWARZBECK	NSLK 8127	8127-687	2024.05.09	2025.05.08
				2025.04.29	2026.04.28
Shielded Enclosure	YiHeng Electronic Co., Ltd	3.5m*3.1m*2.8 m	112	2025.02.14	2028.02.13

4.3 Test Software List

Description	Manufacturer	Software Version	Serial No.	Applicable test Setup
BL410R	BALUN	V2.1.1.488	N/A	The section 4.5.1
BL410E	BALUN	V22.930	N/A	The section 4.5.2&4.5.3&4.5.4&4.5.5

4.4 Measurement Uncertainty


The following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2.

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.

Parameters	Uncertainty
Occupied Channel Bandwidth	2.8%
RF output power, conducted	1.28 dB
Power Spectral Density, conducted	1.30 dB
Unwanted Emissions, conducted	1.84 dB
All emissions, radiated	5.36 dB
Temperature	0.8°C
Humidity	4%


4.5 Description of Test Setup

4.5.1 For Antenna Port Test




(Diagram 1)

4.5.2 For AC Power Supply Port Test




(Diagram 2)

4.5.3 For Radiated Test (Below 30 MHz)




(Diagram 3)

4.5.4 For Radiated Test (30 MHz-1 GHz)



(Diagram 4)

4.5.5 For Radiated Test (Above 1 GHz)



(Diagram 5)

5 TEST ITEMS

5.1 RF Output Power

5.1.1 Test Limit

FCC §15.407(a)

(8) For client devices operating under the control of an indoor access point in the 5.925-7.125 GHz bands, the maximum e.i.r.p. over the frequency band of operation must not exceed 24 dBm.

RSS-248, 4.5.3

(b) The maximum e.i.r.p. over the 5925-7125 MHz frequency band shall not exceed 24 dBm

5.1.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.1.3 Test Procedure

Maximum conducted (average) output power

a) Measurements may be performed using a wideband RF power meter with a thermocouple detector or equivalent if all of the conditions listed below are satisfied.

- 1) The EUT is configured to transmit continuously or to transmit with a constant duty cycle.
- 2) At all times when the EUT is transmitting, it shall be transmitting at its maximum power control level.
- 3) The integration period of the power meter exceeds the repetition period of the transmitted signal by at least a factor of five.

b) If the transmitter does not transmit continuously, measure the duty cycle (x) of the transmitter output signal.

c) Measure the average power of the transmitter. This measurement is an average over both the on and off periods of the transmitter.

d) Adjust the measurement in dBm by adding $10 \log (1/x)$ where x is the duty cycle.

Measurements of duty cycle

The zero-span mode on a spectrum analyzer or EMI receiver if the response time and spacing between bins on the sweep are sufficient to permit accurate measurements of the on and off times of the transmitted signal.

Set the center frequency of the instrument to the center frequency of the transmission.

Set RBW $\geq$ OBW if possible; otherwise, set RBW to the largest available value.

Set VBW $\geq$ RBW. Set detector = peak or average.

The zero-span measurement method shall not be used unless both RBW and VBW are $> 50/T$ and the

number of sweep points across duration T exceeds 100. (For example, if VBW and/or RBW are limited to 3 MHz, then the zero-span method of measuring duty cycle shall not be used if $T \leq 16.7$ microseconds.)

The E.I.R.P used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.1.4 Test Result

Please refer to ANNEX A.1.

5.2 Emission Bandwidth & 99% Bandwidth

5.2.1 Limit

FCC §15.407(a); RSS-248, 4.4

The maximum transmitter channel bandwidth for U-NII devices in the 5.925-7.125 GHz band is 320 megahertz.

5.2.2 Test Setup

The test setup photo please refer to 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.2.3 Test Procedure

Emission bandwidth

1. Set RBW = approximately 1% of the emission bandwidth.
2. Set VBW $\geq 3 \times$ RBW,
3. Detector = Peak.
4. Trace mode = Max hold.
5. Measure the maximum width of the emission that is 26 dB down from the peak of the emission.

Occupied Bandwidth

1. Set Span = 1.5 times to 5.0 times the OBW
2. Set RBW = 1% to 5% of the OBW.
3. Set VBW $\geq 3 \times$ RBW, Detector = Peak.
4. Trace mode = Max hold.
5. Use the 99% power bandwidth function of the instrument.

6 dB bandwidth

1. Set RBW = 100 kHz, VBW = 300 kHz.
2. Detector = Peak. Trace mode = Max hold.
3. Allow the trace to stabilize.
4. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

5.2.4 Test Result

Please refer to ANNEX A.2.

5.3 Power Spectral density (PSD)

5.3.1 Limit

FCC §15.407(a)

(8) For client devices operating under the control of an indoor access point in the 5.925-7.125 GHz bands, the maximum power spectral density must not exceed -1 dBm e.i.r.p. in any 1-megahertz band.

RSS-248, 4.5.3

(a) The maximum e.i.r.p. spectral density shall not exceed -1 dBm/MHz.

5.3.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.3.3 Test Procedure

Set the spectrum analyzer or EMI receiver span to view the entire emission bandwidth.

1. Set RBW = 510 kHz/1 MHz, VBW $\geq 3 \times$ RBW, Sweep time = Auto, Detector = RMS.
2. Allow the sweeps to continue until the trace stabilizes.
3. Use the peak marker function to determine the maximum amplitude level.
4. The E.I.R.P spectral density used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.3.4 Test Result

Please refer to ANNEX A.3.

5.4 Conducted Emission

5.4.1 Limit

FCC §15.207, RSS-GEN, 8.8

For an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency within the U-NII-150 kHz to 30 MHz shall not exceed the limits in the following table, as measured using a 50 μ H/50 Ω line impedance stabilization network (LISN).

Frequency range (MHz)	Conducted Limit (dB μ V)	
	Quai-peak	Average
0.15 - 0.50	66 to 56	56 to 46
0.50 - 5	56	46
0.50 - 30	60	50

5.4.2 Test Setup

The section 4.5.2 (Diagram 2) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.4.3 Test Procedure

The maximum conducted interference is searched using Peak (PK), if the emission levels more than the AV and QP limits, and that have narrow margins from the AV and QP limits will be re-measured with AV and QP detectors. Tests for both L phase and N phase lines of the power mains connected to the EUT are performed. Refer to recorded points and plots below.

5.4.4 Test Result

Please refer to ANNEX A.4.

5.5 Radiated Spurious Emissions and Band Edge (Restricted-band)

5.5.1 Limit

FCC §15.209 & 15.407(b), RSS-248, 4.6.2

Frequency (MHz)	Field Strength ($\mu\text{V/m}$)	Measurement Distance (m)
0.009 - 0.490	2400/F(kHz)	300
0.490 - 1.705	24000/F(kHz)	30
1.705 - 30.0	30	30
30 - 88	100	3
88 - 216	150	3
216 - 960	200	3
Above 960	500	3

Note ¹: The Limit for radiated test was performed according to FCC Part 15C

Note ²: The tighter limit applies at the band edge.

Un-restricted band emissions	
Out Operating Band (MHz)	Limit
5925 - 7125	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)

Note: The following formula is used to convert the equipment isotropic radiated power (eirp) to field strength.

5.5.2 Test Setup

The section 4.5.3-4.5.5 (Diagram 3 - Diagram 5) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.5.3 Test Procedure

Since the emission limits are specified in terms of radiated field strength levels, measurements performed to demonstrate compliance have traditionally relied on a radiated test configuration. Radiated measurements remain the principal method for demonstrating compliance to the specified limits; however antenna-port conducted measurements are also now acceptable to demonstrate compliance (see below for details). When radiated measurements are utilized, test site requirements and procedures for maximizing and measuring radiated emissions that are described in ANSI C63.10 shall be followed.

Antenna-port conducted measurements may also be used as an alternative to radiated measurements for demonstrating compliance in the restricted frequency bands. If conducted measurements are performed, then proper impedance matching must be ensured and an additional radiated test for cabinet/case spurious emissions is required.

General Procedure for conducted measurements in restricted bands

- a) Measure the conducted output power (in dBm) using the detector specified (see guidance regarding measurement procedures for determining quasi-peak, peak, and average conducted output power, respectively).
- b) Add the maximum transmit antenna gain (in dBi) to the measured output power level to determine the EIRP level (see guidance on determining the applicable antenna gain)
- c) Add the appropriate maximum ground reflection factor to the EIRP level (6 dB for frequencies ≤ 30 MHz, 4.7 dB for frequencies between 30 MHz and 1000 MHz, inclusive and 0 dB for frequencies > 1000 MHz).
- d) For devices with multiple antenna-ports, measure the power of each individual chain and sum the EIRP of all chains in linear terms (e.g., Watts, mW).
- e) Convert the resultant EIRP level to an equivalent electric field strength using the following relationship:

$$E = \text{EIRP} - 20\log D + 104.8$$

where:

E = electric field strength in dB μ V/m,

EIRP = equivalent isotropic radiated power in dBm

D = specified measurement distance in meters.

- f) Compare the resultant electric field strength level to the applicable limit.
- g) Perform radiated spurious emission test.

Quasi-Peak measurement procedure

The specifications for measurements using the CISPR quasi-peak detector can be found in Publication 16 of the International Special Committee on Radio Frequency Interference (CISPR) of the International Electrotechnical Commission.

As an alternative to CISPR quasi-peak measurement, compliance can be demonstrated to the applicable emission limits using a peak detector.

Peak power measurement procedure

Peak emission levels are measured by setting the instrument as follows:

- a) RBW = as specified in Table 1.
- b) VBW $\geq 3 \times$ RBW.
- c) Detector = Peak.
- d) Sweep time = auto.
- e) Trace mode = max hold.
- f) Allow sweeps to continue until the trace stabilizes. (Note that the required measurement time may be

longer for low duty cycle applications).

Table 1—RBW as a function of frequency

Frequency	RBW
9-150 kHz	200-300 Hz
0.15-30 MHz	9-10 kHz
30-1000 MHz	100-120 kHz
> 1000 MHz	1 MHz

If the peak-detected amplitude can be shown to comply with the average limit, then it is not necessary to perform a separate average measurement.

Trace averaging across on and off times of the EUT transmissions followed by duty cycle correction

If continuous transmission of the EUT (i.e., duty cycle ≥ 98 percent) cannot be achieved and the duty cycle is constant (i.e., duty cycle variations are less than ± 2 percent), then the following procedure shall be used:

- a) The EUT shall be configured to operate at the maximum achievable duty cycle.
- b) Measure the duty cycle, x , of the transmitter output signal as described in section 6.0.
- c) RBW = 1 MHz (unless otherwise specified).
- d) VBW $\geq 3 \times$ RBW.
- e) Detector = RMS, if $\text{span}/(\# \text{ of points in sweep}) \leq (\text{RBW}/2)$. Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak.
- f) Averaging type = power (i.e., RMS).
 - 1) As an alternative, the detector and averaging type may be set for linear voltage averaging.
 - 2) Some instruments require linear display mode in order to use linear voltage averaging. Log or dB averaging shall not be used.
- g) Sweep time = auto.
- h) Perform a trace average of at least 100 traces.
- i) A correction factor shall be added to the measurement results prior to comparing to the emission limit in order to compute the emission level that would have been measured had the test been performed at 100 percent duty cycle. The correction factor is computed as follows:
 - 1) If power averaging (RMS) mode was used in step f), then the applicable correction factor is $10 \log(1/x)$, where x is the duty cycle.
 - 2) If linear voltage averaging mode was used in step f), then the applicable correction factor is $20 \log(1/x)$, where x is the duty cycle.
 - 3) If a specific emission is demonstrated to be continuous (≥ 98 percent duty cycle) rather than turning on and off with the transmit cycle, then no duty cycle correction is required for that emission.

NOTE: Reduction of the measured emission amplitude levels to account for operational duty factor is not permitted. Compliance is based on emission levels occurring during transmission - not on an average across on and off times of the transmitter.

Determining the applicable transmit antenna gain

A conducted power measurement will determine the maximum output power associated with a restricted band emission; however, in order to determine the associated EIRP level, the gain of the transmitting antenna (in dBi) must be added to the measured output power (in dBm).

Since the out-of-band characteristics of the EUT transmit antenna will often be unknown, the use of a conservative antenna gain value is necessary. Thus, when determining the EIRP based on the measured conducted power, the upper bound on antenna gain for a device with a single RF output shall be selected as the maximum in-band gain of the antenna across all operating bands, or 2 dBi, whichever is greater. However, for devices that operate in multiple frequency bands while using the same transmit antenna, the highest gain of the antenna within the operating band nearest in frequency to the restricted band emission being measured may be used in lieu of the overall highest gain when the emission is at a frequency that is within 20 percent of the nearest band edge frequency, but in no case shall a value less than 2 dBi be used.

See KDB 662911 for guidance on calculating the additional array gain term when determining the effective antenna gain for a EUT with multiple outputs occupying the same or overlapping frequency ranges in the same band.

Radiated spurious emission test

An additional consideration when performing conducted measurements of restricted band emissions is that unwanted emissions radiating from the EUT cabinet, control circuits, power leads, or intermediate circuit elements will likely go undetected in a conducted measurement configuration. To address this concern, a radiated test shall be performed to ensure that emissions emanating from the EUT cabinet (rather than the antenna port) also comply with the applicable limits.

For these cabinet radiated spurious emission measurements the EUT transmit antenna may be replaced with a termination matching the nominal impedance of the antenna. Procedures for performing radiated measurements are specified in ANSI C63.10. All detected emissions shall comply with the applicable limits.

The measurement frequency range is from 30 MHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from 0° to 360°, and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The power of the EUT transmitting frequency should be ignored.

All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Use the following spectrum analyzer settings:

Span = wide enough to fully capture the emission being measured

RBW = 1 MHz for $f \geq 1$ GHz, 100 kHz for $f < 1$ GHz

VBW $\geq$ RBW

Sweep = auto

Detector function = peak

Trace = max hold

5.5.4 Test Result

Please refer to ANNEX A.5.

5.6 Contention Based Protocol

5.6.1 Limit

FCC §15.15.407(d), RSS-248, 4.7

Indoor access points, subordinate devices and client devices operating in the 5.925-7.125 GHz band (herein referred to as unlicensed devices) are required to use technologies that include a contention-based protocol to avoid co-channel interference with incumbent devices sharing the band. To ensure incumbent co-channel operations are detected in a technology-agnostic manner, unlicensed devices are required to detect co-channel radio frequency energy (energy detect) and avoid simultaneous transmission.

Unlicensed low-power indoor devices must detect co-channel radio frequency power that is at least -62 dBm or lower. Upon detection of energy in the band, unlicensed low power indoor devices must vacate the channel and stay off the channel as long as detected radio frequency power is equal to or greater than the threshold (-62 dBm). The -62 dBm (or lower) threshold is referenced to a 0 dBi antenna gain.

5.6.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.6.3 Test Procedure

The AWGN interference signal level is corrected according to the antenna gain, and the AWGN interference signal is modulated by the vector signal source. When AWGN interference exists, a spectrum analyzer is used to detect whether the EUT recognizes and stops transmission.

5.6.4 Test Result

Please refer to ANNEX A.6.

5.7 In-Band Emissions

5.7.1 Limit

FCC §15.15.407(b), RSS-248, 4.6.2

Using the measuring equipment limit line function, develop the emissions mask based on the following requirements. The emissions power spectral density must be reduced below the peak power spectral density (in dB) as follows:

- a. Suppressed by 20 dB at 1 MHz outside of the channel edge. (The channel edge is defined as the 26-dB point on either side of the carrier center frequency.)
- b. Suppressed by 28 dB at one channel bandwidth from the channel center.
- c. Suppressed by 40 dB at one- and one-half times the channel bandwidth from the channel center.

5.7.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.7.3 Test Procedure

1. Connect output of the antenna port to a spectrum analyzer or EMI receiver, with appropriate attenuation, as to not damage the instrumentation.
2. Set the reference level of the measuring equipment in accordance with procedure 4.1.5.2 of ANSI C63.10-2013.
3. Measure the 26 dB EBW using the test procedure 12.4.1 of ANSI C63.10-2013. (This will be used to determine the channel edge.)
4. Measure the power spectral density (which will be used for emissions mask reference) using the following procedure:
 - a) Set the span to encompass the entire 26 dB EBW of the signal.
 - b) Set RBW = same RBW used for 26 dB EBW measurement.
 - c) Set VBW $\geq 3 \times$ RBW
 - d) Number of points in sweep $\geq [2 \times \text{span} / \text{RBW}]$.
 - e) Sweep time = auto.
 - f) Detector = RMS (i.e., power averaging)
 - g) Trace average at least 100 traces in power averaging (rms) mode.
 - h) Use the peak search function on the instrument to find the peak of the spectrum.
5. For the purposes of developing the emission mask, the channel bandwidth is defined as the 26 dB EBW.
6. Using the measuring equipment limit line function, develop the emissions mask based on the following requirements. The emissions power spectral density must be reduced below the peak power spectral density (in dB) as follows:
 - a. Suppressed by 20 dB at 1 MHz outside of the channel edge. (The channel edge is defined as the 26-dB point on either side of the carrier center frequency.)
 - b. Suppressed by 28 dB at one channel bandwidth from the channel center.
 - c. Suppressed by 40 dB at one- and one-half times the channel bandwidth from the channel

center.

7. Adjust the span to encompass the entire mask as necessary.

8. Clear trace.

9. Trace average at least 100 traces in power averaging (rms) mode.

10. Adjust the reference level as necessary so that the crest of the channel touches the top of the emission mask

5.7.4 Test Result

Please refer to ANNEX A.7.

ANNEX A TEST RESULT

A.1 RF Output Power

Duty Cycle

Test Mode	On Time (ms)	On+Off time (ms)	Duty Cycle	Duty Factor
11ax(HE20)	5.34	5.36	99.59%	0.02
11ax(HE40)	5.37	5.41	99.17%	0.04
11ax(HE80)	5.22	5.29	98.71%	0.06
11ax(HE160)	4.39	4.43	98.98%	0.04
11be(EHT20)	5.35	5.36	99.76%	0.01
11be(EHT40)	5.39	5.42	99.39%	0.03
11be(EHT80)	5.25	5.30	99.13%	0.04
11be(EHT160)	4.41	4.46	99.04%	0.04
11be(EHT320)	0.86	0.88	97.92%	0.09

Test DataMain Antenna

U-NII-5 (5925 - 6425 MHz)				
Mode	Channel	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)(SU)	CH1	14.12	30	Pass
11ax(HE20)(SU)	CH45	13.84	30	Pass
11ax(HE20)(SU)	CH93	13.36	30	Pass
11ax(HE40)(SU)	CH3	13.84	30	Pass
11ax(HE40)(SU)	CH43	13.55	30	Pass
11ax(HE40)(SU)	CH91	13.03	30	Pass
11ax(HE80)(SU)	CH7	13.67	30	Pass
11ax(HE80)(SU)	CH39	13.48	30	Pass
11ax(HE80)(SU)	CH87	12.95	30	Pass
11ax(HE160)(SU)	CH15	13.83	30	Pass
11ax(HE160)(SU)	CH47	13.47	30	Pass
11ax(HE160)(SU)	CH79	12.95	30	Pass
11be(EHT20)(SU)	CH1	13.90	30	Pass
11be(EHT20)(SU)	CH45	13.77	30	Pass
11be(EHT20)(SU)	CH93	13.45	30	Pass
11be(EHT40)(SU)	CH3	13.75	30	Pass
11be(EHT40)(SU)	CH43	13.50	30	Pass
11be(EHT40)(SU)	CH91	12.93	30	Pass
11be(EHT80)(SU)	CH7	13.48	30	Pass
11be(EHT80)(SU)	CH39	13.26	30	Pass
11be(EHT80)(SU)	CH87	12.69	30	Pass
11be(EHT160)(SU)	CH15	13.65	30	Pass
11be(EHT160)(SU)	CH47	13.45	30	Pass
11be(EHT160)(SU)	CH79	12.83	30	Pass
11be(EHT320)(SU)	CH31	13.92	30	Pass
11be(EHT320)(SU)	CH63	13.41	30	Pass
11be(EHT320)(SU)	CH95	13.41	30	Pass

U-NII-5 (5925 - 6425 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)	CH1	26	5.76	30	Pass
		52	5.79	30	Pass
		106	5.71	30	Pass
	CH45	26	5.53	30	Pass
		52	5.98	30	Pass
		106	5.96	30	Pass
	CH93	26	5.19	30	Pass
		52	5.65	30	Pass
		106	5.82	30	Pass
11ax(HE40)	CH3	26	5.85	30	Pass
		52	5.80	30	Pass
		106	5.91	30	Pass
		242	5.71	30	Pass
	CH43	26	5.61	30	Pass
		52	5.95	30	Pass
		106	5.68	30	Pass
		242	5.80	30	Pass
	CH91	26	4.92	30	Pass
		52	5.86	30	Pass
		106	5.94	30	Pass
		242	5.64	30	Pass
11ax(HE80)	CH7	26	5.81	30	Pass
		52	5.62	30	Pass
		106	5.91	30	Pass
		242	5.80	30	Pass
		484	5.87	30	Pass
	CH39	26	5.65	30	Pass
		52	5.76	30	Pass
		106	5.76	30	Pass
		242	5.93	30	Pass
		484	5.74	30	Pass
	CH87	26	5.14	30	Pass
		52	5.93	30	Pass
		106	5.94	30	Pass
		242	5.71	30	Pass
		484	5.80	30	Pass
11ax(HE160)	CH15	26	6.68	30	Pass
		52	6.00	30	Pass
		106	5.71	30	Pass

		242	5.79	30	Pass
		484	5.66	30	Pass
		996	5.68	30	Pass
	CH47	26	6.46	30	Pass
		52	5.78	30	Pass
		106	5.83	30	Pass
		242	5.86	30	Pass
		484	5.97	30	Pass
		996	5.81	30	Pass
	CH79	26	5.87	30	Pass
		52	5.81	30	Pass
		106	5.79	30	Pass
		242	5.74	30	Pass
		484	5.99	30	Pass
		996	5.83	30	Pass

U-NII-5 (5925 - 6425 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11be(EHT20)	CH1	26	5.77	30	Pass
		52	5.83	30	Pass
		106	5.86	30	Pass
	CH45	26	5.69	30	Pass
		52	5.84	30	Pass
		106	5.80	30	Pass
	CH93	26	5.37	30	Pass
		52	5.69	30	Pass
		106	5.81	30	Pass
11be(EHT40)	CH3	26	5.89	30	Pass
		52	5.79	30	Pass
		106	5.78	30	Pass
		242	5.96	30	Pass
	CH43	26	5.77	30	Pass
		52	5.96	30	Pass
		106	5.64	30	Pass
		242	5.91	30	Pass
	CH91	26	5.13	30	Pass
		52	5.69	30	Pass
		106	5.67	30	Pass
		242	5.70	30	Pass
11be(EHT80)	CH7	26	5.89	30	Pass
		52	5.69	30	Pass
		106	5.70	30	Pass
		242	6.00	30	Pass
		484	5.70	30	Pass
	CH39	26	5.78	30	Pass
		52	5.75	30	Pass
		106	5.98	30	Pass
		242	5.62	30	Pass
		484	5.96	30	Pass
	CH87	26	5.36	30	Pass
		52	5.81	30	Pass
		106	5.66	30	Pass
		242	5.95	30	Pass
		484	5.69	30	Pass
11be(EHT160)	CH15	26	6.94	30	Pass
		52	5.64	30	Pass
		106	5.88	30	Pass

		242	5.64	30	Pass
		484	5.69	30	Pass
		996	5.78	30	Pass
	CH47	26	6.74	30	Pass
		52	5.64	30	Pass
		106	5.71	30	Pass
		242	5.88	30	Pass
		484	5.64	30	Pass
		996	5.61	30	Pass
	CH79	26	6.02	30	Pass
		52	5.74	30	Pass
		106	5.96	30	Pass
		242	5.78	30	Pass
		484	5.73	30	Pass
		996	5.98	30	Pass
11be(EHT320)	CH31	26	6.90	30	Pass
		52	5.73	30	Pass
		106	5.62	30	Pass
		242	5.74	30	Pass
		484	5.83	30	Pass
		996	5.63	30	Pass
	CH63	26	6.60	30	Pass
		52	5.68	30	Pass
		106	5.92	30	Pass
		242	5.64	30	Pass
		484	5.83	30	Pass
		996	5.89	30	Pass
	CH95	26	5.83	30	Pass
		52	5.71	30	Pass
		106	5.95	30	Pass
		242	5.68	30	Pass
		484	5.94	30	Pass
		996	5.99	30	Pass

U-NII-6 (6425 - 6525 MHz)				
Mode	Channel	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)(SU)	CH97	13.16	30	Pass
11ax(HE20)(SU)	CH105	13.28	30	Pass
11ax(HE20)(SU)	CH113	13.72	30	Pass
11ax(HE40)(SU)	CH99	12.92	30	Pass
11ax(HE40)(SU)	CH107	13.14	30	Pass
11ax(HE80)(SU)	CH103	12.81	30	Pass
11ax(HE80)(SU)	CH119	13.19	30	Pass
11ax(HE160)(SU)	CH111	13.37	30	Pass
11be(EHT20)(SU)	CH97	13.26	30	Pass
11be(EHT20)(SU)	CH105	13.39	30	Pass
11be(EHT20)(SU)	CH113	13.72	30	Pass
11be(EHT40)(SU)	CH99	12.90	30	Pass
11be(EHT40)(SU)	CH107	13.06	30	Pass
11be(EHT80)(SU)	CH103	12.67	30	Pass
11be(EHT80)(SU)	CH119	12.99	30	Pass
11be(EHT160)(SU)	CH111	13.32	30	Pass

U-NII-6 (6425 - 6525 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)	CH97	26	5.16	30	Pass
		52	5.97	30	Pass
		106	5.68	30	Pass
	CH105	26	5.18	30	Pass
		52	5.79	30	Pass
		106	5.99	30	Pass
	CH113	26	5.56	30	Pass
		52	5.60	30	Pass
		106	5.83	30	Pass
11ax(HE40)	CH99	26	5.12	30	Pass
		52	5.61	30	Pass
		106	5.88	30	Pass
		242	5.62	30	Pass
	CH107	26	5.21	30	Pass
		52	5.95	30	Pass
		106	5.84	30	Pass
		242	5.82	30	Pass
11ax(HE80)	CH103	26	5.15	30	Pass
		52	5.93	30	Pass
		106	5.81	30	Pass
		242	5.73	30	Pass
		484	5.69	30	Pass
	CH119	26	5.59	30	Pass
		52	5.90	30	Pass
		106	5.90	30	Pass
		242	5.88	30	Pass
		484	5.69	30	Pass
11ax(HE160)	CH111	26	7.00	30	Pass
		52	5.68	30	Pass
		106	5.75	30	Pass
		242	5.73	30	Pass
		484	5.69	30	Pass
		996	5.63	30	Pass

U-NII-6 (6425 - 6525 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11be(EHT20)	CH97	26	5.34	30	Pass
		52	5.62	30	Pass
		106	5.88	30	Pass
	CH105	26	5.31	30	Pass
		52	5.76	30	Pass
		106	5.79	30	Pass
	CH113	26	5.65	30	Pass
		52	5.60	30	Pass
		106	5.99	30	Pass
11be(EHT40)	CH99	26	5.28	30	Pass
		52	5.77	30	Pass
		106	5.67	30	Pass
		242	5.79	30	Pass
	CH107	26	5.35	30	Pass
		52	5.69	30	Pass
		106	5.93	30	Pass
		242	5.93	30	Pass
11be(EHT80)	CH103	26	5.30	30	Pass
		52	5.96	30	Pass
		106	5.66	30	Pass
		242	6.00	30	Pass
		484	5.79	30	Pass
	CH119	26	5.67	30	Pass
		52	5.90	30	Pass
		106	5.66	30	Pass
		242	5.87	30	Pass
		484	5.70	30	Pass
11be(EHT160)	CH111	26	6.43	30	Pass
		52	5.71	30	Pass
		106	5.81	30	Pass
		242	5.85	30	Pass
		484	5.74	30	Pass
		996	5.67	30	Pass

U-NII-7 (6525 - 6875 MHz)				
Mode	Channel	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)(SU)	CH117	13.62	30	Pass
11ax(HE20)(SU)	CH149	13.76	30	Pass
11ax(HE20)(SU)	CH181	13.42	30	Pass
11ax(HE40)(SU)	CH115	13.34	30	Pass
11ax(HE40)(SU)	CH147	13.58	30	Pass
11ax(HE40)(SU)	CH179	13.36	30	Pass
11ax(HE80)(SU)	CH135	12.88	30	Pass
11ax(HE80)(SU)	CH151	13.31	30	Pass
11ax(HE80)(SU)	CH167	13.27	30	Pass
11ax(HE160)(SU)	CH143	13.24	30	Pass
11be(EHT20)(SU)	CH117	13.78	30	Pass
11be(EHT20)(SU)	CH149	13.91	30	Pass
11be(EHT20)(SU)	CH181	13.58	30	Pass
11be(EHT40)(SU)	CH115	13.35	30	Pass
11be(EHT40)(SU)	CH147	13.51	30	Pass
11be(EHT40)(SU)	CH179	13.37	30	Pass
11be(EHT80)(SU)	CH135	12.70	30	Pass
11be(EHT80)(SU)	CH151	13.11	30	Pass
11be(EHT80)(SU)	CH167	13.02	30	Pass
11be(EHT160)(SU)	CH143	13.18	30	Pass
11be(EHT320)(SU)	CH127	13.49	30	Pass
11be(EHT320)(SU)	CH159	13.80	30	Pass

U-NII-7 (6525 - 6875 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)	CH117	26	5.57	30	Pass
		52	5.82	30	Pass
		106	5.85	30	Pass
	CH153	26	5.90	30	Pass
		52	5.94	30	Pass
		106	5.87	30	Pass
	CH181	26	5.22	30	Pass
		52	5.62	30	Pass
		106	5.73	30	Pass
11ax(HE40)	CH115	26	5.53	30	Pass
		52	5.69	30	Pass
		106	5.76	30	Pass
		242	5.93	30	Pass
	CH147	26	5.58	30	Pass
		52	5.87	30	Pass
		106	5.68	30	Pass
		242	5.86	30	Pass
	CH179	26	5.20	30	Pass
		52	5.67	30	Pass
		106	5.78	30	Pass
		242	5.75	30	Pass
11ax(HE80)	CH135	26	5.98	30	Pass
		52	6.00	30	Pass
		106	5.97	30	Pass
		242	5.83	30	Pass
		484	5.71	30	Pass
	CH151	26	5.67	30	Pass
		52	5.70	30	Pass
		106	5.75	30	Pass
		242	6.00	30	Pass
		484	5.62	30	Pass
	CH1167	26	5.47	30	Pass
		52	5.95	30	Pass
		106	5.99	30	Pass
		242	6.00	30	Pass
		484	5.71	30	Pass
11ax(HE160)	CH143	26	7.36	30	Pass
		52	5.98	30	Pass
		106	5.72	30	Pass

		242	5.76	30	Pass
		484	5.74	30	Pass
		996	5.62	30	Pass

U-NII-7 (6525 - 6875 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11be(EHT20)	CH117	26	5.67	30	Pass
		52	5.60	30	Pass
		106	5.74	30	Pass
	CH149	26	5.76	30	Pass
		52	5.73	30	Pass
		106	5.77	30	Pass
	CH181	26	5.35	30	Pass
		52	5.93	30	Pass
		106	5.73	30	Pass
11be(EHT40)	CH115	26	5.62	30	Pass
		52	5.72	30	Pass
		106	5.61	30	Pass
		242	5.69	30	Pass
	CH147	26	5.71	30	Pass
		52	5.94	30	Pass
		106	5.70	30	Pass
		242	5.62	30	Pass
	CH179	26	5.39	30	Pass
		52	5.60	30	Pass
		106	5.86	30	Pass
		242	5.99	30	Pass
11be(EHT80)	CH135	26	5.49	30	Pass
		52	5.95	30	Pass
		106	5.83	30	Pass
		242	5.62	30	Pass
		484	5.62	30	Pass
	CH151	26	5.79	30	Pass
		52	5.77	30	Pass
		106	5.91	30	Pass
		242	5.80	30	Pass
		484	5.73	30	Pass
	CH167	26	5.71	30	Pass
		52	5.97	30	Pass
		106	5.68	30	Pass
		242	5.85	30	Pass
		484	5.96	30	Pass
11be(EHT160)	CH143	26	6.72	30	Pass
		52	5.74	30	Pass
		106	5.70	30	Pass

11be(EHT320)		242	5.67	30	Pass
		484	5.77	30	Pass
		996	5.88	30	Pass
	CH127	26	6.24	30	Pass
		52	5.96	30	Pass
		106	5.73	30	Pass
		242	5.99	30	Pass
		484	5.95	30	Pass
		996	5.81	30	Pass
	CH159	26	5.81	30	Pass
		52	5.68	30	Pass
		106	6.00	30	Pass
		242	5.62	30	Pass
		484	5.66	30	Pass
		996	5.72	30	Pass

U-NII-8 (6875 - 7125 MHz)				
Mode	Channel	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)(SU)	CH185	13.12	30	Pass
11ax(HE20)(SU)	CH209	13.25	30	Pass
11ax(HE20)(SU)	CH229	13.27	30	Pass
11ax(HE20)(SU)	CH233	13.30	30	Pass
11ax(HE40)(SU)	CH187	13.08	30	Pass
11ax(HE40)(SU)	CH211	12.98	30	Pass
11ax(HE40)(SU)	CH227	13.05	30	Pass
11ax(HE80)(SU)	CH183	12.86	30	Pass
11ax(HE80)(SU)	CH199	12.78	30	Pass
11ax(HE80)(SU)	CH215	12.77	30	Pass
11ax(HE160)(SU)	CH175	13.44	30	Pass
11ax(HE160)(SU)	CH207	13.18	30	Pass
11be(EHT20)(SU)	CH185	13.38	30	Pass
11be(EHT20)(SU)	CH209	13.38	30	Pass
11be(EHT20)(SU)	CH229	13.30	30	Pass
11be(EHT20)(SU)	CH233	13.39	30	Pass
11be(EHT40)(SU)	CH187	12.98	30	Pass
11be(EHT40)(SU)	CH211	12.94	30	Pass
11be(EHT40)(SU)	CH227	12.98	30	Pass
11be(EHT80)(SU)	CH183	12.65	30	Pass
11be(EHT80)(SU)	CH199	12.63	30	Pass
11be(EHT80)(SU)	CH215	12.62	30	Pass
11be(EHT160)(SU)	CH175	13.45	30	Pass
11be(EHT160)(SU)	CH207	13.12	30	Pass
11be(EHT320)(SU)	CH191	13.41	30	Pass

U-NII-8 (6875 - 7125 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)	CH185	26	5.15	30	Pass
		52	5.64	30	Pass
		106	5.60	30	Pass
	CH209	26	4.96	30	Pass
		52	5.81	30	Pass
		106	5.96	30	Pass
	CH229	26	5.22	30	Pass
		52	5.66	30	Pass
		106	5.94	30	Pass
	CH233	26	5.11	30	Pass
		52	5.77	30	Pass
		106	5.78	30	Pass
11ax(HE40)	CH187	26	5.19	30	Pass
		52	5.95	30	Pass
		106	5.84	30	Pass
		242	5.86	30	Pass
	CH211	26	4.99	30	Pass
		52	5.87	30	Pass
		106	5.88	30	Pass
		242	5.91	30	Pass
	CH227	26	5.03	30	Pass
		52	5.67	30	Pass
		106	5.65	30	Pass
		242	5.79	30	Pass
11ax(HE80)	CH183	26	5.33	30	Pass
		52	5.65	30	Pass
		106	6.00	30	Pass
		242	5.72	30	Pass
		484	5.66	30	Pass
	CH199	26	5.37	30	Pass
		52	5.96	30	Pass
		106	5.65	30	Pass
		242	5.80	30	Pass
		484	5.92	30	Pass
	CH215	26	5.09	30	Pass
		52	5.63	30	Pass
		106	5.77	30	Pass
		242	5.69	30	Pass
		484	5.65	30	Pass

11ax(HE160)	CH175	26	7.12	30	Pass
		52	5.85	30	Pass
		106	5.88	30	Pass
		242	5.92	30	Pass
		484	5.77	30	Pass
		996	5.90	30	Pass
	CH207	26	6.29	30	Pass
		52	5.73	30	Pass
		106	5.65	30	Pass
		242	5.99	30	Pass
		484	5.74	30	Pass
		996	5.74	30	Pass

U-NII-8 (6875 - 7125 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11be(EHT20)	CH185	26	5.36	30	Pass
		52	5.62	30	Pass
		106	5.82	30	Pass
	CH209	26	5.17	30	Pass
		52	5.96	30	Pass
		106	5.78	30	Pass
	CH229	26	5.29	30	Pass
		52	5.84	30	Pass
		106	5.61	30	Pass
	CH233	26	5.17	30	Pass
		52	5.97	30	Pass
		106	5.60	30	Pass
11be(EHT40)	CH187	26	5.41	30	Pass
		52	5.97	30	Pass
		106	5.86	30	Pass
		242	5.93	30	Pass
	CH211	26	5.13	30	Pass
		52	5.91	30	Pass
		106	5.61	30	Pass
		242	5.72	30	Pass
	CH227	26	5.07	30	Pass
		52	5.85	30	Pass
		106	5.99	30	Pass
		242	6.00	30	Pass
11be(EHT80)	CH183	26	5.57	30	Pass
		52	5.88	30	Pass
		106	5.60	30	Pass
		242	5.73	30	Pass
		484	5.98	30	Pass
	CH199	26	5.47	30	Pass
		52	5.97	30	Pass
		106	5.81	30	Pass
		242	5.63	30	Pass
		484	5.60	30	Pass
	CH215	26	5.11	30	Pass
		52	5.98	30	Pass
		106	5.64	30	Pass
		242	5.80	30	Pass
		484	5.82	30	Pass

11be(EHT160)	CH175	26	6.94	30	Pass
		52	5.66	30	Pass
		106	5.95	30	Pass
		242	5.84	30	Pass
		484	6.00	30	Pass
		996	5.73	30	Pass
	CH207	26	6.41	30	Pass
		52	5.70	30	Pass
		106	5.91	30	Pass
		242	5.65	30	Pass
		484	5.66	30	Pass
		996	5.82	30	Pass
11be(EHT320)	CH191	26	6.85	30	Pass
		52	5.93	30	Pass
		106	5.74	30	Pass
		242	5.76	30	Pass
		484	5.73	30	Pass
		996	5.67	30	Pass

Aux. Antenna

U-NII-5 (5925 - 6425 MHz)				
Mode	Channel	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)(SU)	CH1	13.90	30	Pass
11ax(HE20)(SU)	CH45	13.59	30	Pass
11ax(HE20)(SU)	CH93	12.97	30	Pass
11ax(HE40)(SU)	CH3	13.55	30	Pass
11ax(HE40)(SU)	CH43	13.29	30	Pass
11ax(HE40)(SU)	CH91	12.79	30	Pass
11ax(HE80)(SU)	CH7	13.36	30	Pass
11ax(HE80)(SU)	CH39	13.22	30	Pass
11ax(HE80)(SU)	CH87	12.69	30	Pass
11ax(HE160)(SU)	CH15	13.45	30	Pass
11ax(HE160)(SU)	CH47	13.24	30	Pass
11ax(HE160)(SU)	CH79	12.69	30	Pass
11be(EHT20)(SU)	CH1	13.53	30	Pass
11be(EHT20)(SU)	CH45	13.44	30	Pass
11be(EHT20)(SU)	CH93	13.05	30	Pass
11be(EHT40)(SU)	CH3	13.47	30	Pass
11be(EHT40)(SU)	CH43	13.29	30	Pass
11be(EHT40)(SU)	CH91	12.54	30	Pass
11be(EHT80)(SU)	CH7	13.10	30	Pass
11be(EHT80)(SU)	CH39	13.02	30	Pass
11be(EHT80)(SU)	CH87	12.37	30	Pass
11be(EHT160)(SU)	CH15	13.36	30	Pass
11be(EHT160)(SU)	CH47	13.13	30	Pass
11be(EHT160)(SU)	CH79	12.62	30	Pass
11be(EHT320)(SU)	CH31	13.57	30	Pass
11be(EHT320)(SU)	CH63	13.07	30	Pass
11be(EHT320)(SU)	CH95	13.12	30	Pass

U-NII-5 (5925 - 6425 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)	CH1	26	5.45	30	Pass
		52	5.51	30	Pass
		106	5.39	30	Pass
	CH45	26	5.21	30	Pass
		52	5.78	30	Pass
		106	5.71	30	Pass
	CH93	26	4.79	30	Pass
		52	5.39	30	Pass
		106	5.48	30	Pass
11ax(HE40)	CH3	26	5.55	30	Pass
		52	5.50	30	Pass
		106	5.52	30	Pass
		242	5.39	30	Pass
	CH43	26	5.24	30	Pass
		52	5.63	30	Pass
		106	5.32	30	Pass
		242	5.58	30	Pass
	CH91	26	4.69	30	Pass
		52	5.47	30	Pass
		106	5.67	30	Pass
		242	5.38	30	Pass
11ax(HE80)	CH7	26	5.48	30	Pass
		52	5.31	30	Pass
		106	5.59	30	Pass
		242	5.51	30	Pass
		484	5.64	30	Pass
	CH39	26	5.41	30	Pass
		52	5.47	30	Pass
		106	5.49	30	Pass
		242	5.72	30	Pass
		484	5.38	30	Pass
	CH87	26	4.82	30	Pass
		52	5.63	30	Pass
		106	5.61	30	Pass
		242	5.37	30	Pass
		484	5.55	30	Pass
11ax(HE160)	CH15	26	6.45	30	Pass
		52	5.70	30	Pass
		106	5.50	30	Pass

		242	5.51	30	Pass
		484	5.35	30	Pass
		996	5.36	30	Pass
	CH47	26	6.18	30	Pass
		52	5.50	30	Pass
		106	5.59	30	Pass
		242	5.58	30	Pass
		484	5.72	30	Pass
		996	5.51	30	Pass
	CH79	26	5.51	30	Pass
		52	5.58	30	Pass
		106	5.42	30	Pass
		242	5.46	30	Pass
		484	5.62	30	Pass
		996	5.56	30	Pass

U-NII-5 (5925 - 6425 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11be(EHT20)	CH1	26	5.49	30	Pass
		52	5.57	24	Pass
		106	5.57	24	Pass
	CH45	26	5.45	30	Pass
		52	5.55	24	Pass
		106	5.53	24	Pass
	CH93	26	5.10	24	Pass
		52	5.41	24	Pass
		106	5.50	24	Pass
11be(EHT40)	CH3	26	5.65	30	Pass
		52	5.45	30	Pass
		106	5.38	30	Pass
		242	5.73	30	Pass
	CH43	26	5.42	30	Pass
		52	5.63	30	Pass
		106	5.40	30	Pass
		242	5.67	30	Pass
	CH91	26	4.73	30	Pass
		52	5.48	30	Pass
		106	5.37	30	Pass
		242	5.39	30	Pass
11be(EHT80)	CH7	26	5.49	30	Pass
		52	5.31	30	Pass
		106	5.50	30	Pass
		242	5.73	30	Pass
		484	5.38	30	Pass
	CH39	26	5.44	30	Pass
		52	5.43	30	Pass
		106	5.74	30	Pass
		242	5.29	30	Pass
		484	5.58	30	Pass
	CH87	26	4.96	30	Pass
		52	5.42	30	Pass
		106	5.40	30	Pass
		242	5.57	30	Pass
		484	5.39	30	Pass
11be(EHT160)	CH15	26	6.66	30	Pass
		52	5.39	30	Pass
		106	5.55	30	Pass

		242	5.36	30	Pass
		484	5.33	30	Pass
		996	5.51	30	Pass
	CH47	26	6.39	30	Pass
		52	5.26	30	Pass
		106	5.51	30	Pass
		242	5.67	30	Pass
		484	5.29	30	Pass
		996	5.24	30	Pass
	CH79	26	5.72	30	Pass
		52	5.45	30	Pass
		106	5.71	30	Pass
		242	5.53	30	Pass
		484	5.43	30	Pass
		996	5.78	30	Pass
11be(EHT320)	CH31	26	6.56	30	Pass
		52	5.34	30	Pass
		106	5.31	30	Pass
		242	5.45	30	Pass
		484	5.47	30	Pass
		996	5.32	30	Pass
	CH63	26	6.20	30	Pass
		52	5.38	30	Pass
		106	5.67	30	Pass
		242	5.25	30	Pass
		484	5.57	30	Pass
		996	5.67	30	Pass
	CH95	26	5.52	30	Pass
		52	5.33	30	Pass
		106	5.70	30	Pass
		242	5.39	30	Pass
		484	5.74	30	Pass
		996	5.75	30	Pass

U-NII-6 (6425 - 6525 MHz)				
Mode	Channel	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)(SU)	CH97	12.94	30	Pass
11ax(HE20)(SU)	CH105	13.00	30	Pass
11ax(HE20)(SU)	CH113	13.52	30	Pass
11ax(HE40)(SU)	CH99	12.66	30	Pass
11ax(HE40)(SU)	CH107	12.76	30	Pass
11ax(HE80)(SU)	CH103	12.50	30	Pass
11ax(HE80)(SU)	CH119	12.83	30	Pass
11ax(HE160)(SU)	CH111	13.12	30	Pass
11be(EHT20)(SU)	CH97	12.95	30	Pass
11be(EHT20)(SU)	CH105	13.18	30	Pass
11be(EHT20)(SU)	CH113	13.40	30	Pass
11be(EHT40)(SU)	CH99	12.65	30	Pass
11be(EHT40)(SU)	CH107	12.74	30	Pass
11be(EHT80)(SU)	CH103	12.30	30	Pass
11be(EHT80)(SU)	CH119	12.73	30	Pass
11be(EHT160)(SU)	CH111	12.98	30	Pass

U-NII-6 (6425 - 6525 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)	CH97	26	4.81	30	Pass
		52	5.70	30	Pass
		106	5.36	30	Pass
	CH105	26	4.95	30	Pass
		52	5.50	30	Pass
		106	5.74	30	Pass
	CH113	26	5.22	30	Pass
		52	5.25	30	Pass
		106	5.63	30	Pass
11ax(HE40)	CH99	26	4.72	30	Pass
		52	5.25	30	Pass
		106	5.54	30	Pass
		242	5.28	30	Pass
	CH107	26	4.93	30	Pass
		52	5.68	30	Pass
		106	5.45	30	Pass
		242	5.52	30	Pass
11ax(HE80)	CH103	26	4.84	30	Pass
		52	5.60	30	Pass
		106	5.44	30	Pass
		242	5.38	30	Pass
		484	5.45	30	Pass
	CH119	26	5.31	30	Pass
		52	5.64	30	Pass
		106	5.58	30	Pass
		242	5.61	30	Pass
		484	5.45	30	Pass
11ax(HE160)	CH111	26	6.63	30	Pass
		52	5.38	30	Pass
		106	5.51	30	Pass
		242	5.43	30	Pass
		484	5.44	30	Pass
		996	5.43	30	Pass

U-NII-6 (6425 - 6525 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11be(EHT20)	CH97	26	5.11	30	Pass
		52	5.23	30	Pass
		106	5.63	30	Pass
	CH105	26	4.92	30	Pass
		52	5.46	30	Pass
		106	5.47	30	Pass
	CH113	26	5.35	30	Pass
		52	5.24	30	Pass
		106	5.64	30	Pass
11be(EHT40)	CH99	26	4.88	30	Pass
		52	5.55	30	Pass
		106	5.30	30	Pass
		242	5.49	30	Pass
	CH107	26	5.11	30	Pass
		52	5.43	30	Pass
		106	5.55	30	Pass
		242	5.64	30	Pass
11be(EHT80)	CH103	26	5.02	30	Pass
		52	5.59	30	Pass
		106	5.44	30	Pass
		242	5.69	30	Pass
		484	5.57	30	Pass
	CH119	26	5.40	30	Pass
		52	5.70	30	Pass
		106	5.33	30	Pass
		242	5.64	30	Pass
		484	5.43	30	Pass
11be(EHT160)	CH111	26	6.15	30	Pass
		52	5.35	30	Pass
		106	5.58	30	Pass
		242	5.46	30	Pass
		484	5.53	30	Pass
		996	5.43	30	Pass

U-NII-7 (6525 - 6875 MHz)				
Mode	Channel	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)(SU)	CH117	13.26	30	Pass
11ax(HE20)(SU)	CH149	13.45	30	Pass
11ax(HE20)(SU)	CH181	13.04	30	Pass
11ax(HE40)(SU)	CH115	13.05	30	Pass
11ax(HE40)(SU)	CH147	13.35	30	Pass
11ax(HE40)(SU)	CH179	13.00	30	Pass
11ax(HE80)(SU)	CH135	12.58	30	Pass
11ax(HE80)(SU)	CH151	13.01	30	Pass
11ax(HE80)(SU)	CH167	13.05	30	Pass
11ax(HE160)(SU)	CH143	12.96	30	Pass
11be(EHT20)(SU)	CH117	13.48	30	Pass
11be(EHT20)(SU)	CH149	13.64	30	Pass
11be(EHT20)(SU)	CH181	13.28	30	Pass
11be(EHT40)(SU)	CH115	12.98	30	Pass
11be(EHT40)(SU)	CH147	13.27	30	Pass
11be(EHT40)(SU)	CH179	12.99	30	Pass
11be(EHT80)(SU)	CH135	12.44	30	Pass
11be(EHT80)(SU)	CH151	12.86	30	Pass
11be(EHT80)(SU)	CH167	12.82	30	Pass
11be(EHT160)(SU)	CH143	12.81	30	Pass
11be(EHT320)(SU)	CH127	13.15	30	Pass
11be(EHT320)(SU)	CH159	13.56	30	Pass

U-NII-7 (6525 - 6875 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)	CH117	26	5.33	30	Pass
		52	5.55	30	Pass
		106	5.48	30	Pass
	CH153	26	5.65	30	Pass
		52	5.72	30	Pass
		106	5.65	30	Pass
	CH181	26	4.92	30	Pass
		52	5.23	30	Pass
		106	5.42	30	Pass
11ax(HE40)	CH115	26	5.20	30	Pass
		52	5.46	30	Pass
		106	5.53	30	Pass
		242	5.59	30	Pass
	CH147	26	5.28	30	Pass
		52	5.61	30	Pass
		106	5.35	30	Pass
		242	5.61	30	Pass
	CH179	26	4.97	30	Pass
		52	5.42	30	Pass
		106	5.57	30	Pass
		242	5.44	30	Pass
11ax(HE80)	CH135	26	5.68	30	Pass
		52	5.67	30	Pass
		106	5.68	30	Pass
		242	5.45	30	Pass
		484	5.47	30	Pass
	CH151	26	5.37	30	Pass
		52	5.47	30	Pass
		106	5.42	30	Pass
		242	5.75	30	Pass
		484	5.34	30	Pass
	CH1167	26	5.15	30	Pass
		52	5.74	30	Pass
		106	5.75	30	Pass
		242	5.71	30	Pass
		484	5.36	30	Pass
11ax(HE160)	CH143	26	7.13	30	Pass
		52	5.78	30	Pass
		106	5.32	30	Pass

		242	5.47	30	Pass
		484	5.45	30	Pass
		996	5.36	30	Pass

U-NII-7 (6525 - 6875 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11be(EHT20)	CH117	26	5.40	30	Pass
		52	5.20	30	Pass
		106	5.42	30	Pass
	CH149	26	5.52	30	Pass
		52	5.43	30	Pass
		106	5.48	30	Pass
	CH181	26	4.97	30	Pass
		52	5.56	30	Pass
		106	5.34	30	Pass
11be(EHT40)	CH115	26	5.31	30	Pass
		52	5.48	30	Pass
		106	5.21	30	Pass
		242	5.42	30	Pass
	CH147	26	5.36	30	Pass
		52	5.73	30	Pass
		106	5.49	30	Pass
		242	5.29	30	Pass
	CH179	26	5.05	30	Pass
		52	5.27	30	Pass
		106	5.59	30	Pass
		242	5.62	30	Pass
11be(EHT80)	CH135	26	5.22	30	Pass
		52	5.73	30	Pass
		106	5.52	30	Pass
		242	5.23	30	Pass
		484	5.30	30	Pass
	CH151	26	5.56	30	Pass
		52	5.50	30	Pass
		106	5.64	30	Pass
		242	5.55	30	Pass
		484	5.34	30	Pass
	CH167	26	5.47	30	Pass
		52	5.60	30	Pass
		106	5.48	30	Pass
		242	5.45	30	Pass
		484	5.73	30	Pass
11be(EHT160)	CH143	26	6.38	30	Pass
		52	5.51	30	Pass
		106	5.50	30	Pass

		242	5.43	30	Pass
		484	5.52	30	Pass
		996	5.50	30	Pass
11be(EHT320)	CH127	26	5.86	30	Pass
		52	5.57	30	Pass
		106	5.51	30	Pass
		242	5.74	30	Pass
		484	5.61	30	Pass
		996	5.48	30	Pass
	CH159	26	5.59	30	Pass
		52	5.44	30	Pass
		106	5.73	30	Pass
		242	5.26	30	Pass
		484	5.36	30	Pass
		996	5.38	30	Pass

U-NII-8 (6875 - 7125 MHz)				
Mode	Channel	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)(SU)	CH185	12.75	30	Pass
11ax(HE20)(SU)	CH209	13.00	30	Pass
11ax(HE20)(SU)	CH229	12.97	30	Pass
11ax(HE20)(SU)	CH233	12.93	30	Pass
11ax(HE40)(SU)	CH187	12.87	30	Pass
11ax(HE40)(SU)	CH211	12.60	30	Pass
11ax(HE40)(SU)	CH227	12.79	30	Pass
11ax(HE80)(SU)	CH183	12.65	30	Pass
11ax(HE80)(SU)	CH199	12.43	30	Pass
11ax(HE80)(SU)	CH215	12.56	30	Pass
11ax(HE160)(SU)	CH175	13.10	30	Pass
11ax(HE160)(SU)	CH207	12.91	30	Pass
11be(EHT20)(SU)	CH185	12.99	30	Pass
11be(EHT20)(SU)	CH209	13.03	30	Pass
11be(EHT20)(SU)	CH229	12.94	30	Pass
11be(EHT20)(SU)	CH233	13.07	30	Pass
11be(EHT40)(SU)	CH187	12.75	30	Pass
11be(EHT40)(SU)	CH211	12.56	30	Pass
11be(EHT40)(SU)	CH227	12.76	30	Pass
11be(EHT80)(SU)	CH183	12.38	30	Pass
11be(EHT80)(SU)	CH199	12.23	30	Pass
11be(EHT80)(SU)	CH215	12.39	30	Pass
11be(EHT160)(SU)	CH175	13.17	30	Pass
11be(EHT160)(SU)	CH207	12.92	30	Pass
11be(EHT320)(SU)	CH191	13.17	30	Pass

U-NII-8 (6875 - 7125 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)	CH185	26	4.78	30	Pass
		52	5.28	30	Pass
		106	5.35	30	Pass
	CH209	26	4.72	30	Pass
		52	5.45	30	Pass
		106	5.66	30	Pass
	CH229	26	5.01	30	Pass
		52	5.37	30	Pass
		106	5.58	30	Pass
	CH233	26	4.88	30	Pass
		52	5.46	30	Pass
		106	5.54	30	Pass
11ax(HE40)	CH187	26	4.80	30	Pass
		52	5.75	30	Pass
		106	5.58	30	Pass
		242	5.52	30	Pass
	CH211	26	4.59	30	Pass
		52	5.57	30	Pass
		106	5.56	30	Pass
		242	5.59	30	Pass
	CH227	26	4.66	30	Pass
		52	5.39	30	Pass
		106	5.26	30	Pass
		242	5.51	30	Pass
11ax(HE80)	CH183	26	5.09	30	Pass
		52	5.43	30	Pass
		106	5.68	30	Pass
		242	5.41	30	Pass
		484	5.29	30	Pass
	CH199	26	5.08	30	Pass
		52	5.66	30	Pass
		106	5.35	30	Pass
		242	5.45	30	Pass
		484	5.72	30	Pass
	CH215	26	4.69	30	Pass
		52	5.30	30	Pass
		106	5.48	30	Pass
		242	5.29	30	Pass
		484	5.35	30	Pass

11ax(HE160)	CH175	26	6.83	30	Pass
		52	5.64	30	Pass
		106	5.66	30	Pass
		242	5.57	30	Pass
		484	5.56	30	Pass
		996	5.61	30	Pass
	CH207	26	6.01	30	Pass
		52	5.53	30	Pass
		106	5.32	30	Pass
		242	5.75	30	Pass
		484	5.50	30	Pass
		996	5.37	30	Pass

U-NII-8 (6875 - 7125 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11be(EHT20)	CH185	26	5.06	30	Pass
		52	5.25	30	Pass
		106	5.46	30	Pass
	CH209	26	4.85	30	Pass
		52	5.59	30	Pass
		106	5.45	30	Pass
	CH229	26	4.96	30	Pass
		52	5.60	30	Pass
		106	5.35	30	Pass
	CH233	26	4.89	30	Pass
		52	5.59	30	Pass
		106	5.30	30	Pass
11be(EHT40)	CH187	26	5.04	30	Pass
		52	5.61	30	Pass
		106	5.56	30	Pass
		242	5.65	30	Pass
	CH211	26	4.91	30	Pass
		52	5.63	30	Pass
		106	5.24	30	Pass
		242	5.45	30	Pass
	CH227	26	4.75	30	Pass
		52	5.51	30	Pass
		106	5.59	30	Pass
		242	5.61	30	Pass
11be(EHT80)	CH183	26	5.18	30	Pass
		52	5.59	30	Pass
		106	5.36	30	Pass
		242	5.52	30	Pass
		484	5.60	30	Pass
	CH199	26	5.24	30	Pass
		52	5.67	30	Pass
		106	5.60	30	Pass
		242	5.40	30	Pass
		484	5.37	30	Pass
	CH215	26	4.87	30	Pass
		52	5.68	30	Pass
		106	5.26	30	Pass
		242	5.47	30	Pass
		484	5.53	30	Pass

11be(EHT160)	CH175	26	6.62	30	Pass
		52	5.38	30	Pass
		106	5.56	30	Pass
		242	5.59	30	Pass
		484	5.72	30	Pass
		996	5.46	30	Pass
	CH207	26	6.02	30	Pass
		52	5.39	30	Pass
		106	5.58	30	Pass
		242	5.34	30	Pass
		484	5.44	30	Pass
		996	5.62	30	Pass
11be(EHT320)	CH191	26	6.59	30	Pass
		52	5.70	30	Pass
		106	5.37	30	Pass
		242	5.43	30	Pass
		484	5.41	30	Pass
		996	5.38	30	Pass

MIMO

U-NII-5 (5925 - 6425 MHz)				
Mode	Channel	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)(SU)	CH1	13.69	30	Pass
11ax(HE20)(SU)	CH45	13.44	30	Pass
11ax(HE20)(SU)	CH93	12.84	30	Pass
11ax(HE40)(SU)	CH3	13.43	30	Pass
11ax(HE40)(SU)	CH43	13.10	30	Pass
11ax(HE40)(SU)	CH91	12.65	30	Pass
11ax(HE80)(SU)	CH7	13.26	30	Pass
11ax(HE80)(SU)	CH39	13.08	30	Pass
11ax(HE80)(SU)	CH87	12.52	30	Pass
11ax(HE160)(SU)	CH15	13.33	30	Pass
11ax(HE160)(SU)	CH47	13.06	30	Pass
11ax(HE160)(SU)	CH79	12.59	30	Pass
11be(EHT20)(SU)	CH1	13.47	30	Pass
11be(EHT20)(SU)	CH45	13.30	30	Pass
11be(EHT20)(SU)	CH93	13.03	30	Pass
11be(EHT40)(SU)	CH3	13.34	30	Pass
11be(EHT40)(SU)	CH43	13.12	30	Pass
11be(EHT40)(SU)	CH91	12.36	30	Pass
11be(EHT80)(SU)	CH7	12.96	30	Pass
11be(EHT80)(SU)	CH39	12.87	30	Pass
11be(EHT80)(SU)	CH87	12.24	30	Pass
11be(EHT160)(SU)	CH15	13.15	30	Pass
11be(EHT160)(SU)	CH47	12.97	30	Pass
11be(EHT160)(SU)	CH79	12.51	30	Pass
11be(EHT320)(SU)	CH31	13.41	30	Pass
11be(EHT320)(SU)	CH63	13.01	30	Pass
11be(EHT320)(SU)	CH95	12.95	30	Pass

U-NII-5 (5925 - 6425 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)	CH1	26	5.48	30	Pass
		52	5.51	30	Pass
		106	5.31	30	Pass
	CH45	26	5.17	30	Pass
		52	5.67	30	Pass
		106	5.63	30	Pass
	CH93	26	4.82	30	Pass
		52	5.34	30	Pass
		106	5.59	30	Pass
11ax(HE40)	CH3	26	5.56	30	Pass
		52	5.57	30	Pass
		106	5.71	30	Pass
		242	5.49	30	Pass
	CH43	26	5.30	30	Pass
		52	5.65	30	Pass
		106	5.39	30	Pass
		242	5.47	30	Pass
	CH91	26	4.55	30	Pass
		52	5.55	30	Pass
		106	5.57	30	Pass
		242	5.37	30	Pass
11ax(HE80)	CH7	26	5.57	30	Pass
		52	5.36	30	Pass
		106	5.64	30	Pass
		242	5.49	30	Pass
		484	5.58	30	Pass
	CH39	26	5.38	30	Pass
		52	5.39	30	Pass
		106	5.46	30	Pass
		242	5.61	30	Pass
		484	5.47	30	Pass
	CH87	26	4.93	30	Pass
		52	5.59	30	Pass
		106	5.61	30	Pass
		242	5.36	30	Pass
		484	5.48	30	Pass
11ax(HE160)	CH15	26	6.36	30	Pass
		52	5.73	30	Pass
		106	5.39	30	Pass

		242	5.51	30	Pass
		484	5.37	30	Pass
		996	5.34	30	Pass
	CH47	26	6.08	30	Pass
		52	5.48	30	Pass
		106	5.50	30	Pass
		242	5.54	30	Pass
		484	5.57	30	Pass
		996	5.57	30	Pass
	CH79	26	5.66	30	Pass
		52	5.41	30	Pass
		106	5.47	30	Pass
		242	5.48	30	Pass
		484	5.67	30	Pass
		996	5.60	30	Pass

U-NII-5 (5925 - 6425 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11be(EHT20)	CH1	26	5.48	30	Pass
		52	5.61	30	Pass
		106	5.50	30	Pass
	CH45	26	5.48	30	Pass
		52	5.50	30	Pass
		106	5.57	30	Pass
	CH93	26	5.06	30	Pass
		52	5.45	30	Pass
		106	5.59	30	Pass
11be(EHT40)	CH3	26	5.62	30	Pass
		52	5.52	30	Pass
		106	5.38	30	Pass
		242	5.67	30	Pass
	CH43	26	5.47	30	Pass
		52	5.76	30	Pass
		106	5.34	30	Pass
		242	5.64	30	Pass
	CH91	26	4.85	30	Pass
		52	5.44	30	Pass
		106	5.34	30	Pass
		242	5.36	30	Pass
11be(EHT80)	CH7	26	5.56	30	Pass
		52	5.34	30	Pass
		106	5.33	30	Pass
		242	5.69	30	Pass
		484	5.41	30	Pass
	CH39	26	5.48	30	Pass
		52	5.41	30	Pass
		106	5.63	30	Pass
		242	5.25	30	Pass
		484	5.63	30	Pass
	CH87	26	5.15	30	Pass
		52	5.48	30	Pass
		106	5.40	30	Pass
		242	5.66	30	Pass
		484	5.33	30	Pass
11be(EHT160)	CH15	26	6.62	30	Pass
		52	5.24	30	Pass
		106	5.54	30	Pass

		242	5.38	30	Pass
		484	5.30	30	Pass
		996	5.49	30	Pass
	CH47	26	6.46	30	Pass
		52	5.27	30	Pass
		106	5.41	30	Pass
		242	5.60	30	Pass
		484	5.33	30	Pass
		996	5.34	30	Pass
	CH79	26	5.75	30	Pass
		52	5.46	30	Pass
		106	5.62	30	Pass
		242	5.58	30	Pass
		484	5.33	30	Pass
		996	5.66	30	Pass
11be(EHT320)	CH31	26	6.50	30	Pass
		52	5.35	30	Pass
		106	5.35	30	Pass
		242	5.54	30	Pass
		484	5.60	30	Pass
		996	5.34	30	Pass
	CH63	26	6.39	30	Pass
		52	5.45	30	Pass
		106	5.72	30	Pass
		242	5.29	30	Pass
		484	5.44	30	Pass
		996	5.68	30	Pass
	CH95	26	5.48	30	Pass
		52	5.47	30	Pass
		106	5.72	30	Pass
		242	5.45	30	Pass
		484	5.74	30	Pass
		996	5.60	30	Pass

U-NII-6 (6425 - 6525 MHz)				
Mode	Channel	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)(SU)	CH97	12.82	30	Pass
11ax(HE20)(SU)	CH105	12.89	30	Pass
11ax(HE20)(SU)	CH113	13.33	30	Pass
11ax(HE40)(SU)	CH99	12.43	30	Pass
11ax(HE40)(SU)	CH107	12.61	30	Pass
11ax(HE80)(SU)	CH103	12.41	30	Pass
11ax(HE80)(SU)	CH119	12.66	30	Pass
11ax(HE160)(SU)	CH111	12.89	30	Pass
11be(EHT20)(SU)	CH97	12.73	30	Pass
11be(EHT20)(SU)	CH105	12.95	30	Pass
11be(EHT20)(SU)	CH113	13.28	30	Pass
11be(EHT40)(SU)	CH99	12.46	30	Pass
11be(EHT40)(SU)	CH107	12.62	30	Pass
11be(EHT80)(SU)	CH103	12.16	30	Pass
11be(EHT80)(SU)	CH119	12.57	30	Pass
11be(EHT160)(SU)	CH111	12.94	30	Pass

U-NII-6 (6425 - 6525 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)	CH97	26	4.76	30	Pass
		52	5.60	30	Pass
		106	5.44	30	Pass
	CH105	26	4.89	30	Pass
		52	5.58	30	Pass
		106	5.64	30	Pass
	CH113	26	5.30	30	Pass
		52	5.23	30	Pass
		106	5.59	30	Pass
11ax(HE40)	CH99	26	4.85	30	Pass
		52	5.41	30	Pass
		106	5.60	30	Pass
		242	5.36	30	Pass
	CH107	26	4.96	30	Pass
		52	5.72	30	Pass
		106	5.53	30	Pass
		242	5.53	30	Pass
11ax(HE80)	CH103	26	4.95	30	Pass
		52	5.66	30	Pass
		106	5.44	30	Pass
		242	5.38	30	Pass
		484	5.35	30	Pass
	CH119	26	5.28	30	Pass
		52	5.68	30	Pass
		106	5.68	30	Pass
		242	5.67	30	Pass
		484	5.48	30	Pass
11ax(HE160)	CH111	26	6.70	30	Pass
		52	5.47	30	Pass
		106	5.43	30	Pass
		242	5.33	30	Pass
		484	5.47	30	Pass
		996	5.38	30	Pass

U-NII-6 (6425 - 6525 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11be(EHT20)	CH97	26	4.97	30	Pass
		52	5.35	30	Pass
		106	5.62	30	Pass
	CH105	26	5.09	30	Pass
		52	5.52	30	Pass
		106	5.39	30	Pass
	CH113	26	5.44	30	Pass
		52	5.40	30	Pass
		106	5.69	30	Pass
11be(EHT40)	CH99	26	4.88	30	Pass
		52	5.49	30	Pass
		106	5.39	30	Pass
		242	5.43	30	Pass
	CH107	26	5.10	30	Pass
		52	5.34	30	Pass
		106	5.66	30	Pass
		242	5.73	30	Pass
11be(EHT80)	CH103	26	5.01	30	Pass
		52	5.72	30	Pass
		106	5.39	30	Pass
		242	5.67	30	Pass
		484	5.58	30	Pass
	CH119	26	5.43	30	Pass
		52	5.59	30	Pass
		106	5.30	30	Pass
		242	5.59	30	Pass
		484	5.33	30	Pass
11be(EHT160)	CH111	26	6.12	30	Pass
		52	5.41	30	Pass
		106	5.41	30	Pass
		242	5.62	30	Pass
		484	5.53	30	Pass
		996	5.28	30	Pass

U-NII-7 (6525 - 6875 MHz)				
Mode	Channel	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)(SU)	CH117	13.17	30	Pass
11ax(HE20)(SU)	CH149	13.27	30	Pass
11ax(HE20)(SU)	CH181	13.03	30	Pass
11ax(HE40)(SU)	CH115	12.82	30	Pass
11ax(HE40)(SU)	CH147	13.11	30	Pass
11ax(HE40)(SU)	CH179	12.84	30	Pass
11ax(HE80)(SU)	CH135	12.42	30	Pass
11ax(HE80)(SU)	CH151	12.87	30	Pass
11ax(HE80)(SU)	CH167	12.89	30	Pass
11ax(HE160)(SU)	CH143	12.78	30	Pass
11be(EHT20)(SU)	CH117	13.36	30	Pass
11be(EHT20)(SU)	CH149	13.44	30	Pass
11be(EHT20)(SU)	CH181	13.15	30	Pass
11be(EHT40)(SU)	CH115	12.86	30	Pass
11be(EHT40)(SU)	CH147	13.02	30	Pass
11be(EHT40)(SU)	CH179	12.93	30	Pass
11be(EHT80)(SU)	CH135	12.35	30	Pass
11be(EHT80)(SU)	CH151	12.81	30	Pass
11be(EHT80)(SU)	CH167	12.68	30	Pass
11be(EHT160)(SU)	CH143	12.67	30	Pass
11be(EHT320)(SU)	CH127	12.99	30	Pass
11be(EHT320)(SU)	CH159	13.48	30	Pass

U-NII-7 (6525 - 6875 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)	CH117	26	5.34	30	Pass
		52	5.46	30	Pass
		106	5.63	30	Pass
	CH153	26	5.50	30	Pass
		52	5.56	30	Pass
		106	5.56	30	Pass
	CH181	26	4.99	30	Pass
		52	5.31	30	Pass
		106	5.44	30	Pass
11ax(HE40)	CH115	26	5.33	30	Pass
		52	5.38	30	Pass
		106	5.42	30	Pass
		242	5.67	30	Pass
	CH147	26	5.32	30	Pass
		52	5.54	30	Pass
		106	5.48	30	Pass
		242	5.58	30	Pass
	CH179	26	4.94	30	Pass
		52	5.30	30	Pass
		106	5.38	30	Pass
		242	5.55	30	Pass
11ax(HE80)	CH135	26	5.61	30	Pass
		52	5.69	30	Pass
		106	5.74	30	Pass
		242	5.58	30	Pass
		484	5.43	30	Pass
	CH151	26	5.35	30	Pass
		52	5.38	30	Pass
		106	5.50	30	Pass
		242	5.68	30	Pass
		484	5.42	30	Pass
	CH1167	26	5.10	30	Pass
		52	5.72	30	Pass
		106	5.71	30	Pass
		242	5.80	30	Pass
		484	5.46	30	Pass
11ax(HE160)	CH143	26	7.02	30	Pass
		52	5.78	30	Pass
		106	5.36	30	Pass

		242	5.44	30	Pass
		484	5.45	30	Pass
		996	5.24	30	Pass

U-NII-7 (6525 - 6875 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11be(EHT20)	CH117	26	5.29	30	Pass
		52	5.26	30	Pass
		106	5.39	30	Pass
	CH149	26	5.43	30	Pass
		52	5.51	30	Pass
		106	5.41	30	Pass
	CH181	26	5.08	30	Pass
		52	5.62	30	Pass
		106	5.49	30	Pass
11be(EHT40)	CH115	26	5.39	30	Pass
		52	5.32	30	Pass
		106	5.23	30	Pass
		242	5.49	30	Pass
	CH147	26	5.38	30	Pass
		52	5.55	30	Pass
		106	5.47	30	Pass
		242	5.42	30	Pass
	CH179	26	5.09	30	Pass
		52	5.34	30	Pass
		106	5.47	30	Pass
		242	5.59	30	Pass
11be(EHT80)	CH135	26	5.17	30	Pass
		52	5.66	30	Pass
		106	5.54	30	Pass
		242	5.40	30	Pass
		484	5.41	30	Pass
	CH151	26	5.47	30	Pass
		52	5.49	30	Pass
		106	5.53	30	Pass
		242	5.40	30	Pass
		484	5.41	30	Pass
	CH167	26	5.32	30	Pass
		52	5.62	30	Pass
		106	5.41	30	Pass
		242	5.54	30	Pass
		484	5.75	30	Pass
11be(EHT160)	CH143	26	6.52	30	Pass
		52	5.51	30	Pass
		106	5.42	30	Pass

		242	5.34	30	Pass
		484	5.55	30	Pass
		996	5.64	30	Pass
11be(EHT320)	CH127	26	6.00	30	Pass
		52	5.70	30	Pass
		106	5.44	30	Pass
		242	5.61	30	Pass
		484	5.66	30	Pass
		996	5.53	30	Pass
	CH159	26	5.51	30	Pass
		52	5.40	30	Pass
		106	5.75	30	Pass
		242	5.30	30	Pass
		484	5.28	30	Pass
		996	5.40	30	Pass

U-NII-8 (6875 - 7125 MHz)				
Mode	Channel	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)(SU)	CH185	12.63	30	Pass
11ax(HE20)(SU)	CH209	12.78	30	Pass
11ax(HE20)(SU)	CH229	12.87	30	Pass
11ax(HE20)(SU)	CH233	12.85	30	Pass
11ax(HE40)(SU)	CH187	12.74	30	Pass
11ax(HE40)(SU)	CH211	12.53	30	Pass
11ax(HE40)(SU)	CH227	12.66	30	Pass
11ax(HE80)(SU)	CH183	12.42	30	Pass
11ax(HE80)(SU)	CH199	12.31	30	Pass
11ax(HE80)(SU)	CH215	12.38	30	Pass
11ax(HE160)(SU)	CH175	13.02	30	Pass
11ax(HE160)(SU)	CH207	12.80	30	Pass
11be(EHT20)(SU)	CH185	12.95	30	Pass
11be(EHT20)(SU)	CH209	12.96	30	Pass
11be(EHT20)(SU)	CH229	12.80	30	Pass
11be(EHT20)(SU)	CH233	12.90	30	Pass
11be(EHT40)(SU)	CH187	12.52	30	Pass
11be(EHT40)(SU)	CH211	12.44	30	Pass
11be(EHT40)(SU)	CH227	12.66	30	Pass
11be(EHT80)(SU)	CH183	12.26	30	Pass
11be(EHT80)(SU)	CH199	12.13	30	Pass
11be(EHT80)(SU)	CH215	12.29	30	Pass
11be(EHT160)(SU)	CH175	13.00	30	Pass
11be(EHT160)(SU)	CH207	12.77	30	Pass
11be(EHT320)(SU)	CH191	12.95	30	Pass

U-NII-8 (6875 - 7125 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11ax(HE20)	CH185	26	4.95	30	Pass
		52	5.43	30	Pass
		106	5.32	30	Pass
	CH209	26	4.61	30	Pass
		52	5.41	30	Pass
		106	5.71	30	Pass
	CH229	26	5.01	30	Pass
		52	5.35	30	Pass
		106	5.71	30	Pass
	CH233	26	4.91	30	Pass
		52	5.48	30	Pass
		106	5.38	30	Pass
11ax(HE40)	CH187	26	4.80	30	Pass
		52	5.65	30	Pass
		106	5.54	30	Pass
		242	5.60	30	Pass
	CH211	26	4.75	30	Pass
		52	5.52	30	Pass
		106	5.58	30	Pass
		242	5.66	30	Pass
	CH227	26	4.82	30	Pass
		52	5.42	30	Pass
		106	5.30	30	Pass
		242	5.39	30	Pass
11ax(HE80)	CH183	26	4.95	30	Pass
		52	5.32	30	Pass
		106	5.77	30	Pass
		242	5.38	30	Pass
		484	5.42	30	Pass
	CH199	26	5.15	30	Pass
		52	5.73	30	Pass
		106	5.26	30	Pass
		242	5.57	30	Pass
		484	5.65	30	Pass
	CH215	26	4.88	30	Pass
		52	5.26	30	Pass
		106	5.37	30	Pass
		242	5.44	30	Pass
		484	5.35	30	Pass

11ax(HE160)	CH175	26	6.89	30	Pass
		52	5.65	30	Pass
		106	5.65	30	Pass
		242	5.57	30	Pass
		484	5.49	30	Pass
		996	5.66	30	Pass
	CH207	26	5.97	30	Pass
		52	5.45	30	Pass
		106	5.35	30	Pass
		242	5.70	30	Pass
		484	5.54	30	Pass
		996	5.54	30	Pass

U-NII-8 (6875 - 7125 MHz)					
Mode	Channel	RU Config	EIRP (dBm)	EIRP Limit (dBm)	Verdict
11be(EHT20)	CH185	26	5.07	30	Pass
		52	5.25	30	Pass
		106	5.49	30	Pass
	CH209	26	4.96	30	Pass
		52	5.74	30	Pass
		106	5.38	30	Pass
	CH229	26	5.09	30	Pass
		52	5.48	30	Pass
		106	5.40	30	Pass
	CH233	26	4.97	30	Pass
		52	5.58	30	Pass
		106	5.30	30	Pass
11be(EHT40)	CH187	26	5.09	30	Pass
		52	5.71	30	Pass
		106	5.49	30	Pass
		242	5.70	30	Pass
	CH211	26	4.93	30	Pass
		52	5.58	30	Pass
		106	5.38	30	Pass
		242	5.34	30	Pass
	CH227	26	4.78	30	Pass
		52	5.55	30	Pass
		106	5.62	30	Pass
		242	5.72	30	Pass
11be(EHT80)	CH183	26	5.23	30	Pass
		52	5.60	30	Pass
		106	5.28	30	Pass
		242	5.38	30	Pass
		484	5.66	30	Pass
	CH199	26	5.18	30	Pass
		52	5.67	30	Pass
		106	5.51	30	Pass
		242	5.29	30	Pass
		484	5.34	30	Pass
	CH215	26	4.83	30	Pass
		52	5.68	30	Pass
		106	5.39	30	Pass
		242	5.58	30	Pass
		484	5.53	30	Pass

11be(EHT160)	CH175	26	6.63	30	Pass
		52	5.43	30	Pass
		106	5.67	30	Pass
		242	5.51	30	Pass
		484	5.63	30	Pass
		996	5.34	30	Pass
	CH207	26	6.10	30	Pass
		52	5.50	30	Pass
		106	5.66	30	Pass
		242	5.42	30	Pass
		484	5.39	30	Pass
		996	5.51	30	Pass
11be(EHT320)	CH191	26	6.59	30	Pass
		52	5.57	30	Pass
		106	5.53	30	Pass
		242	5.38	30	Pass
		484	5.46	30	Pass
		996	5.47	30	Pass

A.2 Emission Bandwidth & 99% Bandwidth

Note¹: Test plots please refer to the document “Annex No.: BL-SZ2510665-603 Data Part 1.pdf”.

Note²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note³: All antenna were pre tested, but only the worst case has been reported in this report.

Test Data

Aux. Antenna

U-NII-5 (5925 - 6425 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11ax(HE20)(SU)	CH1	22.62	18.99
11ax(HE20)(SU)	CH45	22.90	18.99
11ax(HE20)(SU)	CH93	22.36	19.01
11ax(HE40)(SU)	CH3	43.88	37.81
11ax(HE40)(SU)	CH43	43.42	37.82
11ax(HE40)(SU)	CH91	43.40	37.83
11ax(HE80)(SU)	CH7	83.53	76.91
11ax(HE80)(SU)	CH39	83.11	76.91
11ax(HE80)(SU)	CH87	83.36	76.83
11ax(HE160)(SU)	CH15	169.20	156.82
11ax(HE160)(SU)	CH47	169.20	156.94
11ax(HE160)(SU)	CH79	171.90	156.86
11be(EHT20)(SU)	CH1	22.36	18.98
11be(EHT20)(SU)	CH45	22.81	18.99
11be(EHT20)(SU)	CH93	22.23	19.02
11be(EHT40)(SU)	CH3	43.85	37.83
11be(EHT40)(SU)	CH43	43.45	37.80
11be(EHT40)(SU)	CH91	43.65	43.64
11be(EHT80)(SU)	CH7	84.42	76.93
11be(EHT80)(SU)	CH39	83.40	76.93
11be(EHT80)(SU)	CH87	83.29	76.83
11be(EHT160)(SU)	CH15	170.00	156.87
11be(EHT160)(SU)	CH47	169.00	156.99
11be(EHT160)(SU)	CH79	170.70	156.84
11be(EHT320)(SU)	CH31	330.30	312.78
11be(EHT320)(SU)	CH63	331.30	312.78
11be(EHT320)(SU)	CH95	328.80	313.13

U-NII-6 (6425 - 6525 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11ax(HE20)(SU)	CH97	22.53	18.99
11ax(HE20)(SU)	CH105	22.60	18.98
11ax(HE20)(SU)	CH113	22.17	18.98
11ax(HE40)(SU)	CH99	43.08	37.83
11ax(HE40)(SU)	CH107	43.41	37.82
11ax(HE80)(SU)	CH103	83.62	77.01
11ax(HE80)(SU)	CH119	82.99	76.91
11ax(HE160)(SU)	CH111	170.10	156.82
11be(EHT20)(SU)	CH97	22.48	18.96
11be(EHT20)(SU)	CH105	22.77	18.99
11be(EHT20)(SU)	CH113	22.83	18.98
11be(EHT40)(SU)	CH99	43.39	37.83
11be(EHT40)(SU)	CH107	43.58	37.78
11be(EHT80)(SU)	CH103	83.94	76.85
11be(EHT80)(SU)	CH119	84.05	76.86
11be(EHT160)(SU)	CH111	171.30	156.86

U-NII-7 (6525 - 6875 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11ax(HE20)(SU)	CH117	22.43	18.97
11ax(HE20)(SU)	CH149	22.46	19.00
11ax(HE20)(SU)	CH181	22.50	18.99
11ax(HE40)(SU)	CH115	43.00	37.81
11ax(HE40)(SU)	CH147	43.30	37.85
11ax(HE40)(SU)	CH179	42.78	37.84
11ax(HE80)(SU)	CH135	83.75	77.02
11ax(HE80)(SU)	CH151	84.24	76.92
11ax(HE80)(SU)	CH167	84.16	76.93
11ax(HE160)(SU)	CH143	171.80	156.85
11be(EHT20)(SU)	CH117	22.39	18.98
11be(EHT20)(SU)	CH149	22.79	18.96
11be(EHT20)(SU)	CH181	22.43	19.00
11be(EHT40)(SU)	CH115	43.40	37.84
11be(EHT40)(SU)	CH147	42.66	37.85
11be(EHT40)(SU)	CH179	42.97	37.81
11be(EHT80)(SU)	CH135	83.88	76.87
11be(EHT80)(SU)	CH151	83.38	76.85
11be(EHT80)(SU)	CH167	83.93	76.99
11be(EHT160)(SU)	CH143	170.60	156.80
11be(EHT320)(SU)	CH127	329.50	312.07
11be(EHT320)(SU)	CH159	329.30	312.68

U-NII-8 (6875 - 7125 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11ax(HE20)(SU)	CH185	22.56	18.98
11ax(HE20)(SU)	CH209	22.42	18.99
11ax(HE20)(SU)	CH229	22.29	18.98
11ax(HE20)(SU)	CH233	22.37	18.98
11ax(HE40)(SU)	CH187	43.22	37.77
11ax(HE40)(SU)	CH211	43.34	37.81
11ax(HE40)(SU)	CH227	43.73	37.82
11ax(HE80)(SU)	CH183	83.52	77.03
11ax(HE80)(SU)	CH199	83.71	76.94
11ax(HE80)(SU)	CH215	83.87	77.01
11ax(HE160)(SU)	CH175	172.10	156.84
11ax(HE160)(SU)	CH207	172.10	156.72
11be(EHT20)(SU)	CH185	22.43	18.98
11be(EHT20)(SU)	CH209	22.74	18.98
11be(EHT20)(SU)	CH229	22.61	19.00
11be(EHT20)(SU)	CH233	23.14	18.96
11be(EHT40)(SU)	CH187	43.51	37.83
11be(EHT40)(SU)	CH211	43.44	37.82
11be(EHT40)(SU)	CH227	43.18	37.82
11be(EHT80)(SU)	CH183	83.53	76.89
11be(EHT80)(SU)	CH199	84.48	76.99
11be(EHT80)(SU)	CH215	82.98	76.93
11be(EHT160)(SU)	CH175	171.60	156.82
11be(EHT160)(SU)	CH207	168.90	156.90
11be(EHT320)(SU)	CH191	329.60	312.69

A.3 Power Spectral Density

Note¹: Test plots please refer to the document “Annex No.: BL-SZ2510665-603 Data Part 2.pdf”.

Note²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note³: All antenna were pre tested, but only the worst case has been reported in this report.

Note⁴: The PSD has considered the Duty Factor.

Test Data

Aux. Antenna

U-NII-5 (5925 - 6425 MHz)				
Mode	Channel	EIRP PSD (dBm/MHz)	EIRP Limit (dBm/MHz)	Verdict
11ax(HE20)(SU)	CH1	3.64	5.00	Pass
11ax(HE20)(SU)	CH45	3.42	5.00	Pass
11ax(HE20)(SU)	CH93	2.86	5.00	Pass
11ax(HE40)(SU)	CH3	0.18	5.00	Pass
11ax(HE40)(SU)	CH43	-0.02	5.00	Pass
11ax(HE40)(SU)	CH91	-0.55	5.00	Pass
11ax(HE80)(SU)	CH7	-2.54	5.00	Pass
11ax(HE80)(SU)	CH39	-2.88	5.00	Pass
11ax(HE80)(SU)	CH87	-3.39	5.00	Pass
11ax(HE160)(SU)	CH15	-6.07	5.00	Pass
11ax(HE160)(SU)	CH47	-6.28	5.00	Pass
11ax(HE160)(SU)	CH79	-7.17	5.00	Pass
11be(EHT20)(SU)	CH1	3.54	5.00	Pass
11be(EHT20)(SU)	CH45	3.38	5.00	Pass
11be(EHT20)(SU)	CH93	2.92	5.00	Pass
11be(EHT40)(SU)	CH3	0.07	5.00	Pass
11be(EHT40)(SU)	CH43	-0.02	5.00	Pass
11be(EHT40)(SU)	CH91	-0.69	5.00	Pass
11be(EHT80)(SU)	CH7	-2.83	5.00	Pass
11be(EHT80)(SU)	CH39	-3.01	5.00	Pass
11be(EHT80)(SU)	CH87	-3.70	5.00	Pass
11be(EHT160)(SU)	CH15	-6.24	5.00	Pass
11be(EHT160)(SU)	CH47	-6.34	5.00	Pass
11be(EHT160)(SU)	CH79	-7.32	5.00	Pass
11be(EHT320)(SU)	CH31	-8.14	5.00	Pass
11be(EHT320)(SU)	CH63	-8.70	5.00	Pass
11be(EHT320)(SU)	CH95	-8.74	5.00	Pass

U-NII-5 (5925 - 6425 MHz)					
Mode	Channel	RU Config	EIRP PSD (dBm/MHz)	EIRP Limit (dBm/MHz)	Verdict
11ax(HE20)	CH1	26	3.17	5.00	Pass
	CH45	26	2.88	5.00	Pass
	CH93	26	2.38	5.00	Pass
11ax(HE40)	CH3	26	3.04	5.00	Pass
	CH43	26	2.89	5.00	Pass
	CH91	26	2.03	5.00	Pass
11ax(HE80)	CH7	26	2.99	5.00	Pass
	CH39	26	2.64	5.00	Pass
	CH87	26	2.29	5.00	Pass
11ax(HE160)	CH15	26	3.78	5.00	Pass
	CH47	26	3.48	5.00	Pass
	CH79	26	2.83	5.00	Pass

U-NII-5 (5925 - 6425 MHz)					
Mode	Channel	RU Config	EIRP PSD (dBm/MHz)	EIRP Limit (dBm/MHz)	Verdict
11be(EHT20)	CH1	26	3.16	5.00	Pass
	CH45	26	2.89	5.00	Pass
	CH93	26	2.54	5.00	Pass
11be(EHT40)	CH3	26	3.12	5.00	Pass
	CH43	26	3.02	5.00	Pass
	CH91	26	2.14	5.00	Pass
11be(EHT80)	CH7	26	3.02	5.00	Pass
	CH39	26	2.96	5.00	Pass
	CH87	26	2.33	5.00	Pass
11be(EHT160)	CH15	26	3.74	5.00	Pass
	CH47	26	3.85	5.00	Pass
	CH79	26	2.89	5.00	Pass
11be(EHT320)	CH31	26	3.63	5.00	Pass
	CH63	26	3.57	5.00	Pass

U-NII-6 (6425 - 6525 MHz)				
Mode	Channel	EIRP PSD (dBm/MHz)	EIRP Limit (dBm/MHz)	Verdict
11ax(HE20)(SU)	CH97	2.65	5.00	Pass
11ax(HE20)(SU)	CH105	2.79	5.00	Pass
11ax(HE20)(SU)	CH113	3.23	5.00	Pass
11ax(HE40)(SU)	CH99	-0.75	5.00	Pass
11ax(HE40)(SU)	CH107	-0.52	5.00	Pass
11ax(HE80)(SU)	CH103	-3.53	5.00	Pass
11ax(HE80)(SU)	CH119	-3.06	5.00	Pass
11ax(HE160)(SU)	CH111	-6.35	5.00	Pass
11be(EHT20)(SU)	CH97	2.70	5.00	Pass
11be(EHT20)(SU)	CH105	2.75	5.00	Pass
11be(EHT20)(SU)	CH113	3.20	5.00	Pass
11be(EHT40)(SU)	CH99	-0.92	5.00	Pass
11be(EHT40)(SU)	CH107	-0.66	5.00	Pass
11be(EHT80)(SU)	CH103	-3.74	5.00	Pass
11be(EHT80)(SU)	CH119	-3.35	5.00	Pass
11be(EHT160)(SU)	CH111	-6.52	5.00	Pass

U-NII-6 (6425 - 6525 MHz)					
Mode	Channel	RU Config	EIRP PSD (dBm/MHz)	EIRP Limit (dBm/MHz)	Verdict
11ax(HE20)	CH97	26	2.37	5.00	Pass
	CH105	26	2.37	5.00	Pass
	CH113	26	2.81	5.00	Pass
11ax(HE40)	CH99	26	2.27	5.00	Pass
	CH107	26	2.43	5.00	Pass
11ax(HE80)	CH103	26	2.25	5.00	Pass
	CH119	26	2.69	5.00	Pass
11ax(HE160)	CH111	26	3.85	5.00	Pass

U-NII-6 (6425 - 6525 MHz)					
Mode	Channel	RU Config	EIRP PSD (dBm/MHz)	EIRP Limit (dBm/MHz)	Verdict
11be(EHT20)	CH97	26	2.42	5.00	Pass
	CH105	26	2.43	5.00	Pass
	CH113	26	2.86	5.00	Pass
11be(EHT40)	CH99	26	2.34	5.00	Pass
	CH107	26	2.38	5.00	Pass
11be(EHT80)	CH103	26	2.16	5.00	Pass
	CH119	26	2.74	5.00	Pass
11be(EHT160)	CH111	26	3.28	5.00	Pass

U-NII-7 (6525 - 6825 MHz)				
Mode	Channel	EIRP PSD (dBm/MHz)	EIRP Limit (dBm/MHz)	Verdict
11ax(HE20)(SU)	CH117	3.18	5.00	Pass
11ax(HE20)(SU)	CH149	3.20	5.00	Pass
11ax(HE20)(SU)	CH181	2.91	5.00	Pass
11ax(HE40)(SU)	CH115	-0.09	5.00	Pass
11ax(HE40)(SU)	CH147	-0.03	5.00	Pass
11ax(HE40)(SU)	CH179	-0.26	5.00	Pass
11ax(HE80)(SU)	CH135	-3.57	5.00	Pass
11ax(HE80)(SU)	CH151	-3.29	5.00	Pass
11ax(HE80)(SU)	CH167	-3.53	5.00	Pass
11ax(HE160)(SU)	CH143	-6.63	5.00	Pass
11be(EHT20)(SU)	CH117	3.24	5.00	Pass
11be(EHT20)(SU)	CH149	3.32	5.00	Pass
11be(EHT20)(SU)	CH181	2.93	5.00	Pass
11be(EHT40)(SU)	CH115	-0.37	5.00	Pass
11be(EHT40)(SU)	CH147	-0.18	5.00	Pass
11be(EHT40)(SU)	CH179	-0.40	5.00	Pass
11be(EHT80)(SU)	CH135	-4.58	5.00	Pass
11be(EHT80)(SU)	CH151	-3.18	5.00	Pass
11be(EHT80)(SU)	CH167	-3.46	5.00	Pass
11be(EHT160)(SU)	CH143	-6.77	5.00	Pass
11be(EHT320)(SU)	CH127	-8.33	5.00	Pass
11be(EHT320)(SU)	CH159	-8.74	5.00	Pass

U-NII-7 (6525 - 6875 MHz)					
Mode	Channel	RU Config	EIRP PSD (dBm/MHz)	EIRP Limit (dBm/MHz)	Verdict
11ax(HE20)	CH117	26	2.86	5.00	Pass
	CH153	26	2.84	5.00	Pass
	CH181	26	2.37	5.00	Pass
11ax(HE40)	CH115	26	2.70	5.00	Pass
	CH147	26	2.77	5.00	Pass
	CH179	26	2.32	5.00	Pass
11ax(HE80)	CH135	26	2.58	5.00	Pass
	CH151	26	2.78	5.00	Pass
	CH1167	26	2.50	5.00	Pass
11ax(HE160)	CH143	26	4.32	5.00	Pass

U-NII-7 (6525 - 6875 MHz)					
Mode	Channel	RU Config	EIRP PSD (dBm/MHz)	EIRP Limit (dBm/MHz)	Verdict
11be(EHT20)	CH117	26	2.88	5.00	Pass
	CH149	26	2.94	5.00	Pass
	CH181	26	2.47	5.00	Pass
11be(EHT40)	CH115	26	2.75	5.00	Pass
	CH147	26	2.81	5.00	Pass
	CH179	26	2.42	5.00	Pass
11be(EHT80)	CH135	26	2.69	5.00	Pass
	CH151	26	2.82	5.00	Pass
	CH167	26	2.61	5.00	Pass
11be(EHT160)	CH143	26	3.77	5.00	Pass
11be(EHT320)	CH127	26	3.03	5.00	Pass

U-NII-8 (6875 - 7125 MHz)				
Mode	Channel	EIRP PSD (dBm/MHz)	EIRP Limit (dBm/MHz)	Verdict
11ax(HE20)(SU)	CH185	2.70	5.00	Pass
11ax(HE20)(SU)	CH209	2.85	5.00	Pass
11ax(HE20)(SU)	CH229	2.98	5.00	Pass
11ax(HE20)(SU)	CH233	3.00	5.00	Pass
11ax(HE40)(SU)	CH187	-0.60	5.00	Pass
11ax(HE40)(SU)	CH211	-0.53	5.00	Pass
11ax(HE40)(SU)	CH227	-0.28	5.00	Pass
11ax(HE80)(SU)	CH183	-3.45	5.00	Pass
11ax(HE80)(SU)	CH199	-3.36	5.00	Pass
11ax(HE80)(SU)	CH215	-3.38	5.00	Pass
11ax(HE160)(SU)	CH175	-6.61	5.00	Pass
11ax(HE160)(SU)	CH207	-6.52	5.00	Pass
11be(EHT20)(SU)	CH185	2.82	5.00	Pass
11be(EHT20)(SU)	CH209	2.93	5.00	Pass
11be(EHT20)(SU)	CH229	3.00	5.00	Pass
11be(EHT20)(SU)	CH233	3.12	5.00	Pass
11be(EHT40)(SU)	CH187	-0.68	5.00	Pass
11be(EHT40)(SU)	CH211	-0.67	5.00	Pass
11be(EHT40)(SU)	CH227	-0.44	5.00	Pass
11be(EHT80)(SU)	CH183	-3.77	5.00	Pass
11be(EHT80)(SU)	CH199	-3.69	5.00	Pass
11be(EHT80)(SU)	CH215	-3.51	5.00	Pass
11be(EHT160)(SU)	CH175	-6.67	5.00	Pass
11be(EHT160)(SU)	CH207	-6.74	5.00	Pass
11be(EHT320)(SU)	CH191	-9.01	5.00	Pass

U-NII-8 (6875 - 7125 MHz)					
Mode	Channel	RU Config	EIRP PSD (dBm/MHz)	EIRP Limit (dBm/MHz)	Verdict
11ax(HE20)	CH185	26	2.32	5.00	Pass
	CH209	26	2.37	5.00	Pass
	CH229	26	2.65	5.00	Pass
	CH233	26	2.53	5.00	Pass
11ax(HE40)	CH187	26	2.29	5.00	Pass
	CH211	26	2.31	5.00	Pass
	CH227	26	2.38	5.00	Pass
11ax(HE80)	CH183	26	2.41	5.00	Pass
	CH199	26	2.49	5.00	Pass
	CH215	26	2.31	5.00	Pass
11ax(HE160)	CH175	26	3.76	5.00	Pass
	CH207	26	3.44	5.00	Pass

U-NII-8 (6875 - 7125 MHz)					
Mode	Channel	RU Config	EIRP PSD (dBm/MHz)	EIRP Limit (dBm/MHz)	Verdict
11be(EHT20)	CH185	26	2.50	5.00	Pass
	CH209	26	2.36	5.00	Pass
	CH229	26	2.72	5.00	Pass
	CH233	26	2.54	5.00	Pass
11be(EHT40)	CH187	26	2.38	5.00	Pass
	CH211	26	2.29	5.00	Pass
	CH227	26	2.37	5.00	Pass
11be(EHT80)	CH183	26	2.49	5.00	Pass
	CH199	26	2.57	5.00	Pass
	CH215	26	2.27	5.00	Pass
11be(EHT160)	CH175	26	3.68	5.00	Pass
	CH207	26	3.66	5.00	Pass
11be(EHT320)	CH191	26	3.39	5.00	Pass

A.4 Conducted Emissions


Note¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.152	50.75	9.78	65.89	15.14	Peak	L	Pass
1**	0.152	33.63	9.78	55.89	22.26	AV	L	Pass
2	0.192	47.95	9.77	63.95	16.00	Peak	L	Pass
2**	0.192	29.44	9.77	53.95	24.51	AV	L	Pass
3	0.484	38.67	10.00	56.27	17.60	Peak	L	Pass
3**	0.484	27.17	10.00	46.27	19.10	AV	L	Pass
4	2.286	35.54	10.29	56.00	20.46	Peak	L	Pass
4**	2.286	25.13	10.29	46.00	20.87	AV	L	Pass
5	4.088	35.80	10.44	56.00	20.20	Peak	L	Pass
5**	4.088	24.48	10.44	46.00	21.52	AV	L	Pass
6	21.018	37.60	11.25	60.00	22.40	Peak	L	Pass
6**	21.018	26.09	11.25	50.00	23.91	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.156	50.76	9.78	65.67	14.91	Peak	N	Pass
1**	0.156	32.93	9.78	55.67	22.74	AV	N	Pass
2	0.222	41.99	9.77	62.74	20.75	Peak	N	Pass
2**	0.222	26.33	9.77	52.74	26.41	AV	N	Pass
3	0.346	38.16	10.68	59.06	20.90	Peak	N	Pass
3**	0.346	25.74	10.68	49.06	23.32	AV	N	Pass
4	1.156	35.82	10.33	56.00	20.18	Peak	N	Pass
4**	1.156	24.82	10.33	46.00	21.18	AV	N	Pass
5	2.444	35.68	10.19	56.00	20.32	Peak	N	Pass
5**	2.444	24.72	10.19	46.00	21.28	AV	N	Pass
6	17.160	37.73	10.74	60.00	22.27	Peak	N	Pass
6**	17.160	25.61	10.74	50.00	24.39	AV	N	Pass

A.5 Radiated Spurious Emissions and Band Edge (Restricted-band)

Note¹: The symbol of “--” in the table which means not application.

Note²: For the test data above 1 GHz, According the ANSI C63.4, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.


Note⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Note⁵: For Multiple transmitter output, the quantity $10 \log (NANT)$ dB is added to each spectrum value before comparing to the emission limit. When testing out-of-band and spurious emissions against relative emission limits, tests may be performed on each output individually without summing or adding $10 \log (NANT)$ if the measurements are made relative to the in-band emissions on the individual outputs.

Test Data and Plots

30 MHz to 1 GHz, ANT H


10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	215.709	19.03	-28.90	33.0	13.97	Peak	99.00	200	Horizontal	Pass
2	334.504	28.42	-23.88	35.5	7.08	Peak	288.00	200	Horizontal	Pass
3	374.991	24.11	-22.99	35.5	11.39	Peak	338.00	200	Horizontal	Pass
4	499.848	30.55	-19.33	35.5	4.95	Peak	282.00	200	Horizontal	Pass
5	624.983	33.97	-15.73	35.5	1.53	Peak	267.00	142	Horizontal	N/A
5*	624.983	32.29	-15.73	35.5	3.21	QP	267.00	142	Horizontal	Pass
6	874.976	34.82	-11.18	35.5	0.68	Peak	143.00	100	Horizontal	N/A
6*	874.976	32.29	-11.18	35.5	3.21	QP	143.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	63.112	25.07	-26.96	29.5	4.43	Peak	139.00	129	Vertical	N/A
1*	63.112	21.17	-26.96	29.5	8.33	QP	139.00	129	Vertical	Pass
2	132.794	28.21	-26.86	33.0	4.79	Peak	294.00	200	Vertical	Pass
3	177.646	29.30	-26.97	33.0	3.70	Peak	236.00	100	Vertical	Pass
4	215.596	31.76	-28.90	33.0	1.24	Peak	47.00	140	Vertical	N/A
4*	215.596	22.95	-28.90	33.0	10.05	QP	47.00	140	Vertical	Pass
5	499.986	33.99	-19.33	35.5	1.51	Peak	258.00	100	Vertical	N/A
5*	499.986	32.01	-19.33	35.5	3.49	QP	258.00	100	Vertical	Pass
6	874.901	32.40	-11.18	35.5	3.10	Peak	112.00	200	Vertical	Pass

Note ¹: The spurious above 18G is noise only, do not show on the report.

Note ²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note ³: All antenna were pre tested, but only the worst case has been reported in this report.

Aux. Antenna

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.428	44.09	88.2	44.11	Peak	333.00	300	Horizontal	Pass
1**	2094.428	30.52	68.2	37.68	AV	333.00	300	Horizontal	Pass
2	4812.633	49.70	74.0	24.30	Peak	39.00	300	Horizontal	Pass
2**	4812.633	39.01	54.0	14.99	AV	39.00	300	Horizontal	Pass
3	4904.248	51.87	74.0	22.13	Peak	209.00	200	Horizontal	Pass
3**	4904.248	38.83	54.0	15.17	AV	209.00	200	Horizontal	Pass
4	7949.342	53.94	88.2	34.26	Peak	263.00	400	Horizontal	Pass
4**	7949.342	45.59	68.2	22.61	AV	263.00	400	Horizontal	Pass
5	14440.407	57.95	88.2	30.25	Peak	93.00	300	Horizontal	Pass
5**	14440.407	48.03	68.2	20.17	AV	93.00	300	Horizontal	Pass
6	17436.623	57.66	88.2	30.54	Peak	318.00	400	Horizontal	Pass
6**	17436.623	44.10	68.2	24.10	AV	318.00	400	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.632	40.53	74.0	33.47	Peak	354.00	200	Vertical	Pass
1**	1532.632	26.74	54.0	27.26	AV	354.00	200	Vertical	Pass
2	2336.330	44.35	74.0	29.65	Peak	7.00	300	Vertical	Pass
2**	2336.330	37.91	54.0	16.09	AV	7.00	300	Vertical	Pass
3	4898.714	49.60	74.0	24.40	Peak	208.00	200	Vertical	Pass
3**	4898.714	37.87	54.0	16.13	AV	208.00	200	Vertical	Pass
4	7328.498	55.89	74.0	18.11	Peak	140.00	300	Vertical	Pass
4**	7328.498	46.53	54.0	7.47	AV	140.00	300	Vertical	Pass
5	12484.606	52.46	74.0	21.54	Peak	20.00	200	Vertical	Pass
5**	12484.606	42.16	54.0	11.84	AV	20.00	200	Vertical	Pass
6	15694.859	53.45	74.0	20.55	Peak	219.00	100	Vertical	Pass
6**	15694.859	42.31	54.0	11.69	AV	219.00	100	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.581	42.30	88.2	45.90	Peak	81.00	400	Horizontal	Pass
1**	2099.581	32.23	68.2	35.97	AV	81.00	400	Horizontal	Pass
2	4812.035	47.23	74.0	26.77	Peak	280.00	400	Horizontal	Pass
2**	4812.035	43.82	54.0	10.18	AV	280.00	400	Horizontal	Pass
3	4898.923	52.93	74.0	21.07	Peak	225.00	200	Horizontal	Pass
3**	4898.923	40.19	54.0	13.81	AV	225.00	200	Horizontal	Pass
4	7955.626	55.29	88.2	32.91	Peak	295.00	400	Horizontal	Pass
4**	7955.626	41.51	68.2	26.69	AV	295.00	400	Horizontal	Pass
5	14444.243	56.11	88.2	32.09	Peak	134.00	400	Horizontal	Pass
5**	14444.243	47.55	68.2	20.65	AV	134.00	400	Horizontal	Pass
6	17429.847	54.30	88.2	33.90	Peak	142.00	400	Horizontal	Pass
6**	17429.847	42.67	68.2	25.53	AV	142.00	400	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.051	40.54	74.0	33.46	Peak	264.00	300	Vertical	Pass
1**	1528.051	28.48	54.0	25.52	AV	264.00	300	Vertical	Pass
2	2338.160	42.03	74.0	31.97	Peak	55.00	400	Vertical	Pass
2**	2338.160	38.19	54.0	15.81	AV	55.00	400	Vertical	Pass
3	4903.626	47.71	74.0	26.29	Peak	0.00	200	Vertical	Pass
3**	4903.626	41.53	54.0	12.47	AV	0.00	200	Vertical	Pass
4	7323.863	52.68	74.0	21.32	Peak	201.00	300	Vertical	Pass
4**	7323.863	43.95	54.0	10.05	AV	201.00	300	Vertical	Pass
5	12483.824	51.83	74.0	22.17	Peak	255.00	300	Vertical	Pass
5**	12483.824	43.80	54.0	10.20	AV	255.00	300	Vertical	Pass
6	15693.387	50.96	74.0	23.04	Peak	299.00	400	Vertical	Pass
6**	15693.387	42.99	54.0	11.01	AV	299.00	400	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.842	43.42	88.2	44.78	Peak	143.00	300	Horizontal	Pass
1**	2094.842	34.71	68.2	33.49	AV	143.00	300	Horizontal	Pass
2	4815.591	50.48	74.0	23.52	Peak	318.00	300	Horizontal	Pass
2**	4815.591	40.92	54.0	13.08	AV	318.00	300	Horizontal	Pass
3	4899.760	48.76	74.0	25.24	Peak	92.00	200	Horizontal	Pass
3**	4899.760	38.66	54.0	15.34	AV	92.00	200	Horizontal	Pass
4	7955.399	54.39	88.2	33.81	Peak	176.00	200	Horizontal	Pass
4**	7955.399	46.70	68.2	21.50	AV	176.00	200	Horizontal	Pass
5	14439.178	56.30	88.2	31.90	Peak	99.00	300	Horizontal	Pass
5**	14439.178	44.50	68.2	23.70	AV	99.00	300	Horizontal	Pass
6	17436.892	55.07	88.2	33.13	Peak	95.00	400	Horizontal	Pass
6**	17436.892	47.11	68.2	21.09	AV	95.00	400	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.663	39.27	74.0	34.73	Peak	107.00	300	Vertical	Pass
1**	1531.663	31.42	54.0	22.58	AV	107.00	300	Vertical	Pass
2	2331.691	46.68	74.0	27.32	Peak	17.00	300	Vertical	Pass
2**	2331.691	33.63	54.0	20.37	AV	17.00	300	Vertical	Pass
3	4896.563	49.22	74.0	24.78	Peak	105.00	200	Vertical	Pass
3**	4896.563	39.71	54.0	14.29	AV	105.00	200	Vertical	Pass
4	7324.124	55.83	74.0	18.17	Peak	28.00	400	Vertical	Pass
4**	7324.124	46.28	54.0	7.72	AV	28.00	400	Vertical	Pass
5	12488.890	53.98	74.0	20.02	Peak	346.00	100	Vertical	Pass
5**	12488.890	45.79	54.0	8.21	AV	346.00	100	Vertical	Pass
6	15691.515	52.61	74.0	21.39	Peak	59.00	200	Vertical	Pass
6**	15691.515	41.46	54.0	12.54	AV	59.00	200	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.862	44.48	88.2	43.72	Peak	125.00	300	Horizontal	Pass
1**	2097.862	32.67	68.2	35.53	AV	125.00	300	Horizontal	Pass
2	4808.913	49.76	74.0	24.24	Peak	243.00	100	Horizontal	Pass
2**	4808.913	42.64	54.0	11.36	AV	243.00	100	Horizontal	Pass
3	4899.075	50.66	74.0	23.34	Peak	242.00	200	Horizontal	Pass
3**	4899.075	39.51	54.0	14.49	AV	242.00	200	Horizontal	Pass
4	7949.403	52.59	88.2	35.61	Peak	17.00	200	Horizontal	Pass
4**	7949.403	42.77	68.2	25.43	AV	17.00	200	Horizontal	Pass
5	14442.458	57.83	88.2	30.37	Peak	24.00	400	Horizontal	Pass
5**	14442.458	42.84	68.2	25.36	AV	24.00	400	Horizontal	Pass
6	17434.249	52.55	88.2	35.65	Peak	343.00	100	Horizontal	Pass
6**	17434.249	47.63	68.2	20.57	AV	343.00	100	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.319	39.28	74.0	34.72	Peak	198.00	300	Vertical	Pass
1**	1531.319	30.37	54.0	23.63	AV	198.00	300	Vertical	Pass
2	2339.374	47.47	74.0	26.53	Peak	10.00	200	Vertical	Pass
2**	2339.374	36.59	54.0	17.41	AV	10.00	200	Vertical	Pass
3	4901.484	49.44	74.0	24.56	Peak	301.00	200	Vertical	Pass
3**	4901.484	41.38	54.0	12.62	AV	301.00	200	Vertical	Pass
4	7327.273	52.79	74.0	21.21	Peak	129.00	400	Vertical	Pass
4**	7327.273	45.38	54.0	8.62	AV	129.00	400	Vertical	Pass
5	12485.422	52.19	74.0	21.81	Peak	104.00	100	Vertical	Pass
5**	12485.422	45.01	54.0	8.99	AV	104.00	100	Vertical	Pass
6	15688.006	56.43	74.0	17.57	Peak	85.00	100	Vertical	Pass
6**	15688.006	44.43	54.0	9.57	AV	85.00	100	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.348	41.69	88.2	46.51	Peak	93.00	400	Horizontal	Pass
1**	2100.348	34.21	68.2	33.99	AV	93.00	400	Horizontal	Pass
2	4809.626	50.59	74.0	23.41	Peak	337.00	300	Horizontal	Pass
2**	4809.626	43.83	54.0	10.17	AV	337.00	300	Horizontal	Pass
3	4899.104	47.04	74.0	26.96	Peak	93.00	200	Horizontal	Pass
3**	4899.104	41.89	54.0	12.11	AV	93.00	200	Horizontal	Pass
4	7954.356	56.15	88.2	32.05	Peak	339.00	400	Horizontal	Pass
4**	7954.356	44.49	68.2	23.71	AV	339.00	400	Horizontal	Pass
5	14440.893	55.45	88.2	32.75	Peak	87.00	200	Horizontal	Pass
5**	14440.893	46.98	68.2	21.22	AV	87.00	200	Horizontal	Pass
6	17432.431	52.63	88.2	35.57	Peak	144.00	200	Horizontal	Pass
6**	17432.431	44.41	68.2	23.79	AV	144.00	200	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.447	37.34	74.0	36.66	Peak	195.00	300	Vertical	Pass
1**	1529.447	27.18	54.0	26.82	AV	195.00	300	Vertical	Pass
2	2336.038	42.53	74.0	31.47	Peak	119.00	300	Vertical	Pass
2**	2336.038	33.45	54.0	20.55	AV	119.00	300	Vertical	Pass
3	4899.118	50.01	74.0	23.99	Peak	291.00	200	Vertical	Pass
3**	4899.118	38.82	54.0	15.18	AV	291.00	200	Vertical	Pass
4	7327.134	56.17	74.0	17.83	Peak	70.00	400	Vertical	Pass
4**	7327.134	41.66	54.0	12.34	AV	70.00	400	Vertical	Pass
5	12487.191	53.62	74.0	20.38	Peak	19.00	400	Vertical	Pass
5**	12487.191	45.29	54.0	8.71	AV	19.00	400	Vertical	Pass
6	15694.680	51.26	74.0	22.74	Peak	288.00	300	Vertical	Pass
6**	15694.680	44.21	54.0	9.79	AV	288.00	300	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2093.390	43.38	88.2	44.82	Peak	190.00	400	Horizontal	Pass
1**	2093.390	34.37	68.2	33.83	AV	190.00	400	Horizontal	Pass
2	4808.070	50.42	74.0	23.58	Peak	230.00	200	Horizontal	Pass
2**	4808.070	39.31	54.0	14.69	AV	230.00	200	Horizontal	Pass
3	4901.484	49.49	74.0	24.51	Peak	51.00	200	Horizontal	Pass
3**	4901.484	37.08	54.0	16.92	AV	51.00	200	Horizontal	Pass
4	7953.858	54.79	88.2	33.41	Peak	325.00	200	Horizontal	Pass
4**	7953.858	41.69	68.2	26.51	AV	325.00	200	Horizontal	Pass
5	14442.618	53.20	88.2	35.00	Peak	336.00	100	Horizontal	Pass
5**	14442.618	43.93	68.2	24.27	AV	336.00	100	Horizontal	Pass
6	17433.714	56.51	88.2	31.69	Peak	212.00	200	Horizontal	Pass
6**	17433.714	45.76	68.2	22.44	AV	212.00	200	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.734	39.85	74.0	34.15	Peak	76.00	200	Vertical	Pass
1**	1533.734	29.68	54.0	24.32	AV	76.00	200	Vertical	Pass
2	2333.568	42.58	74.0	31.42	Peak	244.00	200	Vertical	Pass
2**	2333.568	38.32	54.0	15.68	AV	244.00	200	Vertical	Pass
3	4901.164	51.81	74.0	22.19	Peak	319.00	200	Vertical	Pass
3**	4901.164	40.71	54.0	13.29	AV	319.00	200	Vertical	Pass
4	7329.375	51.57	74.0	22.43	Peak	131.00	400	Vertical	Pass
4**	7329.375	44.47	54.0	9.53	AV	131.00	400	Vertical	Pass
5	12482.454	55.05	74.0	18.95	Peak	337.00	400	Vertical	Pass
5**	12482.454	46.87	54.0	7.13	AV	337.00	400	Vertical	Pass
6	15691.954	54.58	74.0	19.42	Peak	161.00	100	Vertical	Pass
6**	15691.954	45.66	54.0	8.34	AV	161.00	100	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.734	41.38	88.2	46.82	Peak	0.00	100	Horizontal	Pass
1**	2098.734	31.65	68.2	36.55	AV	0.00	100	Horizontal	Pass
2	4809.548	47.57	74.0	26.43	Peak	117.00	400	Horizontal	Pass
2**	4809.548	39.87	54.0	14.13	AV	117.00	400	Horizontal	Pass
3	4902.683	49.74	74.0	24.26	Peak	65.00	200	Horizontal	Pass
3**	4902.683	40.99	54.0	13.01	AV	65.00	200	Horizontal	Pass
4	7953.318	54.05	88.2	34.15	Peak	46.00	400	Horizontal	Pass
4**	7953.318	45.38	68.2	22.82	AV	46.00	400	Horizontal	Pass
5	14442.341	53.44	88.2	34.76	Peak	313.00	400	Horizontal	Pass
5**	14442.341	46.46	68.2	21.74	AV	313.00	400	Horizontal	Pass
6	17433.217	53.90	88.2	34.30	Peak	234.00	400	Horizontal	Pass
6**	17433.217	48.08	68.2	20.12	AV	234.00	400	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.047	40.87	74.0	33.13	Peak	144.00	400	Vertical	Pass
1**	1533.047	31.20	54.0	22.80	AV	144.00	400	Vertical	Pass
2	2335.014	46.26	74.0	27.74	Peak	124.00	200	Vertical	Pass
2**	2335.014	33.88	54.0	20.12	AV	124.00	200	Vertical	Pass
3	4898.685	49.73	74.0	24.27	Peak	313.00	200	Vertical	Pass
3**	4898.685	37.73	54.0	16.27	AV	313.00	200	Vertical	Pass
4	7326.521	51.75	74.0	22.25	Peak	307.00	100	Vertical	Pass
4**	7326.521	45.96	54.0	8.04	AV	307.00	100	Vertical	Pass
5	12488.090	53.94	74.0	20.06	Peak	18.00	300	Vertical	Pass
5**	12488.090	41.79	54.0	12.21	AV	18.00	300	Vertical	Pass
6	15690.465	56.34	74.0	17.66	Peak	292.00	300	Vertical	Pass
6**	15690.465	44.56	54.0	9.44	AV	292.00	300	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.917	40.64	88.2	47.56	Peak	157.00	100	Horizontal	Pass
1**	2099.917	35.37	68.2	32.83	AV	157.00	100	Horizontal	Pass
2	4812.684	49.10	74.0	24.90	Peak	322.00	100	Horizontal	Pass
2**	4812.684	40.18	54.0	13.82	AV	322.00	100	Horizontal	Pass
3	4899.887	50.59	74.0	23.41	Peak	36.00	200	Horizontal	Pass
3**	4899.887	37.00	54.0	17.00	AV	36.00	200	Horizontal	Pass
4	7949.890	53.03	88.2	35.17	Peak	14.00	400	Horizontal	Pass
4**	7949.890	45.81	68.2	22.39	AV	14.00	400	Horizontal	Pass
5	14438.257	53.32	88.2	34.88	Peak	3.00	300	Horizontal	Pass
5**	14438.257	44.56	68.2	23.64	AV	3.00	300	Horizontal	Pass
6	17434.312	54.22	88.2	33.98	Peak	327.00	300	Horizontal	Pass
6**	17434.312	46.01	68.2	22.19	AV	327.00	300	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.119	36.23	74.0	37.77	Peak	321.00	300	Vertical	Pass
1**	1534.119	25.80	54.0	28.20	AV	321.00	300	Vertical	Pass
2	2338.624	45.31	74.0	28.69	Peak	113.00	300	Vertical	Pass
2**	2338.624	38.07	54.0	15.93	AV	113.00	300	Vertical	Pass
3	4902.141	48.99	74.0	25.01	Peak	175.00	200	Vertical	Pass
3**	4902.141	42.44	54.0	11.56	AV	175.00	200	Vertical	Pass
4	7325.263	51.95	74.0	22.05	Peak	325.00	300	Vertical	Pass
4**	7325.263	45.58	54.0	8.42	AV	325.00	300	Vertical	Pass
5	12485.580	51.27	74.0	22.73	Peak	230.00	200	Vertical	Pass
5**	12485.580	45.38	54.0	8.62	AV	230.00	200	Vertical	Pass
6	15687.889	54.20	74.0	19.80	Peak	133.00	300	Vertical	Pass
6**	15687.889	43.37	54.0	10.63	AV	133.00	300	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.682	41.32	88.2	46.88	Peak	255.00	100	Horizontal	Pass
1**	2094.682	35.02	68.2	33.18	AV	255.00	100	Horizontal	Pass
2	4808.477	50.58	74.0	23.42	Peak	119.00	200	Horizontal	Pass
2**	4808.477	43.73	54.0	10.27	AV	119.00	200	Horizontal	Pass
3	4901.691	47.11	74.0	26.89	Peak	260.00	200	Horizontal	Pass
3**	4901.691	40.68	54.0	13.32	AV	260.00	200	Horizontal	Pass
4	7950.081	54.67	88.2	33.53	Peak	38.00	400	Horizontal	Pass
4**	7950.081	46.24	68.2	21.96	AV	38.00	400	Horizontal	Pass
5	14440.873	56.18	88.2	32.02	Peak	248.00	300	Horizontal	Pass
5**	14440.873	46.90	68.2	21.30	AV	248.00	300	Horizontal	Pass
6	17429.848	57.07	88.2	31.13	Peak	160.00	300	Horizontal	Pass
6**	17429.848	45.41	68.2	22.79	AV	160.00	300	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.923	39.07	74.0	34.93	Peak	49.00	400	Vertical	Pass
1**	1531.923	30.52	54.0	23.48	AV	49.00	400	Vertical	Pass
2	2331.781	45.90	74.0	28.10	Peak	113.00	200	Vertical	Pass
2**	2331.781	32.63	54.0	21.37	AV	113.00	200	Vertical	Pass
3	4903.783	51.29	74.0	22.71	Peak	37.00	200	Vertical	Pass
3**	4903.783	38.32	54.0	15.68	AV	37.00	200	Vertical	Pass
4	7329.804	50.48	74.0	23.52	Peak	202.00	400	Vertical	Pass
4**	7329.804	42.59	54.0	11.41	AV	202.00	400	Vertical	Pass
5	12484.489	56.03	74.0	17.97	Peak	215.00	100	Vertical	Pass
5**	12484.489	42.81	54.0	11.19	AV	215.00	100	Vertical	Pass
6	15689.062	55.59	74.0	18.41	Peak	88.00	200	Vertical	Pass
6**	15689.062	44.57	54.0	9.43	AV	88.00	200	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.714	41.54	88.2	46.66	Peak	106.00	400	Horizontal	Pass
1**	2096.714	34.60	68.2	33.60	AV	106.00	400	Horizontal	Pass
2	4813.625	49.10	74.0	24.90	Peak	274.00	100	Horizontal	Pass
2**	4813.625	43.13	54.0	10.87	AV	274.00	100	Horizontal	Pass
3	4903.949	52.78	74.0	21.22	Peak	321.00	200	Horizontal	Pass
3**	4903.949	41.59	54.0	12.41	AV	321.00	200	Horizontal	Pass
4	7953.753	54.00	88.2	34.20	Peak	97.00	100	Horizontal	Pass
4**	7953.753	44.33	68.2	23.87	AV	97.00	100	Horizontal	Pass
5	14442.666	58.20	88.2	30.00	Peak	352.00	400	Horizontal	Pass
5**	14442.666	48.47	68.2	19.73	AV	352.00	400	Horizontal	Pass
6	17430.459	53.99	88.2	34.21	Peak	242.00	400	Horizontal	Pass
6**	17430.459	43.44	68.2	24.76	AV	242.00	400	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.478	39.31	74.0	34.69	Peak	94.00	300	Vertical	Pass
1**	1533.478	28.58	54.0	25.42	AV	94.00	300	Vertical	Pass
2	2338.835	42.93	74.0	31.07	Peak	56.00	400	Vertical	Pass
2**	2338.835	37.29	54.0	16.71	AV	56.00	400	Vertical	Pass
3	4897.435	52.80	74.0	21.20	Peak	327.00	200	Vertical	Pass
3**	4897.435	38.79	54.0	15.21	AV	327.00	200	Vertical	Pass
4	7325.476	53.67	74.0	20.33	Peak	236.00	200	Vertical	Pass
4**	7325.476	40.91	54.0	13.09	AV	236.00	200	Vertical	Pass
5	12488.560	55.77	74.0	18.23	Peak	34.00	200	Vertical	Pass
5**	12488.560	43.97	54.0	10.03	AV	34.00	200	Vertical	Pass
6	15688.242	53.42	74.0	20.58	Peak	32.00	100	Vertical	Pass
6**	15688.242	44.36	54.0	9.64	AV	32.00	100	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.148	40.77	88.2	47.43	Peak	82.00	100	Horizontal	Pass
1**	2097.148	32.95	68.2	35.25	AV	82.00	100	Horizontal	Pass
2	4810.706	49.91	74.0	24.09	Peak	19.00	300	Horizontal	Pass
2**	4810.706	43.86	54.0	10.14	AV	19.00	300	Horizontal	Pass
3	4902.285	49.27	74.0	24.73	Peak	239.00	200	Horizontal	Pass
3**	4902.285	38.97	54.0	15.03	AV	239.00	200	Horizontal	Pass
4	7950.575	51.40	88.2	36.80	Peak	98.00	300	Horizontal	Pass
4**	7950.575	42.42	68.2	25.78	AV	98.00	300	Horizontal	Pass
5	14442.787	56.74	88.2	31.46	Peak	261.00	300	Horizontal	Pass
5**	14442.787	44.39	68.2	23.81	AV	261.00	300	Horizontal	Pass
6	17435.681	52.69	88.2	35.51	Peak	18.00	100	Horizontal	Pass
6**	17435.681	47.71	68.2	20.49	AV	18.00	100	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.694	40.89	74.0	33.11	Peak	245.00	200	Vertical	Pass
1**	1526.694	26.17	54.0	27.83	AV	245.00	200	Vertical	Pass
2	2338.345	42.34	74.0	31.66	Peak	69.00	400	Vertical	Pass
2**	2338.345	32.56	54.0	21.44	AV	69.00	400	Vertical	Pass
3	4899.868	48.25	74.0	25.75	Peak	178.00	200	Vertical	Pass
3**	4899.868	39.94	54.0	14.06	AV	178.00	200	Vertical	Pass
4	7325.732	52.16	74.0	21.84	Peak	246.00	300	Vertical	Pass
4**	7325.732	41.04	54.0	12.96	AV	246.00	300	Vertical	Pass
5	12486.357	50.22	74.0	23.78	Peak	36.00	400	Vertical	Pass
5**	12486.357	41.41	54.0	12.59	AV	36.00	400	Vertical	Pass
6	15688.374	53.61	74.0	20.39	Peak	229.00	300	Vertical	Pass
6**	15688.374	43.02	54.0	10.98	AV	229.00	300	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.629	42.59	88.2	45.61	Peak	247.00	400	Horizontal	Pass
1**	2095.629	34.60	68.2	33.60	AV	247.00	400	Horizontal	Pass
2	4812.773	48.74	74.0	25.26	Peak	79.00	200	Horizontal	Pass
2**	4812.773	38.61	54.0	15.39	AV	79.00	200	Horizontal	Pass
3	4899.348	52.14	74.0	21.86	Peak	14.00	200	Horizontal	Pass
3**	4899.348	37.75	54.0	16.25	AV	14.00	200	Horizontal	Pass
4	7955.048	51.34	88.2	36.86	Peak	67.00	300	Horizontal	Pass
4**	7955.048	44.20	68.2	24.00	AV	67.00	300	Horizontal	Pass
5	14441.725	57.16	88.2	31.04	Peak	83.00	400	Horizontal	Pass
5**	14441.725	43.31	68.2	24.89	AV	83.00	400	Horizontal	Pass
6	17434.932	57.77	88.2	30.43	Peak	304.00	400	Horizontal	Pass
6**	17434.932	42.52	68.2	25.68	AV	304.00	400	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.752	35.96	74.0	38.04	Peak	351.00	100	Vertical	Pass
1**	1533.752	30.92	54.0	23.08	AV	351.00	100	Vertical	Pass
2	2338.523	47.16	74.0	26.84	Peak	59.00	300	Vertical	Pass
2**	2338.523	36.45	54.0	17.55	AV	59.00	300	Vertical	Pass
3	4898.568	49.45	74.0	24.55	Peak	92.00	200	Vertical	Pass
3**	4898.568	40.03	54.0	13.97	AV	92.00	200	Vertical	Pass
4	7328.014	51.13	74.0	22.87	Peak	312.00	300	Vertical	Pass
4**	7328.014	43.60	54.0	10.40	AV	312.00	300	Vertical	Pass
5	12483.049	54.13	74.0	19.87	Peak	278.00	200	Vertical	Pass
5**	12483.049	45.19	54.0	8.81	AV	278.00	200	Vertical	Pass
6	15692.387	55.69	74.0	18.31	Peak	197.00	300	Vertical	Pass
6**	15692.387	46.64	54.0	7.36	AV	197.00	300	Vertical	Pass

11be20(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2093.343	41.68	88.2	46.52	Peak	16.00	400	Horizontal	Pass
1**	2093.343	31.61	68.2	36.59	AV	16.00	400	Horizontal	Pass
2	4810.373	52.22	74.0	21.78	Peak	318.00	200	Horizontal	Pass
2**	4810.373	43.36	54.0	10.64	AV	318.00	200	Horizontal	Pass
3	4901.729	48.73	74.0	25.27	Peak	10.00	200	Horizontal	Pass
3**	4901.729	37.29	54.0	16.71	AV	10.00	200	Horizontal	Pass
4	7951.784	55.50	88.2	32.70	Peak	281.00	100	Horizontal	Pass
4**	7951.784	44.98	68.2	23.22	AV	281.00	100	Horizontal	Pass
5	14442.793	53.40	88.2	34.80	Peak	210.00	400	Horizontal	Pass
5**	14442.793	45.56	68.2	22.64	AV	210.00	400	Horizontal	Pass
6	17436.548	55.51	88.2	32.69	Peak	280.00	400	Horizontal	Pass
6**	17436.548	45.15	68.2	23.05	AV	280.00	400	Horizontal	Pass

11be20(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.201	41.38	74.0	32.62	Peak	190.00	300	Vertical	Pass
1**	1534.201	27.82	54.0	26.18	AV	190.00	300	Vertical	Pass
2	2332.695	44.83	74.0	29.17	Peak	284.00	100	Vertical	Pass
2**	2332.695	37.40	54.0	16.60	AV	284.00	100	Vertical	Pass
3	4897.887	50.62	74.0	23.38	Peak	105.00	200	Vertical	Pass
3**	4897.887	42.33	54.0	11.67	AV	105.00	200	Vertical	Pass
4	7328.673	53.48	74.0	20.52	Peak	170.00	100	Vertical	Pass
4**	7328.673	43.84	54.0	10.16	AV	170.00	100	Vertical	Pass
5	12488.536	55.41	74.0	18.59	Peak	29.00	400	Vertical	Pass
5**	12488.536	46.88	54.0	7.12	AV	29.00	400	Vertical	Pass
6	15690.317	55.71	74.0	18.29	Peak	153.00	400	Vertical	Pass
6**	15690.317	44.55	54.0	9.45	AV	153.00	400	Vertical	Pass

11be20(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.793	43.93	88.2	44.27	Peak	70.00	400	Horizontal	Pass
1**	2098.793	35.65	68.2	32.55	AV	70.00	400	Horizontal	Pass
2	4813.014	51.28	74.0	22.72	Peak	17.00	300	Horizontal	Pass
2**	4813.014	42.55	54.0	11.45	AV	17.00	300	Horizontal	Pass
3	4896.976	52.92	74.0	21.08	Peak	159.00	200	Horizontal	Pass
3**	4896.976	41.85	54.0	12.15	AV	159.00	200	Horizontal	Pass
4	7951.408	53.32	88.2	34.88	Peak	65.00	100	Horizontal	Pass
4**	7951.408	42.56	68.2	25.64	AV	65.00	100	Horizontal	Pass
5	14440.050	55.18	88.2	33.02	Peak	215.00	300	Horizontal	Pass
5**	14440.050	47.17	68.2	21.03	AV	215.00	300	Horizontal	Pass
6	17433.494	57.25	88.2	30.95	Peak	199.00	400	Horizontal	Pass
6**	17433.494	44.13	68.2	24.07	AV	199.00	400	Horizontal	Pass

11be20(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.104	39.35	74.0	34.65	Peak	152.00	300	Vertical	Pass
1**	1527.104	31.27	54.0	22.73	AV	152.00	300	Vertical	Pass
2	2333.078	42.61	74.0	31.39	Peak	292.00	400	Vertical	Pass
2**	2333.078	36.52	54.0	17.48	AV	292.00	400	Vertical	Pass
3	4903.541	48.93	74.0	25.07	Peak	324.00	200	Vertical	Pass
3**	4903.541	42.03	54.0	11.97	AV	324.00	200	Vertical	Pass
4	7327.299	50.50	74.0	23.50	Peak	343.00	300	Vertical	Pass
4**	7327.299	45.74	54.0	8.26	AV	343.00	300	Vertical	Pass
5	12486.178	53.07	74.0	20.93	Peak	38.00	100	Vertical	Pass
5**	12486.178	45.25	54.0	8.75	AV	38.00	100	Vertical	Pass
6	15687.698	54.90	74.0	19.10	Peak	298.00	100	Vertical	Pass
6**	15687.698	43.88	54.0	10.12	AV	298.00	100	Vertical	Pass

11be20(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.457	43.10	88.2	45.10	Peak	188.00	100	Horizontal	Pass
1**	2097.457	32.92	68.2	35.28	AV	188.00	100	Horizontal	Pass
2	4813.891	49.88	74.0	24.12	Peak	279.00	100	Horizontal	Pass
2**	4813.891	38.59	54.0	15.41	AV	279.00	100	Horizontal	Pass
3	4902.280	51.25	74.0	22.75	Peak	168.00	200	Horizontal	Pass
3**	4902.280	39.31	54.0	14.69	AV	168.00	200	Horizontal	Pass
4	7950.643	53.78	88.2	34.42	Peak	77.00	100	Horizontal	Pass
4**	7950.643	46.74	68.2	21.46	AV	77.00	100	Horizontal	Pass
5	14442.180	52.99	88.2	35.21	Peak	14.00	200	Horizontal	Pass
5**	14442.180	44.55	68.2	23.65	AV	14.00	200	Horizontal	Pass
6	17430.782	54.45	88.2	33.75	Peak	204.00	300	Horizontal	Pass
6**	17430.782	45.68	68.2	22.52	AV	204.00	300	Horizontal	Pass

11be20(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.245	41.46	74.0	32.54	Peak	311.00	400	Vertical	Pass
1**	1534.245	30.72	54.0	23.28	AV	311.00	400	Vertical	Pass
2	2334.689	43.39	74.0	30.61	Peak	318.00	400	Vertical	Pass
2**	2334.689	34.11	54.0	19.89	AV	318.00	400	Vertical	Pass
3	4899.403	52.61	74.0	21.39	Peak	330.00	200	Vertical	Pass
3**	4899.403	41.03	54.0	12.97	AV	330.00	200	Vertical	Pass
4	7324.144	53.02	74.0	20.98	Peak	49.00	100	Vertical	Pass
4**	7324.144	41.60	54.0	12.40	AV	49.00	100	Vertical	Pass
5	12489.452	50.18	74.0	23.82	Peak	39.00	300	Vertical	Pass
5**	12489.452	43.37	54.0	10.63	AV	39.00	300	Vertical	Pass
6	15694.625	52.73	74.0	21.27	Peak	167.00	300	Vertical	Pass
6**	15694.625	47.10	54.0	6.90	AV	167.00	300	Vertical	Pass

11be40(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.864	39.75	88.2	48.45	Peak	281.00	400	Horizontal	Pass
1**	2098.864	33.05	68.2	35.15	AV	281.00	400	Horizontal	Pass
2	4811.434	51.67	74.0	22.33	Peak	340.00	400	Horizontal	Pass
2**	4811.434	38.83	54.0	15.17	AV	340.00	400	Horizontal	Pass
3	4899.780	49.53	74.0	24.47	Peak	311.00	200	Horizontal	Pass
3**	4899.780	38.52	54.0	15.48	AV	311.00	200	Horizontal	Pass
4	7956.101	54.24	88.2	33.96	Peak	125.00	300	Horizontal	Pass
4**	7956.101	46.21	68.2	21.99	AV	125.00	300	Horizontal	Pass
5	14439.810	52.84	88.2	35.36	Peak	220.00	400	Horizontal	Pass
5**	14439.810	45.06	68.2	23.14	AV	220.00	400	Horizontal	Pass
6	17434.141	52.00	88.2	36.20	Peak	158.00	200	Horizontal	Pass
6**	17434.141	46.16	68.2	22.04	AV	158.00	200	Horizontal	Pass

11be40(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.770	40.26	74.0	33.74	Peak	336.00	200	Vertical	Pass
1**	1532.770	30.40	54.0	23.60	AV	336.00	200	Vertical	Pass
2	2333.791	42.94	74.0	31.06	Peak	82.00	100	Vertical	Pass
2**	2333.791	34.07	54.0	19.93	AV	82.00	100	Vertical	Pass
3	4898.934	49.75	74.0	24.25	Peak	353.00	200	Vertical	Pass
3**	4898.934	37.79	54.0	16.21	AV	353.00	200	Vertical	Pass
4	7326.594	53.07	74.0	20.93	Peak	295.00	300	Vertical	Pass
4**	7326.594	45.81	54.0	8.19	AV	295.00	300	Vertical	Pass
5	12488.060	52.09	74.0	21.91	Peak	324.00	300	Vertical	Pass
5**	12488.060	41.90	54.0	12.10	AV	324.00	300	Vertical	Pass
6	15694.401	55.79	74.0	18.21	Peak	115.00	300	Vertical	Pass
6**	15694.401	45.00	54.0	9.00	AV	115.00	300	Vertical	Pass

11be40(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.762	40.40	88.2	47.80	Peak	135.00	400	Horizontal	Pass
1**	2100.762	30.60	68.2	37.60	AV	135.00	400	Horizontal	Pass
2	4813.024	46.91	74.0	27.09	Peak	72.00	100	Horizontal	Pass
2**	4813.024	39.52	54.0	14.48	AV	72.00	100	Horizontal	Pass
3	4902.565	52.43	74.0	21.57	Peak	63.00	200	Horizontal	Pass
3**	4902.565	38.72	54.0	15.28	AV	63.00	200	Horizontal	Pass
4	7950.576	54.87	88.2	33.33	Peak	217.00	300	Horizontal	Pass
4**	7950.576	44.41	68.2	23.79	AV	217.00	300	Horizontal	Pass
5	14441.387	57.93	88.2	30.27	Peak	10.00	300	Horizontal	Pass
5**	14441.387	48.09	68.2	20.11	AV	10.00	300	Horizontal	Pass
6	17431.251	54.22	88.2	33.98	Peak	280.00	400	Horizontal	Pass
6**	17431.251	46.99	68.2	21.21	AV	280.00	400	Horizontal	Pass

11be40(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.087	38.80	74.0	35.20	Peak	279.00	200	Vertical	Pass
1**	1530.087	31.48	54.0	22.52	AV	279.00	200	Vertical	Pass
2	2331.641	42.70	74.0	31.30	Peak	42.00	300	Vertical	Pass
2**	2331.641	33.43	54.0	20.57	AV	42.00	300	Vertical	Pass
3	4897.708	47.95	74.0	26.05	Peak	272.00	200	Vertical	Pass
3**	4897.708	42.55	54.0	11.45	AV	272.00	200	Vertical	Pass
4	7324.792	50.80	74.0	23.20	Peak	212.00	400	Vertical	Pass
4**	7324.792	46.37	54.0	7.63	AV	212.00	400	Vertical	Pass
5	12487.788	51.16	74.0	22.84	Peak	219.00	200	Vertical	Pass
5**	12487.788	42.88	54.0	11.12	AV	219.00	200	Vertical	Pass
6	15694.539	50.90	74.0	23.10	Peak	115.00	200	Vertical	Pass
6**	15694.539	41.55	54.0	12.45	AV	115.00	200	Vertical	Pass

11be40(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.912	40.61	88.2	47.59	Peak	25.00	200	Horizontal	Pass
1**	2097.912	33.12	68.2	35.08	AV	25.00	200	Horizontal	Pass
2	4809.698	50.63	74.0	23.37	Peak	138.00	300	Horizontal	Pass
2**	4809.698	44.07	54.0	9.93	AV	138.00	300	Horizontal	Pass
3	4901.676	50.84	74.0	23.16	Peak	18.00	200	Horizontal	Pass
3**	4901.676	40.06	54.0	13.94	AV	18.00	200	Horizontal	Pass
4	7952.509	52.23	88.2	35.97	Peak	290.00	100	Horizontal	Pass
4**	7952.509	44.13	68.2	24.07	AV	290.00	100	Horizontal	Pass
5	14445.383	56.22	88.2	31.98	Peak	136.00	400	Horizontal	Pass
5**	14445.383	43.99	68.2	24.21	AV	136.00	400	Horizontal	Pass
6	17434.666	56.91	88.2	31.29	Peak	165.00	300	Horizontal	Pass
6**	17434.666	46.19	68.2	22.01	AV	165.00	300	Horizontal	Pass

11be40(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.850	36.12	74.0	37.88	Peak	147.00	300	Vertical	Pass
1**	1532.850	31.03	54.0	22.97	AV	147.00	300	Vertical	Pass
2	2332.103	47.00	74.0	27.00	Peak	118.00	100	Vertical	Pass
2**	2332.103	38.12	54.0	15.88	AV	118.00	100	Vertical	Pass
3	4903.465	48.78	74.0	25.22	Peak	206.00	200	Vertical	Pass
3**	4903.465	37.42	54.0	16.58	AV	206.00	200	Vertical	Pass
4	7326.544	53.13	74.0	20.87	Peak	142.00	400	Vertical	Pass
4**	7326.544	41.74	54.0	12.26	AV	142.00	400	Vertical	Pass
5	12485.834	54.34	74.0	19.66	Peak	252.00	100	Vertical	Pass
5**	12485.834	46.13	54.0	7.87	AV	252.00	100	Vertical	Pass
6	15690.477	51.00	74.0	23.00	Peak	91.00	200	Vertical	Pass
6**	15690.477	44.47	54.0	9.53	AV	91.00	200	Vertical	Pass

11be80(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.034	43.91	88.2	44.29	Peak	176.00	300	Horizontal	Pass
1**	2097.034	31.97	68.2	36.23	AV	176.00	300	Horizontal	Pass
2	4813.225	50.63	74.0	23.37	Peak	166.00	300	Horizontal	Pass
2**	4813.225	43.48	54.0	10.52	AV	166.00	300	Horizontal	Pass
3	4898.625	52.50	74.0	21.50	Peak	21.00	200	Horizontal	Pass
3**	4898.625	40.10	54.0	13.90	AV	21.00	200	Horizontal	Pass
4	7953.242	51.12	88.2	37.08	Peak	203.00	100	Horizontal	Pass
4**	7953.242	45.62	68.2	22.58	AV	203.00	100	Horizontal	Pass
5	14445.019	54.43	88.2	33.77	Peak	131.00	400	Horizontal	Pass
5**	14445.019	47.27	68.2	20.93	AV	131.00	400	Horizontal	Pass
6	17432.486	52.09	88.2	36.11	Peak	18.00	400	Horizontal	Pass
6**	17432.486	46.26	68.2	21.94	AV	18.00	400	Horizontal	Pass

11be80(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.077	40.31	74.0	33.69	Peak	92.00	200	Vertical	Pass
1**	1528.077	29.90	54.0	24.10	AV	92.00	200	Vertical	Pass
2	2332.642	41.72	74.0	32.28	Peak	5.00	100	Vertical	Pass
2**	2332.642	36.30	54.0	17.70	AV	5.00	100	Vertical	Pass
3	4898.092	52.78	74.0	21.22	Peak	135.00	200	Vertical	Pass
3**	4898.092	38.89	54.0	15.11	AV	135.00	200	Vertical	Pass
4	7327.428	52.50	74.0	21.50	Peak	232.00	300	Vertical	Pass
4**	7327.428	42.98	54.0	11.02	AV	232.00	300	Vertical	Pass
5	12487.876	53.38	74.0	20.62	Peak	8.00	400	Vertical	Pass
5**	12487.876	42.87	54.0	11.13	AV	8.00	400	Vertical	Pass
6	15687.862	52.00	74.0	22.00	Peak	136.00	400	Vertical	Pass
6**	15687.862	46.51	54.0	7.49	AV	136.00	400	Vertical	Pass

11be80(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.453	41.70	88.2	46.50	Peak	133.00	300	Horizontal	Pass
1**	2094.453	32.70	68.2	35.50	AV	133.00	300	Horizontal	Pass
2	4809.125	50.73	74.0	23.27	Peak	275.00	400	Horizontal	Pass
2**	4809.125	41.58	54.0	12.42	AV	275.00	400	Horizontal	Pass
3	4899.735	48.41	74.0	25.59	Peak	34.00	200	Horizontal	Pass
3**	4899.735	37.80	54.0	16.20	AV	34.00	200	Horizontal	Pass
4	7951.473	56.64	88.2	31.56	Peak	26.00	100	Horizontal	Pass
4**	7951.473	43.24	68.2	24.96	AV	26.00	100	Horizontal	Pass
5	14438.681	53.12	88.2	35.08	Peak	177.00	300	Horizontal	Pass
5**	14438.681	45.42	68.2	22.78	AV	177.00	300	Horizontal	Pass
6	17437.184	56.95	88.2	31.25	Peak	253.00	200	Horizontal	Pass
6**	17437.184	44.18	68.2	24.02	AV	253.00	200	Horizontal	Pass

11be80(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.517	39.06	74.0	34.94	Peak	14.00	300	Vertical	Pass
1**	1528.517	30.39	54.0	23.61	AV	14.00	300	Vertical	Pass
2	2333.664	42.10	74.0	31.90	Peak	228.00	300	Vertical	Pass
2**	2333.664	35.16	54.0	18.84	AV	228.00	300	Vertical	Pass
3	4903.277	52.38	74.0	21.62	Peak	314.00	200	Vertical	Pass
3**	4903.277	41.02	54.0	12.98	AV	314.00	200	Vertical	Pass
4	7326.634	56.32	74.0	17.68	Peak	147.00	100	Vertical	Pass
4**	7326.634	42.23	54.0	11.77	AV	147.00	100	Vertical	Pass
5	12489.912	53.76	74.0	20.24	Peak	246.00	200	Vertical	Pass
5**	12489.912	46.17	54.0	7.83	AV	246.00	200	Vertical	Pass
6	15693.678	55.69	74.0	18.31	Peak	55.00	400	Vertical	Pass
6**	15693.678	45.33	54.0	8.67	AV	55.00	400	Vertical	Pass

11be80(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.273	44.17	88.2	44.03	Peak	20.00	300	Horizontal	Pass
1**	2100.273	30.78	68.2	37.42	AV	20.00	300	Horizontal	Pass
2	4809.088	49.57	74.0	24.43	Peak	283.00	200	Horizontal	Pass
2**	4809.088	42.05	54.0	11.95	AV	283.00	200	Horizontal	Pass
3	4902.718	48.68	74.0	25.32	Peak	282.00	200	Horizontal	Pass
3**	4902.718	42.23	54.0	11.77	AV	282.00	200	Horizontal	Pass
4	7951.894	53.86	88.2	34.34	Peak	238.00	400	Horizontal	Pass
4**	7951.894	44.17	68.2	24.03	AV	238.00	400	Horizontal	Pass
5	14439.113	56.05	88.2	32.15	Peak	255.00	100	Horizontal	Pass
5**	14439.113	46.66	68.2	21.54	AV	255.00	100	Horizontal	Pass
6	17431.361	55.89	88.2	32.31	Peak	15.00	300	Horizontal	Pass
6**	17431.361	42.62	68.2	25.58	AV	15.00	300	Horizontal	Pass

11be80(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.974	38.99	74.0	35.01	Peak	160.00	300	Vertical	Pass
1**	1526.974	28.41	54.0	25.59	AV	160.00	300	Vertical	Pass
2	2331.947	42.77	74.0	31.23	Peak	48.00	300	Vertical	Pass
2**	2331.947	36.78	54.0	17.22	AV	48.00	300	Vertical	Pass
3	4899.726	48.57	74.0	25.43	Peak	306.00	200	Vertical	Pass
3**	4899.726	40.69	54.0	13.31	AV	306.00	200	Vertical	Pass
4	7324.914	51.94	74.0	22.06	Peak	324.00	300	Vertical	Pass
4**	7324.914	46.09	54.0	7.91	AV	324.00	300	Vertical	Pass
5	12486.012	50.58	74.0	23.42	Peak	130.00	400	Vertical	Pass
5**	12486.012	42.28	54.0	11.72	AV	130.00	400	Vertical	Pass
6	15692.441	55.94	74.0	18.06	Peak	47.00	100	Vertical	Pass
6**	15692.441	44.37	54.0	9.63	AV	47.00	100	Vertical	Pass

11be160(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.534	39.14	88.2	49.06	Peak	41.00	300	Horizontal	Pass
1**	2094.534	30.95	68.2	37.25	AV	41.00	300	Horizontal	Pass
2	4810.250	47.17	74.0	26.83	Peak	61.00	200	Horizontal	Pass
2**	4810.250	41.33	54.0	12.67	AV	61.00	200	Horizontal	Pass
3	4900.798	49.38	74.0	24.62	Peak	40.00	200	Horizontal	Pass
3**	4900.798	42.16	54.0	11.84	AV	40.00	200	Horizontal	Pass
4	7952.499	54.84	88.2	33.36	Peak	135.00	200	Horizontal	Pass
4**	7952.499	46.91	68.2	21.29	AV	135.00	200	Horizontal	Pass
5	14438.722	57.39	88.2	30.81	Peak	281.00	200	Horizontal	Pass
5**	14438.722	44.04	68.2	24.16	AV	281.00	200	Horizontal	Pass
6	17437.408	56.38	88.2	31.82	Peak	315.00	400	Horizontal	Pass
6**	17437.408	43.97	68.2	24.23	AV	315.00	400	Horizontal	Pass

11be160(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.071	39.72	74.0	34.28	Peak	250.00	400	Vertical	Pass
1**	1533.071	29.23	54.0	24.77	AV	250.00	400	Vertical	Pass
2	2338.764	46.39	74.0	27.61	Peak	255.00	400	Vertical	Pass
2**	2338.764	32.42	54.0	21.58	AV	255.00	400	Vertical	Pass
3	4900.852	52.90	74.0	21.10	Peak	14.00	200	Vertical	Pass
3**	4900.852	37.54	54.0	16.46	AV	14.00	200	Vertical	Pass
4	7330.108	55.27	74.0	18.73	Peak	101.00	200	Vertical	Pass
4**	7330.108	44.24	54.0	9.76	AV	101.00	200	Vertical	Pass
5	12483.131	53.97	74.0	20.03	Peak	331.00	400	Vertical	Pass
5**	12483.131	46.14	54.0	7.86	AV	331.00	400	Vertical	Pass
6	15688.553	52.00	74.0	22.00	Peak	128.00	200	Vertical	Pass
6**	15688.553	45.34	54.0	8.66	AV	128.00	200	Vertical	Pass

11be160(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.141	40.06	88.2	48.14	Peak	263.00	300	Horizontal	Pass
1**	2096.141	34.46	68.2	33.74	AV	263.00	300	Horizontal	Pass
2	4810.734	47.35	74.0	26.65	Peak	96.00	200	Horizontal	Pass
2**	4810.734	39.65	54.0	14.35	AV	96.00	200	Horizontal	Pass
3	4896.564	49.94	74.0	24.06	Peak	264.00	200	Horizontal	Pass
3**	4896.564	37.42	54.0	16.58	AV	264.00	200	Horizontal	Pass
4	7951.904	51.97	88.2	36.23	Peak	8.00	400	Horizontal	Pass
4**	7951.904	43.36	68.2	24.84	AV	8.00	400	Horizontal	Pass
5	14445.928	53.73	88.2	34.47	Peak	10.00	400	Horizontal	Pass
5**	14445.928	43.71	68.2	24.49	AV	10.00	400	Horizontal	Pass
6	17431.618	54.98	88.2	33.22	Peak	286.00	300	Horizontal	Pass
6**	17431.618	46.91	68.2	21.29	AV	286.00	300	Horizontal	Pass

11be160(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.112	39.99	74.0	34.01	Peak	138.00	100	Vertical	Pass
1**	1528.112	30.54	54.0	23.46	AV	138.00	100	Vertical	Pass
2	2335.910	46.55	74.0	27.45	Peak	12.00	100	Vertical	Pass
2**	2335.910	32.67	54.0	21.33	AV	12.00	100	Vertical	Pass
3	4900.334	47.27	74.0	26.73	Peak	83.00	200	Vertical	Pass
3**	4900.334	40.42	54.0	13.58	AV	83.00	200	Vertical	Pass
4	7324.426	54.17	74.0	19.83	Peak	344.00	300	Vertical	Pass
4**	7324.426	42.88	54.0	11.12	AV	344.00	300	Vertical	Pass
5	12483.547	54.90	74.0	19.10	Peak	161.00	300	Vertical	Pass
5**	12483.547	42.51	54.0	11.49	AV	161.00	300	Vertical	Pass
6	15693.442	56.74	74.0	17.26	Peak	15.00	200	Vertical	Pass
6**	15693.442	45.58	54.0	8.42	AV	15.00	200	Vertical	Pass

11be160(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2093.693	43.72	88.2	44.48	Peak	55.00	200	Horizontal	Pass
1**	2093.693	30.62	68.2	37.58	AV	55.00	200	Horizontal	Pass
2	4813.447	48.22	74.0	25.78	Peak	247.00	300	Horizontal	Pass
2**	4813.447	41.46	54.0	12.54	AV	247.00	300	Horizontal	Pass
3	4901.551	49.49	74.0	24.51	Peak	160.00	200	Horizontal	Pass
3**	4901.551	38.90	54.0	15.10	AV	160.00	200	Horizontal	Pass
4	7953.001	52.31	88.2	35.89	Peak	167.00	100	Horizontal	Pass
4**	7953.001	44.62	68.2	23.58	AV	167.00	100	Horizontal	Pass
5	14444.432	56.85	88.2	31.35	Peak	188.00	400	Horizontal	Pass
5**	14444.432	46.16	68.2	22.04	AV	188.00	400	Horizontal	Pass
6	17436.334	55.35	88.2	32.85	Peak	194.00	200	Horizontal	Pass
6**	17436.334	47.39	68.2	20.81	AV	194.00	200	Horizontal	Pass

11be160(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.207	41.05	74.0	32.95	Peak	271.00	400	Vertical	Pass
1**	1534.207	27.17	54.0	26.83	AV	271.00	400	Vertical	Pass
2	2334.779	45.64	74.0	28.36	Peak	236.00	400	Vertical	Pass
2**	2334.779	35.37	54.0	18.63	AV	236.00	400	Vertical	Pass
3	4903.204	52.22	74.0	21.78	Peak	193.00	200	Vertical	Pass
3**	4903.204	38.00	54.0	16.00	AV	193.00	200	Vertical	Pass
4	7323.846	51.94	74.0	22.06	Peak	223.00	200	Vertical	Pass
4**	7323.846	42.61	54.0	11.39	AV	223.00	200	Vertical	Pass
5	12486.934	52.08	74.0	21.92	Peak	306.00	200	Vertical	Pass
5**	12486.934	43.21	54.0	10.79	AV	306.00	200	Vertical	Pass
6	15695.150	52.20	74.0	21.80	Peak	267.00	200	Vertical	Pass
6**	15695.150	43.98	54.0	10.02	AV	267.00	200	Vertical	Pass

11be320(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.962	44.27	88.2	43.93	Peak	300.00	100	Horizontal	Pass
1**	2095.962	30.56	68.2	37.64	AV	300.00	100	Horizontal	Pass
2	4813.583	51.56	74.0	22.44	Peak	161.00	300	Horizontal	Pass
2**	4813.583	38.63	54.0	15.37	AV	161.00	300	Horizontal	Pass
3	4902.408	49.87	74.0	24.13	Peak	307.00	200	Horizontal	Pass
3**	4902.408	41.52	54.0	12.48	AV	307.00	200	Horizontal	Pass
4	7950.647	53.98	88.2	34.22	Peak	34.00	300	Horizontal	Pass
4**	7950.647	46.75	68.2	21.45	AV	34.00	300	Horizontal	Pass
5	14442.007	54.65	88.2	33.55	Peak	33.00	300	Horizontal	Pass
5**	14442.007	45.74	68.2	22.46	AV	33.00	300	Horizontal	Pass
6	17433.060	57.35	88.2	30.85	Peak	38.00	100	Horizontal	Pass
6**	17433.060	47.41	68.2	20.79	AV	38.00	100	Horizontal	Pass

11be320(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.554	40.19	74.0	33.81	Peak	1.00	200	Vertical	Pass
1**	1529.554	26.43	54.0	27.57	AV	1.00	200	Vertical	Pass
2	2334.497	42.50	74.0	31.50	Peak	286.00	300	Vertical	Pass
2**	2334.497	34.26	54.0	19.74	AV	286.00	300	Vertical	Pass
3	4903.340	51.26	74.0	22.74	Peak	181.00	200	Vertical	Pass
3**	4903.340	38.62	54.0	15.38	AV	181.00	200	Vertical	Pass
4	7328.483	55.88	74.0	18.12	Peak	251.00	100	Vertical	Pass
4**	7328.483	44.27	54.0	9.73	AV	251.00	100	Vertical	Pass
5	12484.249	54.16	74.0	19.84	Peak	276.00	400	Vertical	Pass
5**	12484.249	44.55	54.0	9.45	AV	276.00	400	Vertical	Pass
6	15687.603	52.70	74.0	21.30	Peak	326.00	400	Vertical	Pass
6**	15687.603	41.98	54.0	12.02	AV	326.00	400	Vertical	Pass

11be320(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2101.182	42.76	88.2	45.44	Peak	287.00	400	Horizontal	Pass
1**	2101.182	32.23	68.2	35.97	AV	287.00	400	Horizontal	Pass
2	4812.918	48.76	74.0	25.24	Peak	240.00	200	Horizontal	Pass
2**	4812.918	40.51	54.0	13.49	AV	240.00	200	Horizontal	Pass
3	4900.832	48.89	74.0	25.11	Peak	211.00	200	Horizontal	Pass
3**	4900.832	42.18	54.0	11.82	AV	211.00	200	Horizontal	Pass
4	7955.459	54.07	88.2	34.13	Peak	44.00	300	Horizontal	Pass
4**	7955.459	45.27	68.2	22.93	AV	44.00	300	Horizontal	Pass
5	14443.500	53.37	88.2	34.83	Peak	277.00	400	Horizontal	Pass
5**	14443.500	47.42	68.2	20.78	AV	277.00	400	Horizontal	Pass
6	17432.960	52.96	88.2	35.24	Peak	261.00	100	Horizontal	Pass
6**	17432.960	45.63	68.2	22.57	AV	261.00	100	Horizontal	Pass

11be320(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.371	38.89	74.0	35.11	Peak	337.00	400	Vertical	Pass
1**	1530.371	26.69	54.0	27.31	AV	337.00	400	Vertical	Pass
2	2335.998	44.72	74.0	29.28	Peak	286.00	300	Vertical	Pass
2**	2335.998	34.37	54.0	19.63	AV	286.00	300	Vertical	Pass
3	4897.156	50.96	74.0	23.04	Peak	136.00	200	Vertical	Pass
3**	4897.156	39.13	54.0	14.87	AV	136.00	200	Vertical	Pass
4	7327.131	56.03	74.0	17.97	Peak	64.00	100	Vertical	Pass
4**	7327.131	41.94	54.0	12.06	AV	64.00	100	Vertical	Pass
5	12483.097	55.94	74.0	18.06	Peak	172.00	400	Vertical	Pass
5**	12483.097	46.69	54.0	7.31	AV	172.00	400	Vertical	Pass
6	15693.035	51.50	74.0	22.50	Peak	234.00	100	Vertical	Pass
6**	15693.035	42.01	54.0	11.99	AV	234.00	100	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.727	42.89	88.2	45.31	Peak	114.00	400	Horizontal	Pass
1**	2096.727	31.53	68.2	36.67	AV	114.00	400	Horizontal	Pass
2	4811.653	48.77	74.0	25.23	Peak	295.00	400	Horizontal	Pass
2**	4811.653	39.12	54.0	14.88	AV	295.00	400	Horizontal	Pass
3	4901.343	51.82	74.0	22.18	Peak	236.00	200	Horizontal	Pass
3**	4901.343	37.35	54.0	16.65	AV	236.00	200	Horizontal	Pass
4	7957.096	54.09	88.2	34.11	Peak	306.00	400	Horizontal	Pass
4**	7957.096	46.36	68.2	21.84	AV	306.00	400	Horizontal	Pass
5	14442.310	58.14	88.2	30.06	Peak	172.00	200	Horizontal	Pass
5**	14442.310	46.08	68.2	22.12	AV	172.00	200	Horizontal	Pass
6	17437.728	54.54	88.2	33.66	Peak	250.00	400	Horizontal	Pass
6**	17437.728	48.10	68.2	20.10	AV	250.00	400	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.466	37.80	74.0	36.20	Peak	44.00	200	Vertical	Pass
1**	1531.466	29.90	54.0	24.10	AV	44.00	200	Vertical	Pass
2	2338.204	46.77	74.0	27.23	Peak	175.00	100	Vertical	Pass
2**	2338.204	38.09	54.0	15.91	AV	175.00	100	Vertical	Pass
3	4899.813	50.19	74.0	23.81	Peak	187.00	200	Vertical	Pass
3**	4899.813	37.52	54.0	16.48	AV	187.00	200	Vertical	Pass
4	7326.237	50.39	74.0	23.61	Peak	356.00	200	Vertical	Pass
4**	7326.237	42.62	54.0	11.38	AV	356.00	200	Vertical	Pass
5	12486.678	55.27	74.0	18.73	Peak	51.00	400	Vertical	Pass
5**	12486.678	44.20	54.0	9.80	AV	51.00	400	Vertical	Pass
6	15690.233	54.77	74.0	19.23	Peak	321.00	100	Vertical	Pass
6**	15690.233	45.08	54.0	8.92	AV	321.00	100	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.063	44.44	88.2	43.76	Peak	128.00	200	Horizontal	Pass
1**	2100.063	29.79	68.2	38.41	AV	128.00	200	Horizontal	Pass
2	4812.626	48.67	74.0	25.33	Peak	202.00	100	Horizontal	Pass
2**	4812.626	39.67	54.0	14.33	AV	202.00	100	Horizontal	Pass
3	4900.388	48.93	74.0	25.07	Peak	224.00	200	Horizontal	Pass
3**	4900.388	38.27	54.0	15.73	AV	224.00	200	Horizontal	Pass
4	7949.276	51.49	88.2	36.71	Peak	268.00	200	Horizontal	Pass
4**	7949.276	43.11	68.2	25.09	AV	268.00	200	Horizontal	Pass
5	14439.475	57.34	88.2	30.86	Peak	291.00	100	Horizontal	Pass
5**	14439.475	46.57	68.2	21.63	AV	291.00	100	Horizontal	Pass
6	17435.198	55.11	88.2	33.09	Peak	331.00	300	Horizontal	Pass
6**	17435.198	48.36	68.2	19.84	AV	331.00	300	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.410	39.76	74.0	34.24	Peak	270.00	100	Vertical	Pass
1**	1528.410	27.91	54.0	26.09	AV	270.00	100	Vertical	Pass
2	2335.197	41.91	74.0	32.09	Peak	316.00	100	Vertical	Pass
2**	2335.197	35.26	54.0	18.74	AV	316.00	100	Vertical	Pass
3	4897.385	49.21	74.0	24.79	Peak	124.00	200	Vertical	Pass
3**	4897.385	38.65	54.0	15.35	AV	124.00	200	Vertical	Pass
4	7329.648	54.88	74.0	19.12	Peak	54.00	300	Vertical	Pass
4**	7329.648	45.49	54.0	8.51	AV	54.00	300	Vertical	Pass
5	12488.652	50.67	74.0	23.33	Peak	295.00	200	Vertical	Pass
5**	12488.652	41.69	54.0	12.31	AV	295.00	200	Vertical	Pass
6	15689.636	53.04	74.0	20.96	Peak	208.00	300	Vertical	Pass
6**	15689.636	44.39	54.0	9.61	AV	208.00	300	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.345	43.74	88.2	44.46	Peak	18.00	400	Horizontal	Pass
1**	2100.345	33.13	68.2	35.07	AV	18.00	400	Horizontal	Pass
2	4808.320	48.48	74.0	25.52	Peak	97.00	200	Horizontal	Pass
2**	4808.320	41.36	54.0	12.64	AV	97.00	200	Horizontal	Pass
3	4902.524	49.18	74.0	24.82	Peak	289.00	200	Horizontal	Pass
3**	4902.524	38.24	54.0	15.76	AV	289.00	200	Horizontal	Pass
4	7951.874	53.70	88.2	34.50	Peak	178.00	200	Horizontal	Pass
4**	7951.874	47.16	68.2	21.04	AV	178.00	200	Horizontal	Pass
5	14444.793	52.34	88.2	35.86	Peak	318.00	100	Horizontal	Pass
5**	14444.793	45.99	68.2	22.21	AV	318.00	100	Horizontal	Pass
6	17437.543	52.70	88.2	35.50	Peak	75.00	200	Horizontal	Pass
6**	17437.543	44.94	68.2	23.26	AV	75.00	200	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.386	37.77	74.0	36.23	Peak	248.00	400	Vertical	Pass
1**	1534.386	28.14	54.0	25.86	AV	248.00	400	Vertical	Pass
2	2338.110	42.52	74.0	31.48	Peak	138.00	200	Vertical	Pass
2**	2338.110	32.78	54.0	21.22	AV	138.00	200	Vertical	Pass
3	4903.087	48.11	74.0	25.89	Peak	277.00	200	Vertical	Pass
3**	4903.087	41.39	54.0	12.61	AV	277.00	200	Vertical	Pass
4	7328.435	53.59	74.0	20.41	Peak	112.00	200	Vertical	Pass
4**	7328.435	40.96	54.0	13.04	AV	112.00	200	Vertical	Pass
5	12483.619	54.39	74.0	19.61	Peak	35.00	300	Vertical	Pass
5**	12483.619	42.20	54.0	11.80	AV	35.00	300	Vertical	Pass
6	15690.814	54.67	74.0	19.33	Peak	294.00	100	Vertical	Pass
6**	15690.814	41.55	54.0	12.45	AV	294.00	100	Vertical	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.441	39.27	88.2	48.93	Peak	56.00	400	Horizontal	Pass
1**	2100.441	35.71	68.2	32.49	AV	56.00	400	Horizontal	Pass
2	4809.037	49.61	74.0	24.39	Peak	38.00	400	Horizontal	Pass
2**	4809.037	38.69	54.0	15.31	AV	38.00	400	Horizontal	Pass
3	4901.129	51.19	74.0	22.81	Peak	147.00	200	Horizontal	Pass
3**	4901.129	41.47	54.0	12.53	AV	147.00	200	Horizontal	Pass
4	7949.734	53.73	88.2	34.47	Peak	265.00	300	Horizontal	Pass
4**	7949.734	41.86	68.2	26.34	AV	265.00	300	Horizontal	Pass
5	14439.446	54.14	88.2	34.06	Peak	189.00	300	Horizontal	Pass
5**	14439.446	45.23	68.2	22.97	AV	189.00	300	Horizontal	Pass
6	17431.357	53.89	88.2	34.31	Peak	204.00	100	Horizontal	Pass
6**	17431.357	42.92	68.2	25.28	AV	204.00	100	Horizontal	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.502	36.68	74.0	37.32	Peak	37.00	200	Vertical	Pass
1**	1531.502	25.64	54.0	28.36	AV	37.00	200	Vertical	Pass
2	2338.469	44.48	74.0	29.52	Peak	305.00	300	Vertical	Pass
2**	2338.469	32.34	54.0	21.66	AV	305.00	300	Vertical	Pass
3	4898.606	48.55	74.0	25.45	Peak	38.00	200	Vertical	Pass
3**	4898.606	39.00	54.0	15.00	AV	38.00	200	Vertical	Pass
4	7329.196	53.43	74.0	20.57	Peak	86.00	300	Vertical	Pass
4**	7329.196	41.98	54.0	12.02	AV	86.00	300	Vertical	Pass
5	12489.339	55.90	74.0	18.10	Peak	34.00	400	Vertical	Pass
5**	12489.339	41.90	54.0	12.10	AV	34.00	400	Vertical	Pass
6	15688.315	50.93	74.0	23.07	Peak	332.00	300	Vertical	Pass
6**	15688.315	44.40	54.0	9.60	AV	332.00	300	Vertical	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.860	44.59	88.2	43.61	Peak	116.00	200	Horizontal	Pass
1**	2099.860	29.78	68.2	38.42	AV	116.00	200	Horizontal	Pass
2	4810.198	47.99	74.0	26.01	Peak	133.00	100	Horizontal	Pass
2**	4810.198	40.30	54.0	13.70	AV	133.00	100	Horizontal	Pass
3	4902.719	50.99	74.0	23.01	Peak	256.00	200	Horizontal	Pass
3**	4902.719	41.19	54.0	12.81	AV	256.00	200	Horizontal	Pass
4	7950.699	51.67	88.2	36.53	Peak	11.00	400	Horizontal	Pass
4**	7950.699	42.77	68.2	25.43	AV	11.00	400	Horizontal	Pass
5	14440.846	52.34	88.2	35.86	Peak	318.00	400	Horizontal	Pass
5**	14440.846	45.91	68.2	22.29	AV	318.00	400	Horizontal	Pass
6	17431.129	57.51	88.2	30.69	Peak	356.00	100	Horizontal	Pass
6**	17431.129	43.79	68.2	24.41	AV	356.00	100	Horizontal	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.081	38.36	74.0	35.64	Peak	24.00	100	Vertical	Pass
1**	1533.081	28.48	54.0	25.52	AV	24.00	100	Vertical	Pass
2	2332.875	43.04	74.0	30.96	Peak	231.00	200	Vertical	Pass
2**	2332.875	38.17	54.0	15.83	AV	231.00	200	Vertical	Pass
3	4896.927	49.48	74.0	24.52	Peak	174.00	200	Vertical	Pass
3**	4896.927	40.51	54.0	13.49	AV	174.00	200	Vertical	Pass
4	7325.282	53.45	74.0	20.55	Peak	19.00	100	Vertical	Pass
4**	7325.282	42.35	54.0	11.65	AV	19.00	100	Vertical	Pass
5	12483.759	54.27	74.0	19.73	Peak	74.00	300	Vertical	Pass
5**	12483.759	43.23	54.0	10.77	AV	74.00	300	Vertical	Pass
6	15689.719	54.85	74.0	19.15	Peak	251.00	400	Vertical	Pass
6**	15689.719	47.40	54.0	6.60	AV	251.00	400	Vertical	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.638	40.04	88.2	48.16	Peak	184.00	300	Horizontal	Pass
1**	2095.638	31.02	68.2	37.18	AV	184.00	300	Horizontal	Pass
2	4810.587	48.86	74.0	25.14	Peak	346.00	200	Horizontal	Pass
2**	4810.587	40.20	54.0	13.80	AV	346.00	200	Horizontal	Pass
3	4898.501	47.56	74.0	26.44	Peak	70.00	200	Horizontal	Pass
3**	4898.501	42.15	54.0	11.85	AV	70.00	200	Horizontal	Pass
4	7951.335	56.49	88.2	31.71	Peak	10.00	200	Horizontal	Pass
4**	7951.335	44.45	68.2	23.75	AV	10.00	200	Horizontal	Pass
5	14443.473	54.40	88.2	33.80	Peak	346.00	300	Horizontal	Pass
5**	14443.473	44.53	68.2	23.67	AV	346.00	300	Horizontal	Pass
6	17432.888	53.36	88.2	34.84	Peak	93.00	200	Horizontal	Pass
6**	17432.888	46.46	68.2	21.74	AV	93.00	200	Horizontal	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.406	41.34	74.0	32.66	Peak	352.00	400	Vertical	Pass
1**	1531.406	30.48	54.0	23.52	AV	352.00	400	Vertical	Pass
2	2335.010	44.96	74.0	29.04	Peak	177.00	300	Vertical	Pass
2**	2335.010	36.58	54.0	17.42	AV	177.00	300	Vertical	Pass
3	4899.984	51.03	74.0	22.97	Peak	281.00	200	Vertical	Pass
3**	4899.984	39.34	54.0	14.66	AV	281.00	200	Vertical	Pass
4	7326.999	53.39	74.0	20.61	Peak	159.00	200	Vertical	Pass
4**	7326.999	43.61	54.0	10.39	AV	159.00	200	Vertical	Pass
5	12485.990	51.01	74.0	22.99	Peak	13.00	300	Vertical	Pass
5**	12485.990	44.63	54.0	9.37	AV	13.00	300	Vertical	Pass
6	15692.741	56.03	74.0	17.97	Peak	324.00	100	Vertical	Pass
6**	15692.741	45.51	54.0	8.49	AV	324.00	100	Vertical	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.380	40.22	88.2	47.98	Peak	206.00	200	Horizontal	Pass
1**	2099.380	33.95	68.2	34.25	AV	206.00	200	Horizontal	Pass
2	4809.125	50.13	74.0	23.87	Peak	283.00	300	Horizontal	Pass
2**	4809.125	39.07	54.0	14.93	AV	283.00	300	Horizontal	Pass
3	4899.505	48.55	74.0	25.45	Peak	255.00	200	Horizontal	Pass
3**	4899.505	37.34	54.0	16.66	AV	255.00	200	Horizontal	Pass
4	7956.532	55.88	88.2	32.32	Peak	227.00	400	Horizontal	Pass
4**	7956.532	47.14	68.2	21.06	AV	227.00	400	Horizontal	Pass
5	14440.202	54.63	88.2	33.57	Peak	119.00	300	Horizontal	Pass
5**	14440.202	48.14	68.2	20.06	AV	119.00	300	Horizontal	Pass
6	17436.588	56.87	88.2	31.33	Peak	288.00	400	Horizontal	Pass
6**	17436.588	43.82	68.2	24.38	AV	288.00	400	Horizontal	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.550	40.07	74.0	33.93	Peak	186.00	200	Vertical	Pass
1**	1527.550	27.12	54.0	26.88	AV	186.00	200	Vertical	Pass
2	2331.575	44.94	74.0	29.06	Peak	74.00	200	Vertical	Pass
2**	2331.575	37.56	54.0	16.44	AV	74.00	200	Vertical	Pass
3	4899.054	47.53	74.0	26.47	Peak	161.00	200	Vertical	Pass
3**	4899.054	40.30	54.0	13.70	AV	161.00	200	Vertical	Pass
4	7326.955	54.16	74.0	19.84	Peak	84.00	400	Vertical	Pass
4**	7326.955	46.19	54.0	7.81	AV	84.00	400	Vertical	Pass
5	12487.499	51.78	74.0	22.22	Peak	327.00	200	Vertical	Pass
5**	12487.499	44.91	54.0	9.09	AV	327.00	200	Vertical	Pass
6	15693.838	55.69	74.0	18.31	Peak	142.00	100	Vertical	Pass
6**	15693.838	42.91	54.0	11.09	AV	142.00	100	Vertical	Pass

11ax160(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.098	44.91	88.2	43.29	Peak	296.00	400	Horizontal	Pass
1**	2099.098	34.09	68.2	34.11	AV	296.00	400	Horizontal	Pass
2	4813.921	52.09	74.0	21.91	Peak	44.00	300	Horizontal	Pass
2**	4813.921	40.01	54.0	13.99	AV	44.00	300	Horizontal	Pass
3	4901.455	48.42	74.0	25.58	Peak	316.00	200	Horizontal	Pass
3**	4901.455	41.41	54.0	12.59	AV	316.00	200	Horizontal	Pass
4	7952.894	51.22	88.2	36.98	Peak	143.00	100	Horizontal	Pass
4**	7952.894	46.57	68.2	21.63	AV	143.00	100	Horizontal	Pass
5	14440.066	54.63	88.2	33.57	Peak	58.00	200	Horizontal	Pass
5**	14440.066	44.97	68.2	23.23	AV	58.00	200	Horizontal	Pass
6	17431.658	52.53	88.2	35.67	Peak	221.00	300	Horizontal	Pass
6**	17431.658	48.19	68.2	20.01	AV	221.00	300	Horizontal	Pass

11ax160(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.266	39.57	74.0	34.43	Peak	50.00	400	Vertical	Pass
1**	1532.266	29.19	54.0	24.81	AV	50.00	400	Vertical	Pass
2	2336.429	46.88	74.0	27.12	Peak	8.00	300	Vertical	Pass
2**	2336.429	33.61	54.0	20.39	AV	8.00	300	Vertical	Pass
3	4904.009	47.09	74.0	26.91	Peak	148.00	200	Vertical	Pass
3**	4904.009	42.17	54.0	11.83	AV	148.00	200	Vertical	Pass
4	7330.172	52.37	74.0	21.63	Peak	5.00	400	Vertical	Pass
4**	7330.172	45.38	54.0	8.62	AV	5.00	400	Vertical	Pass
5	12482.769	53.96	74.0	20.04	Peak	108.00	200	Vertical	Pass
5**	12482.769	45.66	54.0	8.34	AV	108.00	200	Vertical	Pass
6	15693.253	51.93	74.0	22.07	Peak	169.00	400	Vertical	Pass
6**	15693.253	43.31	54.0	10.69	AV	169.00	400	Vertical	Pass

11be20(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.038	40.44	88.2	47.76	Peak	137.00	300	Horizontal	Pass
1**	2095.038	30.08	68.2	38.12	AV	137.00	300	Horizontal	Pass
2	4812.244	49.11	74.0	24.89	Peak	105.00	100	Horizontal	Pass
2**	4812.244	40.41	54.0	13.59	AV	105.00	100	Horizontal	Pass
3	4902.905	47.14	74.0	26.86	Peak	89.00	200	Horizontal	Pass
3**	4902.905	41.34	54.0	12.66	AV	89.00	200	Horizontal	Pass
4	7954.977	55.44	88.2	32.76	Peak	99.00	400	Horizontal	Pass
4**	7954.977	44.48	68.2	23.72	AV	99.00	400	Horizontal	Pass
5	14443.500	52.55	88.2	35.65	Peak	184.00	200	Horizontal	Pass
5**	14443.500	44.94	68.2	23.26	AV	184.00	200	Horizontal	Pass
6	17436.731	56.07	88.2	32.13	Peak	18.00	200	Horizontal	Pass
6**	17436.731	42.47	68.2	25.73	AV	18.00	200	Horizontal	Pass

11be20(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.889	38.77	74.0	35.23	Peak	159.00	300	Vertical	Pass
1**	1532.889	31.03	54.0	22.97	AV	159.00	300	Vertical	Pass
2	2339.098	43.50	74.0	30.50	Peak	91.00	300	Vertical	Pass
2**	2339.098	37.85	54.0	16.15	AV	91.00	300	Vertical	Pass
3	4903.832	47.21	74.0	26.79	Peak	243.00	200	Vertical	Pass
3**	4903.832	41.95	54.0	12.05	AV	243.00	200	Vertical	Pass
4	7326.778	50.93	74.0	23.07	Peak	307.00	200	Vertical	Pass
4**	7326.778	42.67	54.0	11.33	AV	307.00	200	Vertical	Pass
5	12485.802	51.86	74.0	22.14	Peak	261.00	300	Vertical	Pass
5**	12485.802	42.22	54.0	11.78	AV	261.00	300	Vertical	Pass
6	15690.619	53.67	74.0	20.33	Peak	259.00	400	Vertical	Pass
6**	15690.619	44.39	54.0	9.61	AV	259.00	400	Vertical	Pass

11be20(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.905	40.82	88.2	47.38	Peak	90.00	100	Horizontal	Pass
1**	2096.905	31.45	68.2	36.75	AV	90.00	100	Horizontal	Pass
2	4808.025	50.09	74.0	23.91	Peak	141.00	100	Horizontal	Pass
2**	4808.025	41.03	54.0	12.97	AV	141.00	100	Horizontal	Pass
3	4900.997	47.66	74.0	26.34	Peak	340.00	200	Horizontal	Pass
3**	4900.997	39.04	54.0	14.96	AV	340.00	200	Horizontal	Pass
4	7956.045	55.02	88.2	33.18	Peak	341.00	100	Horizontal	Pass
4**	7956.045	43.84	68.2	24.36	AV	341.00	100	Horizontal	Pass
5	14445.218	58.20	88.2	30.00	Peak	234.00	400	Horizontal	Pass
5**	14445.218	47.65	68.2	20.55	AV	234.00	400	Horizontal	Pass
6	17434.615	53.47	88.2	34.73	Peak	119.00	100	Horizontal	Pass
6**	17434.615	43.91	68.2	24.29	AV	119.00	100	Horizontal	Pass

11be20(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.337	36.46	74.0	37.54	Peak	357.00	100	Vertical	Pass
1**	1533.337	30.11	54.0	23.89	AV	357.00	100	Vertical	Pass
2	2333.315	41.66	74.0	32.34	Peak	269.00	200	Vertical	Pass
2**	2333.315	37.86	54.0	16.14	AV	269.00	200	Vertical	Pass
3	4896.666	48.77	74.0	25.23	Peak	61.00	200	Vertical	Pass
3**	4896.666	40.44	54.0	13.56	AV	61.00	200	Vertical	Pass
4	7324.133	54.76	74.0	19.24	Peak	28.00	100	Vertical	Pass
4**	7324.133	45.91	54.0	8.09	AV	28.00	100	Vertical	Pass
5	12486.389	55.65	74.0	18.35	Peak	121.00	200	Vertical	Pass
5**	12486.389	46.61	54.0	7.39	AV	121.00	200	Vertical	Pass
6	15690.953	55.63	74.0	18.37	Peak	203.00	300	Vertical	Pass
6**	15690.953	42.69	54.0	11.31	AV	203.00	300	Vertical	Pass

11be20(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2093.371	41.69	88.2	46.51	Peak	228.00	400	Horizontal	Pass
1**	2093.371	33.01	68.2	35.19	AV	228.00	400	Horizontal	Pass
2	4812.023	46.50	74.0	27.50	Peak	192.00	400	Horizontal	Pass
2**	4812.023	42.35	54.0	11.65	AV	192.00	400	Horizontal	Pass
3	4901.383	49.92	74.0	24.08	Peak	61.00	200	Horizontal	Pass
3**	4901.383	37.77	54.0	16.23	AV	61.00	200	Horizontal	Pass
4	7954.687	51.84	88.2	36.36	Peak	234.00	200	Horizontal	Pass
4**	7954.687	44.53	68.2	23.67	AV	234.00	200	Horizontal	Pass
5	14445.036	54.72	88.2	33.48	Peak	219.00	400	Horizontal	Pass
5**	14445.036	46.54	68.2	21.66	AV	219.00	400	Horizontal	Pass
6	17433.684	57.47	88.2	30.73	Peak	19.00	100	Horizontal	Pass
6**	17433.684	45.00	68.2	23.20	AV	19.00	100	Horizontal	Pass

11be20(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.793	39.78	74.0	34.22	Peak	15.00	300	Vertical	Pass
1**	1527.793	28.60	54.0	25.40	AV	15.00	300	Vertical	Pass
2	2338.928	44.17	74.0	29.83	Peak	271.00	400	Vertical	Pass
2**	2338.928	34.77	54.0	19.23	AV	271.00	400	Vertical	Pass
3	4899.169	48.56	74.0	25.44	Peak	333.00	200	Vertical	Pass
3**	4899.169	38.41	54.0	15.59	AV	333.00	200	Vertical	Pass
4	7328.791	51.59	74.0	22.41	Peak	279.00	400	Vertical	Pass
4**	7328.791	44.83	54.0	9.17	AV	279.00	400	Vertical	Pass
5	12485.758	50.86	74.0	23.14	Peak	297.00	400	Vertical	Pass
5**	12485.758	41.53	54.0	12.47	AV	297.00	400	Vertical	Pass
6	15691.035	52.92	74.0	21.08	Peak	323.00	400	Vertical	Pass
6**	15691.035	46.63	54.0	7.37	AV	323.00	400	Vertical	Pass

11be40(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2093.441	39.13	88.2	49.07	Peak	150.00	400	Horizontal	Pass
1**	2093.441	31.78	68.2	36.42	AV	150.00	400	Horizontal	Pass
2	4813.587	49.14	74.0	24.86	Peak	157.00	300	Horizontal	Pass
2**	4813.587	42.51	54.0	11.49	AV	157.00	300	Horizontal	Pass
3	4902.725	52.91	74.0	21.09	Peak	358.00	200	Horizontal	Pass
3**	4902.725	38.44	54.0	15.56	AV	358.00	200	Horizontal	Pass
4	7949.625	56.69	88.2	31.51	Peak	326.00	300	Horizontal	Pass
4**	7949.625	45.93	68.2	22.27	AV	326.00	300	Horizontal	Pass
5	14444.142	55.02	88.2	33.18	Peak	324.00	400	Horizontal	Pass
5**	14444.142	44.88	68.2	23.32	AV	324.00	400	Horizontal	Pass
6	17432.750	52.52	88.2	35.68	Peak	360.00	300	Horizontal	Pass
6**	17432.750	43.31	68.2	24.89	AV	360.00	300	Horizontal	Pass

11be40(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.965	38.46	74.0	35.54	Peak	335.00	200	Vertical	Pass
1**	1528.965	27.86	54.0	26.14	AV	335.00	200	Vertical	Pass
2	2338.870	47.21	74.0	26.79	Peak	293.00	400	Vertical	Pass
2**	2338.870	36.90	54.0	17.10	AV	293.00	400	Vertical	Pass
3	4897.076	50.98	74.0	23.02	Peak	247.00	200	Vertical	Pass
3**	4897.076	39.47	54.0	14.53	AV	247.00	200	Vertical	Pass
4	7323.883	55.89	74.0	18.11	Peak	1.00	100	Vertical	Pass
4**	7323.883	44.61	54.0	9.39	AV	1.00	100	Vertical	Pass
5	12485.194	54.43	74.0	19.57	Peak	68.00	300	Vertical	Pass
5**	12485.194	42.12	54.0	11.88	AV	68.00	300	Vertical	Pass
6	15695.182	54.87	74.0	19.13	Peak	186.00	400	Vertical	Pass
6**	15695.182	42.11	54.0	11.89	AV	186.00	400	Vertical	Pass

11be40(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.346	39.02	88.2	49.18	Peak	318.00	200	Horizontal	Pass
1**	2097.346	31.35	68.2	36.85	AV	318.00	200	Horizontal	Pass
2	4811.846	48.86	74.0	25.14	Peak	67.00	400	Horizontal	Pass
2**	4811.846	43.76	54.0	10.24	AV	67.00	400	Horizontal	Pass
3	4900.269	51.13	74.0	22.87	Peak	11.00	200	Horizontal	Pass
3**	4900.269	38.49	54.0	15.51	AV	11.00	200	Horizontal	Pass
4	7953.730	55.12	88.2	33.08	Peak	228.00	100	Horizontal	Pass
4**	7953.730	41.86	68.2	26.34	AV	228.00	100	Horizontal	Pass
5	14442.761	58.04	88.2	30.16	Peak	197.00	200	Horizontal	Pass
5**	14442.761	42.64	68.2	25.56	AV	197.00	200	Horizontal	Pass
6	17430.388	55.17	88.2	33.03	Peak	160.00	200	Horizontal	Pass
6**	17430.388	47.69	68.2	20.51	AV	160.00	200	Horizontal	Pass

11be40(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.641	40.13	74.0	33.87	Peak	266.00	200	Vertical	Pass
1**	1533.641	28.77	54.0	25.23	AV	266.00	200	Vertical	Pass
2	2334.016	43.71	74.0	30.29	Peak	58.00	300	Vertical	Pass
2**	2334.016	36.19	54.0	17.81	AV	58.00	300	Vertical	Pass
3	4903.353	50.24	74.0	23.76	Peak	252.00	200	Vertical	Pass
3**	4903.353	42.61	54.0	11.39	AV	252.00	200	Vertical	Pass
4	7330.816	55.68	74.0	18.32	Peak	261.00	200	Vertical	Pass
4**	7330.816	43.69	54.0	10.31	AV	261.00	200	Vertical	Pass
5	12486.182	55.13	74.0	18.87	Peak	76.00	200	Vertical	Pass
5**	12486.182	46.34	54.0	7.66	AV	76.00	200	Vertical	Pass
6	15688.566	52.56	74.0	21.44	Peak	226.00	100	Vertical	Pass
6**	15688.566	46.39	54.0	7.61	AV	226.00	100	Vertical	Pass

11be80(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.001	39.15	88.2	49.05	Peak	77.00	400	Horizontal	Pass
1**	2100.001	34.51	68.2	33.69	AV	77.00	400	Horizontal	Pass
2	4812.223	50.91	74.0	23.09	Peak	341.00	200	Horizontal	Pass
2**	4812.223	43.35	54.0	10.65	AV	341.00	200	Horizontal	Pass
3	4900.367	48.16	74.0	25.84	Peak	354.00	200	Horizontal	Pass
3**	4900.367	40.26	54.0	13.74	AV	354.00	200	Horizontal	Pass
4	7952.820	56.92	88.2	31.28	Peak	240.00	300	Horizontal	Pass
4**	7952.820	41.86	68.2	26.34	AV	240.00	300	Horizontal	Pass
5	14443.384	53.31	88.2	34.89	Peak	359.00	100	Horizontal	Pass
5**	14443.384	43.69	68.2	24.51	AV	359.00	100	Horizontal	Pass
6	17435.711	57.47	88.2	30.73	Peak	195.00	400	Horizontal	Pass
6**	17435.711	44.02	68.2	24.18	AV	195.00	400	Horizontal	Pass

11be80(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.299	37.58	74.0	36.42	Peak	337.00	200	Vertical	Pass
1**	1530.299	29.23	54.0	24.77	AV	337.00	200	Vertical	Pass
2	2333.445	47.37	74.0	26.63	Peak	148.00	300	Vertical	Pass
2**	2333.445	35.63	54.0	18.37	AV	148.00	300	Vertical	Pass
3	4898.488	48.91	74.0	25.09	Peak	236.00	200	Vertical	Pass
3**	4898.488	39.36	54.0	14.64	AV	236.00	200	Vertical	Pass
4	7330.844	55.14	74.0	18.86	Peak	186.00	300	Vertical	Pass
4**	7330.844	43.45	54.0	10.55	AV	186.00	300	Vertical	Pass
5	12488.150	53.72	74.0	20.28	Peak	204.00	200	Vertical	Pass
5**	12488.150	42.33	54.0	11.67	AV	204.00	200	Vertical	Pass
6	15687.362	52.42	74.0	21.58	Peak	114.00	400	Vertical	Pass
6**	15687.362	42.82	54.0	11.18	AV	114.00	400	Vertical	Pass

11be80(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.251	41.09	88.2	47.11	Peak	343.00	200	Horizontal	Pass
1**	2094.251	34.67	68.2	33.53	AV	343.00	200	Horizontal	Pass
2	4808.228	46.92	74.0	27.08	Peak	150.00	400	Horizontal	Pass
2**	4808.228	40.53	54.0	13.47	AV	150.00	400	Horizontal	Pass
3	4900.219	48.88	74.0	25.12	Peak	24.00	200	Horizontal	Pass
3**	4900.219	41.74	54.0	12.26	AV	24.00	200	Horizontal	Pass
4	7954.646	53.33	88.2	34.87	Peak	346.00	400	Horizontal	Pass
4**	7954.646	46.69	68.2	21.51	AV	346.00	400	Horizontal	Pass
5	14439.353	58.25	88.2	29.95	Peak	191.00	100	Horizontal	Pass
5**	14439.353	45.01	68.2	23.19	AV	191.00	100	Horizontal	Pass
6	17437.225	55.38	88.2	32.82	Peak	262.00	100	Horizontal	Pass
6**	17437.225	47.63	68.2	20.57	AV	262.00	100	Horizontal	Pass

11be80(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.461	36.40	74.0	37.60	Peak	93.00	200	Vertical	Pass
1**	1530.461	30.59	54.0	23.41	AV	93.00	200	Vertical	Pass
2	2331.584	46.25	74.0	27.75	Peak	149.00	300	Vertical	Pass
2**	2331.584	34.73	54.0	19.27	AV	149.00	300	Vertical	Pass
3	4901.800	47.43	74.0	26.57	Peak	56.00	200	Vertical	Pass
3**	4901.800	42.12	54.0	11.88	AV	56.00	200	Vertical	Pass
4	7330.945	51.99	74.0	22.01	Peak	343.00	100	Vertical	Pass
4**	7330.945	41.04	54.0	12.96	AV	343.00	100	Vertical	Pass
5	12484.907	53.58	74.0	20.42	Peak	262.00	100	Vertical	Pass
5**	12484.907	47.11	54.0	6.89	AV	262.00	100	Vertical	Pass
6	15688.620	51.47	74.0	22.53	Peak	137.00	300	Vertical	Pass
6**	15688.620	43.67	54.0	10.33	AV	137.00	300	Vertical	Pass

11be160(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.195	43.98	88.2	44.22	Peak	222.00	200	Horizontal	Pass
1**	2096.195	30.25	68.2	37.95	AV	222.00	200	Horizontal	Pass
2	4812.485	50.88	74.0	23.12	Peak	316.00	300	Horizontal	Pass
2**	4812.485	41.60	54.0	12.40	AV	316.00	300	Horizontal	Pass
3	4902.545	50.56	74.0	23.44	Peak	265.00	200	Horizontal	Pass
3**	4902.545	40.03	54.0	13.97	AV	265.00	200	Horizontal	Pass
4	7951.374	56.08	88.2	32.12	Peak	111.00	200	Horizontal	Pass
4**	7951.374	46.43	68.2	21.77	AV	111.00	200	Horizontal	Pass
5	14439.821	58.19	88.2	30.01	Peak	11.00	300	Horizontal	Pass
5**	14439.821	48.30	68.2	19.90	AV	11.00	300	Horizontal	Pass
6	17435.046	54.61	88.2	33.59	Peak	161.00	200	Horizontal	Pass
6**	17435.046	45.51	68.2	22.69	AV	161.00	200	Horizontal	Pass

11be160(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.288	36.96	74.0	37.04	Peak	38.00	100	Vertical	Pass
1**	1528.288	29.83	54.0	24.17	AV	38.00	100	Vertical	Pass
2	2331.944	42.20	74.0	31.80	Peak	193.00	300	Vertical	Pass
2**	2331.944	37.81	54.0	16.19	AV	193.00	300	Vertical	Pass
3	4899.738	50.36	74.0	23.64	Peak	322.00	200	Vertical	Pass
3**	4899.738	40.58	54.0	13.42	AV	322.00	200	Vertical	Pass
4	7329.032	51.37	74.0	22.63	Peak	33.00	400	Vertical	Pass
4**	7329.032	42.99	54.0	11.01	AV	33.00	400	Vertical	Pass
5	12483.458	52.29	74.0	21.71	Peak	351.00	200	Vertical	Pass
5**	12483.458	44.28	54.0	9.72	AV	351.00	200	Vertical	Pass
6	15692.958	53.72	74.0	20.28	Peak	13.00	100	Vertical	Pass
6**	15692.958	46.29	54.0	7.71	AV	13.00	100	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.048	43.82	88.2	44.38	Peak	13.00	100	Horizontal	Pass
1**	2098.048	30.88	68.2	37.32	AV	13.00	100	Horizontal	Pass
2	4811.277	51.35	74.0	22.65	Peak	86.00	300	Horizontal	Pass
2**	4811.277	39.82	54.0	14.18	AV	86.00	300	Horizontal	Pass
3	4900.074	48.64	74.0	25.36	Peak	281.00	200	Horizontal	Pass
3**	4900.074	38.75	54.0	15.25	AV	281.00	200	Horizontal	Pass
4	7957.094	55.22	88.2	32.98	Peak	344.00	200	Horizontal	Pass
4**	7957.094	45.05	68.2	23.15	AV	344.00	200	Horizontal	Pass
5	14444.530	53.24	88.2	34.96	Peak	288.00	300	Horizontal	Pass
5**	14444.530	44.39	68.2	23.81	AV	288.00	300	Horizontal	Pass
6	17433.861	54.54	88.2	33.66	Peak	111.00	200	Horizontal	Pass
6**	17433.861	44.48	68.2	23.72	AV	111.00	200	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.280	37.46	74.0	36.54	Peak	276.00	300	Vertical	Pass
1**	1531.280	29.15	54.0	24.85	AV	276.00	300	Vertical	Pass
2	2334.996	44.53	74.0	29.47	Peak	40.00	400	Vertical	Pass
2**	2334.996	33.62	54.0	20.38	AV	40.00	400	Vertical	Pass
3	4898.838	47.63	74.0	26.37	Peak	357.00	200	Vertical	Pass
3**	4898.838	41.86	54.0	12.14	AV	357.00	200	Vertical	Pass
4	7328.833	52.98	74.0	21.02	Peak	322.00	400	Vertical	Pass
4**	7328.833	45.93	54.0	8.07	AV	322.00	400	Vertical	Pass
5	12483.078	55.81	74.0	18.19	Peak	124.00	200	Vertical	Pass
5**	12483.078	41.28	54.0	12.72	AV	124.00	200	Vertical	Pass
6	15691.413	55.06	74.0	18.94	Peak	204.00	100	Vertical	Pass
6**	15691.413	45.03	54.0	8.97	AV	204.00	100	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.077	42.13	88.2	46.07	Peak	33.00	300	Horizontal	Pass
1**	2094.077	30.51	68.2	37.69	AV	33.00	300	Horizontal	Pass
2	4814.992	49.84	74.0	24.16	Peak	193.00	400	Horizontal	Pass
2**	4814.992	40.10	54.0	13.90	AV	193.00	400	Horizontal	Pass
3	4903.128	52.78	74.0	21.22	Peak	36.00	200	Horizontal	Pass
3**	4903.128	39.65	54.0	14.35	AV	36.00	200	Horizontal	Pass
4	7955.886	52.52	88.2	35.68	Peak	319.00	400	Horizontal	Pass
4**	7955.886	41.65	68.2	26.55	AV	319.00	400	Horizontal	Pass
5	14440.483	53.75	88.2	34.45	Peak	57.00	200	Horizontal	Pass
5**	14440.483	47.27	68.2	20.93	AV	57.00	200	Horizontal	Pass
6	17436.894	57.32	88.2	30.88	Peak	220.00	100	Horizontal	Pass
6**	17436.894	43.98	68.2	24.22	AV	220.00	100	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.077	40.92	74.0	33.08	Peak	143.00	200	Vertical	Pass
1**	1527.077	30.54	54.0	23.46	AV	143.00	200	Vertical	Pass
2	2333.167	42.65	74.0	31.35	Peak	157.00	200	Vertical	Pass
2**	2333.167	35.98	54.0	18.02	AV	157.00	200	Vertical	Pass
3	4901.738	47.54	74.0	26.46	Peak	223.00	200	Vertical	Pass
3**	4901.738	40.18	54.0	13.82	AV	223.00	200	Vertical	Pass
4	7328.638	55.71	74.0	18.29	Peak	94.00	300	Vertical	Pass
4**	7328.638	45.19	54.0	8.81	AV	94.00	300	Vertical	Pass
5	12488.275	52.71	74.0	21.29	Peak	248.00	200	Vertical	Pass
5**	12488.275	44.03	54.0	9.97	AV	248.00	200	Vertical	Pass
6	15690.443	56.19	74.0	17.81	Peak	222.00	200	Vertical	Pass
6**	15690.443	43.30	54.0	10.70	AV	222.00	200	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.414	42.20	88.2	46.00	Peak	14.00	300	Horizontal	Pass
1**	2100.414	35.62	68.2	32.58	AV	14.00	300	Horizontal	Pass
2	4812.446	50.56	74.0	23.44	Peak	158.00	100	Horizontal	Pass
2**	4812.446	40.21	54.0	13.79	AV	158.00	100	Horizontal	Pass
3	4900.454	52.63	74.0	21.37	Peak	261.00	200	Horizontal	Pass
3**	4900.454	40.11	54.0	13.89	AV	261.00	200	Horizontal	Pass
4	7950.276	56.37	88.2	31.83	Peak	131.00	300	Horizontal	Pass
4**	7950.276	42.87	68.2	25.33	AV	131.00	300	Horizontal	Pass
5	14446.059	53.75	88.2	34.45	Peak	206.00	400	Horizontal	Pass
5**	14446.059	42.86	68.2	25.34	AV	206.00	400	Horizontal	Pass
6	17433.253	51.95	88.2	36.25	Peak	104.00	300	Horizontal	Pass
6**	17433.253	46.09	68.2	22.11	AV	104.00	300	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.490	37.99	74.0	36.01	Peak	216.00	100	Vertical	Pass
1**	1528.490	26.53	54.0	27.47	AV	216.00	100	Vertical	Pass
2	2337.963	44.86	74.0	29.14	Peak	286.00	200	Vertical	Pass
2**	2337.963	32.57	54.0	21.43	AV	286.00	200	Vertical	Pass
3	4899.531	48.72	74.0	25.28	Peak	156.00	200	Vertical	Pass
3**	4899.531	41.90	54.0	12.10	AV	156.00	200	Vertical	Pass
4	7329.961	50.52	74.0	23.48	Peak	213.00	300	Vertical	Pass
4**	7329.961	43.43	54.0	10.57	AV	213.00	300	Vertical	Pass
5	12482.958	54.65	74.0	19.35	Peak	69.00	400	Vertical	Pass
5**	12482.958	41.43	54.0	12.57	AV	69.00	400	Vertical	Pass
6	15690.869	52.77	74.0	21.23	Peak	141.00	200	Vertical	Pass
6**	15690.869	45.51	54.0	8.49	AV	141.00	200	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.464	39.07	88.2	49.13	Peak	264.00	400	Horizontal	Pass
1**	2094.464	33.06	68.2	35.14	AV	264.00	400	Horizontal	Pass
2	4815.021	49.47	74.0	24.53	Peak	235.00	300	Horizontal	Pass
2**	4815.021	43.42	54.0	10.58	AV	235.00	300	Horizontal	Pass
3	4902.024	49.03	74.0	24.97	Peak	57.00	200	Horizontal	Pass
3**	4902.024	41.45	54.0	12.55	AV	57.00	200	Horizontal	Pass
4	7951.536	56.61	88.2	31.59	Peak	262.00	400	Horizontal	Pass
4**	7951.536	42.26	68.2	25.94	AV	262.00	400	Horizontal	Pass
5	14445.133	53.39	88.2	34.81	Peak	5.00	300	Horizontal	Pass
5**	14445.133	44.51	68.2	23.69	AV	5.00	300	Horizontal	Pass
6	17435.933	52.10	88.2	36.10	Peak	160.00	300	Horizontal	Pass
6**	17435.933	43.32	68.2	24.88	AV	160.00	300	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.568	40.68	74.0	33.32	Peak	333.00	100	Vertical	Pass
1**	1527.568	29.93	54.0	24.07	AV	333.00	100	Vertical	Pass
2	2332.746	41.86	74.0	32.14	Peak	271.00	100	Vertical	Pass
2**	2332.746	34.25	54.0	19.75	AV	271.00	100	Vertical	Pass
3	4896.354	48.77	74.0	25.23	Peak	286.00	200	Vertical	Pass
3**	4896.354	42.22	54.0	11.78	AV	286.00	200	Vertical	Pass
4	7326.015	52.55	74.0	21.45	Peak	282.00	300	Vertical	Pass
4**	7326.015	43.70	54.0	10.30	AV	282.00	300	Vertical	Pass
5	12488.754	50.90	74.0	23.10	Peak	6.00	300	Vertical	Pass
5**	12488.754	46.48	54.0	7.52	AV	6.00	300	Vertical	Pass
6	15689.699	55.36	74.0	18.64	Peak	43.00	400	Vertical	Pass
6**	15689.699	42.74	54.0	11.26	AV	43.00	400	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.381	40.59	88.2	47.61	Peak	134.00	100	Horizontal	Pass
1**	2100.381	35.41	68.2	32.79	AV	134.00	100	Horizontal	Pass
2	4808.991	52.12	74.0	21.88	Peak	33.00	100	Horizontal	Pass
2**	4808.991	42.32	54.0	11.68	AV	33.00	100	Horizontal	Pass
3	4903.725	50.79	74.0	23.21	Peak	89.00	200	Horizontal	Pass
3**	4903.725	37.24	54.0	16.76	AV	89.00	200	Horizontal	Pass
4	7955.625	55.88	88.2	32.32	Peak	27.00	300	Horizontal	Pass
4**	7955.625	46.21	68.2	21.99	AV	27.00	300	Horizontal	Pass
5	14438.930	56.43	88.2	31.77	Peak	14.00	100	Horizontal	Pass
5**	14438.930	46.79	68.2	21.41	AV	14.00	100	Horizontal	Pass
6	17430.711	55.39	88.2	32.81	Peak	276.00	400	Horizontal	Pass
6**	17430.711	46.90	68.2	21.30	AV	276.00	400	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.723	40.01	74.0	33.99	Peak	152.00	400	Vertical	Pass
1**	1532.723	29.28	54.0	24.72	AV	152.00	400	Vertical	Pass
2	2335.764	45.47	74.0	28.53	Peak	159.00	200	Vertical	Pass
2**	2335.764	36.23	54.0	17.77	AV	159.00	200	Vertical	Pass
3	4901.004	47.16	74.0	26.84	Peak	136.00	200	Vertical	Pass
3**	4901.004	42.23	54.0	11.77	AV	136.00	200	Vertical	Pass
4	7331.162	51.80	74.0	22.20	Peak	44.00	400	Vertical	Pass
4**	7331.162	41.95	54.0	12.05	AV	44.00	400	Vertical	Pass
5	12489.913	51.46	74.0	22.54	Peak	248.00	300	Vertical	Pass
5**	12489.913	45.56	54.0	8.44	AV	248.00	300	Vertical	Pass
6	15691.282	53.36	74.0	20.64	Peak	271.00	200	Vertical	Pass
6**	15691.282	42.54	54.0	11.46	AV	271.00	200	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.223	39.81	88.2	48.39	Peak	22.00	100	Horizontal	Pass
1**	2099.223	30.85	68.2	37.35	AV	22.00	100	Horizontal	Pass
2	4813.882	52.31	74.0	21.69	Peak	85.00	400	Horizontal	Pass
2**	4813.882	40.99	54.0	13.01	AV	85.00	400	Horizontal	Pass
3	4901.878	48.24	74.0	25.76	Peak	315.00	200	Horizontal	Pass
3**	4901.878	37.56	54.0	16.44	AV	315.00	200	Horizontal	Pass
4	7951.386	52.90	88.2	35.30	Peak	205.00	200	Horizontal	Pass
4**	7951.386	46.50	68.2	21.70	AV	205.00	200	Horizontal	Pass
5	14445.571	56.60	88.2	31.60	Peak	175.00	200	Horizontal	Pass
5**	14445.571	42.92	68.2	25.28	AV	175.00	200	Horizontal	Pass
6	17436.579	54.68	88.2	33.52	Peak	308.00	300	Horizontal	Pass
6**	17436.579	46.55	68.2	21.65	AV	308.00	300	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.473	41.76	74.0	32.24	Peak	42.00	100	Vertical	Pass
1**	1527.473	30.84	54.0	23.16	AV	42.00	100	Vertical	Pass
2	2333.755	46.07	74.0	27.93	Peak	197.00	400	Vertical	Pass
2**	2333.755	34.70	54.0	19.30	AV	197.00	400	Vertical	Pass
3	4901.112	49.39	74.0	24.61	Peak	157.00	200	Vertical	Pass
3**	4901.112	37.36	54.0	16.64	AV	157.00	200	Vertical	Pass
4	7328.764	54.12	74.0	19.88	Peak	345.00	300	Vertical	Pass
4**	7328.764	44.30	54.0	9.70	AV	345.00	300	Vertical	Pass
5	12485.170	50.56	74.0	23.44	Peak	237.00	300	Vertical	Pass
5**	12485.170	41.80	54.0	12.20	AV	237.00	300	Vertical	Pass
6	15689.865	54.42	74.0	19.58	Peak	227.00	400	Vertical	Pass
6**	15689.865	46.50	54.0	7.50	AV	227.00	400	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.020	44.50	88.2	43.70	Peak	247.00	100	Horizontal	Pass
1**	2096.020	34.44	68.2	33.76	AV	247.00	100	Horizontal	Pass
2	4814.701	49.60	74.0	24.40	Peak	124.00	400	Horizontal	Pass
2**	4814.701	41.40	54.0	12.60	AV	124.00	400	Horizontal	Pass
3	4902.773	47.05	74.0	26.95	Peak	170.00	200	Horizontal	Pass
3**	4902.773	40.80	54.0	13.20	AV	170.00	200	Horizontal	Pass
4	7949.977	51.91	88.2	36.29	Peak	337.00	400	Horizontal	Pass
4**	7949.977	45.86	68.2	22.34	AV	337.00	400	Horizontal	Pass
5	14440.903	56.52	88.2	31.68	Peak	165.00	200	Horizontal	Pass
5**	14440.903	45.16	68.2	23.04	AV	165.00	200	Horizontal	Pass
6	17434.756	54.54	88.2	33.66	Peak	52.00	100	Horizontal	Pass
6**	17434.756	43.07	68.2	25.13	AV	52.00	100	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.011	39.62	74.0	34.38	Peak	254.00	400	Vertical	Pass
1**	1527.011	31.30	54.0	22.70	AV	254.00	400	Vertical	Pass
2	2338.656	41.56	74.0	32.44	Peak	165.00	100	Vertical	Pass
2**	2338.656	34.19	54.0	19.81	AV	165.00	100	Vertical	Pass
3	4901.340	51.28	74.0	22.72	Peak	274.00	200	Vertical	Pass
3**	4901.340	41.45	54.0	12.55	AV	274.00	200	Vertical	Pass
4	7327.006	50.55	74.0	23.45	Peak	220.00	400	Vertical	Pass
4**	7327.006	44.03	54.0	9.97	AV	220.00	400	Vertical	Pass
5	12483.359	55.22	74.0	18.78	Peak	17.00	300	Vertical	Pass
5**	12483.359	46.20	54.0	7.80	AV	17.00	300	Vertical	Pass
6	15694.239	52.07	74.0	21.93	Peak	345.00	300	Vertical	Pass
6**	15694.239	42.90	54.0	11.10	AV	345.00	300	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.590	40.56	88.2	47.64	Peak	315.00	300	Horizontal	Pass
1**	2094.590	32.54	68.2	35.66	AV	315.00	300	Horizontal	Pass
2	4814.755	46.45	74.0	27.55	Peak	47.00	100	Horizontal	Pass
2**	4814.755	39.83	54.0	14.17	AV	47.00	100	Horizontal	Pass
3	4896.707	48.18	74.0	25.82	Peak	208.00	200	Horizontal	Pass
3**	4896.707	37.93	54.0	16.07	AV	208.00	200	Horizontal	Pass
4	7953.676	56.23	88.2	31.97	Peak	285.00	100	Horizontal	Pass
4**	7953.676	46.59	68.2	21.61	AV	285.00	100	Horizontal	Pass
5	14442.311	54.27	88.2	33.93	Peak	11.00	300	Horizontal	Pass
5**	14442.311	44.83	68.2	23.37	AV	11.00	300	Horizontal	Pass
6	17433.399	57.12	88.2	31.08	Peak	188.00	400	Horizontal	Pass
6**	17433.399	42.80	68.2	25.40	AV	188.00	400	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.580	40.87	74.0	33.13	Peak	190.00	400	Vertical	Pass
1**	1526.580	31.01	54.0	22.99	AV	190.00	400	Vertical	Pass
2	2335.372	47.42	74.0	26.58	Peak	108.00	400	Vertical	Pass
2**	2335.372	36.50	54.0	17.50	AV	108.00	400	Vertical	Pass
3	4903.783	51.35	74.0	22.65	Peak	211.00	200	Vertical	Pass
3**	4903.783	36.80	54.0	17.20	AV	211.00	200	Vertical	Pass
4	7324.279	53.40	74.0	20.60	Peak	194.00	300	Vertical	Pass
4**	7324.279	42.61	54.0	11.39	AV	194.00	300	Vertical	Pass
5	12487.414	53.86	74.0	20.14	Peak	239.00	200	Vertical	Pass
5**	12487.414	41.83	54.0	12.17	AV	239.00	200	Vertical	Pass
6	15689.920	55.37	74.0	18.63	Peak	351.00	100	Vertical	Pass
6**	15689.920	46.69	54.0	7.31	AV	351.00	100	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.926	39.32	88.2	48.88	Peak	116.00	200	Horizontal	Pass
1**	2095.926	32.69	68.2	35.51	AV	116.00	200	Horizontal	Pass
2	4813.346	46.89	74.0	27.11	Peak	196.00	200	Horizontal	Pass
2**	4813.346	41.13	54.0	12.87	AV	196.00	200	Horizontal	Pass
3	4897.424	48.25	74.0	25.75	Peak	162.00	200	Horizontal	Pass
3**	4897.424	39.66	54.0	14.34	AV	162.00	200	Horizontal	Pass
4	7953.762	56.89	88.2	31.31	Peak	38.00	200	Horizontal	Pass
4**	7953.762	43.98	68.2	24.22	AV	38.00	200	Horizontal	Pass
5	14440.249	54.51	88.2	33.69	Peak	147.00	300	Horizontal	Pass
5**	14440.249	46.37	68.2	21.83	AV	147.00	300	Horizontal	Pass
6	17435.726	55.32	88.2	32.88	Peak	221.00	300	Horizontal	Pass
6**	17435.726	44.73	68.2	23.47	AV	221.00	300	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.042	38.10	74.0	35.90	Peak	19.00	300	Vertical	Pass
1**	1528.042	27.20	54.0	26.80	AV	19.00	300	Vertical	Pass
2	2336.777	44.14	74.0	29.86	Peak	352.00	100	Vertical	Pass
2**	2336.777	36.70	54.0	17.30	AV	352.00	100	Vertical	Pass
3	4901.536	52.42	74.0	21.58	Peak	167.00	200	Vertical	Pass
3**	4901.536	41.22	54.0	12.78	AV	167.00	200	Vertical	Pass
4	7323.740	52.64	74.0	21.36	Peak	332.00	200	Vertical	Pass
4**	7323.740	42.88	54.0	11.12	AV	332.00	200	Vertical	Pass
5	12486.376	53.05	74.0	20.95	Peak	14.00	200	Vertical	Pass
5**	12486.376	46.17	54.0	7.83	AV	14.00	200	Vertical	Pass
6	15690.959	51.33	74.0	22.67	Peak	313.00	300	Vertical	Pass
6**	15690.959	41.65	54.0	12.35	AV	313.00	300	Vertical	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.172	44.09	88.2	44.11	Peak	103.00	300	Horizontal	Pass
1**	2098.172	30.39	68.2	37.81	AV	103.00	300	Horizontal	Pass
2	4812.834	47.38	74.0	26.62	Peak	266.00	300	Horizontal	Pass
2**	4812.834	42.37	54.0	11.63	AV	266.00	300	Horizontal	Pass
3	4897.811	49.96	74.0	24.04	Peak	249.00	200	Horizontal	Pass
3**	4897.811	40.38	54.0	13.62	AV	249.00	200	Horizontal	Pass
4	7954.482	54.50	88.2	33.70	Peak	21.00	200	Horizontal	Pass
4**	7954.482	45.52	68.2	22.68	AV	21.00	200	Horizontal	Pass
5	14440.427	53.70	88.2	34.50	Peak	223.00	200	Horizontal	Pass
5**	14440.427	43.44	68.2	24.76	AV	223.00	200	Horizontal	Pass
6	17436.670	57.92	88.2	30.28	Peak	36.00	300	Horizontal	Pass
6**	17436.670	43.45	68.2	24.75	AV	36.00	300	Horizontal	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.751	41.43	74.0	32.57	Peak	238.00	200	Vertical	Pass
1**	1527.751	29.74	54.0	24.26	AV	238.00	200	Vertical	Pass
2	2332.054	41.72	74.0	32.28	Peak	73.00	300	Vertical	Pass
2**	2332.054	34.05	54.0	19.95	AV	73.00	300	Vertical	Pass
3	4896.638	51.37	74.0	22.63	Peak	210.00	200	Vertical	Pass
3**	4896.638	37.74	54.0	16.26	AV	210.00	200	Vertical	Pass
4	7328.760	51.27	74.0	22.73	Peak	66.00	200	Vertical	Pass
4**	7328.760	42.88	54.0	11.12	AV	66.00	200	Vertical	Pass
5	12489.960	52.92	74.0	21.08	Peak	69.00	100	Vertical	Pass
5**	12489.960	47.12	54.0	6.88	AV	69.00	100	Vertical	Pass
6	15689.319	53.06	74.0	20.94	Peak	123.00	200	Vertical	Pass
6**	15689.319	44.20	54.0	9.80	AV	123.00	200	Vertical	Pass

11be20(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.009	41.02	88.2	47.18	Peak	192.00	400	Horizontal	Pass
1**	2100.009	32.95	68.2	35.25	AV	192.00	400	Horizontal	Pass
2	4815.053	52.35	74.0	21.65	Peak	163.00	300	Horizontal	Pass
2**	4815.053	43.22	54.0	10.78	AV	163.00	300	Horizontal	Pass
3	4902.314	52.60	74.0	21.40	Peak	192.00	200	Horizontal	Pass
3**	4902.314	42.43	54.0	11.57	AV	192.00	200	Horizontal	Pass
4	7953.170	53.20	88.2	35.00	Peak	157.00	200	Horizontal	Pass
4**	7953.170	46.36	68.2	21.84	AV	157.00	200	Horizontal	Pass
5	14443.589	57.78	88.2	30.42	Peak	344.00	400	Horizontal	Pass
5**	14443.589	47.52	68.2	20.68	AV	344.00	400	Horizontal	Pass
6	17436.337	55.20	88.2	33.00	Peak	129.00	200	Horizontal	Pass
6**	17436.337	48.36	68.2	19.84	AV	129.00	200	Horizontal	Pass

11be20(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.132	40.06	74.0	33.94	Peak	36.00	100	Vertical	Pass
1**	1533.132	29.92	54.0	24.08	AV	36.00	100	Vertical	Pass
2	2336.820	45.36	74.0	28.64	Peak	137.00	200	Vertical	Pass
2**	2336.820	32.59	54.0	21.41	AV	137.00	200	Vertical	Pass
3	4897.516	52.49	74.0	21.51	Peak	116.00	200	Vertical	Pass
3**	4897.516	39.23	54.0	14.77	AV	116.00	200	Vertical	Pass
4	7329.303	52.51	74.0	21.49	Peak	145.00	100	Vertical	Pass
4**	7329.303	44.28	54.0	9.72	AV	145.00	100	Vertical	Pass
5	12488.723	51.68	74.0	22.32	Peak	49.00	200	Vertical	Pass
5**	12488.723	42.58	54.0	11.42	AV	49.00	200	Vertical	Pass
6	15692.854	52.62	74.0	21.38	Peak	302.00	300	Vertical	Pass
6**	15692.854	41.47	54.0	12.53	AV	302.00	300	Vertical	Pass

11be20(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.733	44.74	88.2	43.46	Peak	331.00	200	Horizontal	Pass
1**	2097.733	31.51	68.2	36.69	AV	331.00	200	Horizontal	Pass
2	4809.913	48.33	74.0	25.67	Peak	259.00	300	Horizontal	Pass
2**	4809.913	41.23	54.0	12.77	AV	259.00	300	Horizontal	Pass
3	4904.106	47.95	74.0	26.05	Peak	340.00	200	Horizontal	Pass
3**	4904.106	40.64	54.0	13.36	AV	340.00	200	Horizontal	Pass
4	7951.918	51.57	88.2	36.63	Peak	230.00	300	Horizontal	Pass
4**	7951.918	44.47	68.2	23.73	AV	230.00	300	Horizontal	Pass
5	14439.444	57.31	88.2	30.89	Peak	333.00	200	Horizontal	Pass
5**	14439.444	44.93	68.2	23.27	AV	333.00	200	Horizontal	Pass
6	17430.068	51.95	88.2	36.25	Peak	292.00	300	Horizontal	Pass
6**	17430.068	48.11	68.2	20.09	AV	292.00	300	Horizontal	Pass

11be20(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.076	38.68	74.0	35.32	Peak	245.00	200	Vertical	Pass
1**	1527.076	30.54	54.0	23.46	AV	245.00	200	Vertical	Pass
2	2334.435	47.46	74.0	26.54	Peak	156.00	100	Vertical	Pass
2**	2334.435	34.26	54.0	19.74	AV	156.00	100	Vertical	Pass
3	4902.350	50.63	74.0	23.37	Peak	319.00	200	Vertical	Pass
3**	4902.350	37.37	54.0	16.63	AV	319.00	200	Vertical	Pass
4	7331.124	51.20	74.0	22.80	Peak	167.00	200	Vertical	Pass
4**	7331.124	45.91	54.0	8.09	AV	167.00	200	Vertical	Pass
5	12484.923	53.90	74.0	20.10	Peak	343.00	300	Vertical	Pass
5**	12484.923	43.10	54.0	10.90	AV	343.00	300	Vertical	Pass
6	15694.740	54.19	74.0	19.81	Peak	243.00	400	Vertical	Pass
6**	15694.740	44.41	54.0	9.59	AV	243.00	400	Vertical	Pass

11be20(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.474	39.59	88.2	48.61	Peak	80.00	300	Horizontal	Pass
1**	2098.474	32.11	68.2	36.09	AV	80.00	300	Horizontal	Pass
2	4814.806	47.48	74.0	26.52	Peak	309.00	200	Horizontal	Pass
2**	4814.806	39.81	54.0	14.19	AV	309.00	200	Horizontal	Pass
3	4899.939	49.88	74.0	24.12	Peak	118.00	200	Horizontal	Pass
3**	4899.939	40.08	54.0	13.92	AV	118.00	200	Horizontal	Pass
4	7953.740	56.20	88.2	32.00	Peak	8.00	100	Horizontal	Pass
4**	7953.740	43.75	68.2	24.45	AV	8.00	100	Horizontal	Pass
5	14440.111	53.99	88.2	34.21	Peak	215.00	200	Horizontal	Pass
5**	14440.111	44.20	68.2	24.00	AV	215.00	200	Horizontal	Pass
6	17430.478	53.38	88.2	34.82	Peak	308.00	400	Horizontal	Pass
6**	17430.478	42.99	68.2	25.21	AV	308.00	400	Horizontal	Pass

11be20(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.085	37.90	74.0	36.10	Peak	82.00	300	Vertical	Pass
1**	1533.085	30.79	54.0	23.21	AV	82.00	300	Vertical	Pass
2	2331.604	42.24	74.0	31.76	Peak	104.00	400	Vertical	Pass
2**	2331.604	34.49	54.0	19.51	AV	104.00	400	Vertical	Pass
3	4900.905	52.09	74.0	21.91	Peak	33.00	200	Vertical	Pass
3**	4900.905	42.63	54.0	11.37	AV	33.00	200	Vertical	Pass
4	7327.835	50.76	74.0	23.24	Peak	316.00	400	Vertical	Pass
4**	7327.835	41.26	54.0	12.74	AV	316.00	400	Vertical	Pass
5	12487.553	55.00	74.0	19.00	Peak	69.00	300	Vertical	Pass
5**	12487.553	43.95	54.0	10.05	AV	69.00	300	Vertical	Pass
6	15693.061	51.12	74.0	22.88	Peak	105.00	100	Vertical	Pass
6**	15693.061	41.56	54.0	12.44	AV	105.00	100	Vertical	Pass

11be40(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.515	43.65	88.2	44.55	Peak	67.00	300	Horizontal	Pass
1**	2099.515	32.61	68.2	35.59	AV	67.00	300	Horizontal	Pass
2	4815.630	48.08	74.0	25.92	Peak	62.00	400	Horizontal	Pass
2**	4815.630	40.46	54.0	13.54	AV	62.00	400	Horizontal	Pass
3	4900.453	49.76	74.0	24.24	Peak	320.00	200	Horizontal	Pass
3**	4900.453	38.08	54.0	15.92	AV	320.00	200	Horizontal	Pass
4	7955.682	53.29	88.2	34.91	Peak	333.00	200	Horizontal	Pass
4**	7955.682	44.51	68.2	23.69	AV	333.00	200	Horizontal	Pass
5	14442.571	55.11	88.2	33.09	Peak	340.00	300	Horizontal	Pass
5**	14442.571	44.25	68.2	23.95	AV	340.00	300	Horizontal	Pass
6	17436.185	56.17	88.2	32.03	Peak	117.00	400	Horizontal	Pass
6**	17436.185	44.07	68.2	24.13	AV	117.00	400	Horizontal	Pass

11be40(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.506	40.71	74.0	33.29	Peak	225.00	400	Vertical	Pass
1**	1527.506	28.27	54.0	25.73	AV	225.00	400	Vertical	Pass
2	2334.075	42.40	74.0	31.60	Peak	9.00	300	Vertical	Pass
2**	2334.075	32.67	54.0	21.33	AV	9.00	300	Vertical	Pass
3	4899.038	52.54	74.0	21.46	Peak	318.00	200	Vertical	Pass
3**	4899.038	40.94	54.0	13.06	AV	318.00	200	Vertical	Pass
4	7324.652	51.46	74.0	22.54	Peak	71.00	200	Vertical	Pass
4**	7324.652	44.02	54.0	9.98	AV	71.00	200	Vertical	Pass
5	12487.057	55.42	74.0	18.58	Peak	118.00	100	Vertical	Pass
5**	12487.057	45.02	54.0	8.98	AV	118.00	100	Vertical	Pass
6	15695.303	54.16	74.0	19.84	Peak	324.00	200	Vertical	Pass
6**	15695.303	45.81	54.0	8.19	AV	324.00	200	Vertical	Pass

11be40(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2093.527	41.83	88.2	46.37	Peak	76.00	400	Horizontal	Pass
1**	2093.527	32.55	68.2	35.65	AV	76.00	400	Horizontal	Pass
2	4808.778	49.12	74.0	24.88	Peak	55.00	200	Horizontal	Pass
2**	4808.778	41.19	54.0	12.81	AV	55.00	200	Horizontal	Pass
3	4901.783	49.69	74.0	24.31	Peak	177.00	200	Horizontal	Pass
3**	4901.783	42.20	54.0	11.80	AV	177.00	200	Horizontal	Pass
4	7949.930	55.06	88.2	33.14	Peak	144.00	100	Horizontal	Pass
4**	7949.930	43.88	68.2	24.32	AV	144.00	100	Horizontal	Pass
5	14445.849	52.86	88.2	35.34	Peak	345.00	200	Horizontal	Pass
5**	14445.849	45.78	68.2	22.42	AV	345.00	200	Horizontal	Pass
6	17430.916	57.16	88.2	31.04	Peak	96.00	200	Horizontal	Pass
6**	17430.916	44.78	68.2	23.42	AV	96.00	200	Horizontal	Pass

11be40(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.741	41.27	74.0	32.73	Peak	349.00	300	Vertical	Pass
1**	1533.741	27.86	54.0	26.14	AV	349.00	300	Vertical	Pass
2	2338.217	44.78	74.0	29.22	Peak	275.00	200	Vertical	Pass
2**	2338.217	32.49	54.0	21.51	AV	275.00	200	Vertical	Pass
3	4899.419	52.00	74.0	22.00	Peak	113.00	200	Vertical	Pass
3**	4899.419	38.65	54.0	15.35	AV	113.00	200	Vertical	Pass
4	7325.734	51.70	74.0	22.30	Peak	138.00	300	Vertical	Pass
4**	7325.734	40.99	54.0	13.01	AV	138.00	300	Vertical	Pass
5	12488.404	52.72	74.0	21.28	Peak	23.00	300	Vertical	Pass
5**	12488.404	45.51	54.0	8.49	AV	23.00	300	Vertical	Pass
6	15690.585	56.63	74.0	17.37	Peak	66.00	100	Vertical	Pass
6**	15690.585	41.89	54.0	12.11	AV	66.00	100	Vertical	Pass

11be40(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.000	40.43	88.2	47.77	Peak	83.00	100	Horizontal	Pass
1**	2096.000	31.48	68.2	36.72	AV	83.00	100	Horizontal	Pass
2	4815.890	51.37	74.0	22.63	Peak	22.00	400	Horizontal	Pass
2**	4815.890	43.21	54.0	10.79	AV	22.00	400	Horizontal	Pass
3	4896.596	47.15	74.0	26.85	Peak	354.00	200	Horizontal	Pass
3**	4896.596	38.24	54.0	15.76	AV	354.00	200	Horizontal	Pass
4	7956.160	56.71	88.2	31.49	Peak	153.00	100	Horizontal	Pass
4**	7956.160	45.66	68.2	22.54	AV	153.00	100	Horizontal	Pass
5	14438.625	55.88	88.2	32.32	Peak	186.00	200	Horizontal	Pass
5**	14438.625	43.13	68.2	25.07	AV	186.00	200	Horizontal	Pass
6	17437.138	53.06	88.2	35.14	Peak	162.00	400	Horizontal	Pass
6**	17437.138	47.91	68.2	20.29	AV	162.00	400	Horizontal	Pass

11be40(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.019	40.39	74.0	33.61	Peak	157.00	200	Vertical	Pass
1**	1532.019	25.88	54.0	28.12	AV	157.00	200	Vertical	Pass
2	2338.329	43.65	74.0	30.35	Peak	157.00	200	Vertical	Pass
2**	2338.329	38.23	54.0	15.77	AV	157.00	200	Vertical	Pass
3	4902.464	50.51	74.0	23.49	Peak	270.00	200	Vertical	Pass
3**	4902.464	40.51	54.0	13.49	AV	270.00	200	Vertical	Pass
4	7325.984	51.73	74.0	22.27	Peak	133.00	400	Vertical	Pass
4**	7325.984	45.54	54.0	8.46	AV	133.00	400	Vertical	Pass
5	12489.531	50.95	74.0	23.05	Peak	35.00	100	Vertical	Pass
5**	12489.531	41.44	54.0	12.56	AV	35.00	100	Vertical	Pass
6	15690.775	51.59	74.0	22.41	Peak	243.00	400	Vertical	Pass
6**	15690.775	46.58	54.0	7.42	AV	243.00	400	Vertical	Pass

11be80(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.330	42.11	88.2	46.09	Peak	197.00	200	Horizontal	Pass
1**	2095.330	31.30	68.2	36.90	AV	197.00	200	Horizontal	Pass
2	4808.032	46.47	74.0	27.53	Peak	37.00	200	Horizontal	Pass
2**	4808.032	43.25	54.0	10.75	AV	37.00	200	Horizontal	Pass
3	4899.210	52.69	74.0	21.31	Peak	8.00	200	Horizontal	Pass
3**	4899.210	37.52	54.0	16.48	AV	8.00	200	Horizontal	Pass
4	7950.136	52.10	88.2	36.10	Peak	323.00	400	Horizontal	Pass
4**	7950.136	44.47	68.2	23.73	AV	323.00	400	Horizontal	Pass
5	14440.604	58.11	88.2	30.09	Peak	138.00	300	Horizontal	Pass
5**	14440.604	42.86	68.2	25.34	AV	138.00	300	Horizontal	Pass
6	17429.834	52.13	88.2	36.07	Peak	339.00	400	Horizontal	Pass
6**	17429.834	47.49	68.2	20.71	AV	339.00	400	Horizontal	Pass

11be80(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.481	41.43	74.0	32.57	Peak	293.00	200	Vertical	Pass
1**	1531.481	30.83	54.0	23.17	AV	293.00	200	Vertical	Pass
2	2336.328	45.61	74.0	28.39	Peak	36.00	100	Vertical	Pass
2**	2336.328	36.49	54.0	17.51	AV	36.00	100	Vertical	Pass
3	4900.317	47.53	74.0	26.47	Peak	214.00	200	Vertical	Pass
3**	4900.317	41.58	54.0	12.42	AV	214.00	200	Vertical	Pass
4	7324.080	51.84	74.0	22.16	Peak	39.00	100	Vertical	Pass
4**	7324.080	41.35	54.0	12.65	AV	39.00	100	Vertical	Pass
5	12487.374	54.65	74.0	19.35	Peak	196.00	200	Vertical	Pass
5**	12487.374	43.48	54.0	10.52	AV	196.00	200	Vertical	Pass
6	15691.958	52.18	74.0	21.82	Peak	322.00	300	Vertical	Pass
6**	15691.958	46.42	54.0	7.58	AV	322.00	300	Vertical	Pass

11be80(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.308	43.76	88.2	44.44	Peak	222.00	300	Horizontal	Pass
1**	2098.308	31.50	68.2	36.70	AV	222.00	300	Horizontal	Pass
2	4813.909	48.30	74.0	25.70	Peak	352.00	400	Horizontal	Pass
2**	4813.909	39.72	54.0	14.28	AV	352.00	400	Horizontal	Pass
3	4900.978	51.79	74.0	22.21	Peak	215.00	200	Horizontal	Pass
3**	4900.978	40.39	54.0	13.61	AV	215.00	200	Horizontal	Pass
4	7956.889	52.49	88.2	35.71	Peak	343.00	100	Horizontal	Pass
4**	7956.889	45.45	68.2	22.75	AV	343.00	100	Horizontal	Pass
5	14445.932	53.03	88.2	35.17	Peak	328.00	400	Horizontal	Pass
5**	14445.932	44.41	68.2	23.79	AV	328.00	400	Horizontal	Pass
6	17432.151	54.54	88.2	33.66	Peak	10.00	100	Horizontal	Pass
6**	17432.151	43.32	68.2	24.88	AV	10.00	100	Horizontal	Pass

11be80(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.552	38.01	74.0	35.99	Peak	284.00	400	Vertical	Pass
1**	1531.552	27.51	54.0	26.49	AV	284.00	400	Vertical	Pass
2	2331.825	42.94	74.0	31.06	Peak	94.00	200	Vertical	Pass
2**	2331.825	35.68	54.0	18.32	AV	94.00	200	Vertical	Pass
3	4896.309	48.38	74.0	25.62	Peak	286.00	200	Vertical	Pass
3**	4896.309	39.53	54.0	14.47	AV	286.00	200	Vertical	Pass
4	7329.257	55.48	74.0	18.52	Peak	103.00	400	Vertical	Pass
4**	7329.257	44.34	54.0	9.66	AV	103.00	400	Vertical	Pass
5	12482.790	55.54	74.0	18.46	Peak	36.00	400	Vertical	Pass
5**	12482.790	45.12	54.0	8.88	AV	36.00	400	Vertical	Pass
6	15687.972	56.65	74.0	17.35	Peak	71.00	200	Vertical	Pass
6**	15687.972	47.08	54.0	6.92	AV	71.00	200	Vertical	Pass

11be80(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.472	42.21	88.2	45.99	Peak	46.00	100	Horizontal	Pass
1**	2098.472	34.32	68.2	33.88	AV	46.00	100	Horizontal	Pass
2	4812.239	47.60	74.0	26.40	Peak	164.00	400	Horizontal	Pass
2**	4812.239	39.52	54.0	14.48	AV	164.00	400	Horizontal	Pass
3	4896.608	47.33	74.0	26.67	Peak	154.00	200	Horizontal	Pass
3**	4896.608	41.38	54.0	12.62	AV	154.00	200	Horizontal	Pass
4	7950.818	56.09	88.2	32.11	Peak	335.00	200	Horizontal	Pass
4**	7950.818	45.65	68.2	22.55	AV	335.00	200	Horizontal	Pass
5	14439.685	55.71	88.2	32.49	Peak	159.00	100	Horizontal	Pass
5**	14439.685	46.97	68.2	21.23	AV	159.00	100	Horizontal	Pass
6	17431.941	55.70	88.2	32.50	Peak	23.00	100	Horizontal	Pass
6**	17431.941	43.39	68.2	24.81	AV	23.00	100	Horizontal	Pass

11be80(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.896	36.88	74.0	37.12	Peak	254.00	300	Vertical	Pass
1**	1528.896	28.24	54.0	25.76	AV	254.00	300	Vertical	Pass
2	2336.334	46.48	74.0	27.52	Peak	163.00	100	Vertical	Pass
2**	2336.334	36.64	54.0	17.36	AV	163.00	100	Vertical	Pass
3	4898.233	49.70	74.0	24.30	Peak	76.00	200	Vertical	Pass
3**	4898.233	39.96	54.0	14.04	AV	76.00	200	Vertical	Pass
4	7325.716	56.11	74.0	17.89	Peak	250.00	100	Vertical	Pass
4**	7325.716	42.01	54.0	11.99	AV	250.00	100	Vertical	Pass
5	12484.989	52.67	74.0	21.33	Peak	297.00	200	Vertical	Pass
5**	12484.989	46.11	54.0	7.89	AV	297.00	200	Vertical	Pass
6	15691.346	50.94	74.0	23.06	Peak	304.00	300	Vertical	Pass
6**	15691.346	43.54	54.0	10.46	AV	304.00	300	Vertical	Pass

11be160(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.624	42.70	88.2	45.50	Peak	45.00	100	Horizontal	Pass
1**	2099.624	33.89	68.2	34.31	AV	45.00	100	Horizontal	Pass
2	4811.186	48.86	74.0	25.14	Peak	360.00	400	Horizontal	Pass
2**	4811.186	38.88	54.0	15.12	AV	360.00	400	Horizontal	Pass
3	4900.341	47.56	74.0	26.44	Peak	218.00	200	Horizontal	Pass
3**	4900.341	41.26	54.0	12.74	AV	218.00	200	Horizontal	Pass
4	7954.665	53.13	88.2	35.07	Peak	313.00	300	Horizontal	Pass
4**	7954.665	46.27	68.2	21.93	AV	313.00	300	Horizontal	Pass
5	14445.810	53.21	88.2	34.99	Peak	162.00	200	Horizontal	Pass
5**	14445.810	47.75	68.2	20.45	AV	162.00	200	Horizontal	Pass
6	17432.465	53.48	88.2	34.72	Peak	125.00	100	Horizontal	Pass
6**	17432.465	45.52	68.2	22.68	AV	125.00	100	Horizontal	Pass

11be160(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.833	38.46	74.0	35.54	Peak	25.00	200	Vertical	Pass
1**	1531.833	27.97	54.0	26.03	AV	25.00	200	Vertical	Pass
2	2337.422	43.87	74.0	30.13	Peak	354.00	300	Vertical	Pass
2**	2337.422	33.31	54.0	20.69	AV	354.00	300	Vertical	Pass
3	4903.941	51.25	74.0	22.75	Peak	116.00	200	Vertical	Pass
3**	4903.941	41.48	54.0	12.52	AV	116.00	200	Vertical	Pass
4	7323.529	51.20	74.0	22.80	Peak	32.00	200	Vertical	Pass
4**	7323.529	43.29	54.0	10.71	AV	32.00	200	Vertical	Pass
5	12486.526	51.49	74.0	22.51	Peak	253.00	300	Vertical	Pass
5**	12486.526	45.67	54.0	8.33	AV	253.00	300	Vertical	Pass
6	15693.466	55.44	74.0	18.56	Peak	121.00	400	Vertical	Pass
6**	15693.466	44.82	54.0	9.18	AV	121.00	400	Vertical	Pass

11be320(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2093.995	41.50	88.2	46.70	Peak	15.00	300	Horizontal	Pass
1**	2093.995	31.38	68.2	36.82	AV	15.00	300	Horizontal	Pass
2	4811.171	50.11	74.0	23.89	Peak	279.00	100	Horizontal	Pass
2**	4811.171	40.45	54.0	13.55	AV	279.00	100	Horizontal	Pass
3	4897.455	48.31	74.0	25.69	Peak	72.00	200	Horizontal	Pass
3**	4897.455	38.62	54.0	15.38	AV	72.00	200	Horizontal	Pass
4	7951.387	53.14	88.2	35.06	Peak	348.00	300	Horizontal	Pass
4**	7951.387	43.68	68.2	24.52	AV	348.00	300	Horizontal	Pass
5	14438.153	57.70	88.2	30.50	Peak	265.00	400	Horizontal	Pass
5**	14438.153	47.07	68.2	21.13	AV	265.00	400	Horizontal	Pass
6	17431.985	53.76	88.2	34.44	Peak	173.00	400	Horizontal	Pass
6**	17431.985	46.49	68.2	21.71	AV	173.00	400	Horizontal	Pass

11be320(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.179	37.37	74.0	36.63	Peak	166.00	200	Vertical	Pass
1**	1532.179	25.82	54.0	28.18	AV	166.00	200	Vertical	Pass
2	2334.094	44.99	74.0	29.01	Peak	102.00	300	Vertical	Pass
2**	2334.094	33.87	54.0	20.13	AV	102.00	300	Vertical	Pass
3	4897.198	52.80	74.0	21.20	Peak	111.00	200	Vertical	Pass
3**	4897.198	37.50	54.0	16.50	AV	111.00	200	Vertical	Pass
4	7327.917	54.30	74.0	19.70	Peak	335.00	400	Vertical	Pass
4**	7327.917	40.83	54.0	13.17	AV	335.00	400	Vertical	Pass
5	12485.172	53.35	74.0	20.65	Peak	303.00	400	Vertical	Pass
5**	12485.172	41.31	54.0	12.69	AV	303.00	400	Vertical	Pass
6	15692.377	54.20	74.0	19.80	Peak	285.00	400	Vertical	Pass
6**	15692.377	41.57	54.0	12.43	AV	285.00	400	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.466	39.08	88.2	49.12	Peak	63.00	200	Horizontal	Pass
1**	2095.466	32.68	68.2	35.52	AV	63.00	200	Horizontal	Pass
2	4810.860	49.35	74.0	24.65	Peak	7.00	200	Horizontal	Pass
2**	4810.860	42.25	54.0	11.75	AV	7.00	200	Horizontal	Pass
3	4903.551	49.79	74.0	24.21	Peak	20.00	200	Horizontal	Pass
3**	4903.551	37.08	54.0	16.92	AV	20.00	200	Horizontal	Pass
4	7956.598	56.00	88.2	32.20	Peak	189.00	400	Horizontal	Pass
4**	7956.598	46.97	68.2	21.23	AV	189.00	400	Horizontal	Pass
5	14445.785	52.32	88.2	35.88	Peak	324.00	100	Horizontal	Pass
5**	14445.785	45.12	68.2	23.08	AV	324.00	100	Horizontal	Pass
6	17430.525	55.82	88.2	32.38	Peak	75.00	200	Horizontal	Pass
6**	17430.525	46.40	68.2	21.80	AV	75.00	200	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.612	39.01	74.0	34.99	Peak	270.00	400	Vertical	Pass
1**	1533.612	30.47	54.0	23.53	AV	270.00	400	Vertical	Pass
2	2336.013	43.36	74.0	30.64	Peak	46.00	400	Vertical	Pass
2**	2336.013	34.63	54.0	19.37	AV	46.00	400	Vertical	Pass
3	4897.348	49.55	74.0	24.45	Peak	36.00	200	Vertical	Pass
3**	4897.348	40.23	54.0	13.77	AV	36.00	200	Vertical	Pass
4	7324.036	52.74	74.0	21.26	Peak	289.00	200	Vertical	Pass
4**	7324.036	44.25	54.0	9.75	AV	289.00	200	Vertical	Pass
5	12485.285	51.56	74.0	22.44	Peak	314.00	200	Vertical	Pass
5**	12485.285	46.23	54.0	7.77	AV	314.00	200	Vertical	Pass
6	15688.212	50.88	74.0	23.12	Peak	85.00	300	Vertical	Pass
6**	15688.212	44.83	54.0	9.17	AV	85.00	300	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.282	42.59	88.2	45.61	Peak	310.00	400	Horizontal	Pass
1**	2095.282	30.52	68.2	37.68	AV	310.00	400	Horizontal	Pass
2	4809.379	50.54	74.0	23.46	Peak	44.00	400	Horizontal	Pass
2**	4809.379	39.19	54.0	14.81	AV	44.00	400	Horizontal	Pass
3	4900.694	47.56	74.0	26.44	Peak	56.00	200	Horizontal	Pass
3**	4900.694	40.89	54.0	13.11	AV	56.00	200	Horizontal	Pass
4	7955.993	51.29	88.2	36.91	Peak	234.00	200	Horizontal	Pass
4**	7955.993	45.39	68.2	22.81	AV	234.00	200	Horizontal	Pass
5	14439.410	55.98	88.2	32.22	Peak	279.00	200	Horizontal	Pass
5**	14439.410	43.39	68.2	24.81	AV	279.00	200	Horizontal	Pass
6	17432.158	57.04	88.2	31.16	Peak	228.00	300	Horizontal	Pass
6**	17432.158	48.40	68.2	19.80	AV	228.00	300	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.773	37.83	74.0	36.17	Peak	341.00	300	Vertical	Pass
1**	1527.773	30.90	54.0	23.10	AV	341.00	300	Vertical	Pass
2	2338.167	46.01	74.0	27.99	Peak	138.00	100	Vertical	Pass
2**	2338.167	37.15	54.0	16.85	AV	138.00	100	Vertical	Pass
3	4900.174	52.76	74.0	21.24	Peak	227.00	200	Vertical	Pass
3**	4900.174	37.32	54.0	16.68	AV	227.00	200	Vertical	Pass
4	7323.624	55.35	74.0	18.65	Peak	84.00	300	Vertical	Pass
4**	7323.624	43.04	54.0	10.96	AV	84.00	300	Vertical	Pass
5	12484.212	55.52	74.0	18.48	Peak	175.00	300	Vertical	Pass
5**	12484.212	44.31	54.0	9.69	AV	175.00	300	Vertical	Pass
6	15689.880	53.29	74.0	20.71	Peak	244.00	200	Vertical	Pass
6**	15689.880	45.99	54.0	8.01	AV	244.00	200	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.646	40.55	88.2	47.65	Peak	74.00	300	Horizontal	Pass
1**	2097.646	34.70	68.2	33.50	AV	74.00	300	Horizontal	Pass
2	4809.120	48.22	74.0	25.78	Peak	92.00	300	Horizontal	Pass
2**	4809.120	38.72	54.0	15.28	AV	92.00	300	Horizontal	Pass
3	4898.579	51.35	74.0	22.65	Peak	115.00	200	Horizontal	Pass
3**	4898.579	42.20	54.0	11.80	AV	115.00	200	Horizontal	Pass
4	7955.064	56.75	88.2	31.45	Peak	28.00	300	Horizontal	Pass
4**	7955.064	43.21	68.2	24.99	AV	28.00	300	Horizontal	Pass
5	14438.606	53.78	88.2	34.42	Peak	43.00	300	Horizontal	Pass
5**	14438.606	44.29	68.2	23.91	AV	43.00	300	Horizontal	Pass
6	17434.080	56.37	88.2	31.83	Peak	324.00	300	Horizontal	Pass
6**	17434.080	46.91	68.2	21.29	AV	324.00	300	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.264	37.30	74.0	36.70	Peak	317.00	300	Vertical	Pass
1**	1533.264	28.70	54.0	25.30	AV	317.00	300	Vertical	Pass
2	2332.009	47.45	74.0	26.55	Peak	166.00	100	Vertical	Pass
2**	2332.009	37.76	54.0	16.24	AV	166.00	100	Vertical	Pass
3	4897.160	50.72	74.0	23.28	Peak	193.00	200	Vertical	Pass
3**	4897.160	39.98	54.0	14.02	AV	193.00	200	Vertical	Pass
4	7326.158	50.59	74.0	23.41	Peak	86.00	200	Vertical	Pass
4**	7326.158	41.10	54.0	12.90	AV	86.00	200	Vertical	Pass
5	12483.650	53.45	74.0	20.55	Peak	288.00	200	Vertical	Pass
5**	12483.650	45.90	54.0	8.10	AV	288.00	200	Vertical	Pass
6	15691.865	51.05	74.0	22.95	Peak	69.00	300	Vertical	Pass
6**	15691.865	44.79	54.0	9.21	AV	69.00	300	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.471	43.27	88.2	44.93	Peak	289.00	200	Horizontal	Pass
1**	2098.471	32.43	68.2	35.77	AV	289.00	200	Horizontal	Pass
2	4811.396	52.28	74.0	21.72	Peak	181.00	100	Horizontal	Pass
2**	4811.396	41.46	54.0	12.54	AV	181.00	100	Horizontal	Pass
3	4903.876	47.24	74.0	26.76	Peak	208.00	200	Horizontal	Pass
3**	4903.876	37.09	54.0	16.91	AV	208.00	200	Horizontal	Pass
4	7950.912	53.41	88.2	34.79	Peak	73.00	300	Horizontal	Pass
4**	7950.912	42.34	68.2	25.86	AV	73.00	300	Horizontal	Pass
5	14445.060	53.49	88.2	34.71	Peak	130.00	100	Horizontal	Pass
5**	14445.060	47.94	68.2	20.26	AV	130.00	100	Horizontal	Pass
6	17432.966	54.91	88.2	33.29	Peak	143.00	200	Horizontal	Pass
6**	17432.966	43.80	68.2	24.40	AV	143.00	200	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.731	37.58	74.0	36.42	Peak	243.00	400	Vertical	Pass
1**	1532.731	27.35	54.0	26.65	AV	243.00	400	Vertical	Pass
2	2339.469	42.56	74.0	31.44	Peak	312.00	200	Vertical	Pass
2**	2339.469	38.21	54.0	15.79	AV	312.00	200	Vertical	Pass
3	4900.141	48.05	74.0	25.95	Peak	329.00	200	Vertical	Pass
3**	4900.141	40.06	54.0	13.94	AV	329.00	200	Vertical	Pass
4	7329.637	53.37	74.0	20.63	Peak	291.00	200	Vertical	Pass
4**	7329.637	45.55	54.0	8.45	AV	291.00	200	Vertical	Pass
5	12489.674	50.98	74.0	23.02	Peak	238.00	100	Vertical	Pass
5**	12489.674	46.82	54.0	7.18	AV	238.00	100	Vertical	Pass
6	15689.602	56.37	74.0	17.63	Peak	224.00	400	Vertical	Pass
6**	15689.602	41.77	54.0	12.23	AV	224.00	400	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.042	41.65	88.2	46.55	Peak	295.00	300	Horizontal	Pass
1**	2095.042	34.99	68.2	33.21	AV	295.00	300	Horizontal	Pass
2	4812.192	50.04	74.0	23.96	Peak	302.00	200	Horizontal	Pass
2**	4812.192	42.88	54.0	11.12	AV	302.00	200	Horizontal	Pass
3	4899.374	48.59	74.0	25.41	Peak	312.00	200	Horizontal	Pass
3**	4899.374	38.54	54.0	15.46	AV	312.00	200	Horizontal	Pass
4	7956.742	57.00	88.2	31.20	Peak	257.00	200	Horizontal	Pass
4**	7956.742	43.42	68.2	24.78	AV	257.00	200	Horizontal	Pass
5	14438.476	55.31	88.2	32.89	Peak	347.00	400	Horizontal	Pass
5**	14438.476	46.96	68.2	21.24	AV	347.00	400	Horizontal	Pass
6	17437.028	54.65	88.2	33.55	Peak	181.00	300	Horizontal	Pass
6**	17437.028	47.89	68.2	20.31	AV	181.00	300	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.651	37.69	74.0	36.31	Peak	52.00	100	Vertical	Pass
1**	1526.651	25.87	54.0	28.13	AV	52.00	100	Vertical	Pass
2	2338.223	41.55	74.0	32.45	Peak	212.00	400	Vertical	Pass
2**	2338.223	33.36	54.0	20.64	AV	212.00	400	Vertical	Pass
3	4901.097	47.91	74.0	26.09	Peak	320.00	200	Vertical	Pass
3**	4901.097	38.59	54.0	15.41	AV	320.00	200	Vertical	Pass
4	7327.929	55.01	74.0	18.99	Peak	221.00	400	Vertical	Pass
4**	7327.929	42.80	54.0	11.20	AV	221.00	400	Vertical	Pass
5	12488.638	51.84	74.0	22.16	Peak	246.00	100	Vertical	Pass
5**	12488.638	44.58	54.0	9.42	AV	246.00	100	Vertical	Pass
6	15691.198	51.07	74.0	22.93	Peak	248.00	100	Vertical	Pass
6**	15691.198	47.05	54.0	6.95	AV	248.00	100	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.059	40.80	88.2	47.40	Peak	72.00	300	Horizontal	Pass
1**	2098.059	33.34	68.2	34.86	AV	72.00	300	Horizontal	Pass
2	4809.158	47.97	74.0	26.03	Peak	250.00	400	Horizontal	Pass
2**	4809.158	41.09	54.0	12.91	AV	250.00	400	Horizontal	Pass
3	4900.808	47.77	74.0	26.23	Peak	327.00	200	Horizontal	Pass
3**	4900.808	37.77	54.0	16.23	AV	327.00	200	Horizontal	Pass
4	7951.328	55.95	88.2	32.25	Peak	48.00	100	Horizontal	Pass
4**	7951.328	43.05	68.2	25.15	AV	48.00	100	Horizontal	Pass
5	14445.204	54.25	88.2	33.95	Peak	24.00	100	Horizontal	Pass
5**	14445.204	45.22	68.2	22.98	AV	24.00	100	Horizontal	Pass
6	17433.455	55.59	88.2	32.61	Peak	146.00	300	Horizontal	Pass
6**	17433.455	48.28	68.2	19.92	AV	146.00	300	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.708	36.07	74.0	37.93	Peak	32.00	400	Vertical	Pass
1**	1527.708	26.54	54.0	27.46	AV	32.00	400	Vertical	Pass
2	2336.617	42.85	74.0	31.15	Peak	70.00	300	Vertical	Pass
2**	2336.617	34.09	54.0	19.91	AV	70.00	300	Vertical	Pass
3	4897.828	49.98	74.0	24.02	Peak	249.00	200	Vertical	Pass
3**	4897.828	40.47	54.0	13.53	AV	249.00	200	Vertical	Pass
4	7325.741	51.63	74.0	22.37	Peak	133.00	300	Vertical	Pass
4**	7325.741	46.03	54.0	7.97	AV	133.00	300	Vertical	Pass
5	12489.034	50.89	74.0	23.11	Peak	15.00	100	Vertical	Pass
5**	12489.034	43.50	54.0	10.50	AV	15.00	100	Vertical	Pass
6	15694.794	56.12	74.0	17.88	Peak	184.00	300	Vertical	Pass
6**	15694.794	44.73	54.0	9.27	AV	184.00	300	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.721	41.79	88.2	46.41	Peak	75.00	400	Horizontal	Pass
1**	2095.721	31.69	68.2	36.51	AV	75.00	400	Horizontal	Pass
2	4811.555	50.87	74.0	23.13	Peak	86.00	200	Horizontal	Pass
2**	4811.555	39.67	54.0	14.33	AV	86.00	200	Horizontal	Pass
3	4898.432	49.37	74.0	24.63	Peak	197.00	200	Horizontal	Pass
3**	4898.432	42.20	54.0	11.80	AV	197.00	200	Horizontal	Pass
4	7954.882	56.71	88.2	31.49	Peak	67.00	100	Horizontal	Pass
4**	7954.882	45.55	68.2	22.65	AV	67.00	100	Horizontal	Pass
5	14439.504	55.03	88.2	33.17	Peak	238.00	300	Horizontal	Pass
5**	14439.504	44.25	68.2	23.95	AV	238.00	300	Horizontal	Pass
6	17430.308	52.52	88.2	35.68	Peak	178.00	400	Horizontal	Pass
6**	17430.308	47.44	68.2	20.76	AV	178.00	400	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.983	36.36	74.0	37.64	Peak	52.00	300	Vertical	Pass
1**	1530.983	29.99	54.0	24.01	AV	52.00	300	Vertical	Pass
2	2337.377	45.19	74.0	28.81	Peak	343.00	400	Vertical	Pass
2**	2337.377	36.70	54.0	17.30	AV	343.00	400	Vertical	Pass
3	4897.362	50.83	74.0	23.17	Peak	31.00	200	Vertical	Pass
3**	4897.362	38.23	54.0	15.77	AV	31.00	200	Vertical	Pass
4	7330.600	51.06	74.0	22.94	Peak	72.00	200	Vertical	Pass
4**	7330.600	46.14	54.0	7.86	AV	72.00	200	Vertical	Pass
5	12483.696	54.50	74.0	19.50	Peak	165.00	200	Vertical	Pass
5**	12483.696	46.66	54.0	7.34	AV	165.00	200	Vertical	Pass
6	15692.983	55.56	74.0	18.44	Peak	0.00	100	Vertical	Pass
6**	15692.983	44.33	54.0	9.67	AV	0.00	100	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.549	39.61	88.2	48.59	Peak	291.00	300	Horizontal	Pass
1**	2097.549	30.17	68.2	38.03	AV	291.00	300	Horizontal	Pass
2	4808.508	50.48	74.0	23.52	Peak	101.00	400	Horizontal	Pass
2**	4808.508	38.85	54.0	15.15	AV	101.00	400	Horizontal	Pass
3	4904.046	51.16	74.0	22.84	Peak	238.00	200	Horizontal	Pass
3**	4904.046	41.99	54.0	12.01	AV	238.00	200	Horizontal	Pass
4	7952.560	56.24	88.2	31.96	Peak	70.00	300	Horizontal	Pass
4**	7952.560	43.53	68.2	24.67	AV	70.00	300	Horizontal	Pass
5	14440.357	53.07	88.2	35.13	Peak	254.00	100	Horizontal	Pass
5**	14440.357	44.92	68.2	23.28	AV	254.00	100	Horizontal	Pass
6	17437.630	53.28	88.2	34.92	Peak	343.00	400	Horizontal	Pass
6**	17437.630	45.07	68.2	23.13	AV	343.00	400	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.091	39.10	74.0	34.90	Peak	210.00	200	Vertical	Pass
1**	1531.091	29.76	54.0	24.24	AV	210.00	200	Vertical	Pass
2	2332.364	42.57	74.0	31.43	Peak	116.00	400	Vertical	Pass
2**	2332.364	32.34	54.0	21.66	AV	116.00	400	Vertical	Pass
3	4902.638	49.77	74.0	24.23	Peak	114.00	200	Vertical	Pass
3**	4902.638	37.19	54.0	16.81	AV	114.00	200	Vertical	Pass
4	7330.969	52.33	74.0	21.67	Peak	251.00	400	Vertical	Pass
4**	7330.969	43.04	54.0	10.96	AV	251.00	400	Vertical	Pass
5	12483.362	52.51	74.0	21.49	Peak	329.00	400	Vertical	Pass
5**	12483.362	44.87	54.0	9.13	AV	329.00	400	Vertical	Pass
6	15690.270	53.16	74.0	20.84	Peak	254.00	100	Vertical	Pass
6**	15690.270	46.76	54.0	7.24	AV	254.00	100	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.375	42.35	88.2	45.85	Peak	274.00	100	Horizontal	Pass
1**	2094.375	29.91	68.2	38.29	AV	274.00	100	Horizontal	Pass
2	4808.172	49.01	74.0	24.99	Peak	323.00	400	Horizontal	Pass
2**	4808.172	39.47	54.0	14.53	AV	323.00	400	Horizontal	Pass
3	4897.532	49.24	74.0	24.76	Peak	197.00	200	Horizontal	Pass
3**	4897.532	40.15	54.0	13.85	AV	197.00	200	Horizontal	Pass
4	7950.893	55.65	88.2	32.55	Peak	341.00	300	Horizontal	Pass
4**	7950.893	44.14	68.2	24.06	AV	341.00	300	Horizontal	Pass
5	14441.280	56.03	88.2	32.17	Peak	28.00	400	Horizontal	Pass
5**	14441.280	43.91	68.2	24.29	AV	28.00	400	Horizontal	Pass
6	17435.003	54.81	88.2	33.39	Peak	98.00	400	Horizontal	Pass
6**	17435.003	42.58	68.2	25.62	AV	98.00	400	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.319	37.75	74.0	36.25	Peak	69.00	300	Vertical	Pass
1**	1532.319	30.56	54.0	23.44	AV	69.00	300	Vertical	Pass
2	2338.856	45.80	74.0	28.20	Peak	264.00	200	Vertical	Pass
2**	2338.856	34.59	54.0	19.41	AV	264.00	200	Vertical	Pass
3	4897.569	48.25	74.0	25.75	Peak	77.00	200	Vertical	Pass
3**	4897.569	41.40	54.0	12.60	AV	77.00	200	Vertical	Pass
4	7327.838	54.36	74.0	19.64	Peak	175.00	200	Vertical	Pass
4**	7327.838	45.43	54.0	8.57	AV	175.00	200	Vertical	Pass
5	12483.433	51.35	74.0	22.65	Peak	171.00	200	Vertical	Pass
5**	12483.433	45.06	54.0	8.94	AV	171.00	200	Vertical	Pass
6	15691.467	55.88	74.0	18.12	Peak	30.00	400	Vertical	Pass
6**	15691.467	44.38	54.0	9.62	AV	30.00	400	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.471	42.78	88.2	45.42	Peak	94.00	100	Horizontal	Pass
1**	2100.471	30.24	68.2	37.96	AV	94.00	100	Horizontal	Pass
2	4815.129	49.46	74.0	24.54	Peak	8.00	100	Horizontal	Pass
2**	4815.129	41.19	54.0	12.81	AV	8.00	100	Horizontal	Pass
3	4896.695	51.76	74.0	22.24	Peak	58.00	200	Horizontal	Pass
3**	4896.695	39.87	54.0	14.13	AV	58.00	200	Horizontal	Pass
4	7950.723	51.40	88.2	36.80	Peak	255.00	300	Horizontal	Pass
4**	7950.723	47.05	68.2	21.15	AV	255.00	300	Horizontal	Pass
5	14444.420	57.39	88.2	30.81	Peak	310.00	400	Horizontal	Pass
5**	14444.420	45.62	68.2	22.58	AV	310.00	400	Horizontal	Pass
6	17435.396	53.74	88.2	34.46	Peak	167.00	300	Horizontal	Pass
6**	17435.396	45.86	68.2	22.34	AV	167.00	300	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.854	40.49	74.0	33.51	Peak	311.00	100	Vertical	Pass
1**	1531.854	26.67	54.0	27.33	AV	311.00	100	Vertical	Pass
2	2336.832	42.77	74.0	31.23	Peak	318.00	300	Vertical	Pass
2**	2336.832	34.72	54.0	19.28	AV	318.00	300	Vertical	Pass
3	4900.041	49.83	74.0	24.17	Peak	341.00	200	Vertical	Pass
3**	4900.041	40.97	54.0	13.03	AV	341.00	200	Vertical	Pass
4	7324.430	54.16	74.0	19.84	Peak	184.00	300	Vertical	Pass
4**	7324.430	41.15	54.0	12.85	AV	184.00	300	Vertical	Pass
5	12489.153	52.54	74.0	21.46	Peak	241.00	100	Vertical	Pass
5**	12489.153	45.06	54.0	8.94	AV	241.00	100	Vertical	Pass
6	15693.163	53.66	74.0	20.34	Peak	184.00	300	Vertical	Pass
6**	15693.163	43.64	54.0	10.36	AV	184.00	300	Vertical	Pass

11ax160(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.245	44.14	88.2	44.06	Peak	125.00	400	Horizontal	Pass
1**	2099.245	34.20	68.2	34.00	AV	125.00	400	Horizontal	Pass
2	4808.520	46.48	74.0	27.52	Peak	110.00	400	Horizontal	Pass
2**	4808.520	40.95	54.0	13.05	AV	110.00	400	Horizontal	Pass
3	4900.807	49.41	74.0	24.59	Peak	302.00	200	Horizontal	Pass
3**	4900.807	40.61	54.0	13.39	AV	302.00	200	Horizontal	Pass
4	7950.542	56.59	88.2	31.61	Peak	127.00	100	Horizontal	Pass
4**	7950.542	42.39	68.2	25.81	AV	127.00	100	Horizontal	Pass
5	14443.289	52.55	88.2	35.65	Peak	303.00	300	Horizontal	Pass
5**	14443.289	47.60	68.2	20.60	AV	303.00	300	Horizontal	Pass
6	17431.437	53.47	88.2	34.73	Peak	347.00	300	Horizontal	Pass
6**	17431.437	43.54	68.2	24.66	AV	347.00	300	Horizontal	Pass

11ax160(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.736	37.96	74.0	36.04	Peak	248.00	400	Vertical	Pass
1**	1526.736	27.85	54.0	26.15	AV	248.00	400	Vertical	Pass
2	2338.841	43.89	74.0	30.11	Peak	102.00	400	Vertical	Pass
2**	2338.841	37.08	54.0	16.92	AV	102.00	400	Vertical	Pass
3	4901.316	51.37	74.0	22.63	Peak	321.00	200	Vertical	Pass
3**	4901.316	41.97	54.0	12.03	AV	321.00	200	Vertical	Pass
4	7329.737	55.32	74.0	18.68	Peak	81.00	200	Vertical	Pass
4**	7329.737	45.93	54.0	8.07	AV	81.00	200	Vertical	Pass
5	12489.399	50.15	74.0	23.85	Peak	252.00	100	Vertical	Pass
5**	12489.399	46.56	54.0	7.44	AV	252.00	100	Vertical	Pass
6	15691.697	54.23	74.0	19.77	Peak	187.00	200	Vertical	Pass
6**	15691.697	44.13	54.0	9.87	AV	187.00	200	Vertical	Pass

11ax160(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.529	42.21	88.2	45.99	Peak	184.00	400	Horizontal	Pass
1**	2099.529	33.58	68.2	34.62	AV	184.00	400	Horizontal	Pass
2	4810.339	48.28	74.0	25.72	Peak	155.00	400	Horizontal	Pass
2**	4810.339	40.99	54.0	13.01	AV	155.00	400	Horizontal	Pass
3	4897.080	51.46	74.0	22.54	Peak	266.00	200	Horizontal	Pass
3**	4897.080	42.26	54.0	11.74	AV	266.00	200	Horizontal	Pass
4	7956.735	51.93	88.2	36.27	Peak	344.00	200	Horizontal	Pass
4**	7956.735	43.28	68.2	24.92	AV	344.00	200	Horizontal	Pass
5	14440.990	57.31	88.2	30.89	Peak	335.00	100	Horizontal	Pass
5**	14440.990	47.59	68.2	20.61	AV	335.00	100	Horizontal	Pass
6	17434.437	54.19	88.2	34.01	Peak	265.00	100	Horizontal	Pass
6**	17434.437	42.99	68.2	25.21	AV	265.00	100	Horizontal	Pass

11ax160(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.898	36.24	74.0	37.76	Peak	282.00	200	Vertical	Pass
1**	1531.898	29.77	54.0	24.23	AV	282.00	200	Vertical	Pass
2	2333.474	45.42	74.0	28.58	Peak	219.00	200	Vertical	Pass
2**	2333.474	33.17	54.0	20.83	AV	219.00	200	Vertical	Pass
3	4903.496	47.61	74.0	26.39	Peak	101.00	200	Vertical	Pass
3**	4903.496	40.87	54.0	13.13	AV	101.00	200	Vertical	Pass
4	7330.417	51.07	74.0	22.93	Peak	219.00	400	Vertical	Pass
4**	7330.417	41.44	54.0	12.56	AV	219.00	400	Vertical	Pass
5	12487.157	55.27	74.0	18.73	Peak	303.00	400	Vertical	Pass
5**	12487.157	44.68	54.0	9.32	AV	303.00	400	Vertical	Pass
6	15691.981	54.27	74.0	19.73	Peak	315.00	300	Vertical	Pass
6**	15691.981	41.70	54.0	12.30	AV	315.00	300	Vertical	Pass

11be20(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2101.093	40.12	88.2	48.08	Peak	83.00	400	Horizontal	Pass
1**	2101.093	34.89	68.2	33.31	AV	83.00	400	Horizontal	Pass
2	4809.582	51.27	74.0	22.73	Peak	292.00	400	Horizontal	Pass
2**	4809.582	40.80	54.0	13.20	AV	292.00	400	Horizontal	Pass
3	4897.370	47.67	74.0	26.33	Peak	314.00	200	Horizontal	Pass
3**	4897.370	37.43	54.0	16.57	AV	314.00	200	Horizontal	Pass
4	7951.968	54.57	88.2	33.63	Peak	292.00	400	Horizontal	Pass
4**	7951.968	43.36	68.2	24.84	AV	292.00	400	Horizontal	Pass
5	14442.127	57.80	88.2	30.40	Peak	352.00	400	Horizontal	Pass
5**	14442.127	44.00	68.2	24.20	AV	352.00	400	Horizontal	Pass
6	17436.918	56.87	88.2	31.33	Peak	185.00	100	Horizontal	Pass
6**	17436.918	44.89	68.2	23.31	AV	185.00	100	Horizontal	Pass

11be20(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.688	36.19	74.0	37.81	Peak	137.00	300	Vertical	Pass
1**	1532.688	31.29	54.0	22.71	AV	137.00	300	Vertical	Pass
2	2334.220	47.15	74.0	26.85	Peak	20.00	400	Vertical	Pass
2**	2334.220	35.56	54.0	18.44	AV	20.00	400	Vertical	Pass
3	4901.839	47.03	74.0	26.97	Peak	290.00	200	Vertical	Pass
3**	4901.839	39.22	54.0	14.78	AV	290.00	200	Vertical	Pass
4	7323.632	54.55	74.0	19.45	Peak	258.00	300	Vertical	Pass
4**	7323.632	41.30	54.0	12.70	AV	258.00	300	Vertical	Pass
5	12484.848	51.06	74.0	22.94	Peak	245.00	200	Vertical	Pass
5**	12484.848	46.79	54.0	7.21	AV	245.00	200	Vertical	Pass
6	15694.692	56.35	74.0	17.65	Peak	100.00	100	Vertical	Pass
6**	15694.692	44.15	54.0	9.85	AV	100.00	100	Vertical	Pass

11be20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.619	42.36	88.2	45.84	Peak	96.00	200	Horizontal	Pass
1**	2094.619	34.00	68.2	34.20	AV	96.00	200	Horizontal	Pass
2	4813.892	46.71	74.0	27.29	Peak	269.00	200	Horizontal	Pass
2**	4813.892	38.83	54.0	15.17	AV	269.00	200	Horizontal	Pass
3	4903.634	52.49	74.0	21.51	Peak	4.00	200	Horizontal	Pass
3**	4903.634	37.87	54.0	16.13	AV	4.00	200	Horizontal	Pass
4	7954.696	53.63	88.2	34.57	Peak	273.00	100	Horizontal	Pass
4**	7954.696	43.92	68.2	24.28	AV	273.00	100	Horizontal	Pass
5	14445.347	57.01	88.2	31.19	Peak	119.00	100	Horizontal	Pass
5**	14445.347	47.17	68.2	21.03	AV	119.00	100	Horizontal	Pass
6	17432.535	56.95	88.2	31.25	Peak	232.00	400	Horizontal	Pass
6**	17432.535	45.80	68.2	22.40	AV	232.00	400	Horizontal	Pass

11be20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.692	37.27	74.0	36.73	Peak	290.00	100	Vertical	Pass
1**	1526.692	28.49	54.0	25.51	AV	290.00	100	Vertical	Pass
2	2337.794	42.66	74.0	31.34	Peak	67.00	100	Vertical	Pass
2**	2337.794	35.35	54.0	18.65	AV	67.00	100	Vertical	Pass
3	4900.120	47.19	74.0	26.81	Peak	346.00	200	Vertical	Pass
3**	4900.120	40.80	54.0	13.20	AV	346.00	200	Vertical	Pass
4	7324.876	54.85	74.0	19.15	Peak	316.00	100	Vertical	Pass
4**	7324.876	45.67	54.0	8.33	AV	316.00	100	Vertical	Pass
5	12483.199	54.93	74.0	19.07	Peak	296.00	200	Vertical	Pass
5**	12483.199	45.45	54.0	8.55	AV	296.00	200	Vertical	Pass
6	15693.372	52.44	74.0	21.56	Peak	83.00	400	Vertical	Pass
6**	15693.372	45.10	54.0	8.90	AV	83.00	400	Vertical	Pass

11be20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.338	43.95	88.2	44.25	Peak	199.00	100	Horizontal	Pass
1**	2095.338	30.79	68.2	37.41	AV	199.00	100	Horizontal	Pass
2	4815.409	50.05	74.0	23.95	Peak	121.00	400	Horizontal	Pass
2**	4815.409	40.69	54.0	13.31	AV	121.00	400	Horizontal	Pass
3	4903.513	48.24	74.0	25.76	Peak	33.00	200	Horizontal	Pass
3**	4903.513	41.51	54.0	12.49	AV	33.00	200	Horizontal	Pass
4	7957.092	53.20	88.2	35.00	Peak	294.00	300	Horizontal	Pass
4**	7957.092	41.83	68.2	26.37	AV	294.00	300	Horizontal	Pass
5	14443.517	55.80	88.2	32.40	Peak	27.00	100	Horizontal	Pass
5**	14443.517	46.88	68.2	21.32	AV	27.00	100	Horizontal	Pass
6	17433.459	57.48	88.2	30.72	Peak	23.00	100	Horizontal	Pass
6**	17433.459	44.53	68.2	23.67	AV	23.00	100	Horizontal	Pass

11be20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.637	35.79	74.0	38.21	Peak	150.00	300	Vertical	Pass
1**	1531.637	29.62	54.0	24.38	AV	150.00	300	Vertical	Pass
2	2334.835	47.51	74.0	26.49	Peak	148.00	300	Vertical	Pass
2**	2334.835	33.76	54.0	20.24	AV	148.00	300	Vertical	Pass
3	4901.888	50.25	74.0	23.75	Peak	116.00	200	Vertical	Pass
3**	4901.888	40.31	54.0	13.69	AV	116.00	200	Vertical	Pass
4	7327.963	55.18	74.0	18.82	Peak	226.00	400	Vertical	Pass
4**	7327.963	44.19	54.0	9.81	AV	226.00	400	Vertical	Pass
5	12486.933	51.94	74.0	22.06	Peak	6.00	100	Vertical	Pass
5**	12486.933	42.28	54.0	11.72	AV	6.00	100	Vertical	Pass
6	15693.883	55.98	74.0	18.02	Peak	259.00	300	Vertical	Pass
6**	15693.883	44.05	54.0	9.95	AV	259.00	300	Vertical	Pass

11be20(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2093.675	42.75	88.2	45.45	Peak	65.00	400	Horizontal	Pass
1**	2093.675	31.70	68.2	36.50	AV	65.00	400	Horizontal	Pass
2	4808.656	48.38	74.0	25.62	Peak	168.00	300	Horizontal	Pass
2**	4808.656	42.34	54.0	11.66	AV	168.00	300	Horizontal	Pass
3	4896.547	50.54	74.0	23.46	Peak	359.00	200	Horizontal	Pass
3**	4896.547	37.36	54.0	16.64	AV	359.00	200	Horizontal	Pass
4	7953.287	52.18	88.2	36.02	Peak	20.00	100	Horizontal	Pass
4**	7953.287	46.08	68.2	22.12	AV	20.00	100	Horizontal	Pass
5	14443.167	57.02	88.2	31.18	Peak	324.00	100	Horizontal	Pass
5**	14443.167	44.90	68.2	23.30	AV	324.00	100	Horizontal	Pass
6	17437.405	52.17	88.2	36.03	Peak	298.00	100	Horizontal	Pass
6**	17437.405	46.52	68.2	21.68	AV	298.00	100	Horizontal	Pass

11be20(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.276	40.60	74.0	33.40	Peak	277.00	300	Vertical	Pass
1**	1534.276	28.48	54.0	25.52	AV	277.00	300	Vertical	Pass
2	2334.791	45.05	74.0	28.95	Peak	157.00	400	Vertical	Pass
2**	2334.791	34.51	54.0	19.49	AV	157.00	400	Vertical	Pass
3	4903.092	51.12	74.0	22.88	Peak	184.00	200	Vertical	Pass
3**	4903.092	38.45	54.0	15.55	AV	184.00	200	Vertical	Pass
4	7323.933	51.97	74.0	22.03	Peak	296.00	400	Vertical	Pass
4**	7323.933	44.20	54.0	9.80	AV	296.00	400	Vertical	Pass
5	12482.585	50.26	74.0	23.74	Peak	17.00	400	Vertical	Pass
5**	12482.585	46.08	54.0	7.92	AV	17.00	400	Vertical	Pass
6	15693.477	53.32	74.0	20.68	Peak	337.00	200	Vertical	Pass
6**	15693.477	47.26	54.0	6.74	AV	337.00	200	Vertical	Pass

11be40(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.675	42.55	88.2	45.65	Peak	195.00	300	Horizontal	Pass
1**	2100.675	34.27	68.2	33.93	AV	195.00	300	Horizontal	Pass
2	4808.694	51.94	74.0	22.06	Peak	321.00	400	Horizontal	Pass
2**	4808.694	39.56	54.0	14.44	AV	321.00	400	Horizontal	Pass
3	4897.942	52.65	74.0	21.35	Peak	303.00	200	Horizontal	Pass
3**	4897.942	40.27	54.0	13.73	AV	303.00	200	Horizontal	Pass
4	7953.458	52.61	88.2	35.59	Peak	306.00	200	Horizontal	Pass
4**	7953.458	43.19	68.2	25.01	AV	306.00	200	Horizontal	Pass
5	14443.462	56.46	88.2	31.74	Peak	113.00	100	Horizontal	Pass
5**	14443.462	46.45	68.2	21.75	AV	113.00	100	Horizontal	Pass
6	17434.307	53.94	88.2	34.26	Peak	7.00	200	Horizontal	Pass
6**	17434.307	44.69	68.2	23.51	AV	7.00	200	Horizontal	Pass

11be40(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.294	37.21	74.0	36.79	Peak	195.00	300	Vertical	Pass
1**	1528.294	27.22	54.0	26.78	AV	195.00	300	Vertical	Pass
2	2337.232	42.89	74.0	31.11	Peak	215.00	100	Vertical	Pass
2**	2337.232	35.04	54.0	18.96	AV	215.00	100	Vertical	Pass
3	4897.740	47.12	74.0	26.88	Peak	238.00	200	Vertical	Pass
3**	4897.740	40.45	54.0	13.55	AV	238.00	200	Vertical	Pass
4	7329.538	51.22	74.0	22.78	Peak	230.00	200	Vertical	Pass
4**	7329.538	41.40	54.0	12.60	AV	230.00	200	Vertical	Pass
5	12486.533	52.87	74.0	21.13	Peak	127.00	200	Vertical	Pass
5**	12486.533	44.06	54.0	9.94	AV	127.00	200	Vertical	Pass
6	15690.534	55.26	74.0	18.74	Peak	166.00	300	Vertical	Pass
6**	15690.534	45.98	54.0	8.02	AV	166.00	300	Vertical	Pass

11be40(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.679	42.12	88.2	46.08	Peak	223.00	400	Horizontal	Pass
1**	2096.679	32.74	68.2	35.46	AV	223.00	400	Horizontal	Pass
2	4814.885	49.33	74.0	24.67	Peak	206.00	300	Horizontal	Pass
2**	4814.885	39.49	54.0	14.51	AV	206.00	300	Horizontal	Pass
3	4899.309	51.85	74.0	22.15	Peak	191.00	200	Horizontal	Pass
3**	4899.309	42.29	54.0	11.71	AV	191.00	200	Horizontal	Pass
4	7954.218	54.71	88.2	33.49	Peak	350.00	400	Horizontal	Pass
4**	7954.218	46.70	68.2	21.50	AV	350.00	400	Horizontal	Pass
5	14441.315	54.42	88.2	33.78	Peak	154.00	400	Horizontal	Pass
5**	14441.315	46.07	68.2	22.13	AV	154.00	400	Horizontal	Pass
6	17430.556	55.14	88.2	33.06	Peak	146.00	200	Horizontal	Pass
6**	17430.556	43.28	68.2	24.92	AV	146.00	200	Horizontal	Pass

11be40(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.236	38.52	74.0	35.48	Peak	298.00	100	Vertical	Pass
1**	1529.236	30.80	54.0	23.20	AV	298.00	100	Vertical	Pass
2	2332.016	45.94	74.0	28.06	Peak	45.00	100	Vertical	Pass
2**	2332.016	35.31	54.0	18.69	AV	45.00	100	Vertical	Pass
3	4896.566	50.65	74.0	23.35	Peak	273.00	200	Vertical	Pass
3**	4896.566	38.08	54.0	15.92	AV	273.00	200	Vertical	Pass
4	7325.825	53.29	74.0	20.71	Peak	190.00	200	Vertical	Pass
4**	7325.825	42.91	54.0	11.09	AV	190.00	200	Vertical	Pass
5	12485.564	55.35	74.0	18.65	Peak	32.00	300	Vertical	Pass
5**	12485.564	45.23	54.0	8.77	AV	32.00	300	Vertical	Pass
6	15693.039	51.55	74.0	22.45	Peak	294.00	200	Vertical	Pass
6**	15693.039	46.22	54.0	7.78	AV	294.00	200	Vertical	Pass

11be40(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2093.544	39.05	88.2	49.15	Peak	69.00	300	Horizontal	Pass
1**	2093.544	32.96	68.2	35.24	AV	69.00	300	Horizontal	Pass
2	4813.211	49.93	74.0	24.07	Peak	1.00	100	Horizontal	Pass
2**	4813.211	41.78	54.0	12.22	AV	1.00	100	Horizontal	Pass
3	4897.599	47.61	74.0	26.39	Peak	94.00	200	Horizontal	Pass
3**	4897.599	37.04	54.0	16.96	AV	94.00	200	Horizontal	Pass
4	7952.096	55.00	88.2	33.20	Peak	315.00	200	Horizontal	Pass
4**	7952.096	43.83	68.2	24.37	AV	315.00	200	Horizontal	Pass
5	14444.578	57.96	88.2	30.24	Peak	356.00	400	Horizontal	Pass
5**	14444.578	47.94	68.2	20.26	AV	356.00	400	Horizontal	Pass
6	17436.136	54.54	88.2	33.66	Peak	134.00	200	Horizontal	Pass
6**	17436.136	44.98	68.2	23.22	AV	134.00	200	Horizontal	Pass

11be40(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.492	39.29	74.0	34.71	Peak	330.00	300	Vertical	Pass
1**	1531.492	28.46	54.0	25.54	AV	330.00	300	Vertical	Pass
2	2334.263	43.24	74.0	30.76	Peak	336.00	400	Vertical	Pass
2**	2334.263	33.00	54.0	21.00	AV	336.00	400	Vertical	Pass
3	4897.765	51.94	74.0	22.06	Peak	52.00	200	Vertical	Pass
3**	4897.765	41.61	54.0	12.39	AV	52.00	200	Vertical	Pass
4	7325.502	54.48	74.0	19.52	Peak	142.00	300	Vertical	Pass
4**	7325.502	44.68	54.0	9.32	AV	142.00	300	Vertical	Pass
5	12483.145	54.96	74.0	19.04	Peak	194.00	200	Vertical	Pass
5**	12483.145	44.06	54.0	9.94	AV	194.00	200	Vertical	Pass
6	15690.390	52.16	74.0	21.84	Peak	38.00	100	Vertical	Pass
6**	15690.390	43.27	54.0	10.73	AV	38.00	100	Vertical	Pass

11be80(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.908	42.90	88.2	45.30	Peak	336.00	200	Horizontal	Pass
1**	2094.908	30.28	68.2	37.92	AV	336.00	200	Horizontal	Pass
2	4810.776	49.18	74.0	24.82	Peak	58.00	400	Horizontal	Pass
2**	4810.776	39.92	54.0	14.08	AV	58.00	400	Horizontal	Pass
3	4899.005	50.29	74.0	23.71	Peak	172.00	200	Horizontal	Pass
3**	4899.005	42.05	54.0	11.95	AV	172.00	200	Horizontal	Pass
4	7952.635	51.56	88.2	36.64	Peak	44.00	400	Horizontal	Pass
4**	7952.635	41.47	68.2	26.73	AV	44.00	400	Horizontal	Pass
5	14442.687	55.75	88.2	32.45	Peak	105.00	300	Horizontal	Pass
5**	14442.687	47.70	68.2	20.50	AV	105.00	300	Horizontal	Pass
6	17431.205	53.89	88.2	34.31	Peak	168.00	200	Horizontal	Pass
6**	17431.205	45.77	68.2	22.43	AV	168.00	200	Horizontal	Pass

11be80(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.422	41.54	74.0	32.46	Peak	319.00	400	Vertical	Pass
1**	1527.422	29.86	54.0	24.14	AV	319.00	400	Vertical	Pass
2	2332.565	47.27	74.0	26.73	Peak	105.00	400	Vertical	Pass
2**	2332.565	32.99	54.0	21.01	AV	105.00	400	Vertical	Pass
3	4896.891	49.03	74.0	24.97	Peak	313.00	200	Vertical	Pass
3**	4896.891	38.44	54.0	15.56	AV	313.00	200	Vertical	Pass
4	7329.057	53.04	74.0	20.96	Peak	345.00	100	Vertical	Pass
4**	7329.057	43.05	54.0	10.95	AV	345.00	100	Vertical	Pass
5	12486.612	52.18	74.0	21.82	Peak	93.00	200	Vertical	Pass
5**	12486.612	44.93	54.0	9.07	AV	93.00	200	Vertical	Pass
6	15693.089	53.22	74.0	20.78	Peak	313.00	100	Vertical	Pass
6**	15693.089	47.26	54.0	6.74	AV	313.00	100	Vertical	Pass

11be80(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.510	40.94	88.2	47.26	Peak	330.00	100	Horizontal	Pass
1**	2100.510	34.33	68.2	33.87	AV	330.00	100	Horizontal	Pass
2	4810.618	49.90	74.0	24.10	Peak	293.00	200	Horizontal	Pass
2**	4810.618	39.03	54.0	14.97	AV	293.00	200	Horizontal	Pass
3	4900.535	52.69	74.0	21.31	Peak	119.00	200	Horizontal	Pass
3**	4900.535	39.21	54.0	14.79	AV	119.00	200	Horizontal	Pass
4	7956.477	54.98	88.2	33.22	Peak	46.00	100	Horizontal	Pass
4**	7956.477	44.94	68.2	23.26	AV	46.00	100	Horizontal	Pass
5	14440.968	56.29	88.2	31.91	Peak	63.00	100	Horizontal	Pass
5**	14440.968	45.50	68.2	22.70	AV	63.00	100	Horizontal	Pass
6	17435.635	57.19	88.2	31.01	Peak	217.00	200	Horizontal	Pass
6**	17435.635	45.07	68.2	23.13	AV	217.00	200	Horizontal	Pass

11be80(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.514	37.12	74.0	36.88	Peak	155.00	200	Vertical	Pass
1**	1531.514	28.74	54.0	25.26	AV	155.00	200	Vertical	Pass
2	2332.165	41.76	74.0	32.24	Peak	57.00	100	Vertical	Pass
2**	2332.165	32.37	54.0	21.63	AV	57.00	100	Vertical	Pass
3	4900.457	51.48	74.0	22.52	Peak	48.00	200	Vertical	Pass
3**	4900.457	37.23	54.0	16.77	AV	48.00	200	Vertical	Pass
4	7329.156	53.09	74.0	20.91	Peak	325.00	100	Vertical	Pass
4**	7329.156	44.14	54.0	9.86	AV	325.00	100	Vertical	Pass
5	12483.264	54.03	74.0	19.97	Peak	5.00	400	Vertical	Pass
5**	12483.264	45.57	54.0	8.43	AV	5.00	400	Vertical	Pass
6	15687.317	51.18	74.0	22.82	Peak	88.00	400	Vertical	Pass
6**	15687.317	45.63	54.0	8.37	AV	88.00	400	Vertical	Pass

11be80(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.950	44.41	88.2	43.79	Peak	347.00	200	Horizontal	Pass
1**	2097.950	32.63	68.2	35.57	AV	347.00	200	Horizontal	Pass
2	4809.533	48.94	74.0	25.06	Peak	272.00	400	Horizontal	Pass
2**	4809.533	39.96	54.0	14.04	AV	272.00	400	Horizontal	Pass
3	4899.544	51.61	74.0	22.39	Peak	107.00	200	Horizontal	Pass
3**	4899.544	41.77	54.0	12.23	AV	107.00	200	Horizontal	Pass
4	7955.300	51.18	88.2	37.02	Peak	138.00	200	Horizontal	Pass
4**	7955.300	46.11	68.2	22.09	AV	138.00	200	Horizontal	Pass
5	14442.444	54.88	88.2	33.32	Peak	359.00	300	Horizontal	Pass
5**	14442.444	47.08	68.2	21.12	AV	359.00	300	Horizontal	Pass
6	17436.170	53.76	88.2	34.44	Peak	330.00	400	Horizontal	Pass
6**	17436.170	42.50	68.2	25.70	AV	330.00	400	Horizontal	Pass

11be80(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.592	36.24	74.0	37.76	Peak	300.00	300	Vertical	Pass
1**	1532.592	27.20	54.0	26.80	AV	300.00	300	Vertical	Pass
2	2337.895	47.46	74.0	26.54	Peak	267.00	300	Vertical	Pass
2**	2337.895	32.48	54.0	21.52	AV	267.00	300	Vertical	Pass
3	4903.050	47.04	74.0	26.96	Peak	274.00	200	Vertical	Pass
3**	4903.050	37.98	54.0	16.02	AV	274.00	200	Vertical	Pass
4	7330.654	55.09	74.0	18.91	Peak	288.00	300	Vertical	Pass
4**	7330.654	43.81	54.0	10.19	AV	288.00	300	Vertical	Pass
5	12488.015	50.78	74.0	23.22	Peak	346.00	400	Vertical	Pass
5**	12488.015	47.01	54.0	6.99	AV	346.00	400	Vertical	Pass
6	15694.428	56.54	74.0	17.46	Peak	342.00	400	Vertical	Pass
6**	15694.428	42.17	54.0	11.83	AV	342.00	400	Vertical	Pass

11be160(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.505	39.99	88.2	48.21	Peak	232.00	300	Horizontal	Pass
1**	2094.505	30.78	68.2	37.42	AV	232.00	300	Horizontal	Pass
2	4808.184	47.77	74.0	26.23	Peak	41.00	100	Horizontal	Pass
2**	4808.184	38.41	54.0	15.59	AV	41.00	100	Horizontal	Pass
3	4897.892	51.52	74.0	22.48	Peak	231.00	200	Horizontal	Pass
3**	4897.892	38.87	54.0	15.13	AV	231.00	200	Horizontal	Pass
4	7950.477	52.85	88.2	35.35	Peak	308.00	300	Horizontal	Pass
4**	7950.477	45.74	68.2	22.46	AV	308.00	300	Horizontal	Pass
5	14441.847	53.07	88.2	35.13	Peak	210.00	300	Horizontal	Pass
5**	14441.847	43.30	68.2	24.90	AV	210.00	300	Horizontal	Pass
6	17431.276	57.53	88.2	30.67	Peak	28.00	300	Horizontal	Pass
6**	17431.276	47.04	68.2	21.16	AV	28.00	300	Horizontal	Pass

11be160(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.730	38.65	74.0	35.35	Peak	72.00	300	Vertical	Pass
1**	1528.730	29.03	54.0	24.97	AV	72.00	300	Vertical	Pass
2	2331.808	42.09	74.0	31.91	Peak	232.00	400	Vertical	Pass
2**	2331.808	35.46	54.0	18.54	AV	232.00	400	Vertical	Pass
3	4897.887	47.54	74.0	26.46	Peak	208.00	200	Vertical	Pass
3**	4897.887	39.89	54.0	14.11	AV	208.00	200	Vertical	Pass
4	7326.790	51.43	74.0	22.57	Peak	343.00	100	Vertical	Pass
4**	7326.790	44.28	54.0	9.72	AV	343.00	100	Vertical	Pass
5	12490.184	50.16	74.0	23.84	Peak	301.00	200	Vertical	Pass
5**	12490.184	46.13	54.0	7.87	AV	301.00	200	Vertical	Pass
6	15694.861	53.91	74.0	20.09	Peak	40.00	300	Vertical	Pass
6**	15694.861	43.71	54.0	10.29	AV	40.00	300	Vertical	Pass

11be160(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.296	40.90	88.2	47.30	Peak	48.00	300	Horizontal	Pass
1**	2097.296	35.61	68.2	32.59	AV	48.00	300	Horizontal	Pass
2	4811.417	47.08	74.0	26.92	Peak	134.00	100	Horizontal	Pass
2**	4811.417	43.74	54.0	10.26	AV	134.00	100	Horizontal	Pass
3	4903.408	50.06	74.0	23.94	Peak	8.00	200	Horizontal	Pass
3**	4903.408	41.45	54.0	12.55	AV	8.00	200	Horizontal	Pass
4	7950.081	52.77	88.2	35.43	Peak	235.00	200	Horizontal	Pass
4**	7950.081	47.02	68.2	21.18	AV	235.00	200	Horizontal	Pass
5	14439.849	54.35	88.2	33.85	Peak	301.00	100	Horizontal	Pass
5**	14439.849	48.05	68.2	20.15	AV	301.00	100	Horizontal	Pass
6	17433.788	55.51	88.2	32.69	Peak	20.00	400	Horizontal	Pass
6**	17433.788	47.63	68.2	20.57	AV	20.00	400	Horizontal	Pass

11be160(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.305	41.53	74.0	32.47	Peak	4.00	300	Vertical	Pass
1**	1531.305	31.51	54.0	22.49	AV	4.00	300	Vertical	Pass
2	2334.002	45.41	74.0	28.59	Peak	190.00	200	Vertical	Pass
2**	2334.002	36.61	54.0	17.39	AV	190.00	200	Vertical	Pass
3	4902.103	47.80	74.0	26.20	Peak	94.00	200	Vertical	Pass
3**	4902.103	40.51	54.0	13.49	AV	94.00	200	Vertical	Pass
4	7329.207	51.69	74.0	22.31	Peak	284.00	400	Vertical	Pass
4**	7329.207	44.73	54.0	9.27	AV	284.00	400	Vertical	Pass
5	12488.902	53.30	74.0	20.70	Peak	0.00	300	Vertical	Pass
5**	12488.902	46.62	54.0	7.38	AV	0.00	300	Vertical	Pass
6	15692.978	55.85	74.0	18.15	Peak	184.00	400	Vertical	Pass
6**	15692.978	46.82	54.0	7.18	AV	184.00	400	Vertical	Pass

11be320(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.278	41.77	88.2	46.43	Peak	196.00	300	Horizontal	Pass
1**	2094.278	31.08	68.2	37.12	AV	196.00	300	Horizontal	Pass
2	4812.903	48.25	74.0	25.75	Peak	5.00	300	Horizontal	Pass
2**	4812.903	40.83	54.0	13.17	AV	5.00	300	Horizontal	Pass
3	4903.723	52.11	74.0	21.89	Peak	145.00	200	Horizontal	Pass
3**	4903.723	39.76	54.0	14.24	AV	145.00	200	Horizontal	Pass
4	7954.468	53.09	88.2	35.11	Peak	300.00	200	Horizontal	Pass
4**	7954.468	44.54	68.2	23.66	AV	300.00	200	Horizontal	Pass
5	14441.899	54.25	88.2	33.95	Peak	89.00	400	Horizontal	Pass
5**	14441.899	44.23	68.2	23.97	AV	89.00	400	Horizontal	Pass
6	17437.297	53.69	88.2	34.51	Peak	258.00	100	Horizontal	Pass
6**	17437.297	47.77	68.2	20.43	AV	258.00	100	Horizontal	Pass

11be320(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.585	38.10	74.0	35.90	Peak	239.00	300	Vertical	Pass
1**	1528.585	25.55	54.0	28.45	AV	239.00	300	Vertical	Pass
2	2338.444	44.02	74.0	29.98	Peak	334.00	400	Vertical	Pass
2**	2338.444	37.61	54.0	16.39	AV	334.00	400	Vertical	Pass
3	4902.042	47.75	74.0	26.25	Peak	291.00	200	Vertical	Pass
3**	4902.042	38.62	54.0	15.38	AV	291.00	200	Vertical	Pass
4	7329.204	52.94	74.0	21.06	Peak	121.00	400	Vertical	Pass
4**	7329.204	41.89	54.0	12.11	AV	121.00	400	Vertical	Pass
5	12489.680	55.38	74.0	18.62	Peak	265.00	400	Vertical	Pass
5**	12489.680	43.42	54.0	10.58	AV	265.00	400	Vertical	Pass
6	15690.868	53.14	74.0	20.86	Peak	73.00	200	Vertical	Pass
6**	15690.868	41.77	54.0	12.23	AV	73.00	200	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-5	802.11ax(HE20)(SU)	Low	Pass
	802.11ax(HE40)(SU)	Low	Pass
	802.11ax(HE80)(SU)	Low	Pass
	802.11ax(HE160)(SU)	Low	Pass
	802.11be(EHT20)(SU)	Low	Pass
	802.11be(EHT40)(SU)	Low	Pass
	802.11be(EHT80)(SU)	Low	Pass
	802.11be(EHT160)(SU)	Low	Pass
	802.11be(EHT320)(SU)	Low	Pass
	802.11ax(HE20)(RU26)	Low	Pass
	802.11ax(HE40)(RU26)	Low	Pass
	802.11ax(HE80)(RU26)	Low	Pass
	802.11ax(HE160)(RU26)	Low	Pass
	802.11be(EHT20)(RU26)	Low	Pass
	802.11be(EHT40)(RU26)	Low	Pass
	802.11be(EHT80)(RU26)	Low	Pass
	802.11be(EHT160)(RU26)	Low	Pass
	802.11be(EHT320)(RU26)	Low	Pass
U-NII-8	802.11ax(HE20)(SU)	High	Pass
	802.11ax(HE40)(SU)	High	Pass
	802.11ax(HE80)(SU)	High	Pass
	802.11ax(HE160)(SU)	High	Pass
	802.11be(EHT20)(SU)	High	Pass
	802.11be(EHT40)(SU)	High	Pass
	802.11be(EHT80)(SU)	High	Pass
	802.11be(EHT160)(SU)	High	Pass
	802.11be(EHT320)(SU)	Middle	Pass
	802.11ax(HE20)(RU26)	High	Pass
	802.11ax(HE40)(RU26)	High	Pass
	802.11ax(HE80)(RU26)	High	Pass
	802.11ax(HE160)(RU26)	High	Pass
	802.11be(EHT20)(RU26)	High	Pass
	802.11be(EHT40)(RU26)	High	Pass
	802.11be(EHT80)(RU26)	High	Pass
	802.11be(EHT160)(RU26)	High	Pass
	802.11be(EHT320)(RU26)	Middle	Pass

Note ¹: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note ²: All antenna were pre tested, but only the worst case has been reported in this report.

Aux. Antenna

U-NII-5 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5914.280	57.34	88.2	30.86	Peak	204.00	300	Horizontal	Pass
1**	5914.280	43.5	68.2	24.70	AV	204.00	300	Horizontal	Pass
2	5925.000	54.31	88.2	33.89	Peak	161.00	100	Horizontal	Pass
2**	5925.000	44.16	68.2	24.04	AV	161.00	100	Horizontal	Pass

U-NII-5 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5912.662	55.31	88.2	32.89	Peak	63.00	300	Horizontal	Pass
1**	5912.662	47.19	68.2	21.01	AV	63.00	300	Horizontal	Pass
2	5925.000	54.98	88.2	33.22	Peak	169.00	200	Horizontal	Pass
2**	5925.000	44.83	68.2	23.37	AV	169.00	200	Horizontal	Pass

U-NII-5 11ax80(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5913.916	57.94	88.2	30.26	Peak	65.00	200	Horizontal	Pass
1**	5913.916	45.9	68.2	22.30	AV	65.00	200	Horizontal	Pass
2	5925.000	55.82	88.2	32.38	Peak	40.00	100	Horizontal	Pass
2**	5925.000	43.01	68.2	25.19	AV	40.00	100	Horizontal	Pass

U-NII-5 11ax160(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5911.769	56.48	88.2	31.72	Peak	340.00	200	Horizontal	Pass
1**	5911.769	45.79	68.2	22.41	AV	340.00	200	Horizontal	Pass
2	5925.000	52.78	88.2	35.42	Peak	254.00	100	Horizontal	Pass
2**	5925.000	44.63	68.2	23.57	AV	254.00	100	Horizontal	Pass

U-NII-5 11be20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5913.028	58.4	88.2	29.80	Peak	108.00	200	Horizontal	Pass
1**	5913.028	43.71	68.2	24.49	AV	108.00	200	Horizontal	Pass
2	5925.000	53.49	88.2	34.71	Peak	323.00	100	Horizontal	Pass
2**	5925.000	43.32	68.2	24.88	AV	323.00	100	Horizontal	Pass

U-NII-5 11be40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5911.488	57.32	88.2	30.88	Peak	115.00	100	Horizontal	Pass
1**	5911.488	47.3	68.2	20.90	AV	115.00	100	Horizontal	Pass
2	5925.000	52.35	88.2	35.85	Peak	45.00	200	Horizontal	Pass
2**	5925.000	43.15	68.2	25.05	AV	45.00	200	Horizontal	Pass

U-NII-5 11be80(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5913.941	58.6	88.2	29.60	Peak	53.00	200	Horizontal	Pass
1**	5913.941	46.67	68.2	21.53	AV	53.00	200	Horizontal	Pass
2	5925.000	54.38	88.2	33.82	Peak	293.00	100	Horizontal	Pass
2**	5925.000	45.89	68.2	22.31	AV	293.00	100	Horizontal	Pass

U-NII-5 11be160(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5912.029	56.63	88.2	31.57	Peak	96.00	100	Horizontal	Pass
1**	5912.029	43.62	68.2	24.58	AV	96.00	100	Horizontal	Pass
2	5925.000	54.54	88.2	33.66	Peak	129.00	200	Horizontal	Pass
2**	5925.000	45.2	68.2	23.00	AV	129.00	200	Horizontal	Pass

U-NII-5 11be320(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5913.776	55.67	88.2	32.53	Peak	63.00	200	Horizontal	Pass
1**	5913.776	45.35	68.2	22.85	AV	63.00	200	Horizontal	Pass
2	5925.000	52.42	88.2	35.78	Peak	94.00	100	Horizontal	Pass
2**	5925.000	45.1	68.2	23.10	AV	94.00	100	Horizontal	Pass

U-NII-5 11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5913.747	58.71	88.2	29.49	Peak	214.00	200	Horizontal	Pass
1**	5913.747	45	68.2	23.20	AV	214.00	200	Horizontal	Pass
2	5925.000	55.94	88.2	32.26	Peak	291.00	100	Horizontal	Pass
2**	5925.000	46.61	68.2	21.59	AV	291.00	100	Horizontal	Pass

U-NII-5 11ax40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5912.201	56.23	88.2	31.97	Peak	190.00	100	Horizontal	Pass
1**	5912.201	44.21	68.2	23.99	AV	190.00	100	Horizontal	Pass
2	5925.000	52.34	88.2	35.86	Peak	37.00	100	Horizontal	Pass
2**	5925.000	46.59	68.2	21.61	AV	37.00	100	Horizontal	Pass

U-NII-5 11ax80(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5911.832	56.59	88.2	31.61	Peak	237.00	300	Horizontal	Pass
1**	5911.832	44.79	68.2	23.41	AV	237.00	300	Horizontal	Pass
2	5925.000	53.09	88.2	35.11	Peak	152.00	300	Horizontal	Pass
2**	5925.000	44.64	68.2	23.56	AV	152.00	300	Horizontal	Pass

U-NII-5 11ax160(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5913.724	56.8	88.2	31.40	Peak	20.00	100	Horizontal	Pass
1**	5913.724	45.28	68.2	22.92	AV	20.00	100	Horizontal	Pass
2	5925.000	55.21	88.2	32.99	Peak	229.00	100	Horizontal	Pass
2**	5925.000	44.51	68.2	23.69	AV	229.00	100	Horizontal	Pass

U-NII-5 11be20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5913.125	55.8	88.2	32.40	Peak	145.00	200	Horizontal	Pass
1**	5913.125	43.39	68.2	24.81	AV	145.00	200	Horizontal	Pass
2	5925.000	54.15	88.2	34.05	Peak	132.00	100	Horizontal	Pass
2**	5925.000	42.95	68.2	25.25	AV	132.00	100	Horizontal	Pass

U-NII-5 11be40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5912.957	56.69	88.2	31.51	Peak	135.00	300	Horizontal	Pass
1**	5912.957	46.96	68.2	21.24	AV	135.00	300	Horizontal	Pass
2	5925.000	53.19	88.2	35.01	Peak	344.00	300	Horizontal	Pass
2**	5925.000	46.74	68.2	21.46	AV	344.00	300	Horizontal	Pass

U-NII-5 11be80(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5913.733	55.39	88.2	32.81	Peak	91.00	100	Horizontal	Pass
1**	5913.733	43.49	68.2	24.71	AV	91.00	100	Horizontal	Pass
2	5925.000	55.05	88.2	33.15	Peak	297.00	300	Horizontal	Pass
2**	5925.000	43.89	68.2	24.31	AV	297.00	300	Horizontal	Pass

U-NII-5 11be160(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5913.617	55.88	88.2	32.32	Peak	257.00	200	Horizontal	Pass
1**	5913.617	43.79	68.2	24.41	AV	257.00	200	Horizontal	Pass
2	5925.000	55.61	88.2	32.59	Peak	342.00	300	Horizontal	Pass
2**	5925.000	44.48	68.2	23.72	AV	342.00	300	Horizontal	Pass

U-NII-5 11be320(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5911.998	57.97	88.2	30.23	Peak	77.00	100	Horizontal	Pass
1**	5911.998	46.64	68.2	21.56	AV	77.00	100	Horizontal	Pass
2	5925.000	52.91	88.2	35.29	Peak	67.00	100	Horizontal	Pass
2**	5925.000	45.01	68.2	23.19	AV	67.00	100	Horizontal	Pass

U-NII-8 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	54.56	88.2	33.64	Peak	112.00	300	Horizontal	Pass
1**	7125.000	46.78	68.2	21.42	AV	112.00	300	Horizontal	Pass
2	7203.474	59.06	88.2	29.14	Peak	197.00	200	Horizontal	Pass
2**	7204.351	46.53	68.2	21.67	AV	197.00	200	Horizontal	Pass

U-NII-8 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	58.04	88.2	30.16	Peak	74.00	200	Horizontal	Pass
1**	7125.000	44.67	68.2	23.53	AV	74.00	200	Horizontal	Pass
2	7201.668	59.35	88.2	28.85	Peak	35.00	100	Horizontal	Pass
2**	7202.014	47.55	68.2	20.65	AV	35.00	100	Horizontal	Pass

U-NII-8 11ax80(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	54.46	88.2	33.74	Peak	29.00	300	Horizontal	Pass
1**	7125.000	46.62	68.2	21.58	AV	29.00	300	Horizontal	Pass
2	7199.261	58.62	88.2	29.58	Peak	55.00	100	Horizontal	Pass
2**	7199.479	45.66	68.2	22.54	AV	55.00	100	Horizontal	Pass

U-NII-8 11ax160(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	57.15	88.2	31.05	Peak	237.00	100	Horizontal	Pass
1**	7125.000	46.46	68.2	21.74	AV	237.00	100	Horizontal	Pass
2	7196.528	59.64	88.2	28.56	Peak	71.00	100	Horizontal	Pass
2**	7199.096	48.14	68.2	20.06	AV	71.00	100	Horizontal	Pass

U-NII-8 11be20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	57.48	88.2	30.72	Peak	133.00	300	Horizontal	Pass
1**	7125.000	44.36	68.2	23.84	AV	133.00	300	Horizontal	Pass
2	7202.898	59.09	88.2	29.11	Peak	7.00	200	Horizontal	Pass
2**	7203.712	45.35	68.2	22.85	AV	7.00	200	Horizontal	Pass

U-NII-8 11be40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	56.9	88.2	31.30	Peak	225.00	300	Horizontal	Pass
1**	7125.000	45.53	68.2	22.67	AV	225.00	300	Horizontal	Pass
2	7201.324	57.11	88.2	31.09	Peak	261.00	300	Horizontal	Pass
2**	7202.319	48.06	68.2	20.14	AV	261.00	300	Horizontal	Pass

U-NII-8 11be80(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	54.64	88.2	33.56	Peak	202.00	300	Horizontal	Pass
1**	7125.000	44.32	68.2	23.88	AV	202.00	300	Horizontal	Pass
2	7199.729	59.33	88.2	28.87	Peak	235.00	200	Horizontal	Pass
2**	7201.206	48.26	68.2	19.94	AV	235.00	200	Horizontal	Pass

U-NII-8 11be160(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	57.8	88.2	30.40	Peak	186.00	300	Horizontal	Pass
1**	7125.000	45.03	68.2	23.17	AV	186.00	300	Horizontal	Pass
2	7199.404	56.86	88.2	31.34	Peak	186.00	300	Horizontal	Pass
2**	7200.855	48.14	68.2	20.06	AV	186.00	300	Horizontal	Pass

U-NII-8 11be320(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	55.18	88.2	33.02	Peak	156.00	300	Horizontal	Pass
1**	7125.000	45.83	68.2	22.37	AV	156.00	300	Horizontal	Pass
2	7198.386	58.46	88.2	29.74	Peak	355.00	100	Horizontal	Pass
2**	7198.742	47.53	68.2	20.67	AV	355.00	100	Horizontal	Pass

U-NII-8 11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	54.21	88.2	33.99	Peak	168.00	100	Horizontal	Pass
1**	7125.000	47.56	68.2	20.64	AV	168.00	100	Horizontal	Pass
2	7204.168	59.76	88.2	28.44	Peak	344.00	200	Horizontal	Pass
2**	7202.550	46.95	68.2	21.25	AV	344.00	200	Horizontal	Pass

U-NII-8 11ax40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	55.3	88.2	32.90	Peak	317.00	300	Horizontal	Pass
1**	7125.000	44.53	68.2	23.67	AV	317.00	300	Horizontal	Pass
2	7203.907	56.52	88.2	31.68	Peak	342.00	300	Horizontal	Pass
2**	7199.710	47.38	68.2	20.82	AV	342.00	300	Horizontal	Pass

U-NII-8 11ax80(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	55.48	88.2	32.72	Peak	204.00	100	Horizontal	Pass
1**	7125.000	44.69	68.2	23.51	AV	204.00	100	Horizontal	Pass
2	7201.872	56.6	88.2	31.60	Peak	294.00	300	Horizontal	Pass
2**	7199.259	45.61	68.2	22.59	AV	294.00	300	Horizontal	Pass

U-NII-8 11ax160(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	56.17	88.2	32.03	Peak	85.00	100	Horizontal	Pass
1**	7125.000	45.98	68.2	22.22	AV	85.00	100	Horizontal	Pass
2	7200.182	60.1	88.2	28.10	Peak	58.00	300	Horizontal	Pass
2**	7196.402	47.32	68.2	20.88	AV	58.00	300	Horizontal	Pass

U-NII-8 11be20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	54.89	88.2	33.31	Peak	287.00	300	Horizontal	Pass
1**	7125.000	44.66	68.2	23.54	AV	287.00	300	Horizontal	Pass
2	7202.732	60.36	88.2	27.84	Peak	11.00	200	Horizontal	Pass
2**	7204.615	46.71	68.2	21.49	AV	11.00	200	Horizontal	Pass

U-NII-8 11be40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	54.79	88.2	33.41	Peak	112.00	300	Horizontal	Pass
1**	7125.000	43.95	68.2	24.25	AV	112.00	300	Horizontal	Pass
2	7202.017	59.15	88.2	29.05	Peak	265.00	200	Horizontal	Pass
2**	7203.276	45.01	68.2	23.19	AV	265.00	200	Horizontal	Pass

U-NII-8 11be80(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	57.77	88.2	30.43	Peak	141.00	200	Horizontal	Pass
1**	7125.000	47.64	68.2	20.56	AV	141.00	200	Horizontal	Pass
2	7199.478	60.4	88.2	27.80	Peak	166.00	200	Horizontal	Pass
2**	7202.338	44.4	68.2	23.80	AV	166.00	200	Horizontal	Pass

U-NII-8 11be160(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	54.91	88.2	33.29	Peak	80.00	300	Horizontal	Pass
1**	7125.000	44.34	68.2	23.86	AV	80.00	300	Horizontal	Pass
2	7197.488	59.9	88.2	28.30	Peak	360.00	100	Horizontal	Pass
2**	7201.624	44.92	68.2	23.28	AV	360.00	100	Horizontal	Pass

U-NII-8 11be320(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	56.45	88.2	31.75	Peak	137.00	100	Horizontal	Pass
1**	7125.000	47.9	68.2	20.30	AV	137.00	100	Horizontal	Pass
2	7194.734	57.62	88.2	30.58	Peak	307.00	300	Horizontal	Pass
2**	7199.039	45.53	68.2	22.67	AV	307.00	300	Horizontal	Pass