



802.11ax(HEW40)\_HCH\_5795MHz\_RU242\_Right\_Ant8\_NTNV




802.11ax(HEW40)\_HCH\_5795MHz\_RU242\_Right\_Ant10\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

802.11ax(HEW40)\_HCH\_5795MHz\_RU242\_Right\_MIMO\_NTNV



802.11ax(HEW40)\_HCH\_5795MHz\_SU\_/\_Ant8\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing Center EMC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

802.11ax(HEW40)\_HCH\_5795MHz\_SU\_/\_Ant10\_NTNV




802.11ax(HEW40)\_HCH\_5795MHz\_SU\_/\_MIMO\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

802.11ax(HEW40)\_HCH\_5710MHz\_RU242\_Right\_Ant8\_NTNV



802.11ax(HEW40)\_HCH\_5710MHz\_RU242\_Right\_Ant10\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

802.11ax(HEW40)\_HCH\_5710MHz\_RU242\_Right\_MIMO\_NTNV



802.11ax(HEW40)\_HCH\_5710MHz\_SU\_/\_Ant8\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Nanshan District, Shenzhen, Guangdong, China

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

802.11ax(HEW40)\_HCH\_5710MHz\_SU\_/\_Ant10\_NTNV



802.11ax(HEW40)\_HCH\_5710MHz\_SU\_/\_MIMO\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


802.11ax(HEW80)\_MCH\_5775MHz\_RU484\_Left\_Ant8\_NTNV




802.11ax(HEW80)\_MCH\_5775MHz\_RU484\_Left\_Ant10\_NTNV




802.11ax(HEW80)\_MCH\_5775MHz\_RU484\_Left\_MIMO\_NTNV




802.11ax(HEW80)\_MCH\_5775MHz\_RU484\_Right\_Ant8\_NTNV



802.11ax(HEW80)\_MCH\_5775MHz\_RU484\_Right\_Ant10\_NTNV




802.11ax(HEW80)\_MCH\_5775MHz\_RU484\_Right\_MIMO\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### 802.11ax(HEW80)\_MCH\_5775MHz\_SU\_/\_Ant8\_NTNV




### 802.11ax(HEW80)\_MCH\_5775MHz\_SU\_/\_Ant10\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


802.11ax(HEW80)\_MCH\_5775MHz\_SU\_/\_MIMO\_NTNV




802.11ax(HEW80)\_HCH\_5690MHz\_RU484\_Right\_Ant8\_NTNV



802.11ax(HEW80)\_HCH\_5690MHz\_RU484\_Right\_Ant10\_NTNV




802.11ax(HEW80)\_HCH\_5690MHz\_RU484\_Right\_MIMO\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


### 802.11ax(HEW80)\_HCH\_5690MHz\_SU\_/\_Ant8\_NTNV



### 802.11ax(HEW80)\_HCH\_5690MHz\_SU\_/\_Ant10\_NTNV



### 802.11ax(HEW80)\_HCH\_5690MHz\_SU\_/\_MIMO\_NTNV



## 5. Signal Calibration

### 5.1 Test Result

#### 5.1.1 SC

| Band: 2A         |                 |                 |              |          |                     |       |         |
|------------------|-----------------|-----------------|--------------|----------|---------------------|-------|---------|
| Mode             | Bandwidth (MHz) | Frequency (MHz) | Radar Signal |          | Signal Calibration  |       | Verdict |
|                  |                 |                 | Type         | Trial Id | Result              | Limit |         |
| 802.11ac (VHT80) | 80              | 5290            | 0            | 0        | Refer To Test Graph |       | Pass    |
|                  |                 |                 | 1            | 0        | Refer To Test Graph |       | Pass    |
|                  |                 |                 | 2            | 0        | Refer To Test Graph |       | Pass    |
|                  |                 |                 | 3            | 0        | Refer To Test Graph |       | Pass    |
|                  |                 |                 | 4            | 0        | Refer To Test Graph |       | Pass    |
|                  |                 |                 | 5            | 0        | Refer To Test Graph |       | Pass    |
|                  |                 |                 | 6            | 0        | Refer To Test Graph |       | Pass    |


#### 5.1.2 SC

| Band: 2C         |                 |                 |              |          |                     |       |         |
|------------------|-----------------|-----------------|--------------|----------|---------------------|-------|---------|
| Mode             | Bandwidth (MHz) | Frequency (MHz) | Radar Signal |          | Signal Calibration  |       | Verdict |
|                  |                 |                 | Type         | Trial Id | Result              | Limit |         |
| 802.11ac (VHT80) | 80              | 5530            | 0            | 0        | Refer To Test Graph |       | Pass    |
|                  |                 |                 | 1            | 0        | Refer To Test Graph |       | Pass    |
|                  |                 |                 | 2            | 0        | Refer To Test Graph |       | Pass    |
|                  |                 |                 | 3            | 0        | Refer To Test Graph |       | Pass    |
|                  |                 |                 | 4            | 0        | Refer To Test Graph |       | Pass    |
|                  |                 |                 | 5            | 0        | Refer To Test Graph |       | Pass    |
|                  |                 |                 | 6            | 0        | Refer To Test Graph |       | Pass    |


### 5.2 Test Graph

#### 5.2.1 SC


Signal Calibration\_802.11ac(VHT80)\_2A\_5290MHz\_RadarType0\_Trial0




Signal Calibration\_802.11ac(VHT80)\_2A\_5290MHz\_RadarType1\_Trial0




Signal Calibration\_802.11ac(VHT80)\_2A\_5290MHz\_RadarType2\_Trial0




Signal Calibration\_802.11ac(VHT80)\_2A\_5290MHz\_RadarType3\_Trial0



### Signal Calibration\_802.11ac(VHT80)\_2A\_5290MHz\_RadarType4\_Trial0



### Signal Calibration\_802.11ac(VHT80)\_2A\_5290MHz\_RadarType5\_Trial0




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

### Signal Calibration\_802.11ac(VHT80)\_2A\_5290MHz\_RadarType6\_Trial0




### 5.2.2 SC


Signal Calibration\_802.11ac(VHT80)\_2C\_5530MHz\_RadarType0\_Trial0




Signal Calibration\_802.11ac(VHT80)\_2C\_5530MHz\_RadarType1\_Trial0



Signal Calibration\_802.11ac(VHT80)\_2C\_5530MHz\_RadarType2\_Trial0



Signal Calibration\_802.11ac(VHT80)\_2C\_5530MHz\_RadarType3\_Trial0




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


Signal Calibration\_802.11ac(VHT80)\_2C\_5530MHz\_RadarType4\_Trial0



Signal Calibration\_802.11ac(VHT80)\_2C\_5530MHz\_RadarType5\_Trial0



Signal Calibration\_802.11ac(VHT80)\_2C\_5530MHz\_RadarType6\_Trial0



## 6. Channel Loading (Payload)

### 6.1 Test Result

#### 6.1.1 Payload


| Band: 2A         |                 |                 |                               |           |         |
|------------------|-----------------|-----------------|-------------------------------|-----------|---------|
| Mode             | Bandwidth (MHz) | Frequency (MHz) | Channel Loading (Payload) (%) |           | Verdict |
|                  |                 |                 | Result                        | Limit     |         |
| 802.11ac (VHT80) | 80              | 5290            | 20.68                         | $\geq 17$ | Pass    |

#### 6.1.2 Payload


| Band: 2C         |                 |                 |                               |           |         |
|------------------|-----------------|-----------------|-------------------------------|-----------|---------|
| Mode             | Bandwidth (MHz) | Frequency (MHz) | Channel Loading (Payload) (%) |           | Verdict |
|                  |                 |                 | Result                        | Limit     |         |
| 802.11ac (VHT80) | 80              | 5530            | 23.60                         | $\geq 17$ | Pass    |

### 6.2 Test Graph

#### 6.2.1 Payload



### 2.2.2 Payload



## 7. Channel Move Time and Closing Transmission Time

### 7.1 Test Result

#### 7.1.1 CMT\_CTT

| Band: 2A         |                 |                 |                                                 |       |         |
|------------------|-----------------|-----------------|-------------------------------------------------|-------|---------|
| Mode             | Bandwidth (MHz) | Frequency (MHz) | Channel Move Time and Closing Transmission Time |       | Verdict |
|                  |                 |                 | Result                                          | Limit |         |
| 802.11ac (VHT80) | 80              | 5290            | Refer To Test Graph                             |       | Pass    |

#### 7.1.2 CMT\_CTT

| Band: 2C         |                 |                 |                                                 |       |         |
|------------------|-----------------|-----------------|-------------------------------------------------|-------|---------|
| Mode             | Bandwidth (MHz) | Frequency (MHz) | Channel Move Time and Closing Transmission Time |       | Verdict |
|                  |                 |                 | Result                                          | Limit |         |
| 802.11ac (VHT80) | 80              | 5530            | Refer To Test Graph                             |       | Pass    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


### 7.2 Test Graph

#### 7.2.1 CMT\_CTT



### 7.2.2 CMT\_CTT

Channel Move Time and Closing Transmission Time\_802.11ac(VHT80)\_2C\_5530MHz



## 8. Non-Occupancy Period

### 8.1 Test Result

#### 8.1.1 Period


| Band: 2A         |                 |                 |                      |       |         |
|------------------|-----------------|-----------------|----------------------|-------|---------|
| Mode             | Bandwidth (MHz) | Frequency (MHz) | Non-Occupancy Period |       | Verdict |
|                  |                 |                 | Result               | Limit |         |
| 802.11ac (VHT80) | 80              | 5290            | Refer To Test Graph  |       | Pass    |

#### 8.1.2 Period


| Band: 2C         |                 |                 |                      |       |         |
|------------------|-----------------|-----------------|----------------------|-------|---------|
| Mode             | Bandwidth (MHz) | Frequency (MHz) | Non-Occupancy Period |       | Verdict |
|                  |                 |                 | Result               | Limit |         |
| 802.11ac (VHT80) | 80              | 5530            | Refer To Test Graph  |       | Pass    |

### 8.2 Test Graph

#### 82.1 Period



### 8.2.2 Period



## 9. Frequency Stability

### 9.1 Test Result

#### 9.1.1 Ant8

| Ant8    |         |                 |    |        |                  |               |                          |              |         |
|---------|---------|-----------------|----|--------|------------------|---------------|--------------------------|--------------|---------|
| Mode    | TX Type | Frequency (MHz) | RU | RU Pos | Temperature (°C) | Voltage (Vdc) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| 802.11a | MIMO    | 5180            | /  | /      | 20               | 3.4           | 5180.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 3.8           | 5180.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 4.45          | 5179.980                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -30              | 3.8           | 5180.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -20              | 3.8           | 5180.060                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -10              | 3.8           | 5180.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 0                | 3.8           | 5180.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 10               | 3.8           | 5179.980                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 30               | 3.8           | 5180.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 40               | 3.8           | 5180.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 50               | 3.8           | 5179.980                 | 5150 to 5250 | Pass    |
|         |         | 5200            | /  | /      | 20               | 3.4           | 5200.060                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 3.8           | 5200.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 4.45          | 5200.060                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -30              | 3.8           | 5200.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -20              | 3.8           | 5199.960                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -10              | 3.8           | 5200.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 0                | 3.8           | 5200.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 10               | 3.8           | 5200.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 30               | 3.8           | 5200.060                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 40               | 3.8           | 5200.040                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 50               | 3.8           | 5200.060                 | 5150 to 5250 | Pass    |
|         |         | 5240            | /  | /      | 20               | 3.4           | 5240.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 3.8           | 5240.060                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 4.45          | 5239.960                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -30              | 3.8           | 5240.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -20              | 3.8           | 5240.060                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -10              | 3.8           | 5240.040                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 0                | 3.8           | 5240.040                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 10               | 3.8           | 5240.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 30               | 3.8           | 5240.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 40               | 3.8           | 5240.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 50               | 3.8           | 5240.020                 | 5150 to 5250 | Pass    |
|         |         | 5260            | /  | /      | 20               | 3.4           | 5260.040                 | 5250 to 5350 | Pass    |
|         |         |                 |    |        |                  | 3.8           | 5260.000                 | 5250 to 5350 | Pass    |
|         |         |                 |    |        |                  | 4.45          | 5259.980                 | 5250 to 5350 | Pass    |
|         |         |                 |    |        | -30              | 3.8           | 5259.980                 | 5250 to 5350 | Pass    |
|         |         |                 |    |        | -20              | 3.8           | 5260.000                 | 5250 to 5350 | Pass    |
|         |         |                 |    |        | -10              | 3.8           | 5259.980                 | 5250 to 5350 | Pass    |
|         |         |                 |    |        | 0                | 3.8           | 5260.060                 | 5250 to 5350 | Pass    |
|         |         |                 |    |        | 10               | 3.8           | 5260.040                 | 5250 to 5350 | Pass    |
|         |         |                 |    |        | 30               | 3.8           | 5259.960                 | 5250 to 5350 | Pass    |
|         |         |                 |    |        | 40               | 3.8           | 5260.000                 | 5250 to 5350 | Pass    |
|         |         |                 |    |        | 50               | 3.8           | 5260.000                 | 5250 to 5350 | Pass    |



# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241100451006

Page: 745 of 760

|  |  |      |   |   |     |      |          |              |      |
|--|--|------|---|---|-----|------|----------|--------------|------|
|  |  | 5300 | / | / | 20  | 3.4  | 5300.080 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 3.8  | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 4.45 | 5300.080 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 3.8  | 5300.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 3.8  | 5300.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 3.8  | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 3.8  | 5300.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 3.8  | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 3.8  | 5300.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 3.8  | 5300.080 | 5250 to 5350 | Pass |
|  |  | 5320 | / | / | 50  | 3.8  | 5299.960 | 5250 to 5350 | Pass |
|  |  |      |   |   | 20  | 3.4  | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 3.8  | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 4.45 | 5320.080 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 3.8  | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 3.8  | 5320.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 3.8  | 5320.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 3.8  | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 3.8  | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 3.8  | 5319.960 | 5250 to 5350 | Pass |
|  |  | 5500 | / | / | 40  | 3.8  | 5320.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 3.8  | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 20  | 3.4  | 5500.020 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 3.8  | 5500.040 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 4.45 | 5500.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | -30 | 3.8  | 5499.960 | 5470 to 5725 | Pass |
|  |  |      |   |   | -20 | 3.8  | 5500.060 | 5470 to 5725 | Pass |
|  |  |      |   |   | -10 | 3.8  | 5500.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | 0   | 3.8  | 5500.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 10  | 3.8  | 5500.020 | 5470 to 5725 | Pass |
|  |  | 5580 | / | / | 30  | 3.8  | 5500.060 | 5470 to 5725 | Pass |
|  |  |      |   |   | 40  | 3.8  | 5500.060 | 5470 to 5725 | Pass |
|  |  |      |   |   | 50  | 3.8  | 5500.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 20  | 3.4  | 5580.000 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 3.8  | 5580.000 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 4.45 | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | -30 | 3.8  | 5580.060 | 5470 to 5725 | Pass |
|  |  |      |   |   | -20 | 3.8  | 5580.060 | 5470 to 5725 | Pass |
|  |  |      |   |   | -10 | 3.8  | 5580.040 | 5470 to 5725 | Pass |
|  |  |      |   |   | 0   | 3.8  | 5580.020 | 5470 to 5725 | Pass |
|  |  | 5700 | / | / | 10  | 3.8  | 5579.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | 30  | 3.8  | 5580.080 | 5470 to 5725 | Pass |
|  |  |      |   |   | 40  | 3.8  | 5580.040 | 5470 to 5725 | Pass |
|  |  |      |   |   | 50  | 3.8  | 5580.040 | 5470 to 5725 | Pass |
|  |  |      |   |   | 20  | 3.4  | 5699.940 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 3.8  | 5700.040 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 4.45 | 5700.060 | 5470 to 5725 | Pass |
|  |  |      |   |   | -30 | 3.8  | 5699.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | -20 | 3.8  | 5700.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | -10 | 3.8  | 5700.020 | 5470 to 5725 | Pass |
|  |  | 5745 | / | / | 0   | 3.8  | 5700.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 10  | 3.8  | 5699.940 | 5470 to 5725 | Pass |
|  |  |      |   |   | 30  | 3.8  | 5699.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | 40  | 3.8  | 5700.080 | 5470 to 5725 | Pass |
|  |  |      |   |   | 50  | 3.8  | 5700.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | 20  | 3.4  | 5745.020 | 5725 to 5850 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Technical Services Co., Ltd. Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241100451006

Page: 746 of 760

|                   |      |      |   |   |     |      |          |              |      |
|-------------------|------|------|---|---|-----|------|----------|--------------|------|
| 802.11n<br>(HT20) | MIMO |      |   |   |     | 3.8  | 5745.040 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 4.45 | 5745.080 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -30 | 3.8  | 5744.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -20 | 3.8  | 5745.040 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -10 | 3.8  | 5745.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 0   | 3.8  | 5745.100 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 10  | 3.8  | 5745.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 30  | 3.8  | 5744.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 40  | 3.8  | 5745.100 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 50  | 3.8  | 5744.960 | 5725 to 5850 | Pass |
|                   |      | 5785 | / | / | 20  | 3.4  | 5785.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 3.8  | 5784.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 4.45 | 5785.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -30 | 3.8  | 5784.940 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -20 | 3.8  | 5785.040 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -10 | 3.8  | 5785.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 0   | 3.8  | 5784.940 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 10  | 3.8  | 5785.040 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 30  | 3.8  | 5784.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 40  | 3.8  | 5785.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 50  | 3.8  | 5784.960 | 5725 to 5850 | Pass |
|                   |      | 5825 | / | / | 20  | 3.4  | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 3.8  | 5824.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 4.45 | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -30 | 3.8  | 5825.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -20 | 3.8  | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -10 | 3.8  | 5825.040 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 0   | 3.8  | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 10  | 3.8  | 5825.040 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 30  | 3.8  | 5825.080 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 40  | 3.8  | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 50  | 3.8  | 5825.000 | 5725 to 5850 | Pass |
|                   |      | 5180 | / | / | 20  | 3.4  | 5180.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 3.8  | 5180.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 4.45 | 5179.980 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -30 | 3.8  | 5180.080 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -20 | 3.8  | 5180.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -10 | 3.8  | 5180.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 0   | 3.8  | 5180.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 10  | 3.8  | 5180.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 30  | 3.8  | 5179.980 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 40  | 3.8  | 5180.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 50  | 3.8  | 5180.040 | 5150 to 5250 | Pass |
|                   |      | 5200 | / | / | 20  | 3.4  | 5200.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 3.8  | 5199.920 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 4.45 | 5200.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -30 | 3.8  | 5200.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -20 | 3.8  | 5200.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -10 | 3.8  | 5200.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 0   | 3.8  | 5200.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 10  | 3.8  | 5200.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 30  | 3.8  | 5200.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 40  | 3.8  | 5200.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 50  | 3.8  | 5200.040 | 5150 to 5250 | Pass |
|                   |      | 5240 | / | / | 20  | 3.4  | 5240.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 3.8  | 5240.080 | 5150 to 5250 | Pass |



# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241100451006

Page: 747 of 760

|  |      |      |   |   |     |          |              |              |              |      |
|--|------|------|---|---|-----|----------|--------------|--------------|--------------|------|
|  |      |      |   |   |     | 4.45     | 5240.040     | 5150 to 5250 | Pass         |      |
|  |      |      |   |   | -30 | 3.8      | 5239.980     | 5150 to 5250 | Pass         |      |
|  |      |      |   |   | -20 | 3.8      | 5240.000     | 5150 to 5250 | Pass         |      |
|  |      |      |   |   | -10 | 3.8      | 5240.000     | 5150 to 5250 | Pass         |      |
|  |      |      |   |   | 0   | 3.8      | 5239.960     | 5150 to 5250 | Pass         |      |
|  |      |      |   |   | 10  | 3.8      | 5240.020     | 5150 to 5250 | Pass         |      |
|  |      |      |   |   | 30  | 3.8      | 5240.120     | 5150 to 5250 | Pass         |      |
|  |      |      |   |   | 40  | 3.8      | 5240.020     | 5150 to 5250 | Pass         |      |
|  |      |      |   |   | 50  | 3.8      | 5240.080     | 5150 to 5250 | Pass         |      |
|  |      | 5260 | / | / | 20  |          | 3.4          | 5260.040     | 5250 to 5350 | Pass |
|  |      |      |   |   |     |          | 3.8          | 5260.060     | 5250 to 5350 | Pass |
|  |      |      |   |   |     |          | 4.45         | 5260.020     | 5250 to 5350 | Pass |
|  |      |      |   |   | -30 | 3.8      | 5260.060     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | -20 | 3.8      | 5260.040     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | -10 | 3.8      | 5260.000     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | 0   | 3.8      | 5260.040     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | 10  | 3.8      | 5260.020     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | 30  | 3.8      | 5260.000     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | 40  | 3.8      | 5260.060     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | 50  | 3.8      | 5260.040     | 5250 to 5350 | Pass         |      |
|  |      | 5300 | / | / | 20  |          | 3.4          | 5300.020     | 5250 to 5350 | Pass |
|  |      |      |   |   |     |          | 3.8          | 5300.060     | 5250 to 5350 | Pass |
|  |      |      |   |   |     |          | 4.45         | 5300.020     | 5250 to 5350 | Pass |
|  |      |      |   |   | -30 | 3.8      | 5300.020     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | -20 | 3.8      | 5300.020     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | -10 | 3.8      | 5300.020     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | 0   | 3.8      | 5300.040     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | 10  | 3.8      | 5300.020     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | 30  | 3.8      | 5300.040     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | 40  | 3.8      | 5300.060     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | 50  | 3.8      | 5300.020     | 5250 to 5350 | Pass         |      |
|  |      | 5320 | / | / | 20  |          | 3.4          | 5320.020     | 5250 to 5350 | Pass |
|  |      |      |   |   |     |          | 3.8          | 5320.120     | 5250 to 5350 | Pass |
|  |      |      |   |   |     |          | 4.45         | 5320.040     | 5250 to 5350 | Pass |
|  |      |      |   |   | -30 | 3.8      | 5320.040     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | -20 | 3.8      | 5320.020     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | -10 | 3.8      | 5320.040     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | 0   | 3.8      | 5320.020     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | 10  | 3.8      | 5320.000     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | 30  | 3.8      | 5320.060     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | 40  | 3.8      | 5320.100     | 5250 to 5350 | Pass         |      |
|  |      |      |   |   | 50  | 3.8      | 5320.060     | 5250 to 5350 | Pass         |      |
|  |      | 5500 | / | / | 20  |          | 3.4          | 5500.040     | 5470 to 5725 | Pass |
|  |      |      |   |   |     |          | 3.8          | 5500.020     | 5470 to 5725 | Pass |
|  |      |      |   |   |     |          | 4.45         | 5500.040     | 5470 to 5725 | Pass |
|  |      |      |   |   | -30 | 3.8      | 5500.020     | 5470 to 5725 | Pass         |      |
|  |      |      |   |   | -20 | 3.8      | 5500.060     | 5470 to 5725 | Pass         |      |
|  |      |      |   |   | -10 | 3.8      | 5500.020     | 5470 to 5725 | Pass         |      |
|  |      |      |   |   | 0   | 3.8      | 5500.020     | 5470 to 5725 | Pass         |      |
|  |      |      |   |   | 10  | 3.8      | 5500.100     | 5470 to 5725 | Pass         |      |
|  |      |      |   |   | 30  | 3.8      | 5500.000     | 5470 to 5725 | Pass         |      |
|  |      |      |   |   | 40  | 3.8      | 5499.940     | 5470 to 5725 | Pass         |      |
|  |      |      |   |   | 50  | 3.8      | 5499.980     | 5470 to 5725 | Pass         |      |
|  |      | 5580 | / | / | 20  |          | 3.4          | 5580.040     | 5470 to 5725 | Pass |
|  | 3.8  |      |   |   |     | 5580.000 | 5470 to 5725 | Pass         |              |      |
|  | 4.45 |      |   |   |     | 5580.020 | 5470 to 5725 | Pass         |              |      |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241100451006

Page: 748 of 760

|                   |      |      |   |   |     |      |          |              |      |
|-------------------|------|------|---|---|-----|------|----------|--------------|------|
|                   |      |      |   |   | -30 | 3.8  | 5580.040 | 5470 to 5725 | Pass |
|                   |      |      |   |   | -20 | 3.8  | 5579.960 | 5470 to 5725 | Pass |
|                   |      |      |   |   | -10 | 3.8  | 5580.000 | 5470 to 5725 | Pass |
|                   |      |      |   |   | 0   | 3.8  | 5580.020 | 5470 to 5725 | Pass |
|                   |      |      |   |   | 10  | 3.8  | 5580.080 | 5470 to 5725 | Pass |
|                   |      |      |   |   | 30  | 3.8  | 5580.040 | 5470 to 5725 | Pass |
|                   |      |      |   |   | 40  | 3.8  | 5580.020 | 5470 to 5725 | Pass |
|                   |      |      |   |   | 50  | 3.8  | 5580.020 | 5470 to 5725 | Pass |
|                   |      | 5700 | / | / | 20  | 3.4  | 5699.980 | 5470 to 5725 | Pass |
|                   |      |      |   |   |     | 3.8  | 5700.080 | 5470 to 5725 | Pass |
|                   |      |      |   |   |     | 4.45 | 5699.960 | 5470 to 5725 | Pass |
|                   |      |      |   |   | -30 | 3.8  | 5700.020 | 5470 to 5725 | Pass |
|                   |      |      |   |   | -20 | 3.8  | 5700.000 | 5470 to 5725 | Pass |
|                   |      |      |   |   | -10 | 3.8  | 5699.980 | 5470 to 5725 | Pass |
|                   |      |      |   |   | 0   | 3.8  | 5700.020 | 5470 to 5725 | Pass |
|                   |      |      |   |   | 10  | 3.8  | 5699.940 | 5470 to 5725 | Pass |
|                   |      |      |   |   | 30  | 3.8  | 5700.000 | 5470 to 5725 | Pass |
|                   |      |      |   |   | 40  | 3.8  | 5699.980 | 5470 to 5725 | Pass |
|                   |      |      |   |   | 50  | 3.8  | 5700.020 | 5470 to 5725 | Pass |
|                   |      | 5745 | / | / | 20  | 3.4  | 5744.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 3.8  | 5745.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 4.45 | 5744.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -30 | 3.8  | 5745.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -20 | 3.8  | 5745.060 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -10 | 3.8  | 5745.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 0   | 3.8  | 5745.040 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 10  | 3.8  | 5745.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 30  | 3.8  | 5745.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 40  | 3.8  | 5745.080 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 50  | 3.8  | 5745.000 | 5725 to 5850 | Pass |
|                   |      | 5785 | / | / | 20  | 3.4  | 5785.040 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 3.8  | 5784.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 4.45 | 5784.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -30 | 3.8  | 5785.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -20 | 3.8  | 5785.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -10 | 3.8  | 5784.940 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 0   | 3.8  | 5784.940 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 10  | 3.8  | 5785.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 30  | 3.8  | 5785.080 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 40  | 3.8  | 5784.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 50  | 3.8  | 5785.000 | 5725 to 5850 | Pass |
|                   |      | 5825 | / | / | 20  | 3.4  | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 3.8  | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 4.45 | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -30 | 3.8  | 5825.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -20 | 3.8  | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -10 | 3.8  | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 0   | 3.8  | 5825.040 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 10  | 3.8  | 5825.040 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 30  | 3.8  | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 40  | 3.8  | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 50  | 3.8  | 5825.040 | 5725 to 5850 | Pass |
| 802.11n<br>(HT40) | MIMO | 5190 | / | / | 20  | 3.4  | 5190.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 3.8  | 5190.080 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 4.45 | 5190.080 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -30 | 3.8  | 5190.040 | 5150 to 5250 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Testing & Calibration Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241100451006

Page: 749 of 760

|      |     |          |              |          |              |              |          |              |      |
|------|-----|----------|--------------|----------|--------------|--------------|----------|--------------|------|
|      |     |          |              |          | -20          | 3.8          | 5190.080 | 5150 to 5250 | Pass |
|      |     |          |              |          | -10          | 3.8          | 5190.000 | 5150 to 5250 | Pass |
|      |     |          |              |          | 0            | 3.8          | 5190.040 | 5150 to 5250 | Pass |
|      |     |          |              |          | 10           | 3.8          | 5190.120 | 5150 to 5250 | Pass |
|      |     |          |              |          | 30           | 3.8          | 5190.120 | 5150 to 5250 | Pass |
|      |     |          |              |          | 40           | 3.8          | 5190.040 | 5150 to 5250 | Pass |
|      |     |          |              |          | 50           | 3.8          | 5190.080 | 5150 to 5250 | Pass |
|      |     | 5230     | /            | /        | 20           | 3.4          | 5230.040 | 5150 to 5250 | Pass |
|      |     |          |              |          |              | 3.8          | 5230.120 | 5150 to 5250 | Pass |
|      |     |          |              |          |              | 4.45         | 5230.040 | 5150 to 5250 | Pass |
|      |     |          |              |          | -30          | 3.8          | 5230.080 | 5150 to 5250 | Pass |
|      |     |          |              |          | -20          | 3.8          | 5230.000 | 5150 to 5250 | Pass |
|      |     |          |              |          | -10          | 3.8          | 5230.080 | 5150 to 5250 | Pass |
|      |     |          |              |          | 0            | 3.8          | 5230.120 | 5150 to 5250 | Pass |
|      |     |          |              |          | 10           | 3.8          | 5230.040 | 5150 to 5250 | Pass |
|      |     |          |              |          | 30           | 3.8          | 5230.080 | 5150 to 5250 | Pass |
|      |     |          |              |          | 40           | 3.8          | 5230.080 | 5150 to 5250 | Pass |
|      |     | 50       | 3.8          | 5230.120 | 5150 to 5250 | Pass         |          |              |      |
|      |     | 5270     | /            | /        | 20           | 3.4          | 5270.080 | 5250 to 5350 | Pass |
|      |     |          |              |          |              | 3.8          | 5270.080 | 5250 to 5350 | Pass |
|      |     |          |              |          |              | 4.45         | 5270.000 | 5250 to 5350 | Pass |
|      |     |          |              |          | -30          | 3.8          | 5270.040 | 5250 to 5350 | Pass |
|      |     |          |              |          | -20          | 3.8          | 5270.120 | 5250 to 5350 | Pass |
|      |     |          |              |          | -10          | 3.8          | 5270.080 | 5250 to 5350 | Pass |
|      |     |          |              |          | 0            | 3.8          | 5270.040 | 5250 to 5350 | Pass |
|      |     |          |              |          | 10           | 3.8          | 5270.040 | 5250 to 5350 | Pass |
|      |     |          |              |          | 30           | 3.8          | 5270.080 | 5250 to 5350 | Pass |
|      |     |          |              |          | 40           | 3.8          | 5270.040 | 5250 to 5350 | Pass |
|      |     | 50       | 3.8          | 5270.080 | 5250 to 5350 | Pass         |          |              |      |
|      |     | 5310     | /            | /        | 20           | 3.4          | 5310.120 | 5250 to 5350 | Pass |
|      |     |          |              |          |              | 3.8          | 5310.040 | 5250 to 5350 | Pass |
|      |     |          |              |          |              | 4.45         | 5310.080 | 5250 to 5350 | Pass |
|      |     |          |              |          | -30          | 3.8          | 5310.080 | 5250 to 5350 | Pass |
|      |     |          |              |          | -20          | 3.8          | 5310.080 | 5250 to 5350 | Pass |
|      |     |          |              |          | -10          | 3.8          | 5310.080 | 5250 to 5350 | Pass |
|      |     |          |              |          | 0            | 3.8          | 5310.040 | 5250 to 5350 | Pass |
|      |     |          |              |          | 10           | 3.8          | 5310.080 | 5250 to 5350 | Pass |
|      |     |          |              |          | 30           | 3.8          | 5310.120 | 5250 to 5350 | Pass |
|      |     |          |              |          | 40           | 3.8          | 5312.880 | 5250 to 5350 | Pass |
|      |     | 50       | 3.8          | 5310.080 | 5250 to 5350 | Pass         |          |              |      |
|      |     | 5510     | /            | /        | 20           | 3.4          | 5510.040 | 5470 to 5725 | Pass |
|      |     |          |              |          |              | 3.8          | 5510.040 | 5470 to 5725 | Pass |
|      |     |          |              |          |              | 4.45         | 5510.080 | 5470 to 5725 | Pass |
|      |     |          |              |          | -30          | 3.8          | 5510.080 | 5470 to 5725 | Pass |
|      |     |          |              |          | -20          | 3.8          | 5510.040 | 5470 to 5725 | Pass |
| -10  | 3.8 |          |              |          | 5510.080     | 5470 to 5725 | Pass     |              |      |
| 0    | 3.8 |          |              |          | 5510.040     | 5470 to 5725 | Pass     |              |      |
| 10   | 3.8 |          |              |          | 5510.080     | 5470 to 5725 | Pass     |              |      |
| 30   | 3.8 |          |              |          | 5510.080     | 5470 to 5725 | Pass     |              |      |
| 40   | 3.8 |          |              |          | 5510.040     | 5470 to 5725 | Pass     |              |      |
| 50   | 3.8 | 5510.040 | 5470 to 5725 | Pass     |              |              |          |              |      |
| 5550 | /   | /        | 20           | 3.4      | 5550.040     | 5470 to 5725 | Pass     |              |      |
|      |     |          |              | 3.8      | 5550.080     | 5470 to 5725 | Pass     |              |      |
|      |     |          |              | 4.45     | 5550.080     | 5470 to 5725 | Pass     |              |      |
|      |     |          | -30          | 3.8      | 5550.080     | 5470 to 5725 | Pass     |              |      |
|      |     |          | -20          | 3.8      | 5550.000     | 5470 to 5725 | Pass     |              |      |



Unless otherwise agreed in writing this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized use of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:** To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

SGS-CSTC Standards Technical Services Co., Ltd  
Shenzhen Branch Testing Center IEC Laboratory.

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26010594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241100451006

Page: 750 of 760

|                     |      |      |   |   |     |      |          |              |      |
|---------------------|------|------|---|---|-----|------|----------|--------------|------|
|                     |      |      |   |   | -10 | 3.8  | 5550.000 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 0   | 3.8  | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 10  | 3.8  | 5550.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 30  | 3.8  | 5550.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 40  | 3.8  | 5550.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 50  | 3.8  | 5550.040 | 5470 to 5725 | Pass |
|                     |      | 5670 | / | / | 20  | 3.4  | 5670.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   |     | 3.8  | 5670.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   |     | 4.45 | 5670.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   | -30 | 3.8  | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | -20 | 3.8  | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | -10 | 3.8  | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 0   | 3.8  | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 10  | 3.8  | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 30  | 3.8  | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 40  | 3.8  | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 50  | 3.8  | 5670.040 | 5470 to 5725 | Pass |
|                     |      | 5755 | / | / | 20  | 3.4  | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 3.8  | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 4.45 | 5755.120 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 3.8  | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 3.8  | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -10 | 3.8  | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 3.8  | 5755.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 10  | 3.8  | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 3.8  | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 3.8  | 5755.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 3.8  | 5755.040 | 5725 to 5850 | Pass |
|                     |      | 5795 | / | / | 20  | 3.4  | 5795.120 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 3.8  | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 4.45 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 3.8  | 5795.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 3.8  | 5795.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -10 | 3.8  | 5795.120 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 3.8  | 5795.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 10  | 3.8  | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 3.8  | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 3.8  | 5795.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 3.8  | 5795.080 | 5725 to 5850 | Pass |
| 802.11ac<br>(VHT20) | MIMO | 5180 | / | / | 20  | 3.4  | 5180.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 3.8  | 5180.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 4.45 | 5180.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 3.8  | 5180.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -20 | 3.8  | 5180.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -10 | 3.8  | 5179.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 0   | 3.8  | 5180.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 10  | 3.8  | 5180.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 30  | 3.8  | 5179.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 40  | 3.8  | 5180.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 50  | 3.8  | 5180.000 | 5150 to 5250 | Pass |
|                     |      | 5200 | / | / | 20  | 3.4  | 5200.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 3.8  | 5200.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 4.45 | 5200.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 3.8  | 5200.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -20 | 3.8  | 5200.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -10 | 3.8  | 5200.040 | 5150 to 5250 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241100451006

Page: 751 of 760

|      |   |   |  |  |     |      |          |              |      |
|------|---|---|--|--|-----|------|----------|--------------|------|
|      |   |   |  |  | 0   | 3.8  | 5200.020 | 5150 to 5250 | Pass |
|      |   |   |  |  | 10  | 3.8  | 5200.000 | 5150 to 5250 | Pass |
|      |   |   |  |  | 30  | 3.8  | 5199.960 | 5150 to 5250 | Pass |
|      |   |   |  |  | 40  | 3.8  | 5200.060 | 5150 to 5250 | Pass |
| 5240 | / | / |  |  | 50  | 3.8  | 5200.040 | 5150 to 5250 | Pass |
|      |   |   |  |  | 20  | 3.4  | 5240.040 | 5150 to 5250 | Pass |
|      |   |   |  |  |     | 3.8  | 5240.000 | 5150 to 5250 | Pass |
|      |   |   |  |  |     | 4.45 | 5239.980 | 5150 to 5250 | Pass |
|      |   |   |  |  | -30 | 3.8  | 5240.000 | 5150 to 5250 | Pass |
|      |   |   |  |  | -20 | 3.8  | 5240.020 | 5150 to 5250 | Pass |
|      |   |   |  |  | -10 | 3.8  | 5239.960 | 5150 to 5250 | Pass |
|      |   |   |  |  | 0   | 3.8  | 5240.080 | 5150 to 5250 | Pass |
|      |   |   |  |  | 10  | 3.8  | 5239.980 | 5150 to 5250 | Pass |
|      |   |   |  |  | 30  | 3.8  | 5240.040 | 5150 to 5250 | Pass |
|      |   |   |  |  | 40  | 3.8  | 5239.980 | 5150 to 5250 | Pass |
|      |   |   |  |  | 50  | 3.8  | 5240.020 | 5150 to 5250 | Pass |
| 5260 | / | / |  |  | 20  | 3.4  | 5260.020 | 5250 to 5350 | Pass |
|      |   |   |  |  |     | 3.8  | 5260.040 | 5250 to 5350 | Pass |
|      |   |   |  |  |     | 4.45 | 5260.020 | 5250 to 5350 | Pass |
|      |   |   |  |  | -30 | 3.8  | 5260.040 | 5250 to 5350 | Pass |
|      |   |   |  |  | -20 | 3.8  | 5260.020 | 5250 to 5350 | Pass |
|      |   |   |  |  | -10 | 3.8  | 5260.120 | 5250 to 5350 | Pass |
|      |   |   |  |  | 0   | 3.8  | 5260.140 | 5250 to 5350 | Pass |
|      |   |   |  |  | 10  | 3.8  | 5260.080 | 5250 to 5350 | Pass |
|      |   |   |  |  | 30  | 3.8  | 5260.040 | 5250 to 5350 | Pass |
|      |   |   |  |  | 40  | 3.8  | 5260.020 | 5250 to 5350 | Pass |
|      |   |   |  |  | 50  | 3.8  | 5260.040 | 5250 to 5350 | Pass |
| 5300 | / | / |  |  | 20  | 3.4  | 5299.980 | 5250 to 5350 | Pass |
|      |   |   |  |  |     | 3.8  | 5300.080 | 5250 to 5350 | Pass |
|      |   |   |  |  |     | 4.45 | 5300.060 | 5250 to 5350 | Pass |
|      |   |   |  |  | -30 | 3.8  | 5300.040 | 5250 to 5350 | Pass |
|      |   |   |  |  | -20 | 3.8  | 5299.980 | 5250 to 5350 | Pass |
|      |   |   |  |  | -10 | 3.8  | 5300.000 | 5250 to 5350 | Pass |
|      |   |   |  |  | 0   | 3.8  | 5300.020 | 5250 to 5350 | Pass |
|      |   |   |  |  | 10  | 3.8  | 5300.080 | 5250 to 5350 | Pass |
|      |   |   |  |  | 30  | 3.8  | 5300.020 | 5250 to 5350 | Pass |
|      |   |   |  |  | 40  | 3.8  | 5300.000 | 5250 to 5350 | Pass |
|      |   |   |  |  | 50  | 3.8  | 5299.980 | 5250 to 5350 | Pass |
| 5320 | / | / |  |  | 20  | 3.4  | 5319.960 | 5250 to 5350 | Pass |
|      |   |   |  |  |     | 3.8  | 5320.020 | 5250 to 5350 | Pass |
|      |   |   |  |  |     | 4.45 | 5320.040 | 5250 to 5350 | Pass |
|      |   |   |  |  | -30 | 3.8  | 5320.040 | 5250 to 5350 | Pass |
|      |   |   |  |  | -20 | 3.8  | 5320.020 | 5250 to 5350 | Pass |
|      |   |   |  |  | -10 | 3.8  | 5320.060 | 5250 to 5350 | Pass |
|      |   |   |  |  | 0   | 3.8  | 5320.060 | 5250 to 5350 | Pass |
|      |   |   |  |  | 10  | 3.8  | 5319.980 | 5250 to 5350 | Pass |
|      |   |   |  |  | 30  | 3.8  | 5320.040 | 5250 to 5350 | Pass |
|      |   |   |  |  | 40  | 3.8  | 5320.060 | 5250 to 5350 | Pass |
|      |   |   |  |  | 50  | 3.8  | 5320.020 | 5250 to 5350 | Pass |
| 5500 | / | / |  |  | 20  | 3.4  | 5500.060 | 5470 to 5725 | Pass |
|      |   |   |  |  |     | 3.8  | 5500.060 | 5470 to 5725 | Pass |
|      |   |   |  |  |     | 4.45 | 5500.020 | 5470 to 5725 | Pass |
|      |   |   |  |  | -30 | 3.8  | 5500.060 | 5470 to 5725 | Pass |
|      |   |   |  |  | -20 | 3.8  | 5500.020 | 5470 to 5725 | Pass |
|      |   |   |  |  | -10 | 3.8  | 5500.040 | 5470 to 5725 | Pass |
|      |   |   |  |  | 0   | 3.8  | 5500.000 | 5470 to 5725 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Testing) / CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241100451006

Page: 752 of 760

|  |  |      |   |   |     |      |          |              |      |
|--|--|------|---|---|-----|------|----------|--------------|------|
|  |  |      |   |   | 10  | 3.8  | 5500.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 30  | 3.8  | 5500.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | 40  | 3.8  | 5500.040 | 5470 to 5725 | Pass |
|  |  |      |   |   | 50  | 3.8  | 5500.020 | 5470 to 5725 | Pass |
|  |  | 5580 | / | / | 20  | 3.4  | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 3.8  | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 4.45 | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | -30 | 3.8  | 5580.040 | 5470 to 5725 | Pass |
|  |  |      |   |   | -20 | 3.8  | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | -10 | 3.8  | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | 0   | 3.8  | 5580.040 | 5470 to 5725 | Pass |
|  |  |      |   |   | 10  | 3.8  | 5579.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | 30  | 3.8  | 5580.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 40  | 3.8  | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | 50  | 3.8  | 5580.000 | 5470 to 5725 | Pass |
|  |  | 5700 | / | / | 20  | 3.4  | 5700.020 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 3.8  | 5700.000 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 4.45 | 5700.040 | 5470 to 5725 | Pass |
|  |  |      |   |   | -30 | 3.8  | 5700.080 | 5470 to 5725 | Pass |
|  |  |      |   |   | -20 | 3.8  | 5700.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | -10 | 3.8  | 5700.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | 0   | 3.8  | 5700.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 10  | 3.8  | 5700.040 | 5470 to 5725 | Pass |
|  |  |      |   |   | 30  | 3.8  | 5699.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | 40  | 3.8  | 5700.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | 50  | 3.8  | 5700.000 | 5470 to 5725 | Pass |
|  |  | 5745 | / | / | 20  | 3.4  | 5745.060 | 5725 to 5850 | Pass |
|  |  |      |   |   |     | 3.8  | 5745.020 | 5725 to 5850 | Pass |
|  |  |      |   |   |     | 4.45 | 5745.040 | 5725 to 5850 | Pass |
|  |  |      |   |   | -30 | 3.8  | 5745.020 | 5725 to 5850 | Pass |
|  |  |      |   |   | -20 | 3.8  | 5745.000 | 5725 to 5850 | Pass |
|  |  |      |   |   | -10 | 3.8  | 5745.080 | 5725 to 5850 | Pass |
|  |  |      |   |   | 0   | 3.8  | 5745.020 | 5725 to 5850 | Pass |
|  |  |      |   |   | 10  | 3.8  | 5744.980 | 5725 to 5850 | Pass |
|  |  |      |   |   | 30  | 3.8  | 5745.000 | 5725 to 5850 | Pass |
|  |  |      |   |   | 40  | 3.8  | 5745.080 | 5725 to 5850 | Pass |
|  |  |      |   |   | 50  | 3.8  | 5745.040 | 5725 to 5850 | Pass |
|  |  | 5785 | / | / | 20  | 3.4  | 5785.020 | 5725 to 5850 | Pass |
|  |  |      |   |   |     | 3.8  | 5785.020 | 5725 to 5850 | Pass |
|  |  |      |   |   |     | 4.45 | 5785.020 | 5725 to 5850 | Pass |
|  |  |      |   |   | -30 | 3.8  | 5784.960 | 5725 to 5850 | Pass |
|  |  |      |   |   | -20 | 3.8  | 5785.060 | 5725 to 5850 | Pass |
|  |  |      |   |   | -10 | 3.8  | 5785.060 | 5725 to 5850 | Pass |
|  |  |      |   |   | 0   | 3.8  | 5785.040 | 5725 to 5850 | Pass |
|  |  |      |   |   | 10  | 3.8  | 5785.060 | 5725 to 5850 | Pass |
|  |  |      |   |   | 30  | 3.8  | 5785.020 | 5725 to 5850 | Pass |
|  |  |      |   |   | 40  | 3.8  | 5785.020 | 5725 to 5850 | Pass |
|  |  |      |   |   | 50  | 3.8  | 5785.020 | 5725 to 5850 | Pass |
|  |  | 5825 | / | / | 20  | 3.4  | 5825.020 | 5725 to 5850 | Pass |
|  |  |      |   |   |     | 3.8  | 5825.080 | 5725 to 5850 | Pass |
|  |  |      |   |   |     | 4.45 | 5825.000 | 5725 to 5850 | Pass |
|  |  |      |   |   | -30 | 3.8  | 5825.000 | 5725 to 5850 | Pass |
|  |  |      |   |   | -20 | 3.8  | 5825.040 | 5725 to 5850 | Pass |
|  |  |      |   |   | -10 | 3.8  | 5825.020 | 5725 to 5850 | Pass |
|  |  |      |   |   | 0   | 3.8  | 5825.040 | 5725 to 5850 | Pass |
|  |  |      |   |   | 10  | 3.8  | 5824.980 | 5725 to 5850 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241100451006

Page: 753 of 760

|                     |      |      |   |   |     |      |          |              |      |
|---------------------|------|------|---|---|-----|------|----------|--------------|------|
| 802.11ac<br>(VHT40) | MIMO |      |   |   | 30  | 3.8  | 5825.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 3.8  | 5825.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 3.8  | 5825.000 | 5725 to 5850 | Pass |
|                     |      | 5190 | / | / | 20  | 3.4  | 5190.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 3.8  | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 4.45 | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 3.8  | 5189.920 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -20 | 3.8  | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -10 | 3.8  | 5190.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 0   | 3.8  | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 10  | 3.8  | 5190.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 30  | 3.8  | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 40  | 3.8  | 5190.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 50  | 3.8  | 5190.080 | 5150 to 5250 | Pass |
|                     |      | 5230 | / | / | 20  | 3.4  | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 3.8  | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 4.45 | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 3.8  | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -20 | 3.8  | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -10 | 3.8  | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 0   | 3.8  | 5229.960 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 10  | 3.8  | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 30  | 3.8  | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 40  | 3.8  | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 50  | 3.8  | 5230.040 | 5150 to 5250 | Pass |
|                     |      | 5270 | / | / | 20  | 3.4  | 5270.080 | 5250 to 5350 | Pass |
|                     |      |      |   |   |     | 3.8  | 5270.120 | 5250 to 5350 | Pass |
|                     |      |      |   |   |     | 4.45 | 5270.040 | 5250 to 5350 | Pass |
|                     |      |      |   |   | -30 | 3.8  | 5270.080 | 5250 to 5350 | Pass |
|                     |      |      |   |   | -20 | 3.8  | 5270.120 | 5250 to 5350 | Pass |
|                     |      |      |   |   | -10 | 3.8  | 5270.040 | 5250 to 5350 | Pass |
|                     |      |      |   |   | 0   | 3.8  | 5270.080 | 5250 to 5350 | Pass |
|                     |      |      |   |   | 10  | 3.8  | 5270.080 | 5250 to 5350 | Pass |
|                     |      |      |   |   | 30  | 3.8  | 5270.120 | 5250 to 5350 | Pass |
|                     |      |      |   |   | 40  | 3.8  | 5270.080 | 5250 to 5350 | Pass |
|                     |      |      |   |   | 50  | 3.8  | 5270.080 | 5250 to 5350 | Pass |
|                     |      | 5310 | / | / | 20  | 3.4  | 5310.080 | 5250 to 5350 | Pass |
|                     |      |      |   |   |     | 3.8  | 5310.040 | 5250 to 5350 | Pass |
|                     |      |      |   |   |     | 4.45 | 5310.120 | 5250 to 5350 | Pass |
|                     |      |      |   |   | -30 | 3.8  | 5310.120 | 5250 to 5350 | Pass |
|                     |      |      |   |   | -20 | 3.8  | 5310.080 | 5250 to 5350 | Pass |
|                     |      |      |   |   | -10 | 3.8  | 5310.080 | 5250 to 5350 | Pass |
|                     |      |      |   |   | 0   | 3.8  | 5310.080 | 5250 to 5350 | Pass |
|                     |      |      |   |   | 10  | 3.8  | 5310.160 | 5250 to 5350 | Pass |
|                     |      |      |   |   | 30  | 3.8  | 5310.080 | 5250 to 5350 | Pass |
|                     |      |      |   |   | 40  | 3.8  | 5310.040 | 5250 to 5350 | Pass |
|                     |      |      |   |   | 50  | 3.8  | 5310.000 | 5250 to 5350 | Pass |
|                     |      | 5510 | / | / | 20  | 3.4  | 5510.120 | 5470 to 5725 | Pass |
|                     |      |      |   |   |     | 3.8  | 5510.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   |     | 4.45 | 5510.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   | -30 | 3.8  | 5510.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | -20 | 3.8  | 5510.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | -10 | 3.8  | 5510.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 0   | 3.8  | 5510.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 10  | 3.8  | 5510.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 30  | 3.8  | 5510.080 | 5470 to 5725 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241100451006

Page: 754 of 760

|                     |      |      |   |   |     |      |          |              |      |
|---------------------|------|------|---|---|-----|------|----------|--------------|------|
|                     |      |      |   |   | 40  | 3.8  | 5510.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 50  | 3.8  | 5510.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 20  | 3.4  | 5550.000 | 5470 to 5725 | Pass |
|                     |      |      |   |   |     | 3.8  | 5550.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   |     | 4.45 | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | -30 | 3.8  | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | -20 | 3.8  | 5550.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   | -10 | 3.8  | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 0   | 3.8  | 5550.000 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 10  | 3.8  | 5550.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 30  | 3.8  | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 40  | 3.8  | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 50  | 3.8  | 5550.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 20  | 3.4  | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   |     | 3.8  | 5670.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   |     | 4.45 | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | -30 | 3.8  | 5670.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   | -20 | 3.8  | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | -10 | 3.8  | 5670.080 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 0   | 3.8  | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 10  | 3.8  | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 30  | 3.8  | 5670.000 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 40  | 3.8  | 5670.120 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 50  | 3.8  | 5670.120 | 5470 to 5725 | Pass |
|                     |      |      |   |   | 20  | 3.4  | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 3.8  | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 4.45 | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 3.8  | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 3.8  | 5754.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -10 | 3.8  | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 3.8  | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 10  | 3.8  | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 3.8  | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 3.8  | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 3.8  | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 20  | 3.4  | 5795.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 3.8  | 5795.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 4.45 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 3.8  | 5795.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 3.8  | 5795.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -10 | 3.8  | 5795.120 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 3.8  | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 10  | 3.8  | 5795.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 3.8  | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 3.8  | 5795.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 3.8  | 5795.040 | 5725 to 5850 | Pass |
| 802.11ac<br>(VHT80) | MIMO | 5210 | / | / | 20  | 3.4  | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 3.8  | 5210.150 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 4.45 | 5210.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 3.8  | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -20 | 3.8  | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -10 | 3.8  | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 0   | 3.8  | 5210.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 10  | 3.8  | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 30  | 3.8  | 5210.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 40  | 3.8  | 5210.075 | 5150 to 5250 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Testing) - CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241100451006

Page: 755 of 760

|                     |      |      |    |   |     |      |          |              |      |
|---------------------|------|------|----|---|-----|------|----------|--------------|------|
|                     |      | 5290 | /  | / | 50  | 3.8  | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 20  | 3.4  | 5290.150 | 5250 to 5350 | Pass |
|                     |      |      |    |   |     | 3.8  | 5290.000 | 5250 to 5350 | Pass |
|                     |      |      |    |   |     | 4.45 | 5290.075 | 5250 to 5350 | Pass |
|                     |      |      |    |   | -30 | 3.8  | 5290.075 | 5250 to 5350 | Pass |
|                     |      |      |    |   | -20 | 3.8  | 5290.075 | 5250 to 5350 | Pass |
|                     |      |      |    |   | -10 | 3.8  | 5290.000 | 5250 to 5350 | Pass |
|                     |      |      |    |   | 0   | 3.8  | 5290.075 | 5250 to 5350 | Pass |
|                     |      |      |    |   | 10  | 3.8  | 5290.150 | 5250 to 5350 | Pass |
|                     |      |      |    |   | 30  | 3.8  | 5290.000 | 5250 to 5350 | Pass |
|                     |      |      |    |   | 40  | 3.8  | 5290.075 | 5250 to 5350 | Pass |
|                     |      |      |    |   | 50  | 3.8  | 5290.075 | 5250 to 5350 | Pass |
|                     |      | 5530 | /  | / | 20  | 3.4  | 5530.075 | 5470 to 5725 | Pass |
|                     |      |      |    |   |     | 3.8  | 5530.075 | 5470 to 5725 | Pass |
|                     |      |      |    |   |     | 4.45 | 5530.075 | 5470 to 5725 | Pass |
|                     |      |      |    |   | -30 | 3.8  | 5530.150 | 5470 to 5725 | Pass |
|                     |      |      |    |   | -20 | 3.8  | 5530.075 | 5470 to 5725 | Pass |
|                     |      |      |    |   | -10 | 3.8  | 5530.000 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 0   | 3.8  | 5530.075 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 10  | 3.8  | 5530.000 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 30  | 3.8  | 5530.075 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 40  | 3.8  | 5530.075 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 50  | 3.8  | 5530.150 | 5470 to 5725 | Pass |
|                     |      | 5610 | /  | / | 20  | 3.4  | 5610.075 | 5470 to 5725 | Pass |
|                     |      |      |    |   |     | 3.8  | 5610.150 | 5470 to 5725 | Pass |
|                     |      |      |    |   |     | 4.45 | 5610.075 | 5470 to 5725 | Pass |
|                     |      |      |    |   | -30 | 3.8  | 5610.075 | 5470 to 5725 | Pass |
|                     |      |      |    |   | -20 | 3.8  | 5610.150 | 5470 to 5725 | Pass |
|                     |      |      |    |   | -10 | 3.8  | 5610.000 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 0   | 3.8  | 5610.075 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 10  | 3.8  | 5610.075 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 30  | 3.8  | 5610.150 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 40  | 3.8  | 5610.150 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 50  | 3.8  | 5610.075 | 5470 to 5725 | Pass |
|                     |      | 5775 | /  | / | 20  | 3.4  | 5775.150 | 5725 to 5850 | Pass |
|                     |      |      |    |   |     | 3.8  | 5775.075 | 5725 to 5850 | Pass |
|                     |      |      |    |   |     | 4.45 | 5775.075 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -30 | 3.8  | 5775.000 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -20 | 3.8  | 5775.075 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -10 | 3.8  | 5775.075 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 0   | 3.8  | 5775.150 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 10  | 3.8  | 5775.075 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 30  | 3.8  | 5775.075 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 40  | 3.8  | 5775.150 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 50  | 3.8  | 5775.075 | 5725 to 5850 | Pass |
| 802.11ax<br>(HEW20) | MIMO | 5180 | SU | / | 20  | 3.4  | 5180.080 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 3.8  | 5179.980 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 4.45 | 5180.000 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -30 | 3.8  | 5180.060 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -20 | 3.8  | 5180.060 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -10 | 3.8  | 5180.020 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 0   | 3.8  | 5180.000 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 10  | 3.8  | 5180.000 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 30  | 3.8  | 5180.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 40  | 3.8  | 5180.020 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 50  | 3.8  | 5180.000 | 5150 to 5250 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Testing) - CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241100451006

Page: 756 of 760

|  |  |      |    |   |     |      |          |              |      |
|--|--|------|----|---|-----|------|----------|--------------|------|
|  |  | 5200 | SU | / | 20  | 3.4  | 5200.060 | 5150 to 5250 | Pass |
|  |  |      |    |   |     | 3.8  | 5199.980 | 5150 to 5250 | Pass |
|  |  |      |    |   |     | 4.45 | 5200.020 | 5150 to 5250 | Pass |
|  |  |      |    |   | -30 | 3.8  | 5200.020 | 5150 to 5250 | Pass |
|  |  |      |    |   | -20 | 3.8  | 5199.940 | 5150 to 5250 | Pass |
|  |  |      |    |   | -10 | 3.8  | 5200.020 | 5150 to 5250 | Pass |
|  |  |      |    |   | 0   | 3.8  | 5200.020 | 5150 to 5250 | Pass |
|  |  |      |    |   | 10  | 3.8  | 5200.020 | 5150 to 5250 | Pass |
|  |  |      |    |   | 30  | 3.8  | 5200.000 | 5150 to 5250 | Pass |
|  |  |      |    |   | 40  | 3.8  | 5200.000 | 5150 to 5250 | Pass |
|  |  |      |    |   | 50  | 3.8  | 5200.020 | 5150 to 5250 | Pass |
|  |  | 5240 | SU | / | 20  | 3.4  | 5240.000 | 5150 to 5250 | Pass |
|  |  |      |    |   |     | 3.8  | 5240.000 | 5150 to 5250 | Pass |
|  |  |      |    |   |     | 4.45 | 5240.000 | 5150 to 5250 | Pass |
|  |  |      |    |   | -30 | 3.8  | 5240.040 | 5150 to 5250 | Pass |
|  |  |      |    |   | -20 | 3.8  | 5240.100 | 5150 to 5250 | Pass |
|  |  |      |    |   | -10 | 3.8  | 5240.060 | 5150 to 5250 | Pass |
|  |  |      |    |   | 0   | 3.8  | 5243.020 | 5150 to 5250 | Pass |
|  |  |      |    |   | 10  | 3.8  | 5240.000 | 5150 to 5250 | Pass |
|  |  |      |    |   | 30  | 3.8  | 5240.060 | 5150 to 5250 | Pass |
|  |  |      |    |   | 40  | 3.8  | 5240.060 | 5150 to 5250 | Pass |
|  |  |      |    |   | 50  | 3.8  | 5240.020 | 5150 to 5250 | Pass |
|  |  | 5260 | SU | / | 20  | 3.4  | 5260.040 | 5250 to 5350 | Pass |
|  |  |      |    |   |     | 3.8  | 5260.020 | 5250 to 5350 | Pass |
|  |  |      |    |   |     | 4.45 | 5260.000 | 5250 to 5350 | Pass |
|  |  |      |    |   | -30 | 3.8  | 5260.040 | 5250 to 5350 | Pass |
|  |  |      |    |   | -20 | 3.8  | 5259.980 | 5250 to 5350 | Pass |
|  |  |      |    |   | -10 | 3.8  | 5260.020 | 5250 to 5350 | Pass |
|  |  |      |    |   | 0   | 3.8  | 5260.020 | 5250 to 5350 | Pass |
|  |  |      |    |   | 10  | 3.8  | 5260.020 | 5250 to 5350 | Pass |
|  |  |      |    |   | 30  | 3.8  | 5260.020 | 5250 to 5350 | Pass |
|  |  |      |    |   | 40  | 3.8  | 5260.000 | 5250 to 5350 | Pass |
|  |  |      |    |   | 50  | 3.8  | 5260.040 | 5250 to 5350 | Pass |
|  |  | 5300 | SU | / | 20  | 3.4  | 5300.040 | 5250 to 5350 | Pass |
|  |  |      |    |   |     | 3.8  | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |    |   |     | 4.45 | 5300.040 | 5250 to 5350 | Pass |
|  |  |      |    |   | -30 | 3.8  | 5300.040 | 5250 to 5350 | Pass |
|  |  |      |    |   | -20 | 3.8  | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |    |   | -10 | 3.8  | 5300.000 | 5250 to 5350 | Pass |
|  |  |      |    |   | 0   | 3.8  | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |    |   | 10  | 3.8  | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |    |   | 30  | 3.8  | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |    |   | 40  | 3.8  | 5300.040 | 5250 to 5350 | Pass |
|  |  |      |    |   | 50  | 3.8  | 5300.040 | 5250 to 5350 | Pass |
|  |  | 5320 | SU | / | 20  | 3.4  | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |    |   |     | 3.8  | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |    |   |     | 4.45 | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |    |   | -30 | 3.8  | 5320.040 | 5250 to 5350 | Pass |
|  |  |      |    |   | -20 | 3.8  | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |    |   | -10 | 3.8  | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |    |   | 0   | 3.8  | 5320.040 | 5250 to 5350 | Pass |
|  |  |      |    |   | 10  | 3.8  | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |    |   | 30  | 3.8  | 5320.040 | 5250 to 5350 | Pass |
|  |  |      |    |   | 40  | 3.8  | 5320.060 | 5250 to 5350 | Pass |
|  |  |      |    |   | 50  | 3.8  | 5319.980 | 5250 to 5350 | Pass |
|  |  | 5500 | SU | / | 20  | 3.4  | 5500.020 | 5470 to 5725 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241100451006

Page: 757 of 760

|  |  |      |    |   |     |      |          |              |      |
|--|--|------|----|---|-----|------|----------|--------------|------|
|  |  |      |    |   |     | 3.8  | 5500.080 | 5470 to 5725 | Pass |
|  |  |      |    |   |     | 4.45 | 5500.020 | 5470 to 5725 | Pass |
|  |  |      |    |   | -30 | 3.8  | 5500.040 | 5470 to 5725 | Pass |
|  |  |      |    |   | -20 | 3.8  | 5500.020 | 5470 to 5725 | Pass |
|  |  |      |    |   | -10 | 3.8  | 5500.020 | 5470 to 5725 | Pass |
|  |  |      |    |   | 0   | 3.8  | 5500.060 | 5470 to 5725 | Pass |
|  |  |      |    |   | 10  | 3.8  | 5500.040 | 5470 to 5725 | Pass |
|  |  |      |    |   | 30  | 3.8  | 5500.000 | 5470 to 5725 | Pass |
|  |  |      |    |   | 40  | 3.8  | 5500.040 | 5470 to 5725 | Pass |
|  |  |      |    |   | 50  | 3.8  | 5500.020 | 5470 to 5725 | Pass |
|  |  | 5580 | SU | / | 20  | 3.4  | 5580.040 | 5470 to 5725 | Pass |
|  |  |      |    |   |     | 3.8  | 5579.980 | 5470 to 5725 | Pass |
|  |  |      |    |   |     | 4.45 | 5580.040 | 5470 to 5725 | Pass |
|  |  |      |    |   | -30 | 3.8  | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |    |   | -20 | 3.8  | 5580.040 | 5470 to 5725 | Pass |
|  |  |      |    |   | -10 | 3.8  | 5579.980 | 5470 to 5725 | Pass |
|  |  |      |    |   | 0   | 3.8  | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |    |   | 10  | 3.8  | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |    |   | 30  | 3.8  | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |    |   | 40  | 3.8  | 5580.040 | 5470 to 5725 | Pass |
|  |  |      |    |   | 50  | 3.8  | 5580.020 | 5470 to 5725 | Pass |
|  |  | 5700 | SU | / | 20  | 3.4  | 5700.020 | 5470 to 5725 | Pass |
|  |  |      |    |   |     | 3.8  | 5700.020 | 5470 to 5725 | Pass |
|  |  |      |    |   |     | 4.45 | 5700.020 | 5470 to 5725 | Pass |
|  |  |      |    |   | -30 | 3.8  | 5700.000 | 5470 to 5725 | Pass |
|  |  |      |    |   | -20 | 3.8  | 5700.020 | 5470 to 5725 | Pass |
|  |  |      |    |   | -10 | 3.8  | 5700.040 | 5470 to 5725 | Pass |
|  |  |      |    |   | 0   | 3.8  | 5700.080 | 5470 to 5725 | Pass |
|  |  |      |    |   | 10  | 3.8  | 5700.020 | 5470 to 5725 | Pass |
|  |  |      |    |   | 30  | 3.8  | 5700.060 | 5470 to 5725 | Pass |
|  |  |      |    |   | 40  | 3.8  | 5700.040 | 5470 to 5725 | Pass |
|  |  |      |    |   | 50  | 3.8  | 5700.040 | 5470 to 5725 | Pass |
|  |  | 5745 | SU | / | 20  | 3.4  | 5744.940 | 5725 to 5850 | Pass |
|  |  |      |    |   |     | 3.8  | 5745.020 | 5725 to 5850 | Pass |
|  |  |      |    |   |     | 4.45 | 5744.960 | 5725 to 5850 | Pass |
|  |  |      |    |   | -30 | 3.8  | 5745.080 | 5725 to 5850 | Pass |
|  |  |      |    |   | -20 | 3.8  | 5745.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | -10 | 3.8  | 5745.020 | 5725 to 5850 | Pass |
|  |  |      |    |   | 0   | 3.8  | 5745.020 | 5725 to 5850 | Pass |
|  |  |      |    |   | 10  | 3.8  | 5745.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | 30  | 3.8  | 5745.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | 40  | 3.8  | 5745.040 | 5725 to 5850 | Pass |
|  |  |      |    |   | 50  | 3.8  | 5745.000 | 5725 to 5850 | Pass |
|  |  | 5785 | SU | / | 20  | 3.4  | 5785.000 | 5725 to 5850 | Pass |
|  |  |      |    |   |     | 3.8  | 5785.000 | 5725 to 5850 | Pass |
|  |  |      |    |   |     | 4.45 | 5785.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | -30 | 3.8  | 5784.980 | 5725 to 5850 | Pass |
|  |  |      |    |   | -20 | 3.8  | 5785.040 | 5725 to 5850 | Pass |
|  |  |      |    |   | -10 | 3.8  | 5785.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | 0   | 3.8  | 5785.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | 10  | 3.8  | 5785.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | 30  | 3.8  | 5785.020 | 5725 to 5850 | Pass |
|  |  |      |    |   | 40  | 3.8  | 5785.080 | 5725 to 5850 | Pass |
|  |  |      |    |   | 50  | 3.8  | 5785.000 | 5725 to 5850 | Pass |
|  |  | 5825 | SU | / | 20  | 3.4  | 5825.020 | 5725 to 5850 | Pass |
|  |  |      |    |   |     | 3.8  | 5825.060 | 5725 to 5850 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241100451006

Page: 758 of 760

|                     |      |      |    |   |     |      |          |              |      |
|---------------------|------|------|----|---|-----|------|----------|--------------|------|
|                     |      |      |    |   |     | 4.45 | 5825.000 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -30 | 3.8  | 5825.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -20 | 3.8  | 5825.060 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -10 | 3.8  | 5825.020 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 0   | 3.8  | 5825.060 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 10  | 3.8  | 5825.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 30  | 3.8  | 5825.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 40  | 3.8  | 5825.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 50  | 3.8  | 5825.020 | 5725 to 5850 | Pass |
|                     |      |      |    |   |     |      |          |              |      |
| 802.11ax<br>(HEW40) | MIMO | 5190 | SU | / | 20  | 3.4  | 5190.080 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 3.8  | 5190.080 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 4.45 | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -30 | 3.8  | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -20 | 3.8  | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -10 | 3.8  | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 0   | 3.8  | 5190.000 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 10  | 3.8  | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 30  | 3.8  | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 40  | 3.8  | 5190.080 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 50  | 3.8  | 5190.040 | 5150 to 5250 | Pass |
|                     |      | 5230 | SU | / | 20  | 3.4  | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 3.8  | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 4.45 | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -30 | 3.8  | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -20 | 3.8  | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -10 | 3.8  | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 0   | 3.8  | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 10  | 3.8  | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 30  | 3.8  | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 40  | 3.8  | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 50  | 3.8  | 5230.120 | 5150 to 5250 | Pass |
|                     |      | 5270 | SU | / | 20  | 3.4  | 5270.080 | 5250 to 5350 | Pass |
|                     |      |      |    |   |     | 3.8  | 5270.080 | 5250 to 5350 | Pass |
|                     |      |      |    |   |     | 4.45 | 5270.080 | 5250 to 5350 | Pass |
|                     |      |      |    |   | -30 | 3.8  | 5270.120 | 5250 to 5350 | Pass |
|                     |      |      |    |   | -20 | 3.8  | 5270.040 | 5250 to 5350 | Pass |
|                     |      |      |    |   | -10 | 3.8  | 5270.120 | 5250 to 5350 | Pass |
|                     |      |      |    |   | 0   | 3.8  | 5270.080 | 5250 to 5350 | Pass |
|                     |      |      |    |   | 10  | 3.8  | 5270.040 | 5250 to 5350 | Pass |
|                     |      |      |    |   | 30  | 3.8  | 5270.040 | 5250 to 5350 | Pass |
|                     |      |      |    |   | 40  | 3.8  | 5270.080 | 5250 to 5350 | Pass |
|                     |      |      |    |   | 50  | 3.8  | 5270.080 | 5250 to 5350 | Pass |
|                     |      | 5310 | SU | / | 20  | 3.4  | 5310.080 | 5250 to 5350 | Pass |
|                     |      |      |    |   |     | 3.8  | 5310.080 | 5250 to 5350 | Pass |
|                     |      |      |    |   |     | 4.45 | 5310.040 | 5250 to 5350 | Pass |
|                     |      |      |    |   | -30 | 3.8  | 5310.040 | 5250 to 5350 | Pass |
|                     |      |      |    |   | -20 | 3.8  | 5310.120 | 5250 to 5350 | Pass |
|                     |      |      |    |   | -10 | 3.8  | 5310.040 | 5250 to 5350 | Pass |
|                     |      |      |    |   | 0   | 3.8  | 5310.080 | 5250 to 5350 | Pass |
|                     |      |      |    |   | 10  | 3.8  | 5310.040 | 5250 to 5350 | Pass |
|                     |      |      |    |   | 30  | 3.8  | 5310.040 | 5250 to 5350 | Pass |
|                     |      |      |    |   | 40  | 3.8  | 5310.080 | 5250 to 5350 | Pass |
|                     |      |      |    |   | 50  | 3.8  | 5310.080 | 5250 to 5350 | Pass |
|                     |      | 5510 | SU | / | 20  | 3.4  | 5510.080 | 5470 to 5725 | Pass |
|                     |      |      |    |   |     | 3.8  | 5510.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   |     | 4.45 | 5510.040 | 5470 to 5725 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Testing) / CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241100451006

Page: 759 of 760

|                     |      |      |    |   |     |      |          |              |      |
|---------------------|------|------|----|---|-----|------|----------|--------------|------|
|                     |      |      |    |   | -30 | 3.8  | 5510.080 | 5470 to 5725 | Pass |
|                     |      |      |    |   | -20 | 3.8  | 5510.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   | -10 | 3.8  | 5510.000 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 0   | 3.8  | 5510.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 10  | 3.8  | 5510.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 30  | 3.8  | 5510.080 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 40  | 3.8  | 5510.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 50  | 3.8  | 5510.000 | 5470 to 5725 | Pass |
|                     |      | 5550 | SU | / | 20  | 3.4  | 5550.080 | 5470 to 5725 | Pass |
|                     |      |      |    |   |     | 3.8  | 5550.080 | 5470 to 5725 | Pass |
|                     |      |      |    |   |     | 4.45 | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   | -30 | 3.8  | 5550.080 | 5470 to 5725 | Pass |
|                     |      |      |    |   | -20 | 3.8  | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   | -10 | 3.8  | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 0   | 3.8  | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 10  | 3.8  | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 30  | 3.8  | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 40  | 3.8  | 5550.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 50  | 3.8  | 5550.120 | 5470 to 5725 | Pass |
|                     |      | 5670 | SU | / | 20  | 3.4  | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   |     | 3.8  | 5670.080 | 5470 to 5725 | Pass |
|                     |      |      |    |   |     | 4.45 | 5670.080 | 5470 to 5725 | Pass |
|                     |      |      |    |   | -30 | 3.8  | 5670.000 | 5470 to 5725 | Pass |
|                     |      |      |    |   | -20 | 3.8  | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   | -10 | 3.8  | 5670.080 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 0   | 3.8  | 5670.000 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 10  | 3.8  | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 30  | 3.8  | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 40  | 3.8  | 5670.040 | 5470 to 5725 | Pass |
|                     |      |      |    |   | 50  | 3.8  | 5670.040 | 5470 to 5725 | Pass |
|                     |      | 5755 | SU | / | 20  | 3.4  | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |    |   |     | 3.8  | 5755.000 | 5725 to 5850 | Pass |
|                     |      |      |    |   |     | 4.45 | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -30 | 3.8  | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -20 | 3.8  | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -10 | 3.8  | 5755.000 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 0   | 3.8  | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 10  | 3.8  | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 30  | 3.8  | 5755.120 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 40  | 3.8  | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 50  | 3.8  | 5755.040 | 5725 to 5850 | Pass |
|                     |      | 5795 | SU | / | 20  | 3.4  | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   |     | 3.8  | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   |     | 4.45 | 5795.120 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -30 | 3.8  | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -20 | 3.8  | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -10 | 3.8  | 5795.080 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 0   | 3.8  | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 10  | 3.8  | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 30  | 3.8  | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 40  | 3.8  | 5795.120 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 50  | 3.8  | 5795.040 | 5725 to 5850 | Pass |
| 802.11ax<br>(HEW80) | MIMO | 5210 | SU | / | 20  | 3.4  | 5210.150 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 3.8  | 5210.150 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 4.45 | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -30 | 3.8  | 5210.150 | 5150 to 5250 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Testing) - CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR241100451006

Page: 760 of 760

|  |  |      |    |   |     |      |          |              |      |
|--|--|------|----|---|-----|------|----------|--------------|------|
|  |  |      |    |   | -20 | 3.8  | 5210.075 | 5150 to 5250 | Pass |
|  |  |      |    |   | -10 | 3.8  | 5210.075 | 5150 to 5250 | Pass |
|  |  |      |    |   | 0   | 3.8  | 5210.075 | 5150 to 5250 | Pass |
|  |  |      |    |   | 10  | 3.8  | 5210.075 | 5150 to 5250 | Pass |
|  |  |      |    |   | 30  | 3.8  | 5210.075 | 5150 to 5250 | Pass |
|  |  |      |    |   | 40  | 3.8  | 5210.075 | 5150 to 5250 | Pass |
|  |  |      |    |   | 50  | 3.8  | 5210.075 | 5150 to 5250 | Pass |
|  |  | 5290 | SU | / | 20  | 3.4  | 5290.075 | 5250 to 5350 | Pass |
|  |  |      |    |   |     | 3.8  | 5290.150 | 5250 to 5350 | Pass |
|  |  |      |    |   |     | 4.45 | 5290.000 | 5250 to 5350 | Pass |
|  |  |      |    |   | -30 | 3.8  | 5290.075 | 5250 to 5350 | Pass |
|  |  |      |    |   | -20 | 3.8  | 5290.000 | 5250 to 5350 | Pass |
|  |  |      |    |   | -10 | 3.8  | 5290.075 | 5250 to 5350 | Pass |
|  |  |      |    |   | 0   | 3.8  | 5290.075 | 5250 to 5350 | Pass |
|  |  |      |    |   | 10  | 3.8  | 5290.075 | 5250 to 5350 | Pass |
|  |  |      |    |   | 30  | 3.8  | 5290.150 | 5250 to 5350 | Pass |
|  |  |      |    |   | 40  | 3.8  | 5290.075 | 5250 to 5350 | Pass |
|  |  |      |    |   | 50  | 3.8  | 5290.075 | 5250 to 5350 | Pass |
|  |  | 5530 | SU | / | 20  | 3.4  | 5530.075 | 5470 to 5725 | Pass |
|  |  |      |    |   |     | 3.8  | 5530.075 | 5470 to 5725 | Pass |
|  |  |      |    |   |     | 4.45 | 5530.075 | 5470 to 5725 | Pass |
|  |  |      |    |   | -30 | 3.8  | 5530.075 | 5470 to 5725 | Pass |
|  |  |      |    |   | -20 | 3.8  | 5530.075 | 5470 to 5725 | Pass |
|  |  |      |    |   | -10 | 3.8  | 5530.150 | 5470 to 5725 | Pass |
|  |  |      |    |   | 0   | 3.8  | 5530.150 | 5470 to 5725 | Pass |
|  |  |      |    |   | 10  | 3.8  | 5530.000 | 5470 to 5725 | Pass |
|  |  |      |    |   | 30  | 3.8  | 5530.075 | 5470 to 5725 | Pass |
|  |  |      |    |   | 40  | 3.8  | 5530.075 | 5470 to 5725 | Pass |
|  |  |      |    |   | 50  | 3.8  | 5530.000 | 5470 to 5725 | Pass |
|  |  | 5610 | SU | / | 20  | 3.4  | 5610.075 | 5470 to 5725 | Pass |
|  |  |      |    |   |     | 3.8  | 5610.150 | 5470 to 5725 | Pass |
|  |  |      |    |   |     | 4.45 | 5610.075 | 5470 to 5725 | Pass |
|  |  |      |    |   | -30 | 3.8  | 5610.150 | 5470 to 5725 | Pass |
|  |  |      |    |   | -20 | 3.8  | 5610.075 | 5470 to 5725 | Pass |
|  |  |      |    |   | -10 | 3.8  | 5610.075 | 5470 to 5725 | Pass |
|  |  |      |    |   | 0   | 3.8  | 5610.075 | 5470 to 5725 | Pass |
|  |  |      |    |   | 10  | 3.8  | 5610.075 | 5470 to 5725 | Pass |
|  |  |      |    |   | 30  | 3.8  | 5610.150 | 5470 to 5725 | Pass |
|  |  |      |    |   | 40  | 3.8  | 5610.150 | 5470 to 5725 | Pass |
|  |  |      |    |   | 50  | 3.8  | 5610.150 | 5470 to 5725 | Pass |
|  |  | 5775 | SU | / | 20  | 3.4  | 5775.075 | 5725 to 5850 | Pass |
|  |  |      |    |   |     | 3.8  | 5775.075 | 5725 to 5850 | Pass |
|  |  |      |    |   |     | 4.45 | 5775.075 | 5725 to 5850 | Pass |
|  |  |      |    |   | -30 | 3.8  | 5775.075 | 5725 to 5850 | Pass |
|  |  |      |    |   | -20 | 3.8  | 5775.075 | 5725 to 5850 | Pass |
|  |  |      |    |   | -10 | 3.8  | 5775.075 | 5725 to 5850 | Pass |
|  |  |      |    |   | 0   | 3.8  | 5775.150 | 5725 to 5850 | Pass |
|  |  |      |    |   | 10  | 3.8  | 5775.075 | 5725 to 5850 | Pass |
|  |  |      |    |   | 30  | 3.8  | 5775.150 | 5725 to 5850 | Pass |
|  |  |      |    |   | 40  | 3.8  | 5775.075 | 5725 to 5850 | Pass |
|  |  |      |    |   | 50  | 3.8  | 5775.000 | 5725 to 5850 | Pass |

- End of the Report -