




PSD 802.11ax(HE20) 52T 5580MHz Ant1




PSD 802.11ax(HE20) 52T 5580MHz Ant2




PSD 802.11ax(HE20) 52T 5580MHz Ant3




PSD 802.11ax(HE20) 52T 5580MHz Ant4




PSD 802.11ax(HE20) 52T 5700MHz Ant1




PSD 802.11ax(HE20) 52T 5700MHz Ant2




PSD 802.11ax(HE20) 52T 5700MHz Ant3




PSD 802.11ax(HE20) 52T 5700MHz Ant4




PSD 802.11ax(HE40) 484T 5510MHz Ant1




PSD 802.11ax(HE40) 484T 5510MHz Ant2




PSD 802.11ax(HE40) 484T 5510MHz Ant3




PSD 802.11ax(HE40) 484T 5510MHz Ant4




PSD 802.11ax(HE40) 484T 5550MHz Ant1




PSD 802.11ax(HE40) 484T 5550MHz Ant2




PSD 802.11ax(HE40) 484T 5550MHz Ant3




PSD 802.11ax(HE40) 484T 5550MHz Ant4




PSD 802.11ax(HE40) 484T 5670MHz Ant1




PSD 802.11ax(HE40) 484T 5670MHz Ant2




PSD 802.11ax(HE40) 484T 5670MHz Ant3




PSD 802.11ax(HE40) 484T 5670MHz Ant4




PSD 802.11ax(HE80) 996T 5530MHz Ant1




PSD 802.11ax(HE80) 996T 5530MHz Ant2




PSD 802.11ax(HE80) 996T 5530MHz Ant3




PSD 802.11ax(HE80) 996T 5530MHz Ant4




PSD 802.11ax(HE160) 996X2T 5570MHz Ant1




PSD 802.11ax(HE160) 996X2T 5570MHz Ant2



PSD 802.11ax(HE160) 996X2T 5570MHz Ant3




PSD 802.11ax(HE160) 996X2T 5570MHz Ant4



U-NII-3

PSD 802.11ax(HE20) 106T 5745MHz Ant1




PSD 802.11ax(HE20) 106T 5745MHz Ant2




PSD 802.11ax(HE20) 106T 5745MHz Ant3



PSD 802.11ax(HE20) 106T 5745MHz Ant4




PSD 802.11ax(HE20) 106T 5785MHz Ant1




PSD 802.11ax(HE20) 106T 5785MHz Ant2




PSD 802.11ax(HE20) 106T 5785MHz Ant3




PSD 802.11ax(HE20) 106T 5785MHz Ant4




PSD 802.11ax(HE20) 106T 5825MHz Ant1




PSD 802.11ax(HE20) 106T 5825MHz Ant2




PSD 802.11ax(HE20) 106T 5825MHz Ant3




PSD 802.11ax(HE20) 106T 5825MHz Ant4




PSD 802.11ax(HE20) 242T 5745MHz Ant1




PSD 802.11ax(HE20) 242T 5745MHz Ant2




PSD 802.11ax(HE20) 242T 5745MHz Ant3




PSD 802.11ax(HE20) 242T 5745MHz Ant4




PSD 802.11ax(HE20) 242T 5785MHz Ant1




PSD 802.11ax(HE20) 242T 5785MHz Ant2




PSD 802.11ax(HE20) 242T 5785MHz Ant3




PSD 802.11ax(HE20) 242T 5785MHz Ant4




PSD 802.11ax(HE20) 242T 5825MHz Ant1




PSD 802.11ax(HE20) 242T 5825MHz Ant2



PSD 802.11ax(HE20) 242T 5825MHz Ant3




PSD 802.11ax(HE20) 242T 5825MHz Ant4




PSD 802.11ax(HE20) 52T 5745MHz Ant1




PSD 802.11ax(HE20) 52T 5745MHz Ant2




PSD 802.11ax(HE20) 52T 5745MHz Ant3



PSD 802.11ax(HE20) 52T 5745MHz Ant4




PSD 802.11ax(HE20) 52T 5785MHz Ant1



PSD 802.11ax(HE20) 52T 5785MHz Ant2




PSD 802.11ax(HE20) 52T 5785MHz Ant3




PSD 802.11ax(HE20) 52T 5785MHz Ant4




PSD 802.11ax(HE20) 52T 5825MHz Ant1




PSD 802.11ax(HE20) 52T 5825MHz Ant2




PSD 802.11ax(HE20) 52T 5825MHz Ant3




PSD 802.11ax(HE20) 52T 5825MHz Ant4




PSD 802.11ax(HE40) 484T 5755MHz Ant1




PSD 802.11ax(HE40) 484T 5755MHz Ant2




PSD 802.11ax(HE40) 484T 5755MHz Ant3




PSD 802.11ax(HE40) 484T 5755MHz Ant4




PSD 802.11ax(HE40) 484T 5795MHz Ant1




PSD 802.11ax(HE40) 484T 5795MHz Ant2




PSD 802.11ax(HE40) 484T 5795MHz Ant3




PSD 802.11ax(HE40) 484T 5795MHz Ant4




PSD 802.11ax(HE80) 996T 5775MHz Ant1




PSD 802.11ax(HE80) 996T 5775MHz Ant2



PSD 802.11ax(HE80) 996T 5775MHz Ant3



PSD 802.11ax(HE80) 996T 5775MHz Ant4



5.5. Unwanted Emission

Ambient condition

Temperature	Relative humidity	Pressure
15°C ~ 35°C	20% ~ 80%	86 kPa ~ 106 kPa

Method of Measurement

The test set-up was made in accordance to the general provisions of ANSI C63.10. The Equipment Under Test (EUT) was set up on a non-conductive table in the semi-anechoic chamber. The test was performed at the distance of 3 m between the EUT and the receiving antenna. The radiated emissions measurements were made in a typical installation configuration.

Sweep the whole frequency band range from 9kHz to the 10th harmonic of the carrier, and the emissions less than 20 dB below the permissible value are reported.

During the test, the height of receive antenna shall be moved from 1 to 4 meters, and the antenna shall be performed under horizontal and vertical polarization. The turntable shall be rotated from 0 to 360 degrees for detecting the maximum of radiated spurious signal level. The measurements shall be repeated with orthogonal polarization of the test antenna. The data of cable loss and antenna factor has been calibrated in full testing frequency range before the testing.

Set the spectrum analyzer in the following:

9kHz~150 kHz

RBW=200Hz, VBW=1kHz/ Sweep=AUTO

150 kHz~30MHz

RBW=9kHz, VBW=30kHz,/ Sweep=AUTO

Below 1GHz

RBW=100kHz / VBW=300kHz / Sweep=AUTO

a) Peak emission levels are measured by setting the instrument as follows:

Above 1GHz

PEAK: RBW=1MHz VBW=3MHz/ Sweep=AUTO

b) Average emission levels are measured by setting the instrument as follows:

Above 1GHz

AVERAGE: RBW=1MHz / VBW=3MHz / Sweep=AUTO

c) Detector: The measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90 kHz, 110-490 kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector.

d) Averaging type = power (i.e., rms) (As an alternative, the detector and averaging type may be set for linear voltage averaging. Some instruments require linear display mode to use linear voltage averaging. Log or dB averaging shall not be used.)

e) Sweep time = auto.

f) Perform a trace average of at least 100 traces if the transmission is continuous. If the transmission is not continuous, then the number of traces shall be increased by a factor of 1 / D, where D is the duty cycle. For example, with 50% duty cycle, at least 200 traces shall be averaged. (If a specific emission is demonstrated to be continuous—i.e., 100% duty cycle—then rather than turning ON and