


Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10999.8000	45.56	11.29	56.85	74.00	-17.15	Peak	
2 *	11020.0000	36.15	11.33	47.48	54.00	-6.52	AVG	
3	17197.0000	41.88	12.33	54.21	68.20	-13.99	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4798.0000	40.66	15.16	55.82	74.00	-18.18	Peak	
2 *	4798.0000	30.60	15.16	45.76	54.00	-8.24	AVG	
3	6490.0000	39.21	18.60	57.81	68.20	-10.39	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11095.6000	35.60	11.50	47.10	54.00	-6.90	AVG	
2	11097.6000	44.37	11.51	55.88	74.00	-18.12	Peak	
3	16636.0000	41.57	11.99	53.56	68.20	-14.64	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5670.6000	105.59	16.05	121.64	68.20	53.44	Peak	No Limit
2	5671.0000	95.74	16.05	111.79	999.00	-887.21	AVG	No Limit
3	5725.0000	44.51	16.26	60.77	68.20	-7.43	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5074.0000	40.37	15.53	55.90	74.00	-18.10	Peak	
2 *	5074.0000	30.45	15.53	45.98	54.00	-8.02	AVG	
3	6400.0000	39.18	18.37	57.55	68.20	-10.65	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11337.6000	32.89	12.04	44.93	54.00	-9.07	AVG	
2	11340.2000	42.13	12.05	54.18	74.00	-19.82	Peak	
3	16999.0000	43.59	13.17	56.76	68.20	-11.44	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5456.0000	46.96	15.40	62.36	74.00	-11.64	Peak	
2	5456.0000	37.87	15.40	53.27	54.00	-0.73	AVG	
3	5460.0000	45.32	15.39	60.71	74.00	-13.29	Peak	
4	5460.0000	37.47	15.39	52.86	54.00	-1.14	AVG	
5	5470.0000	48.20	15.39	63.59	68.20	-4.61	Peak	
6	5530.8000	93.08	15.50	108.58	999.00	-890.42	AVG	No Limit
7 *	5531.6000	100.97	15.50	116.47	68.20	48.27	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4798.0000	41.86	15.16	57.02	74.00	-16.98	Peak	
2 *	4798.0000	31.74	15.16	46.90	54.00	-7.10	AVG	
3	6394.0000	39.28	18.35	57.63	68.20	-10.57	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

86.9 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11048.5000	45.01	11.40	56.41	74.00	-17.59	Peak	
2 *	11059.5000	35.02	11.42	46.44	54.00	-7.56	AVG	
3	17725.0000	40.81	10.92	51.73	74.00	-22.27	Peak	
4	17725.0000	31.65	10.92	42.57	54.00	-11.43	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	41.17	15.39	56.56	74.00	-17.44	Peak	
2	5460.0000	32.80	15.39	48.19	54.00	-5.81	AVG	
3	5470.0000	43.55	15.39	58.94	68.20	-9.26	Peak	
4	5611.6000	92.65	15.82	108.47	999.00	-890.53	AVG	No Limit
5 *	5612.0000	102.63	15.82	118.45	68.20	50.25	Peak	No Limit
6	5725.0000	43.88	16.26	60.14	68.20	-8.06	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5038.0000	40.68	15.55	56.23	74.00	-17.77	Peak	
2 *	5038.0000	30.75	15.55	46.30	54.00	-7.70	AVG	
3	6436.0000	39.25	18.46	57.71	68.20	-10.49	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11228.8000	30.99	11.80	42.79	54.00	-11.21	AVG	
2	11229.8000	40.81	11.80	52.61	74.00	-21.39	Peak	
3	17615.0000	42.97	10.98	53.95	68.20	-14.25	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT160) Mode 5570 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5450.0000	47.93	15.40	63.33	74.00	-10.67	Peak	
2	5450.0000	38.56	15.40	53.96	54.00	-0.04	AVG	
3	5460.0000	47.31	15.39	62.70	74.00	-11.30	Peak	
4	5460.0000	37.96	15.39	53.35	54.00	-0.65	AVG	
5	5470.0000	46.23	15.39	61.62	68.20	-6.58	Peak	
6	5559.6000	85.37	15.61	100.98	999.00	-898.02	AVG	No Limit
7 *	5581.2000	96.32	15.70	112.02	68.20	43.82	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT160) Mode 5570 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4798.0000	41.20	15.16	56.36	74.00	-17.64	Peak	
2 *	4798.0000	31.22	15.16	46.38	54.00	-7.62	AVG	
3	6388.0000	38.99	18.34	57.33	68.20	-10.87	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT160) Mode 5570 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11139.6200	41.02	11.60	52.62	74.00	-21.38	Peak	
2 *	11140.0000	29.14	11.60	40.74	54.00	-13.26	AVG	
3	16944.0000	41.06	12.99	54.05	68.20	-14.15	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	43.61	15.39	59.00	74.00	-15.00	Peak	
2	5460.0000	35.85	15.39	51.24	54.00	-2.76	AVG	
3	5470.0000	45.80	15.39	61.19	68.20	-7.01	Peak	
4	5499.4000	99.71	15.38	115.09	999.00	-883.91	AVG	No Limit
5 *	5501.2000	108.22	15.38	123.60	68.20	55.40	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4800.0000	45.41	15.16	60.57	74.00	-13.43	Peak	
2 *	4800.0000	34.38	15.16	49.54	54.00	-4.46	AVG	
3	5760.0000	44.17	16.39	60.56	68.20	-7.64	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10995.9000	53.22	11.28	64.50	74.00	-9.50	Peak	
2 *	10998.9000	42.22	11.29	53.51	54.00	-0.49	AVG	
3	17868.0000	41.66	10.84	52.50	74.00	-21.50	Peak	
4	17868.0000	32.06	10.84	42.90	54.00	-11.10	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5580 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5055.0000	45.68	15.54	61.22	74.00	-12.78	Peak	
2 *	5055.0000	35.51	15.54	51.05	54.00	-2.95	AVG	
3	5760.0000	44.51	16.39	60.90	68.20	-7.30	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5580 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11157.0000	49.92	11.64	61.56	74.00	-12.44	Peak	
2 *	11157.3000	39.84	11.64	51.48	54.00	-2.52	AVG	
3	17747.0000	42.09	10.91	53.00	74.00	-21.00	Peak	
4	17747.0000	32.00	10.91	42.91	54.00	-11.09	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5700.4000	108.93	16.16	125.09	68.20	56.89	Peak	No Limit
2	5701.0000	97.66	16.16	113.82	999.00	-885.18	AVG	No Limit
3	5725.0000	46.06	16.26	62.32	68.20	-5.88	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5120.0000	45.03	15.52	60.55	74.00	-13.45	Peak	
2 *	5120.0000	34.87	15.52	50.39	54.00	-3.61	AVG	
3	5925.0000	43.55	17.04	60.59	68.20	-7.61	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11399.0000	39.06	12.18	51.24	54.00	-2.76	AVG	
2	11400.5000	50.82	12.18	63.00	74.00	-11.00	Peak	
3	17098.0000	45.22	12.75	57.97	68.20	-10.23	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	43.90	15.39	59.29	74.00	-14.71	Peak	
2	5460.0000	36.87	15.39	52.26	54.00	-1.74	AVG	
3	5470.0000	49.06	15.39	64.45	68.20	-3.75	Peak	
4 *	5510.8000	105.26	15.42	120.68	68.20	52.48	Peak	No Limit
5	5511.0000	97.32	15.42	112.74	999.00	-886.26	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4800.0000	46.63	15.16	61.79	74.00	-12.21	Peak	
2 *	4800.0000	36.87	15.16	52.03	54.00	-1.97	AVG	
3	5760.0000	44.96	16.39	61.35	68.20	-6.85	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

86.9 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11019.5000	38.22	11.33	49.55	54.00	-4.45	AVG	
2	11028.7000	49.01	11.35	60.36	74.00	-13.64	Peak	
3	17923.0000	41.51	10.81	52.32	74.00	-21.68	Peak	
4	17923.0000	31.73	10.81	42.54	54.00	-11.46	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5550 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4800.0000	45.70	15.16	60.86	74.00	-13.14	Peak	
2 *	4800.0000	34.57	15.16	49.73	54.00	-4.27	AVG	
3	5280.0000	45.87	15.46	61.33	68.20	-6.87	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5550 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11098.3000	47.39	11.51	58.90	74.00	-15.10	Peak	
2 *	11098.4000	36.18	11.51	47.69	54.00	-6.31	AVG	
3	17736.0000	41.86	10.92	52.78	74.00	-21.22	Peak	
4	17736.0000	32.04	10.92	42.96	54.00	-11.04	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5671.4000	96.46	16.05	112.51	999.00	-886.49	AVG	No Limit
2 *	5671.6000	106.34	16.05	122.39	68.20	54.19	Peak	No Limit
3	5725.0000	43.26	16.26	59.52	68.20	-8.68	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5085.0000	44.55	15.53	60.08	74.00	-13.92	Peak	
2 *	5085.0000	34.11	15.53	49.64	54.00	-4.36	AVG	
3	5980.0000	43.41	17.25	60.66	68.20	-7.54	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11337.5000	45.34	12.04	57.38	74.00	-16.62	Peak	
2 *	11338.7000	36.05	12.04	48.09	54.00	-5.91	AVG	
3	17901.0000	41.92	10.82	52.74	74.00	-21.26	Peak	
4	17901.0000	31.00	10.82	41.82	54.00	-12.18	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	50.42	15.39	65.81	74.00	-8.19	Peak	
2	5460.0000	38.03	15.39	53.42	54.00	-0.58	AVG	
3	5470.0000	49.65	15.39	65.04	68.20	-3.16	Peak	
4 *	5530.4000	101.98	15.50	117.48	68.20	49.28	Peak	No Limit
5	5531.2000	93.44	15.50	108.94	999.00	-890.06	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4800.0000	45.58	15.16	60.74	74.00	-13.26	Peak	
2 *	4800.0000	35.89	15.16	51.05	54.00	-2.95	AVG	
3	5280.0000	47.41	15.46	62.87	68.20	-5.33	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11048.2000	35.80	11.40	47.20	54.00	-6.80	AVG	
2	11059.4000	46.13	11.42	57.55	74.00	-16.45	Peak	
3	17736.0000	41.50	10.92	52.42	74.00	-21.58	Peak	
4	17736.0000	31.74	10.92	42.66	54.00	-11.34	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5611.2000	93.70	15.81	109.51	999.00	-889.49	AVG	No Limit
2 *	5611.6000	104.40	15.82	120.22	68.20	52.02	Peak	No Limit
3	5725.0000	42.84	16.26	59.10	68.20	-9.10	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4895.0000	46.20	15.35	61.55	74.00	-12.45	Peak	
2 *	4895.0000	36.84	15.35	52.19	54.00	-1.81	AVG	
3	5905.0000	45.91	16.96	62.87	68.20	-5.33	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11217.8000	43.74	11.77	55.51	74.00	-18.49	Peak	
2 *	11217.8000	33.93	11.77	45.70	54.00	-8.30	AVG	
3	17857.0000	41.57	10.85	52.42	74.00	-21.58	Peak	
4	17857.0000	31.56	10.85	42.41	54.00	-11.59	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE160) Mode 5570 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5279.6000	44.70	15.46	60.16	68.20	-8.04	Peak	
2	5460.0000	44.56	15.39	59.95	74.00	-14.05	Peak	
3	5460.0000	36.98	15.39	52.37	54.00	-1.63	AVG	
4	5470.0000	44.95	15.39	60.34	68.20	-7.86	Peak	
5	5560.4000	86.92	15.62	102.54	999.00	-896.46	AVG	No Limit
6 *	5572.4000	95.80	15.66	111.46	68.20	43.26	Peak	No Limit
7	5725.0000	39.49	16.26	55.75	68.20	-12.45	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE160) Mode 5570 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4800.0000	45.11	15.16	60.27	74.00	-13.73	Peak	
2 *	4800.0000	34.84	15.16	50.00	54.00	-4.00	AVG	
3	5280.0000	45.26	15.46	60.72	68.20	-7.48	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE160) Mode 5570 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11119.2000	42.77	11.55	54.32	74.00	-19.68	Peak	
2 *	11129.2000	32.13	11.58	43.71	54.00	-10.29	AVG	
3	17747.0000	41.59	10.91	52.50	74.00	-21.50	Peak	
4	17747.0000	32.43	10.91	43.34	54.00	-10.66	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	56.17	14.75	70.92	109.40	-38.48	Peak	
2	5725.0000	62.30	14.77	77.07	122.20	-45.13	Peak	
3 *	5746.6000	112.08	14.82	126.90	122.20	4.70	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5080.0000	50.73	14.31	65.04	74.00	-8.96	Peak	
2 *	5080.0000	38.40	14.31	52.71	54.00	-1.29	AVG	
3	6424.0000	49.34	17.32	66.66	68.20	-1.54	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11484.4000	52.30	11.10	63.40	74.00	-10.60	Peak	
2 *	11490.1000	41.76	11.10	52.86	54.00	-1.14	AVG	
3	17241.0000	47.17	10.85	58.02	68.20	-10.18	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5104.0000	49.46	14.31	63.77	74.00	-10.23	Peak	
2 *	5104.0000	38.47	14.31	52.78	54.00	-1.22	AVG	
3	6604.0000	46.73	17.79	64.52	68.20	-3.68	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11568.8000	55.67	11.10	66.77	74.00	-7.23	Peak	
2 *	11568.8000	41.86	11.10	52.96	54.00	-1.04	AVG	
3	17362.0000	51.90	10.63	62.53	68.20	-5.67	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5826.2000	111.15	14.99	126.14	122.20	3.94	Peak	No Limit
2	5850.0000	58.34	15.04	73.38	122.20	-48.82	Peak	
3	5860.0000	53.86	15.06	68.92	109.40	-40.48	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5086.0000	49.50	14.31	63.81	74.00	-10.19	Peak	
2 *	5086.0000	38.75	14.31	53.06	54.00	-0.94	AVG	
3	6484.0000	47.37	17.59	64.96	68.20	-3.24	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11648.6000	42.13	11.09	53.22	54.00	-0.78	AVG	
2	11648.7500	53.24	11.09	64.33	74.00	-9.67	Peak	
3	17483.0000	50.96	10.41	61.37	68.20	-6.83	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5646.0000	49.36	15.95	65.31	68.20	-2.89	Peak	
2	5715.0000	63.13	16.22	79.35	109.40	-30.05	Peak	
3	5725.0000	81.97	16.26	98.23	122.20	-23.97	Peak	
4 *	5747.0000	114.11	16.34	130.45	122.20	8.25	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5068.0000	40.57	15.54	56.11	74.00	-17.89	Peak	
2 *	5068.0000	31.14	15.54	46.68	54.00	-7.32	AVG	
3	6274.0000	39.60	18.04	57.64	68.20	-10.56	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11488.3000	49.66	12.37	62.03	74.00	-11.97	Peak	
2	11488.5000	40.83	12.37	53.20	74.00	-20.80	Peak	
3 *	17241.0000	47.96	12.15	60.11	68.20	-8.09	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4984.0000	39.93	15.53	55.46	74.00	-18.54	Peak	
2 *	4984.0000	30.06	15.53	45.59	54.00	-8.41	AVG	
3	6418.0000	39.00	18.42	57.42	68.20	-10.78	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11569.3000	50.17	12.48	62.65	74.00	-11.35	Peak	
2 *	11569.5000	40.64	12.48	53.12	54.00	-0.88	AVG	
3	17351.0000	45.93	11.68	57.61	68.20	-10.59	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5826.0000	111.93	16.65	128.58	122.20	6.38	Peak	No Limit
2	5850.0000	63.88	16.74	80.62	122.20	-41.58	Peak	
3	5860.0000	52.41	16.78	69.19	109.40	-40.21	Peak	
4	5923.4000	49.50	17.03	66.53	69.38	-2.85	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5026.0000	40.16	15.55	55.71	74.00	-18.29	Peak	
2 *	5026.0000	30.00	15.55	45.55	54.00	-8.45	AVG	
3	6592.0000	39.28	18.42	57.70	68.20	-10.50	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11646.1000	50.90	12.58	63.48	74.00	-10.52	Peak	
2 *	11648.0000	41.05	12.58	53.63	54.00	-0.37	AVG	
3	17483.0000	44.94	11.12	56.06	68.20	-12.14	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5656.8000	51.35	15.99	67.34	73.23	-5.89	Peak	
2	5715.0000	76.25	16.22	92.47	109.40	-16.93	Peak	
3	5725.0000	85.33	16.26	101.59	122.20	-20.61	Peak	
4 *	5746.6000	109.36	16.34	125.70	122.20	3.50	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4798.0000	44.41	15.16	59.57	74.00	-14.43	Peak	
2 *	4798.0000	33.72	15.16	48.88	54.00	-5.12	AVG	
3	6430.0000	41.14	18.45	59.59	68.20	-8.61	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11508.8000	40.62	12.41	53.03	54.00	-0.97	AVG	
2	11510.4000	50.76	12.41	63.17	74.00	-10.83	Peak	
3	17241.0000	48.40	12.15	60.55	68.20	-7.65	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	52.20	16.22	68.42	109.40	-40.98	Peak	
2	5725.0000	54.83	16.26	71.09	122.20	-51.11	Peak	
3 *	5797.0000	109.44	16.54	125.98	122.20	3.78	Peak	No Limit
4	5850.0000	54.52	16.74	71.26	122.20	-50.94	Peak	
5	5860.0000	50.64	16.78	67.42	109.40	-41.98	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4798.0000	43.93	15.16	59.09	74.00	-14.91	Peak	
2 *	4798.0000	33.85	15.16	49.01	54.00	-4.99	AVG	
3	6478.0000	41.84	18.57	60.41	68.20	-7.79	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11589.0000	50.80	12.51	63.31	74.00	-10.69	Peak	
2 *	11589.2000	40.91	12.51	53.42	54.00	-0.58	AVG	
3	17395.0000	53.43	11.49	64.92	68.20	-3.28	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5644.6000	51.57	15.94	67.51	68.20	-0.69	Peak	
2	5715.0000	62.30	16.22	78.52	109.40	-30.88	Peak	
3	5725.0000	65.44	16.26	81.70	122.20	-40.50	Peak	
4	5776.6000	104.44	16.46	120.90	122.20	-1.30	Peak	No Limit
5	5850.0000	57.64	16.74	74.38	122.20	-47.82	Peak	
6	5860.0000	53.19	16.78	69.97	109.40	-39.43	Peak	
7	5937.4000	47.00	17.09	64.09	68.20	-4.11	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4798.0000	43.45	15.16	58.61	74.00	-15.39	Peak	
2 *	4798.0000	33.56	15.16	48.72	54.00	-5.28	AVG	
3	6388.0000	41.70	18.34	60.04	68.20	-8.16	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11539.5000	49.73	12.45	62.18	74.00	-11.82	Peak	
2 *	11548.5000	40.64	12.46	53.10	54.00	-0.90	AVG	
3	17307.0000	52.08	11.87	63.95	68.20	-4.25	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	57.96	14.75	72.71	109.40	-36.69	Peak	
2	5725.0000	65.17	14.77	79.94	122.20	-42.26	Peak	
3 *	5745.4000	111.84	14.81	126.65	122.20	4.45	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4798.0000	48.24	13.96	62.20	74.00	-11.80	Peak	
2 *	4798.0000	38.64	13.96	52.60	54.00	-1.40	AVG	
3	6466.0000	45.70	17.51	63.21	68.20	-4.99	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11489.5500	52.89	11.10	63.99	74.00	-10.01	Peak	
2 *	11489.9000	41.26	11.10	52.36	54.00	-1.64	AVG	
3	17241.0000	48.90	10.85	59.75	68.20	-8.45	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5116.0000	47.06	14.31	61.37	74.00	-12.63	Peak	
2 *	5116.0000	37.86	14.31	52.17	54.00	-1.83	AVG	
3	6418.0000	45.81	17.29	63.10	68.20	-5.10	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11565.9000	52.31	11.10	63.41	74.00	-10.59	Peak	
2 *	11568.3000	41.02	11.10	52.12	54.00	-1.88	AVG	
3	17351.0000	48.94	10.65	59.59	68.20	-8.61	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5826.6000	112.29	14.99	127.28	122.20	5.08	Peak	No Limit
2	5850.0000	58.31	15.04	73.35	122.20	-48.85	Peak	
3	5860.0000	50.90	15.06	65.96	109.40	-43.44	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4828.0000	47.72	14.01	61.73	74.00	-12.27	Peak	
2 *	4828.0000	38.42	14.01	52.43	54.00	-1.57	AVG	
3	6868.0000	45.70	18.10	63.80	68.20	-4.40	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11648.1000	41.25	11.09	52.34	54.00	-1.66	AVG	
2	11650.3000	52.35	11.09	63.44	74.00	-10.56	Peak	
3	17472.0000	51.95	10.43	62.38	68.20	-5.82	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	69.79	14.75	84.54	109.40	-24.86	Peak	
2	5725.0000	74.17	14.77	88.94	122.20	-33.26	Peak	
3 *	5757.0000	110.05	14.84	124.89	122.20	2.69	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5062.0000	47.57	14.31	61.88	74.00	-12.12	Peak	
2 *	5062.0000	38.21	14.31	52.52	54.00	-1.48	AVG	
3	6376.0000	46.28	17.10	63.38	68.20	-4.82	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11508.0800	41.23	11.10	52.33	54.00	-1.67	AVG	
2	11519.6000	50.07	11.10	61.17	74.00	-12.83	Peak	
3	17252.0000	45.83	10.83	56.66	68.20	-11.54	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5796.2000	110.13	14.93	125.06	122.20	2.86	Peak	No Limit
2	5850.0000	53.02	15.04	68.06	122.20	-54.14	Peak	
3	5860.0000	51.14	15.06	66.20	109.40	-43.20	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4966.0000	47.89	14.26	62.15	74.00	-11.85	Peak	
2 *	4966.0000	38.12	14.26	52.38	54.00	-1.62	AVG	
3	6916.0000	45.49	18.15	63.64	68.20	-4.56	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11587.6800	42.08	11.10	53.18	54.00	-0.82	AVG	
2	11588.0000	50.70	11.10	61.80	74.00	-12.20	Peak	
3	17395.0000	50.98	10.57	61.55	68.20	-6.65	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5645.4000	52.65	14.60	67.25	68.20	-0.95	Peak	
2	5715.0000	62.86	14.75	77.61	109.40	-31.79	Peak	
3	5725.0000	62.82	14.77	77.59	122.20	-44.61	Peak	
4	5767.4000	105.97	14.86	120.83	122.20	-1.37	Peak	No Limit
5	5850.0000	59.92	15.04	74.96	122.20	-47.24	Peak	
6	5860.0000	55.20	15.06	70.26	109.40	-39.14	Peak	
7	5930.6000	45.33	15.22	60.55	68.20	-7.65	Peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5116.0000	47.10	14.31	61.41	74.00	-12.59	Peak	
2 *	5116.0000	37.65	14.31	51.96	54.00	-2.04	AVG	
3	6472.0000	45.64	17.54	63.18	68.20	-5.02	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

86.9 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11538.4000	49.66	11.10	60.76	74.00	-13.24	Peak	
2 *	11548.2400	39.71	11.10	50.81	54.00	-3.19	AVG	
3	17318.0000	48.94	10.71	59.65	68.20	-8.55	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC(VHT40) Mode Channel 46 (UNII-1)	Polarization	Vertical
-----------	---------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		19298.000	55.05	-1.60	53.45	83.50	-30.05	peak	
2		19298.000	45.85	-1.60	44.25	63.50	-19.25	AVG	
3		39956.000	50.37	10.56	60.93	83.50	-22.57	peak	
4	*	39956.000	41.32	10.56	51.88	63.50	-11.62	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC(VHT40) Mode Channel 46 (UNII-1)	Polarization	Horizontal
-----------	---------------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		38361.000	50.83	9.96	60.79	77.70	-16.91	peak	
2		39395.000	50.30	10.34	60.64	83.50	-22.86	peak	
3	*	39395.000	40.91	10.34	51.25	63.50	-12.25	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.450	16.400
40	5200	20.350	16.400
48	5240	20.750	16.400

CH36




Date: 18.JUN.2025 17:14:13

CH40
26 dB Bandwidth




Date: 18.JUN.2025 17:24:09

CH48




Date: 18.JUN.2025 17:35:46


99 % Occupied Bandwidth



Date: 18.JUN.2025 17:13:37



Date: 18.JUN.2025 17:23:34




Date: 18.JUN.2025 17:16:34

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.760	17.640
40	5200	20.640	17.640
48	5240	21.000	17.640

CH36




Date: 26.JUN.2025 14:13:27

CH40
26 dB Bandwidth




Date: 26.JUN.2025 14:14:45

CH48




Date: 26.JUN.2025 14:15:33


99 % Occupied Bandwidth



Date: 26.JUN.2025 14:13:39



Date: 26.JUN.2025 14:14:57




Date: 26.JUN.2025 14:15:46


Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.200	36.400
46	5230	39.600	36.200



CH38



CH46
26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	13.520	76.400

CH42 26 dB Bandwidth



Date: 26.JUN.2025 14:38:21

99 % Occupied Bandwidth




Date: 26.JUN.2025 14:38:33

Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.000	19.000
40	5200	20.950	19.000
48	5240	21.209	19.000

CH36




Date: 18 JUN 2025 17:40:27

CH40
26 dB Bandwidth




Date: 18 JUN 2025 17:41:29

CH48




Date: 18 JUN 2025 17:42:51


99 % Occupied Bandwidth



Date: 18 JUN 2025 17:39:51



Date: 18 JUN 2025 17:40:53




Date: 18 JUN 2025 17:42:16

Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.700	38.000
46	5230	40.100	38.000

CH38




Date: 18.JUN.2025 17:48:54

CH46
26 dB Bandwidth




Date: 18.JUN.2025 17:49:40

99 % Occupied Bandwidth




Date: 18.JUN.2025 17:48:18




Date: 18.JUN.2025 17:49:04

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	108.390	78.400



Date: 18.JUN.2025 17:57:21




Date: 18.JUN.2025 17:56:00

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.760	17.760
60	5300	20.640	17.640
64	5320	20.640	17.640

CH52




Date: 26.JUN.2025 14:18:12

CH60
26 dB Bandwidth




Date: 26.JUN.2025 14:19:09

CH64




Date: 26.JUN.2025 14:20:16


99 % Occupied Bandwidth



Date: 26.JUN.2025 14:18:25



Date: 26.JUN.2025 14:19:21




Date: 26.JUN.2025 14:20:28

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.600	36.200
62	5310	39.400	36.200

CH54




Date: 26.JUN.2025 14:29:45

CH62
26 dB Bandwidth




Date: 26.JUN.2025 14:30:24

99 % Occupied Bandwidth



Date: 26.JUN.2025 14:29:58




Date: 26.JUN.2025 14:30:37

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.600	75.600

CH58 26 dB Bandwidth



Date: 26.JUN.2025 14:41:28

99 % Occupied Bandwidth




Date: 26.JUN.2025 14:41:41

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.150	19.000
60	5300	21.289	19.000
64	5320	21.100	19.000

CH52




Date: 18.JUN.2025 17:43:49

CH60
26 dB Bandwidth




Date: 18.JUN.2025 17:44:34

CH64




Date: 18.JUN.2025 17:45:19


99 % Occupied Bandwidth



Date: 18.JUN.2025 17:43:15



Date: 18.JUN.2025 17:43:59




Date: 18.JUN.2025 17:44:44

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.409	38.000
62	5310	40.300	38.000

CH54




Date: 18.JUN.2025 17:51:08

CH62
26 dB Bandwidth




Date: 18.JUN.2025 17:51:54

99 % Occupied Bandwidth



Date: 18.JUN.2025 17:50:33




Date: 18.JUN.2025 17:51:19

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	82.600	76.800

CH58 26 dB Bandwidth



Date: 18.JUN.2025 17:58:16

99 % Occupied Bandwidth




Date: 18.JUN.2025 17:57:31

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	163.200	154.000

CH50 26 dB Bandwidth



Date: 26.JUN.2025 14:45:11

99 % Occupied Bandwidth




Date: 26.JUN.2025 14:45:23

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	162.400	156.000

CH50 26 dB Bandwidth



Date: 10.JUN.2025 18:29:31

99 % Occupied Bandwidth




Date: 10.JUN.2025 18:28:41

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.099	16.400
116	5580	20.099	16.400
140	5700	20.389	16.400

CH100




Date: 18.JUN.2025 17:29:26

CH116
26 dB Bandwidth




Date: 18.JUN.2025 17:30:54

CH140




Date: 18.JUN.2025 17:34:31


99 % Occupied Bandwidth



Date: 18.JUN.2025 17:28:48



Date: 18.JUN.2025 17:29:59



Date: 18.JUN.2025 17:31:15