



Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.880	17.760
116	5580	20.880	17.640
140	5700	21.000	17.760


CH100






CH116
26 dB Bandwidth



CH140




99 % Occupied Bandwidth



Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.400	36.200
110	5550	39.400	36.200
134	5670	39.600	36.400

CH102




Date: 26.JUN.2025 14:31:04

CH110
26 dB Bandwidth




Date: 26.JUN.2025 14:31:44

CH134




Date: 26.JUN.2025 14:32:25


99 % Occupied Bandwidth



Date: 26.JUN.2025 14:31:17



Date: 26.JUN.2025 14:31:57




Date: 26.JUN.2025 14:32:37

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.200	75.200
122	5610	81.600	75.200

CH106




Date: 26.JUN.2025 14:42:14

CH122
26 dB Bandwidth




Date: 26.JUN.2025 14:42:53

99 % Occupied Bandwidth



Date: 26.JUN.2025 14:42:27




Date: 26.JUN.2025 14:43:06

Test Mode	UNII-2C_TX AC(VHT160) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	162.400	154.400

CH114 26 dB Bandwidth



Date: 26.JUN.2025 14:46:03

99 % Occupied Bandwidth




Date: 26.JUN.2025 14:46:16

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.090	19.000
116	5580	20.999	19.000
140	5700	20.699	19.000

CH100




Date: 18.JUN.2025 17:46:05

CH116
26 dB Bandwidth




Date: 18.JUN.2025 17:46:58

CH140




Date: 18.JUN.2025 17:48:04


99 % Occupied Bandwidth



Date: 18.JUN.2025 17:45:29



Date: 18.JUN.2025 17:46:23




Date: 18.JUN.2025 17:47:27

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.400	37.800
110	5550	40.100	38.000
134	5670	40.100	37.800

CH102




Date: 18.JUN.2025 17:52:41

CH110
26 dB Bandwidth




Date: 18.JUN.2025 17:53:39

CH134




Date: 18.JUN.2025 17:54:27


99 % Occupied Bandwidth



Date: 18.JUN.2025 17:52:04



Date: 18.JUN.2025 17:53:02




Date: 18.JUN.2025 17:53:50


Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.600	76.800
122	5610	82.200	76.800



CH106



CH122
26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode	UNII-2C_TX AX(HE160) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	162.402	155.200

CH114 26 dB Bandwidth



Date: 10.JUN.2025 18:30:25

99 % Occupied Bandwidth




Date: 10.JUN.2025 18:29:41

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.200	16.500	0.5	Complies
157	5785	15.050	16.500	0.5	Complies
165	5825	15.200	16.600	0.5	Complies

CH149




Date: 17.MAY.2025 11:59:33

CH157
6 dB Bandwidth




Date: 17.MAY.2025 12:00:38

CH165




Date: 17.MAY.2025 12:02:02


99 % Occupied Bandwidth



Date: 17.MAY.2025 11:58:53



Date: 17.MAY.2025 11:59:57




Date: 17.MAY.2025 12:01:21


Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.920	26.160	0.5	Complies
157	5785	17.520	24.120	0.5	Complies
165	5825	15.000	22.440	0.5	Complies


CH149






CH157
6 dB Bandwidth



CH165




99 % Occupied Bandwidth



Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.000	37.400	0.5	Complies
159	5795	35.200	37.200	0.5	Complies

CH151




Date: 26.JUN.2025 14:33:02

CH159
6 dB Bandwidth




Date: 26.JUN.2025 14:33:40

99 % Occupied Bandwidth



Date: 26.JUN.2025 14:33:15




Date: 26.JUN.2025 14:33:53

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	71.600	76.400	0.5	Complies

CH155 6 dB Bandwidth



Date: 26.JUN.2025 14:43:23

99 % Occupied Bandwidth




Date: 26.JUN.2025 14:43:36

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.750	18.900	0.5	Complies
157	5785	19.050	19.000	0.5	Complies
165	5825	15.650	19.000	0.5	Complies

CH149




Date: 17.MAY.2025 12:07:46

CH157
6 dB Bandwidth




Date: 17.MAY.2025 12:08:48

CH165




Date: 17.MAY.2025 12:09:57


99 % Occupied Bandwidth



Date: 17.MAY.2025 12:07:09



Date: 17.MAY.2025 12:08:11




Date: 17.MAY.2025 12:09:16

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.790	38.200	0.5	Complies
159	5795	36.790	38.200	0.5	Complies

CH151




Date: 17.MAY.2025 12:18:36

CH159
6 dB Bandwidth




Date: 17.MAY.2025 12:16:56

99 % Occupied Bandwidth



Date: 17.MAY.2025 12:17:53



Date: 17.MAY.2025 12:16:13

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.07	0.00	21.07	30.00	1.0000	Complies
40	5200	21.31	0.00	21.31	30.00	1.0000	Complies
48	5240	23.57	0.00	23.57	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.39	0.00	20.39	30.00	1.0000	Complies
40	5200	20.69	0.00	20.69	30.00	1.0000	Complies
48	5240	23.74	0.00	23.74	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.75	30.00	1.0000	Complies
40	5200	24.02	30.00	1.0000	Complies
48	5240	26.67	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.27	0.00	21.27	30.00	1.0000	Complies
40	5200	22.14	0.00	22.14	30.00	1.0000	Complies
48	5240	23.34	0.00	23.34	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.52	0.00	21.52	30.00	1.0000	Complies
40	5200	22.27	0.00	22.27	30.00	1.0000	Complies
48	5240	23.87	0.00	23.87	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.41	30.00	1.0000	Complies
40	5200	25.22	30.00	1.0000	Complies
48	5240	26.62	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.44	0.00	20.44	30.00	1.0000	Complies
46	5230	23.86	0.00	23.86	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.06	0.00	20.06	30.00	1.0000	Complies
46	5230	23.49	0.00	23.49	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.26	30.00	1.0000	Complies
46	5230	26.69	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.75	0.00	18.75	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.04	0.00	18.04	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.42	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.98	0.00	20.98	30.00	1.0000	Complies
40	5200	20.79	0.00	20.79	30.00	1.0000	Complies
48	5240	23.52	0.00	23.52	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.13	0.00	20.13	30.00	1.0000	Complies
40	5200	20.12	0.00	20.12	30.00	1.0000	Complies
48	5240	23.30	0.00	23.30	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.59	30.00	1.0000	Complies
40	5200	23.48	30.00	1.0000	Complies
48	5240	26.42	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.13	0.00	21.13	30.00	1.0000	Complies
46	5230	21.81	0.00	21.81	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.29	0.00	21.29	30.00	1.0000	Complies
46	5230	22.17	0.00	22.17	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.22	30.00	1.0000	Complies
46	5230	25.00	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.03	0.00	19.03	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.48	0.00	19.48	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.27	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.12	0.00	18.12	23.98	0.2500	Complies
60	5300	17.83	0.00	17.83	23.98	0.2500	Complies
64	5320	17.96	0.00	17.96	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.62	0.00	18.62	23.98	0.2500	Complies
60	5300	18.23	0.00	18.23	23.98	0.2500	Complies
64	5320	18.01	0.00	18.01	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.39	23.98	0.2500	Complies
60	5300	21.04	23.98	0.2500	Complies
64	5320	21.00	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.63	0.00	16.63	23.98	0.2500	Complies
60	5300	17.37	0.00	17.37	23.98	0.2500	Complies
64	5320	17.51	0.00	17.51	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.79	0.00	17.79	23.98	0.2500	Complies
60	5300	18.19	0.00	18.19	23.98	0.2500	Complies
64	5320	18.13	0.00	18.13	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.26	23.98	0.2500	Complies
60	5300	20.81	23.98	0.2500	Complies
64	5320	20.84	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.13	0.00	20.13	23.98	0.2500	Complies
62	5310	20.55	0.00	20.55	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.62	0.00	20.62	23.98	0.2500	Complies
62	5310	20.78	0.00	20.78	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.39	23.98	0.2500	Complies
62	5310	23.68	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.07	0.00	18.07	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.47	0.00	18.47	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.28	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.36	0.00	17.36	23.98	0.2500	Complies
60	5300	17.65	0.00	17.65	23.98	0.2500	Complies
64	5320	17.79	0.00	17.79	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.92	0.00	17.92	23.98	0.2500	Complies
60	5300	17.95	0.00	17.95	23.98	0.2500	Complies
64	5320	17.85	0.00	17.85	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.66	23.98	0.2500	Complies
60	5300	20.81	23.98	0.2500	Complies
64	5320	20.83	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.14	0.00	20.14	23.98	0.2500	Complies
62	5310	20.54	0.00	20.54	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.17	0.00	21.17	23.98	0.2500	Complies
62	5310	21.24	0.00	21.24	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.70	23.98	0.2500	Complies
62	5310	23.91	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.11	0.00	18.11	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.83	0.00	18.83	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.50	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.69	0.00	16.69	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.71	0.00	16.71	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.71	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.15	0.00	16.15	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.66	0.00	16.66	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.42	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.29	0.00	17.29	23.98	0.2500	Complies
116	5580	17.88	0.00	17.88	23.98	0.2500	Complies
140	5700	17.51	0.00	17.51	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.34	0.00	17.34	23.98	0.2500	Complies
116	5580	16.73	0.00	16.73	23.98	0.2500	Complies
140	5700	16.85	0.00	16.85	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.33	23.98	0.2500	Complies
116	5580	20.35	23.98	0.2500	Complies
140	5700	20.20	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.39	0.00	17.39	23.98	0.2500	Complies
116	5580	17.93	0.00	17.93	23.98	0.2500	Complies
140	5700	17.79	0.00	17.79	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.27	0.00	18.27	23.98	0.2500	Complies
116	5580	17.57	0.00	17.57	23.98	0.2500	Complies
140	5700	17.35	0.00	17.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.86	23.98	0.2500	Complies
116	5580	20.76	23.98	0.2500	Complies
140	5700	20.59	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.89	0.00	19.89	23.98	0.2500	Complies
110	5550	20.01	0.00	20.01	23.98	0.2500	Complies
134	5670	20.51	0.00	20.51	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.01	0.00	20.01	23.98	0.2500	Complies
110	5550	19.96	0.00	19.96	23.98	0.2500	Complies
134	5670	20.38	0.00	20.38	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.96	23.98	0.2500	Complies
110	5550	23.00	23.98	0.2500	Complies
134	5670	23.46	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.25	0.00	20.25	23.98	0.2500	Complies
122	5610	20.71	0.00	20.71	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.68	0.00	20.68	23.98	0.2500	Complies
122	5610	20.35	0.00	20.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.48	23.98	0.2500	Complies
122	5610	23.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.01	0.00	16.01	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.84	0.00	15.84	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	18.94	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.66	0.00	17.66	23.98	0.2500	Complies
116	5580	17.86	0.00	17.86	23.98	0.2500	Complies
140	5700	18.02	0.00	18.02	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.03	0.00	18.03	23.98	0.2500	Complies
116	5580	17.75	0.00	17.75	23.98	0.2500	Complies
140	5700	17.45	0.00	17.45	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.86	23.98	0.2500	Complies
116	5580	20.82	23.98	0.2500	Complies
140	5700	20.75	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.32	0.00	20.32	23.98	0.2500	Complies
110	5550	20.42	0.00	20.42	23.98	0.2500	Complies
134	5670	20.51	0.00	20.51	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.45	0.00	20.45	23.98	0.2500	Complies
110	5550	19.91	0.00	19.91	23.98	0.2500	Complies
134	5670	20.07	0.00	20.07	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.40	23.98	0.2500	Complies
110	5550	23.18	23.98	0.2500	Complies
134	5670	23.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.23	0.00	20.23	23.98	0.2500	Complies
122	5610	20.32	0.00	20.32	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.51	0.00	20.51	23.98	0.2500	Complies
122	5610	20.73	0.00	20.73	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.38	23.98	0.2500	Complies
122	5610	23.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.91	0.00	15.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.78	0.00	15.78	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	18.86	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.88	0.00	19.88	30.00	1.0000	Complies
157	5785	21.02	0.00	21.02	30.00	1.0000	Complies
165	5825	22.01	0.00	22.01	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.05	0.00	19.05	30.00	1.0000	Complies
157	5785	20.21	0.00	20.21	30.00	1.0000	Complies
165	5825	21.19	0.00	21.19	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.50	30.00	1.0000	Complies
157	5785	23.64	30.00	1.0000	Complies
165	5825	24.63	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.23	0.00	20.23	30.00	1.0000	Complies
157	5785	20.39	0.00	20.39	30.00	1.0000	Complies
165	5825	22.62	0.00	22.62	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.12	0.00	20.12	30.00	1.0000	Complies
157	5785	20.21	0.00	20.21	30.00	1.0000	Complies
165	5825	22.07	0.00	22.07	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.19	30.00	1.0000	Complies
157	5785	23.31	30.00	1.0000	Complies
165	5825	25.36	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.84	0.00	22.84	30.00	1.0000	Complies
159	5795	22.19	0.00	22.19	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.32	0.00	22.32	30.00	1.0000	Complies
159	5795	21.32	0.00	21.32	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.60	30.00	1.0000	Complies
159	5795	24.79	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.84	0.00	22.84	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.19	0.00	22.19	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.54	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.55	0.00	19.55	30.00	1.0000	Complies
157	5785	20.41	0.00	20.41	30.00	1.0000	Complies
165	5825	21.38	0.00	21.38	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.19	0.00	19.19	30.00	1.0000	Complies
157	5785	20.19	0.00	20.19	30.00	1.0000	Complies
165	5825	21.13	0.00	21.13	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.38	30.00	1.0000	Complies
157	5785	23.31	30.00	1.0000	Complies
165	5825	24.27	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.87	0.00	21.87	30.00	1.0000	Complies
159	5795	22.86	0.00	22.86	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.89	0.00	20.89	30.00	1.0000	Complies
159	5795	22.01	0.00	22.01	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.42	30.00	1.0000	Complies
159	5795	25.47	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.62	0.00	22.62	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.05	0.00	22.05	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.35	30.00	1.0000	Complies

Note: Output power = Measure result + Cable loss


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.55	0.00	13.55	17.00	Complies
40	5200	13.57	0.00	13.57	17.00	Complies
48	5240	13.94	0.00	13.94	17.00	Complies



Date: 31.JUL.2025 10:44:06




Date: 31.JUL.2025 10:47:25




Date: 31.JUL.2025 10:51:26

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.66	0.00	13.66	17.00	Complies
40	5200	13.43	0.00	13.43	17.00	Complies
48	5240	13.96	0.00	13.96	17.00	Complies



Date: 31.JUL.2025 10:43:24



Date: 31.JUL.2025 10:49:22




Date: 31.JUL.2025 10:52:09

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.62	17.00	Complies
40	5200	16.51	17.00	Complies
48	5240	16.96	17.00	Complies


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.50	0.00	13.50	17.00	Complies
40	5200	13.64	0.00	13.64	17.00	Complies
48	5240	14.06	0.00	14.06	17.00	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.72	0.00	13.72	17.00	Complies
40	5200	13.70	0.00	13.70	17.00	Complies
48	5240	13.83	0.00	13.83	17.00	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.62	17.00	Complies
40	5200	16.68	17.00	Complies
48	5240	16.96	17.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.75	0.00	13.75	17.00	Complies
46	5230	13.53	0.00	13.53	17.00	Complies




Date: 2.AUG.2025 10:59:46




Date: 2.AUG.2025 11:11:00

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.94	0.00	13.94	17.00	Complies
46	5230	13.28	0.00	13.28	17.00	Complies



Date: 2.AUG.2025 10:59:01




Date: 2.AUG.2025 11:07:52

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	16.86	17.00	Complies
46	5230	16.42	17.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.44	0.00	11.44	17.00	Complies



Date: 2.AUG.2025 11:31:28

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.69	0.00	11.69	17.00	Complies




Date: 2.AUG.2025 11:30:33

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	14.58	17.00	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.17	0.00	14.17	17.00	Complies
40	5200	13.99	0.00	13.99	17.00	Complies
48	5240	13.44	0.00	13.44	17.00	Complies



Date: 31.JUL.2025 11:32:16




Date: 31.JUL.2025 11:33:01




Date: 31.JUL.2025 11:37:18

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.42	0.00	13.42	17.00	Complies
40	5200	13.38	0.00	13.38	17.00	Complies
48	5240	13.55	0.00	13.55	17.00	Complies



Date: 31.JUL.2025 11:31:26



Date: 31.JUL.2025 11:33:41




Date: 31.JUL.2025 11:37:57

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.82	17.00	Complies
40	5200	16.71	17.00	Complies
48	5240	16.51	17.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.79	0.00	13.79	17.00	Complies
46	5230	13.36	0.00	13.36	17.00	Complies




Date: 31.JUL.2025 12:04:39




Date: 31.JUL.2025 12:06:58

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.81	0.00	13.81	17.00	Complies
46	5230	13.76	0.00	13.76	17.00	Complies



Date: 31.JUL.2025 12:05:28




Date: 31.JUL.2025 12:06:13

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	16.81	17.00	Complies
46	5230	16.57	17.00	Complies


Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.56	0.00	11.56	17.00	Complies



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.09	0.00	11.09	17.00	Complies






Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	14.34	17.00	Complies




Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.08	0.00	8.08	11.00	Complies
60	5300	7.99	0.00	7.99	11.00	Complies
64	5320	7.90	0.00	7.90	11.00	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.80	0.00	7.80	11.00	Complies
60	5300	7.50	0.00	7.50	11.00	Complies
64	5320	7.63	0.00	7.63	11.00	Complies






Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.95	11.00	Complies
60	5300	10.76	11.00	Complies
64	5320	10.78	11.00	Complies




Test Mode UNII-2A_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.78	0.00	7.78	11.00	Complies
60	5300	7.86	0.00	7.86	11.00	Complies
64	5320	7.66	0.00	7.66	11.00	Complies



Test Mode UNII-2A_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.16	0.00	7.16	11.00	Complies
60	5300	7.43	0.00	7.43	11.00	Complies
64	5320	7.34	0.00	7.34	11.00	Complies





Test Mode UNII-2A_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.49	11.00	Complies
60	5300	10.66	11.00	Complies
64	5320	10.51	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	8.07	0.00	8.07	11.00	Complies
62	5310	7.60	0.00	7.60	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.68	0.00	7.68	11.00	Complies
62	5310	8.00	0.00	8.00	11.00	Complies




Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	10.89	11.00	Complies
62	5310	10.81	11.00	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	7.68	0.00	7.68	11.00	Complies



Date: 2.AUG.2025 11:36:49

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	7.65	0.00	7.65	11.00	Complies




Date: 2.AUG.2025 11:37:32

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	10.68	11.00	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.74	0.00	7.74	11.00	Complies
60	5300	7.47	0.00	7.47	11.00	Complies
64	5320	7.69	0.00	7.69	11.00	Complies



Date: 31.JUL.2025 11:40:17




Date: 31.JUL.2025 11:42:02




Date: 31.JUL.2025 11:44:30

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.33	0.00	7.33	11.00	Complies
60	5300	7.77	0.00	7.77	11.00	Complies
64	5320	7.67	0.00	7.67	11.00	Complies



Date: 31.JUL.2025 11:41:03



Date: 31.JUL.2025 11:42:54




Date: 31.JUL.2025 11:43:48

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.55	11.00	Complies
60	5300	10.63	11.00	Complies
64	5320	10.69	11.00	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.31	0.00	7.31	11.00	Complies
62	5310	7.70	0.00	7.70	11.00	Complies




Date: 31.JUL.2025 12:10:45




Date: 31.JUL.2025 12:12:21

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.73	0.00	7.73	11.00	Complies
62	5310	7.99	0.00	7.99	11.00	Complies



Date: 31.JUL.2025 12:10:03




Date: 31.JUL.2025 12:13:06

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	10.54	11.00	Complies
62	5310	10.86	11.00	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	8.13	0.00	8.13	11.00	Complies



Date: 31.JUL.2025 13:41:14

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	7.78	0.00	7.78	11.00	Complies




Date: 31.JUL.2025 13:41:57

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	10.97	11.00	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	8.12	0.00	8.12	11.00	Complies



Date: 2.AUG.2025 11:52:56

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	7.33	0.00	7.33	11.00	Complies





Date: 2.AUG.2025 11:52:15

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	10.75	11.00	Complies

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	7.76	0.00	7.76	11.00	Complies




Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.16	0.00	8.16	11.00	Complies
116	5580	7.49	0.00	7.49	11.00	Complies
140	5700	7.49	0.00	7.49	11.00	Complies



Date: 31.JUL.2025 11:06:33




Date: 31.JUL.2025 11:09:40




Date: 31.JUL.2025 11:13:27

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.52	0.00	7.52	11.00	Complies
116	5580	8.04	0.00	8.04	11.00	Complies
140	5700	8.15	0.00	8.15	11.00	Complies



Date: 31.JUL.2025 11:05:56



Date: 31.JUL.2025 11:08:56




Date: 31.JUL.2025 11:14:08

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.86	11.00	Complies
116	5580	10.78	11.00	Complies
140	5700	10.84	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.26	0.00	8.26	11.00	Complies
116	5580	7.57	0.00	7.57	11.00	Complies
140	5700	7.53	0.00	7.53	11.00	Complies



Date: 2.AUG.2025 10:45:00




Date: 2.AUG.2025 10:46:33




Date: 2.AUG.2025 10:49:58

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.33	0.00	7.33	11.00	Complies
116	5580	7.73	0.00	7.73	11.00	Complies
140	5700	7.68	0.00	7.68	11.00	Complies



Date: 2.AUG.2025 10:44:01



Date: 2.AUG.2025 10:47:13



Date: 2.AUG.2025 10:49:15

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.83	11.00	Complies
116	5580	10.66	11.00	Complies
140	5700	10.62	11.00	Complies