



Test Mode UNII-2C_TX AC(VHT40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	8.14	0.00	8.14	11.00	Complies
110	5550	7.44	0.00	7.44	11.00	Complies
134	5670	7.78	0.00	7.78	11.00	Complies



Date: 2.AUG.2025 11:17:39




Date: 2.AUG.2025 11:21:33




Date: 2.AUG.2025 11:23:36

Test Mode UNII-2C_TX AC(VHT40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.21	0.00	7.21	11.00	Complies
110	5550	7.25	0.00	7.25	11.00	Complies
134	5670	7.86	0.00	7.86	11.00	Complies



Date: 2.AUG.2025 11:18:24



Date: 2.AUG.2025 11:19:54




Date: 2.AUG.2025 11:24:21

Test Mode UNII-2C_TX AC(VHT40) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	10.71	11.00	Complies
110	5550	10.36	11.00	Complies
134	5670	10.83	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	7.83	0.00	7.83	11.00	Complies
122	5610	7.34	0.00	7.34	11.00	Complies




Date: 2.AUG.2025 11:42:03




Date: 2.AUG.2025 11:46:11

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	7.27	0.00	7.27	11.00	Complies
122	5610	7.40	0.00	7.40	11.00	Complies



Date: 2.AUG.2025 11:43:10




Date: 2.AUG.2025 11:45:30

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	10.57	11.00	Complies
122	5610	10.38	11.00	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.39	0.00	7.39	11.00	Complies
116	5580	7.60	0.00	7.60	11.00	Complies
140	5700	7.66	0.00	7.66	11.00	Complies



Date: 31.JUL.2025 11:47:52




Date: 31.JUL.2025 11:49:08




Date: 31.JUL.2025 11:53:46

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.40	0.00	8.40	11.00	Complies
116	5580	7.64	0.00	7.64	11.00	Complies
140	5700	7.65	0.00	7.65	11.00	Complies



Date: 31.JUL.2025 11:47:13



Date: 31.JUL.2025 11:49:45



Date: 31.JUL.2025 11:52:56


Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.93	11.00	Complies
116	5580	10.63	11.00	Complies
140	5700	10.67	11.00	Complies

Test Mode UNII-2C_TX AX(HE40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.28	0.00	7.28	11.00	Complies
110	5550	7.28	0.00	7.28	11.00	Complies
134	5670	7.52	0.00	7.52	11.00	Complies

CH102




Date: 31.JUL.2025 13:22:53

CH110



Date: 31.JUL.2025 13:27:03

CH134




Date: 31.JUL.2025 13:29:51

Test Mode UNII-2C_TX AX(HE40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	8.35	0.00	8.35	11.00	Complies
110	5550	7.58	0.00	7.58	11.00	Complies
134	5670	7.66	0.00	7.66	11.00	Complies

CH102




Date: 31.JUL.2025 13:22:11

CH110



Date: 31.JUL.2025 13:27:46

CH134




Date: 31.JUL.2025 13:30:34

Test Mode UNII-2C_TX AX(HE40) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	10.86	11.00	Complies
110	5550	10.44	11.00	Complies
134	5670	10.60	11.00	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	7.12	0.00	7.12	11.00	Complies
122	5610	7.47	0.00	7.47	11.00	Complies




Date: 31.JUL.2025 13:47:23




Date: 31.JUL.2025 13:54:22

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	7.87	0.00	7.87	11.00	Complies
122	5610	7.48	0.00	7.48	11.00	Complies



Date: 31.JUL.2025 13:48:16




Date: 31.JUL.2025 13:55:10

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	10.52	11.00	Complies
122	5610	10.49	11.00	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	7.82	0.00	7.82	11.00	Complies



Date: 31.JUL.2025 14:02:14

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	7.43	0.00	7.43	11.00	Complies



Date: 31.JUL.2025 14:02:58


Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	10.64	11.00	Complies

Test Mode UNII-3_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.73	0.00	15.73	30.00	Complies
157	5785	15.44	0.00	15.44	30.00	Complies
165	5825	15.67	0.00	15.67	30.00	Complies

CH149




Date: 31.JUL.2025 11:24:48

CH157



Date: 31.JUL.2025 11:25:09

CH165




Date: 31.JUL.2025 11:24:17

Test Mode UNII-3_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.16	0.00	15.16	30.00	Complies
157	5785	14.69	0.00	14.69	30.00	Complies
165	5825	15.24	0.00	15.24	30.00	Complies

CH149




Date: 31.JUL.2025 11:22:11

CH157



Date: 31.JUL.2025 11:22:38

CH165



Date: 31.JUL.2025 11:22:58


Test Mode UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	18.46	30.00	Complies
157	5785	18.09	30.00	Complies
165	5825	18.47	30.00	Complies

Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.67	0.00	14.67	30.00	Complies
157	5785	14.33	0.00	14.33	30.00	Complies
165	5825	14.96	0.00	14.96	30.00	Complies

CH149




Date: 2.AUG.2025 10:51:56

CH157



Date: 2.AUG.2025 10:54:52

CH165




Date: 2.AUG.2025 10:55:44

Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.02	0.00	15.02	30.00	Complies
157	5785	14.89	0.00	14.89	30.00	Complies
165	5825	15.11	0.00	15.11	30.00	Complies

CH149




Date: 2.AUG.2025 10:52:53

CH157



Date: 2.AUG.2025 10:54:15

CH165



Date: 2.AUG.2025 10:56:21


Test Mode UNII-3_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	17.86	30.00	Complies
157	5785	17.63	30.00	Complies
165	5825	18.05	30.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.17	0.00	11.17	30.00	Complies
159	5795	10.91	0.00	10.91	30.00	Complies

CH151



Date: 2.AUG.2025 11:27:26

CH159




Date: 2.AUG.2025 11:28:20

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.16	0.00	12.16	30.00	Complies
159	5795	11.56	0.00	11.56	30.00	Complies

CH151



Date: 2.AUG.2025 11:28:19

CH159




Date: 2.AUG.2025 11:29:19

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	14.70	30.00	Complies
159	5795	14.26	30.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.75	0.00	7.75	30.00	Complies



Date: 2.AUG.2025 11:47:57

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.57	0.00	8.57	30.00	Complies




Date: 2.AUG.2025 11:48:38

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	11.19	30.00	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.96	0.00	13.96	30.00	Complies
157	5785	13.75	0.00	13.75	30.00	Complies
165	5825	14.19	0.00	14.19	30.00	Complies



Date: 31.JUL.2025 11:54:37




Date: 31.JUL.2025 11:55:25




Date: 31.JUL.2025 11:55:58

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.85	0.00	13.85	30.00	Complies
157	5785	13.36	0.00	13.36	30.00	Complies
165	5825	13.96	0.00	13.96	30.00	Complies



Date: 31.JUL.2025 11:57:20



Date: 31.JUL.2025 11:58:25



Date: 31.JUL.2025 11:56:47


Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	16.92	30.00	Complies
157	5785	16.57	30.00	Complies
165	5825	17.09	30.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.59	0.00	11.59	30.00	Complies
159	5795	11.26	0.00	11.26	30.00	Complies

CH151



Date: 31.JUL.2025 13:33:16

CH159




Date: 31.JUL.2025 13:32:43

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	10.80	0.00	10.80	30.00	Complies
159	5795	10.39	0.00	10.39	30.00	Complies

CH151



Date: 31.JUL.2025 13:31:24

CH159




Date: 31.JUL.2025 13:32:03

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	14.22	30.00	Complies
159	5795	13.86	30.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.08	0.00	9.08	30.00	Complies



Date: 31.JUL.2025 13:56:40

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.10	0.00	8.10	30.00	Complies



Date: 31.JUL.2025 13:56:00

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	11.63	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
132	5179.9960
120	5179.9960
108	5179.9972
Maximum Deviation (MHz)	0.0040
Maximum Deviation (ppm)	0.7722

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5180.0036
10	5180.0044
20	5180.0020
30	5180.0008
40	5179.9992
Maximum Deviation (MHz)	0.0044
Maximum Deviation (ppm)	0.8494

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
132	5259.9836
120	5259.9776
108	5259.9740
Maximum Deviation (MHz)	0.0260
Maximum Deviation (ppm)	4.9430

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5260.0020
10	5260.0048
20	5259.9996
30	5259.9980
40	5260.0040
Maximum Deviation (MHz)	0.0048
Maximum Deviation (ppm)	0.9125

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
132	5500.0124
120	5500.0100
108	5500.0028
Maximum Deviation (MHz)	0.0124
Maximum Deviation (ppm)	2.2545

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5499.9976
10	5499.9972
20	5499.9964
30	5499.9964
40	5499.9960
Maximum Deviation (MHz)	0.0040
Maximum Deviation (ppm)	0.7273

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138	5744.9604
120	5744.9604
102	5744.9604
Maximum Deviation (MHz)	0.0396
Maximum Deviation (ppm)	6.8930

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9608
10	5744.9612
20	5744.9608
30	5744.9612
40	5744.9604
Maximum Deviation (MHz)	0.0396
Maximum Deviation (ppm)	6.8930

End of Test Report