



802.11a CH48



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1028.875000	---	36.75	54.00	17.25	500.0	200.0	V	153.0	-10.6
1264.250000	40.81	---	68.20	27.39	500.0	100.0	H	75.0	-8.5
1685.125000	---	32.03	54.00	21.97	500.0	200.0	H	0.0	-6.0
1984.375000	44.56	---	68.20	23.64	500.0	100.0	H	14.0	-4.6
2400.000000	48.75	---	68.20	19.45	500.0	200.0	V	115.0	-2.5
2792.875000	---	36.65	54.00	17.35	500.0	200.0	H	278.0	-1.3
3596.125000	51.39	---	68.20	16.81	500.0	100.0	H	23.0	1.8
3996.000000	---	40.79	54.00	13.21	500.0	100.0	H	57.0	3.2
4482.500000	52.18	---	68.20	16.02	500.0	100.0	V	3.0	3.8
5054.750000	---	47.00	54.00	7.00	500.0	100.0	V	153.0	4.9
6846.750000	56.36	---	68.20	11.84	500.0	100.0	V	287.0	6.8
7299.125000	---	43.84	54.00	10.16	500.0	200.0	H	297.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	33.97	54.00	20.03	500.0	200.0	V	63.0	-2.4
8747.500000	43.16	---	68.20	25.04	500.0	200.0	H	227.0	-1.7
9472.500000	---	33.63	54.00	20.37	500.0	200.0	H	84.0	-0.1
9807.500000	47.32	---	68.20	20.88	500.0	200.0	V	8.0	-0.4
10480.000000	66.84	---	68.20	1.36	500.0	200.0	V	14.0	-1.0
11581.250000	---	33.37	54.00	20.64	500.0	200.0	H	12.0	-0.5
13336.250000	---	34.84	54.00	19.16	500.0	200.0	H	284.0	2.3
13543.750000	46.29	---	68.20	21.91	500.0	200.0	V	0.0	2.9
15713.750000	63.60	---	74.00	10.40	500.0	200.0	H	189.0	6.6
15713.750000	---	52.46	54.00	1.54	500.0	200.0	H	189.0	6.6
17656.250000	52.34	---	68.20	15.86	500.0	200.0	V	0.0	10.2
17923.750000	---	41.18	54.00	12.82	500.0	200.0	V	115.0	10.2

802.11a CH52



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1048.125000	---	35.55	54.00	18.45	500.0	200.0	V	155.0	-10.5
1266.000000	42.51	---	68.20	25.69	500.0	200.0	H	351.0	-8.5
1707.875000	---	32.13	54.00	21.87	500.0	100.0	H	129.0	-5.9
1972.125000	45.81	---	68.20	22.39	500.0	200.0	V	36.0	-4.7
2644.125000	47.99	---	68.20	20.21	500.0	200.0	H	308.0	-2.0
2811.250000	---	36.55	54.00	17.45	500.0	200.0	H	172.0	-1.2
3530.500000	51.60	---	68.20	16.60	500.0	200.0	H	0.0	1.7
3997.750000	---	40.75	54.00	13.25	500.0	200.0	H	237.0	3.2
4454.500000	51.92	---	68.20	16.28	500.0	100.0	H	13.0	3.6
5074.875000	---	45.73	54.00	8.27	500.0	100.0	V	159.0	5.1
6994.625000	56.67	---	68.20	11.53	500.0	100.0	H	21.0	7.1
7334.125000	---	43.91	54.00	10.09	500.0	200.0	H	286.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.49	54.00	19.51	500.0	200.0	V	347.0	-2.4
8871.250000	43.55	---	68.20	24.65	500.0	200.0	V	347.0	-1.4
9475.000000	---	33.57	54.00	20.43	500.0	200.0	H	138.0	0.0
9807.500000	46.80	---	68.20	21.40	500.0	200.0	V	194.0	-0.4
10522.500000	66.62	---	68.20	1.58	500.0	200.0	V	357.0	-1.0
10666.250000	---	33.29	54.00	20.71	500.0	200.0	H	129.0	-0.8
13326.250000	---	34.87	54.00	19.13	500.0	200.0	H	58.0	2.3
13651.250000	45.90	---	68.20	22.30	500.0	200.0	V	179.0	3.1
15773.750000	59.99	---	74.00	14.01	500.0	200.0	H	189.0	6.8
15775.000000	---	50.77	54.00	3.23	500.0	200.0	H	189.0	6.8
17443.750000	51.19	---	68.20	17.01	500.0	200.0	V	295.0	9.7
17915.000000	---	41.21	54.00	12.79	500.0	200.0	H	269.0	10.1

802.11a CH60



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1087.500000	---	31.21	54.00	22.79	500.0	200.0	V	157.0	-10.2
1254.625000	42.21	---	68.20	25.99	500.0	200.0	H	196.0	-8.6
1719.250000	---	32.04	54.00	21.96	500.0	200.0	H	330.0	-5.9
1969.500000	45.09	---	68.20	23.11	500.0	200.0	H	297.0	-4.7
2659.875000	47.16	---	68.20	21.04	500.0	200.0	V	75.0	-1.9
2738.625000	---	36.74	54.00	17.26	500.0	200.0	H	274.0	-1.5
3589.125000	51.40	---	68.20	16.80	500.0	200.0	H	301.0	1.8
3970.625000	---	40.76	54.00	13.24	500.0	200.0	H	237.0	3.0
4479.000000	51.65	---	68.20	16.55	500.0	200.0	H	228.0	3.7
5109.000000	---	44.22	54.00	9.78	500.0	200.0	V	27.0	5.1
6985.875000	56.15	---	68.20	12.05	500.0	200.0	V	152.0	7.1
7292.125000	---	43.86	54.00	10.14	500.0	200.0	H	353.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	33.90	54.00	20.10	500.0	200.0	V	25.0	-2.4
8962.500000	43.50	---	68.20	24.70	500.0	200.0	V	5.0	-1.3
9483.750000	---	33.53	54.00	20.47	500.0	200.0	V	337.0	0.0
9807.500000	46.88	---	68.20	21.32	500.0	200.0	H	252.0	-0.4
10596.250000	61.84	---	68.20	6.36	500.0	200.0	V	21.0	-0.9
10602.500000	---	52.77	54.00	1.23	500.0	200.0	H	138.0	-0.8
13371.250000	---	34.85	54.00	19.15	500.0	200.0	H	200.0	2.4
13673.750000	46.03	---	68.20	22.17	500.0	200.0	H	28.0	3.1
15291.250000	48.35	---	68.20	19.85	500.0	200.0	H	75.0	5.6
15598.750000	---	37.85	54.00	16.15	500.0	200.0	H	329.0	6.5
15892.500000	---	47.05	54.00	6.95	500.0	200.0	H	186.0	6.6
17552.500000	51.56	---	68.20	16.64	500.0	200.0	V	176.0	10.0

802.11a CH64



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1292.250000	41.32	---	68.20	26.88	500.0	100.0	H	245.0	-8.2
1397.250000	---	30.50	54.00	23.50	500.0	100.0	H	46.0	-7.6
1720.125000	---	31.85	54.00	22.15	500.0	200.0	H	316.0	-5.9
1940.625000	44.95	---	68.20	23.25	500.0	200.0	H	197.0	-4.7
2606.500000	47.27	---	68.20	20.93	500.0	200.0	H	12.0	-2.0
2757.875000	---	36.50	54.00	17.50	500.0	100.0	V	15.0	-1.5
3448.250000	51.71	---	68.20	16.49	500.0	100.0	V	151.0	1.6
3996.875000	---	41.01	54.00	12.99	500.0	200.0	V	253.0	3.2
4492.125000	51.96	---	68.20	16.24	500.0	200.0	V	298.0	3.9
5135.250000	---	44.01	54.00	9.99	500.0	200.0	V	325.0	5.0
6983.250000	55.94	---	68.20	12.26	500.0	100.0	V	182.0	7.1
7258.875000	---	43.67	54.00	10.33	500.0	100.0	V	60.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.44	54.00	19.56	500.0	200.0	V	345.0	-2.4
8930.000000	43.49	---	68.20	24.71	500.0	200.0	V	249.0	-1.3
9473.750000	---	33.60	54.00	20.40	500.0	200.0	H	98.0	0.0
9807.500000	46.55	---	68.20	21.65	500.0	200.0	H	254.0	-0.4
10641.250000	57.06	---	74.00	16.94	500.0	200.0	V	355.0	-0.8
10641.250000	---	47.15	54.00	6.85	500.0	200.0	H	140.0	-0.8
13336.250000	---	34.84	54.00	19.16	500.0	200.0	H	254.0	2.3
13411.250000	45.95	---	68.20	22.25	500.0	200.0	H	15.0	2.4
15306.250000	48.64	---	68.20	19.56	500.0	200.0	H	277.0	5.6
15601.250000	---	38.01	54.00	15.99	500.0	200.0	H	113.0	6.5
15957.500000	---	41.86	54.00	12.14	500.0	200.0	H	57.0	6.8
17683.750000	53.07	---	68.20	15.13	500.0	200.0	H	254.0	10.3

802.11a CH100



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1300.125000	---	32.45	54.00	21.55	500.0	200.0	V	332.0	-8.2
1596.750000	---	31.86	54.00	22.14	500.0	200.0	V	332.0	-6.3
1973.875000	44.87	---	68.20	23.33	500.0	100.0	V	12.0	-4.7
2571.500000	48.12	---	68.20	20.08	500.0	100.0	V	7.0	-2.0
2769.250000	---	36.32	54.00	17.68	500.0	100.0	V	200.0	-1.4
3498.125000	52.76	---	68.20	15.44	500.0	200.0	V	309.0	1.8
3981.125000	---	40.61	54.00	13.39	500.0	100.0	V	0.0	3.1
4469.375000	52.33	---	68.20	15.87	500.0	100.0	V	29.0	3.7
4904.250000	---	43.00	54.00	11.00	500.0	200.0	V	146.0	4.6
5313.750000	53.42	---	68.20	14.78	500.0	100.0	V	200.0	5.3
6995.500000	55.70	---	68.20	12.50	500.0	100.0	V	38.0	7.1
7288.625000	---	43.86	54.00	10.14	500.0	100.0	V	29.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.14	54.00	19.86	500.0	200.0	V	34.0	-2.4
8842.500000	43.74	---	68.20	24.46	500.0	200.0	V	346.0	-1.4
9473.750000	---	33.49	54.00	20.51	500.0	200.0	H	219.0	0.0
9807.500000	47.23	---	68.20	20.97	500.0	200.0	H	253.0	-0.4
11002.500000	---	46.11	54.00	7.89	500.0	200.0	H	358.0	-0.8
11005.000000	56.66	---	74.00	17.34	500.0	200.0	H	357.0	-0.8
13320.000000	---	34.78	54.00	19.22	500.0	200.0	H	129.0	2.3
13722.500000	46.17	---	68.20	22.03	500.0	200.0	H	85.0	3.3
15252.500000	48.48	---	68.20	19.72	500.0	200.0	V	29.0	5.5
15600.000000	---	37.85	54.00	16.15	500.0	200.0	H	143.0	6.5
16501.250000	53.47	---	68.20	14.73	500.0	200.0	H	300.0	8.1
17918.750000	---	41.63	54.00	12.37	500.0	200.0	V	284.0	10.2

802.11a CH116



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.000000	43.63	---	68.20	24.57	500.0	200.0	V	11.0	-8.5
1371.875000	---	37.63	54.00	16.37	500.0	200.0	V	79.0	-7.7
1704.375000	---	31.75	54.00	22.25	500.0	100.0	H	241.0	-6.0
1972.125000	44.37	---	68.20	23.83	500.0	200.0	V	0.0	-4.7
2588.125000	46.74	---	68.20	21.46	500.0	200.0	H	203.0	-2.0
2822.625000	---	36.55	54.00	17.45	500.0	100.0	V	31.0	-1.2
3562.875000	51.22	---	68.20	16.98	500.0	100.0	V	313.0	1.7
3995.125000	---	40.55	54.00	13.45	500.0	200.0	V	178.0	3.2
5291.000000	53.25	---	68.20	14.95	500.0	100.0	V	40.0	5.3
5382.875000	---	45.00	54.00	9.00	500.0	100.0	V	157.0	5.1
6859.875000	55.86	---	68.20	12.34	500.0	100.0	V	0.0	6.8
7296.500000	---	43.60	54.00	10.40	500.0	100.0	V	72.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	33.88	54.00	20.12	500.0	200.0	V	28.0	-2.4
8965.000000	43.37	---	68.20	24.83	500.0	200.0	H	194.0	-1.3
9448.750000	---	33.44	54.00	20.56	500.0	200.0	H	137.0	-0.3
9807.500000	46.59	---	68.20	21.61	500.0	200.0	V	10.0	-0.4
11162.500000	---	52.67	54.00	1.33	500.0	200.0	V	358.0	-0.5
11162.500000	63.45	---	74.00	10.55	500.0	200.0	V	358.0	-0.5
13355.000000	---	34.70	54.00	19.30	500.0	200.0	H	152.0	2.4
13708.750000	46.27	---	68.20	21.93	500.0	200.0	H	348.0	3.2
15290.000000	48.95	---	68.20	19.25	500.0	200.0	V	33.0	5.6
15615.000000	---	37.96	54.00	16.04	500.0	200.0	V	217.0	6.5
16738.750000	56.34	---	68.20	11.86	500.0	200.0	H	189.0	8.5
17918.750000	---	41.44	54.00	12.56	500.0	200.0	V	124.0	10.2

802.11a CH140



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.875000	41.55	---	68.20	26.65	500.0	100.0	V	9.0	-8.5
1385.000000	---	30.68	54.00	23.32	500.0	200.0	V	270.0	-7.7
1708.750000	---	31.93	54.00	22.07	500.0	100.0	V	9.0	-5.9
1987.000000	44.50	---	68.20	23.70	500.0	100.0	V	77.0	-4.6
2580.250000	47.24	---	68.20	20.96	500.0	100.0	V	9.0	-2.0
2806.875000	---	36.55	54.00	17.45	500.0	100.0	V	68.0	-1.2
3461.375000	51.49	---	68.20	16.71	500.0	100.0	V	27.0	1.6
3997.750000	---	40.68	54.00	13.32	500.0	100.0	V	27.0	3.2
4904.250000	---	43.74	54.00	10.26	500.0	200.0	V	166.0	4.6
5223.625000	53.54	---	68.20	14.66	500.0	200.0	V	150.0	5.3
6983.250000	56.06	---	68.20	12.14	500.0	200.0	V	93.0	7.1
7254.500000	---	43.72	54.00	10.28	500.0	100.0	V	64.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	33.66	54.00	20.34	500.0	200.0	V	27.0	-2.4
8981.250000	44.01	---	68.20	24.19	500.0	200.0	V	41.0	-1.3
9466.250000	---	33.51	54.00	20.49	500.0	200.0	H	192.0	-0.1
9807.500000	45.81	---	68.20	22.39	500.0	200.0	V	22.0	-0.4
11397.500000	---	40.04	54.00	13.96	500.0	200.0	V	350.0	-0.5
11397.500000	50.29	---	74.00	23.71	500.0	200.0	V	350.0	-0.5
13341.250000	---	34.73	54.00	19.27	500.0	200.0	H	197.0	2.3
13723.750000	46.08	---	68.20	22.12	500.0	200.0	V	189.0	3.3
15316.250000	48.90	---	68.20	19.30	500.0	200.0	V	265.0	5.6
15590.000000	---	37.82	54.00	16.18	500.0	200.0	H	258.0	6.5
17672.500000	52.12	---	68.20	16.08	500.0	200.0	H	272.0	10.3
17925.000000	---	41.49	54.00	12.51	500.0	200.0	V	227.0	10.3

802.11a CH144



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1014.875000	---	30.79	54.00	23.21	500.0	100.0	H	240.0	-10.6
1268.625000	41.32	---	68.20	26.88	500.0	200.0	H	5.0	-8.5
1508.375000	---	36.31	54.00	17.69	500.0	200.0	V	166.0	-7.0
1989.625000	44.47	---	68.20	23.73	500.0	100.0	V	222.0	-4.6
2568.875000	47.03	---	68.20	21.17	500.0	100.0	H	346.0	-2.0
2795.500000	---	36.72	54.00	17.28	500.0	200.0	H	88.0	-1.3
3509.500000	51.23	---	68.20	16.97	500.0	200.0	H	0.0	1.8
3999.500000	---	40.77	54.00	13.23	500.0	200.0	H	46.0	3.2
4904.250000	---	44.00	54.00	10.00	500.0	200.0	V	152.0	4.6
5333.000000	53.01	---	68.20	15.19	500.0	200.0	H	97.0	5.3
6607.000000	55.94	---	68.20	12.26	500.0	200.0	H	42.0	6.7
7297.375000	---	43.75	54.00	10.25	500.0	200.0	H	124.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	33.90	54.00	20.10	500.0	200.0	V	315.0	-2.4
8936.250000	43.47	---	68.20	24.73	500.0	200.0	H	143.0	-1.3
9471.250000	---	33.48	54.00	20.52	500.0	200.0	V	26.0	-0.1
9807.500000	46.78	---	68.20	21.42	500.0	200.0	H	252.0	-0.4
11436.250000	---	52.93	54.00	1.07	500.0	200.0	V	353.0	-0.6
11437.500000	63.32	---	74.00	10.68	500.0	200.0	V	353.0	-0.6
13332.500000	---	34.77	54.00	19.23	500.0	200.0	V	320.0	2.3
13502.500000	46.45	---	68.20	21.75	500.0	200.0	H	80.0	2.7
15287.500000	49.13	---	68.20	19.07	500.0	200.0	H	42.0	5.6
15596.250000	---	37.91	54.00	16.09	500.0	200.0	V	183.0	6.5
17157.500000	60.54	---	68.20	7.66	500.0	200.0	H	94.0	9.0
17935.000000	---	41.19	54.00	12.81	500.0	200.0	V	269.0	10.4

802.11ac80 CH42



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1280.000000	40.90	---	68.20	27.30	500.0	200.0	V	311.0	-8.3
1360.500000	---	30.68	54.00	23.32	500.0	200.0	V	216.0	-7.8
1709.625000	---	32.18	54.00	21.82	500.0	200.0	V	0.0	-5.9
1973.000000	45.15	---	68.20	23.05	500.0	200.0	V	34.0	-4.7
2565.375000	47.59	---	68.20	20.61	500.0	200.0	V	137.0	-2.1
2792.000000	---	36.51	54.00	17.49	500.0	200.0	V	133.0	-1.3
3484.125000	51.15	---	68.20	17.05	500.0	200.0	H	57.0	1.7
3990.750000	---	40.75	54.00	13.25	500.0	200.0	V	207.0	3.2
4413.375000	51.87	---	68.20	16.33	500.0	200.0	V	70.0	3.6
4904.250000	---	43.67	54.00	10.33	500.0	200.0	V	159.0	4.6
6578.125000	56.19	---	68.20	12.01	500.0	200.0	V	194.0	6.6
7305.250000	---	43.79	54.00	10.21	500.0	200.0	V	173.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.41	54.00	19.59	500.0	200.0	V	304.0	-2.4
8968.750000	44.17	---	68.20	24.03	500.0	100.0	V	61.0	-1.3
9470.000000	---	34.19	54.00	19.81	500.0	100.0	V	79.0	-0.1
9807.500000	48.36	---	68.20	19.84	500.0	200.0	H	245.0	-0.4
10553.750000	45.59	---	68.20	22.61	500.0	100.0	V	66.0	-0.9
10662.500000	---	33.78	54.00	20.22	500.0	200.0	V	141.0	-0.8
13337.500000	---	34.99	54.00	19.01	500.0	100.0	V	274.0	2.3
13728.750000	47.03	---	68.20	21.17	500.0	100.0	V	241.0	3.3
14693.750000	49.05	---	68.20	19.15	500.0	200.0	V	8.0	4.9
15630.000000	---	42.12	54.00	11.88	500.0	200.0	H	291.0	6.5
17651.250000	52.64	---	68.20	15.56	500.0	100.0	V	165.0	10.2
17925.000000	---	42.09	54.00	11.91	500.0	100.0	V	0.0	10.3

802.11ac80 CH58



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1262.500000	41.49	---	68.20	26.71	500.0	200.0	V	318.0	-8.5
1383.250000	---	30.77	54.00	23.23	500.0	200.0	V	214.0	-7.7
1689.500000	---	32.11	54.00	21.89	500.0	200.0	V	85.0	-6.0
1957.250000	44.48	---	68.20	23.72	500.0	200.0	V	98.0	-4.7
2548.750000	47.92	---	68.20	20.28	500.0	200.0	V	181.0	-2.1
2809.500000	---	36.68	54.00	17.32	500.0	200.0	V	131.0	-1.2
3478.875000	51.17	---	68.20	17.03	500.0	200.0	V	80.0	1.7
3987.250000	---	40.65	54.00	13.35	500.0	200.0	V	122.0	3.2
4479.000000	51.68	---	68.20	16.52	500.0	200.0	V	263.0	3.7
4904.250000	---	43.81	54.00	10.19	500.0	200.0	V	136.0	4.6
6589.500000	56.17	---	68.20	12.03	500.0	200.0	V	0.0	6.6
7290.375000	---	43.71	54.00	10.29	500.0	200.0	V	154.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.59	54.00	19.41	500.0	200.0	V	291.0	-2.4
8897.500000	43.69	---	68.20	24.51	500.0	200.0	H	229.0	-1.4
9470.000000	---	34.04	54.00	19.96	500.0	200.0	V	315.0	-0.1
9807.500000	47.58	---	68.20	20.62	500.0	200.0	V	353.0	-0.4
10580.000000	48.11	---	68.20	20.09	500.0	200.0	H	300.0	-0.9
10601.250000	---	34.16	54.00	19.84	500.0	200.0	V	296.0	-0.8
13346.250000	---	35.19	54.00	18.81	500.0	200.0	V	268.0	2.4
13675.000000	46.67	---	68.20	21.53	500.0	100.0	V	283.0	3.1
15323.750000	48.36	---	68.20	19.84	500.0	100.0	V	0.0	5.7
15616.250000	---	38.18	54.00	15.82	500.0	200.0	V	212.0	6.5
17643.750000	52.67	---	68.20	15.53	500.0	200.0	H	187.0	10.2
17940.000000	---	42.33	54.00	11.67	500.0	100.0	V	356.0	10.4

802.11ac80 CH106



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1252.000000	40.92	---	68.20	27.28	500.0	200.0	H	160.0	-8.6
1413.000000	---	30.36	54.00	23.64	500.0	200.0	H	224.0	-7.5
1720.125000	---	31.76	54.00	22.24	500.0	200.0	H	246.0	-5.9
1928.375000	45.68	---	68.20	22.52	500.0	200.0	V	75.0	-4.8
2624.875000	47.50	---	68.20	20.70	500.0	200.0	H	309.0	-2.0
2816.500000	---	36.12	54.00	17.88	500.0	200.0	V	84.0	-1.2
3403.625000	50.77	---	68.20	17.43	500.0	200.0	V	44.0	1.4
3969.750000	---	39.70	54.00	14.30	500.0	200.0	H	228.0	3.0
4904.250000	---	43.73	54.00	10.27	500.0	200.0	V	151.0	4.6
5277.875000	51.57	---	68.20	16.63	500.0	200.0	V	201.0	5.3
6578.125000	54.14	---	68.20	14.06	500.0	200.0	H	219.0	6.6
7255.375000	---	41.34	54.00	12.66	500.0	200.0	H	74.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.81	54.00	19.19	500.0	200.0	V	7.0	-2.4
8930.000000	43.75	---	68.20	24.45	500.0	200.0	H	120.0	-1.3
9470.000000	---	33.95	54.00	20.05	500.0	200.0	V	0.0	-0.1
9807.500000	47.17	---	68.20	21.03	500.0	200.0	V	354.0	-0.4
10592.500000	44.57	---	68.20	23.63	500.0	200.0	H	159.0	-0.9
11060.000000	---	40.47	54.00	13.53	500.0	200.0	H	292.0	-0.6
13336.250000	---	35.17	54.00	18.83	500.0	200.0	V	153.0	2.3
13628.750000	47.06	---	68.20	21.14	500.0	200.0	H	220.0	3.0
14682.500000	49.63	---	68.20	18.57	500.0	200.0	V	55.0	5.0
15715.000000	---	38.10	54.00	15.90	500.0	200.0	V	205.0	6.6
17421.250000	52.22	---	68.20	15.98	500.0	200.0	H	272.0	9.7
17920.000000	---	42.48	54.00	11.52	500.0	200.0	V	144.0	10.2

802.11ac80 CH122



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1273.875000	41.65	---	68.20	26.55	500.0	200.0	H	251.0	-8.4
1392.875000	---	30.73	54.00	23.27	500.0	200.0	V	273.0	-7.6
1690.375000	---	32.12	54.00	21.88	500.0	200.0	V	22.0	-6.0
1836.500000	44.43	---	68.20	23.77	500.0	200.0	V	282.0	-5.2
2607.375000	47.27	---	68.20	20.93	500.0	200.0	V	309.0	-2.0
2810.375000	---	36.49	54.00	17.51	500.0	200.0	V	148.0	-1.2
3455.250000	50.66	---	68.20	17.54	500.0	200.0	V	327.0	1.6
3995.125000	---	40.59	54.00	13.41	500.0	200.0	V	148.0	3.2
4904.250000	---	43.04	54.00	10.96	500.0	200.0	V	139.0	4.6
5235.000000	53.71	---	68.20	14.49	500.0	200.0	V	357.0	5.3
6964.000000	56.13	---	68.20	12.07	500.0	200.0	V	232.0	7.1
7287.750000	---	43.79	54.00	10.21	500.0	200.0	V	153.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	35.04	54.00	18.96	500.0	200.0	V	7.0	-2.4
8600.000000	43.87	---	68.20	24.33	500.0	200.0	H	112.0	-1.7
9437.500000	---	34.40	54.00	19.60	500.0	200.0	V	17.0	-0.5
9807.500000	47.67	---	68.20	20.53	500.0	200.0	V	355.0	-0.4
11236.250000	---	46.30	54.00	7.70	500.0	200.0	V	341.0	-0.6
11236.250000	55.32	---	74.00	18.68	500.0	200.0	V	341.0	-0.6
13355.000000	---	34.98	54.00	19.02	500.0	200.0	H	101.0	2.4
13506.250000	47.18	---	68.20	21.02	500.0	200.0	V	17.0	2.7
14911.250000	48.41	---	68.20	19.79	500.0	200.0	V	97.0	5.0
15722.500000	---	38.27	54.00	15.73	500.0	200.0	H	188.0	6.7
17671.250000	52.23	---	68.20	15.97	500.0	200.0	V	59.0	10.3
17940.000000	---	42.13	54.00	11.87	500.0	200.0	H	234.0	10.4

802.11ac80 CH138



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1245.000000	40.93	---	68.20	27.27	500.0	200.0	V	301.0	-8.6
1392.875000	---	30.59	54.00	23.41	500.0	200.0	V	48.0	-7.6
1690.375000	---	31.98	54.00	22.02	500.0	200.0	H	74.0	-6.0
1840.000000	44.12	---	68.20	24.08	500.0	200.0	V	210.0	-5.2
2668.625000	47.18	---	68.20	21.02	500.0	200.0	V	119.0	-1.9
2788.500000	---	36.28	54.00	17.72	500.0	200.0	V	138.0	-1.3
3459.625000	51.09	---	68.20	17.11	500.0	200.0	H	350.0	1.6
3995.125000	---	40.76	54.00	13.24	500.0	200.0	V	61.0	3.2
4904.250000	---	41.98	54.00	12.02	500.0	200.0	V	279.0	4.6
5299.750000	52.34	---	68.20	15.86	500.0	200.0	V	328.0	5.4
6901.000000	55.86	---	68.20	12.34	500.0	200.0	V	333.0	6.7
7339.375000	---	43.67	54.00	10.33	500.0	200.0	V	265.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.98	54.00	19.02	500.0	200.0	V	13.0	-2.4
8535.000000	43.95	---	68.20	24.25	500.0	200.0	V	332.0	-1.8
9475.000000	---	34.03	54.00	19.97	500.0	200.0	V	142.0	0.0
9807.500000	47.89	---	68.20	20.31	500.0	200.0	V	356.0	-0.4
11375.000000	59.23	---	74.00	14.77	500.0	200.0	V	340.0	-0.5
11376.250000	---	47.75	54.00	6.25	500.0	200.0	V	336.0	-0.5
13197.500000	46.57	---	68.20	21.63	500.0	200.0	H	35.0	1.7
13332.500000	---	35.30	54.00	18.70	500.0	200.0	V	272.0	2.3
15135.000000	48.49	---	68.20	19.71	500.0	200.0	V	267.0	5.2
15610.000000	---	38.20	54.00	15.80	500.0	200.0	H	200.0	6.5
17681.250000	53.03	---	68.20	15.17	500.0	200.0	H	343.0	10.3
17925.000000	---	42.28	54.00	11.72	500.0	200.0	V	113.0	10.3

802.11ac160 CH50



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1293.125000	41.24	---	68.20	26.96	500.0	200.0	H	64.0	-8.2
1365.750000	---	30.34	54.00	23.66	500.0	200.0	V	343.0	-7.7
1686.000000	---	31.76	54.00	22.24	500.0	200.0	H	96.0	-6.0
1840.875000	44.31	---	68.20	23.89	500.0	200.0	H	106.0	-5.2
2669.500000	46.85	---	68.20	21.35	500.0	200.0	H	23.0	-1.9
2815.625000	---	36.13	54.00	17.87	500.0	200.0	H	151.0	-1.2
3485.000000	51.29	---	68.20	16.91	500.0	200.0	H	347.0	1.7
3958.375000	---	39.71	54.00	14.29	500.0	200.0	V	110.0	2.9
4477.250000	51.02	---	68.20	17.18	500.0	200.0	H	46.0	3.7
4904.250000	---	43.04	54.00	10.96	500.0	200.0	V	156.0	4.6
5566.625000	65.67	---	68.20	2.54	500.0	200.0	V	73.0	5.5
7514.375000	---	41.48	54.00	12.52	500.0	200.0	H	41.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.92	54.00	19.08	500.0	200.0	V	8.0	-2.4
8946.250000	43.51	---	68.20	24.69	500.0	100.0	H	87.0	-1.3
9437.500000	---	34.19	54.00	19.81	500.0	200.0	H	0.0	-0.5
9807.500000	47.60	---	68.20	20.60	500.0	200.0	V	353.0	-0.4
10500.000000	47.88	---	68.20	20.32	500.0	200.0	H	302.0	-1.0
10661.250000	---	34.00	54.00	20.00	500.0	200.0	H	207.0	-0.8
13340.000000	---	35.39	54.00	18.61	500.0	200.0	V	310.0	2.3
13593.750000	47.05	---	68.20	21.15	500.0	200.0	V	333.0	3.0
15093.750000	48.74	---	68.20	19.46	500.0	200.0	V	216.0	5.1
15582.500000	---	38.14	54.00	15.86	500.0	200.0	H	20.0	6.4
17677.500000	53.33	---	68.20	14.87	500.0	200.0	V	333.0	10.3
17921.250000	---	42.26	54.00	11.74	500.0	200.0	H	48.0	10.2

802.11ac160 CH114



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.875000	41.21	---	68.20	26.99	500.0	200.0	H	261.0	-8.5
1398.125000	---	30.31	54.00	23.69	500.0	200.0	H	91.0	-7.6
1693.000000	---	31.62	54.00	22.38	500.0	200.0	H	124.0	-6.0
1972.125000	45.55	---	68.20	22.65	500.0	200.0	V	37.0	-4.7
2371.125000	---	36.11	54.00	17.89	500.0	200.0	V	32.0	-2.8
2641.500000	47.20	---	68.20	21.00	500.0	200.0	V	237.0	-2.0
3420.250000	50.84	---	68.20	17.36	500.0	200.0	H	183.0	1.4
3988.125000	---	39.77	54.00	14.23	500.0	200.0	H	248.0	3.2
4904.250000	---	42.97	54.00	11.03	500.0	200.0	V	154.0	4.6
5243.750000	66.67	---	68.20	1.53	500.0	200.0	V	228.0	5.3
5896.500000	66.09	---	68.20	2.11	500.0	200.0	V	246.0	5.1
7329.750000	---	41.40	54.00	12.60	500.0	200.0	H	226.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	35.53	54.00	18.47	500.0	200.0	V	10.0	-2.4
8693.750000	43.69	---	68.20	24.51	500.0	200.0	V	302.0	-1.5
9437.500000	---	34.30	54.00	19.70	500.0	200.0	H	0.0	-0.5
9807.500000	47.25	---	68.20	20.95	500.0	200.0	V	357.0	-0.4
10585.000000	44.11	---	68.20	24.09	500.0	200.0	H	245.0	-0.9
11140.000000	---	40.51	54.00	13.49	500.0	200.0	H	292.0	-0.5
13322.500000	---	35.06	54.00	18.94	500.0	200.0	H	207.0	2.3
13590.000000	46.98	---	68.20	21.22	500.0	200.0	V	85.0	3.0
14918.750000	48.95	---	68.20	19.25	500.0	200.0	H	4.0	5.1
15713.750000	---	38.21	54.00	15.79	500.0	200.0	H	254.0	6.6
17655.000000	52.78	---	68.20	15.42	500.0	200.0	H	136.0	10.2
17917.500000	---	42.45	54.00	11.55	500.0	200.0	H	302.0	10.2

802.11ax20 CH36



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1288.750000	41.19	---	68.20	27.01	500.0	200.0	H	100.0	-8.3
1390.250000	---	30.66	54.00	23.34	500.0	200.0	V	152.0	-7.6
1683.375000	---	32.09	54.00	21.91	500.0	200.0	V	227.0	-6.0
1949.375000	43.92	---	68.20	24.28	500.0	200.0	V	282.0	-4.7
2641.500000	47.38	---	68.20	20.82	500.0	200.0	H	237.0	-2.0
2809.500000	---	36.43	54.00	17.57	500.0	200.0	V	223.0	-1.2
3408.875000	51.16	---	68.20	17.04	500.0	200.0	V	188.0	1.4
3989.000000	---	40.84	54.00	13.16	500.0	200.0	V	30.0	3.2
4487.750000	51.78	---	68.20	16.42	500.0	200.0	V	278.0	3.8
4904.250000	---	43.28	54.00	10.72	500.0	200.0	V	156.0	4.6
6978.000000	55.25	---	68.20	12.95	500.0	200.0	V	245.0	7.1
7286.000000	---	43.76	54.00	10.24	500.0	200.0	V	147.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	35.36	54.00	18.64	500.0	100.0	V	7.0	-2.4
8860.000000	44.17	---	68.20	24.03	500.0	200.0	H	291.0	-1.4
9437.500000	---	34.25	54.00	19.75	500.0	200.0	V	22.0	-0.5
10360.000000	57.11	---	68.20	11.09	500.0	200.0	V	0.0	-1.0
10587.500000	44.73	---	68.20	23.47	500.0	100.0	V	93.0	-0.9
10661.250000	---	34.50	54.00	19.50	500.0	200.0	H	169.0	-0.8
13353.750000	---	35.18	54.00	18.82	500.0	200.0	V	44.0	2.4
13538.750000	47.01	---	68.20	21.19	500.0	200.0	V	188.0	2.9
14906.250000	48.41	---	68.20	19.79	500.0	100.0	V	321.0	5.0
15540.000000	---	42.15	54.00	11.85	500.0	200.0	H	301.0	6.2
17687.500000	52.29	---	68.20	15.91	500.0	200.0	H	0.0	10.3
17920.000000	---	42.17	54.00	11.83	500.0	100.0	H	0.0	10.2

802.11ax20 CH40



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.000000	---	34.84	54.00	19.16	500.0	200.0	V	351.0	-10.7
1191.625000	---	29.18	54.00	24.82	500.0	100.0	H	0.0	-9.0
1293.125000	41.65	---	68.20	26.55	500.0	200.0	H	140.0	-8.2
1721.000000	---	31.90	54.00	22.10	500.0	100.0	H	204.0	-5.9
2062.250000	43.67	---	68.20	24.53	500.0	200.0	H	309.0	-4.1
2809.500000	---	36.39	54.00	17.61	500.0	100.0	V	338.0	-1.2
3061.500000	48.58	---	68.20	19.62	500.0	200.0	H	350.0	-0.4
3520.875000	51.21	---	68.20	16.99	500.0	200.0	H	222.0	1.7
3968.875000	---	40.71	54.00	13.29	500.0	100.0	V	102.0	3.0
4458.875000	51.11	---	68.20	17.09	500.0	100.0	V	311.0	3.6
6941.250000	55.65	---	68.20	12.55	500.0	100.0	V	334.0	7.0
7316.625000	---	43.67	54.00	10.33	500.0	100.0	V	205.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.83	54.00	19.17	500.0	200.0	V	5.0	-2.4
8900.000000	43.60	---	68.20	24.60	500.0	200.0	V	108.0	-1.4
9437.500000	---	34.12	54.00	19.88	500.0	200.0	H	0.0	-0.5
10400.000000	62.62	---	68.20	5.58	500.0	200.0	V	0.0	-1.0
10556.250000	44.50	---	68.20	23.70	500.0	200.0	H	221.0	-0.9
11616.250000	---	33.84	54.00	20.16	500.0	200.0	V	240.0	-0.4
13357.500000	---	34.93	54.00	19.07	500.0	200.0	V	62.0	2.4
13697.500000	46.59	---	68.20	21.61	500.0	200.0	V	122.0	3.2
15595.000000	57.24	---	74.00	16.76	500.0	200.0	H	306.0	6.5
15607.500000	---	46.24	54.00	7.76	500.0	200.0	H	179.0	6.5
17658.750000	52.15	---	68.20	16.05	500.0	200.0	V	84.0	10.2
17918.750000	---	42.46	54.00	11.54	500.0	200.0	H	236.0	10.2

802.11ax20 CH48



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1029.750000	---	35.68	54.00	18.32	500.0	200.0	V	357.0	-10.6
1271.250000	41.20	---	68.20	27.00	500.0	200.0	H	209.0	-8.4
1353.500000	---	29.58	54.00	24.42	500.0	200.0	V	58.0	-7.9
1721.000000	---	32.17	54.00	21.83	500.0	200.0	V	6.0	-5.9
1971.250000	44.30	---	68.20	23.90	500.0	100.0	H	33.0	-4.7
2535.625000	45.57	---	68.20	22.63	500.0	100.0	H	19.0	-2.2
2826.125000	---	36.79	54.00	17.21	500.0	200.0	V	200.0	-1.2
3589.125000	51.29	---	68.20	16.91	500.0	200.0	H	317.0	1.8
3995.125000	---	40.85	54.00	13.15	500.0	100.0	V	32.0	3.2
4406.375000	51.71	---	68.20	16.49	500.0	100.0	H	52.0	3.6
7023.500000	56.35	---	68.20	11.85	500.0	100.0	H	43.0	7.0
7349.875000	---	43.94	54.00	10.06	500.0	100.0	H	65.0	7.0



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.32	54.00	19.68	500.0	200.0	V	5.0	-2.4
8986.250000	43.87	---	68.20	24.33	500.0	200.0	H	273.0	-1.3
9467.500000	---	33.81	54.00	20.19	500.0	200.0	V	82.0	-0.1
10463.750000	66.54	---	68.20	1.66	500.0	200.0	H	3.0	-1.0
10487.500000	65.01	---	68.20	3.19	500.0	200.0	V	0.0	-1.0
10653.750000	---	33.74	54.00	20.26	500.0	200.0	V	44.0	-0.8
13212.500000	46.61	---	68.20	21.59	500.0	200.0	H	226.0	1.8
13338.750000	---	35.10	54.00	18.90	500.0	200.0	V	25.0	2.3
15721.250000	---	51.21	54.00	2.79	500.0	200.0	H	150.0	6.7
15722.500000	64.11	---	74.00	9.89	500.0	200.0	H	198.0	6.7
15726.250000	64.02	---	74.00	9.98	500.0	200.0	H	178.0	6.7
15727.500000	---	52.86	54.00	1.14	500.0	200.0	H	169.0	6.7

802.11ax20 CH52



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1049.000000	---	34.03	54.00	19.97	500.0	200.0	V	334.0	-10.5
1273.000000	41.01	---	68.20	27.19	500.0	200.0	H	344.0	-8.4
1520.625000	---	30.23	54.00	23.77	500.0	100.0	V	124.0	-6.9
1945.000000	42.84	---	68.20	25.36	500.0	200.0	H	0.0	-4.7
2235.500000	---	34.27	54.00	19.73	500.0	200.0	H	109.0	-3.2
2575.875000	46.61	---	68.20	21.59	500.0	100.0	H	118.0	-2.0
2794.625000	---	36.52	54.00	17.48	500.0	100.0	H	146.0	-1.3
3074.625000	48.38	---	68.20	19.82	500.0	100.0	H	109.0	-0.3
3780.750000	---	39.86	54.00	14.14	500.0	100.0	H	76.0	2.2
4457.125000	50.83	---	68.20	17.37	500.0	200.0	H	348.0	3.6
6620.125000	52.41	---	68.20	15.79	500.0	100.0	V	173.0	6.6
7482.000000	---	42.96	54.00	11.04	500.0	100.0	V	355.0	6.9



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.14	54.00	19.86	500.0	200.0	V	10.0	-2.4
8871.250000	43.95	---	68.20	24.25	500.0	200.0	H	229.0	-1.4
9437.500000	---	33.84	54.00	20.16	500.0	200.0	H	115.0	-0.5
9807.500000	47.46	---	68.20	20.74	500.0	200.0	V	355.0	-0.4
10521.250000	65.60	---	68.20	2.60	500.0	200.0	V	343.0	-1.0
10665.000000	---	33.80	54.00	20.20	500.0	200.0	V	107.0	-0.8
13338.750000	---	35.46	54.00	18.54	500.0	200.0	H	219.0	2.3
13656.250000	46.83	---	68.20	21.37	500.0	200.0	H	307.0	3.1
14387.500000	48.92	---	68.20	19.28	500.0	200.0	V	1.0	4.5
15565.000000	---	38.13	54.00	15.87	500.0	200.0	H	158.0	6.4
15785.000000	---	51.13	54.00	2.87	500.0	200.0	H	177.0	6.8
15786.250000	65.26	---	74.00	8.74	500.0	200.0	H	214.0	6.8

802.11ax20 CH60



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1091.875000	---	30.99	54.00	23.01	500.0	200.0	V	106.0	-10.2
1275.625000	41.80	---	68.20	26.40	500.0	200.0	H	242.0	-8.4
1707.875000	---	31.89	54.00	22.11	500.0	100.0	H	125.0	-5.9
1970.375000	44.48	---	68.20	23.72	500.0	200.0	V	269.0	-4.7
2237.250000	---	34.03	54.00	19.97	500.0	100.0	H	80.0	-3.2
2687.875000	51.74	---	68.20	16.46	500.0	200.0	V	23.0	-1.7
2786.750000	---	36.22	54.00	17.78	500.0	200.0	V	197.0	-1.3
3565.500000	51.52	---	68.20	16.68	500.0	100.0	H	58.0	1.7
3986.375000	---	40.39	54.00	13.61	500.0	100.0	V	136.0	3.2
4416.000000	51.11	---	68.20	17.09	500.0	100.0	V	0.0	3.6
6709.375000	55.67	---	68.20	12.53	500.0	200.0	V	18.0	6.5
7282.500000	---	43.55	54.00	10.45	500.0	100.0	V	0.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.13	54.00	19.87	500.0	200.0	V	0.0	-2.4
8958.750000	44.05	---	68.20	24.15	500.0	200.0	V	345.0	-1.3
9437.500000	---	34.01	54.00	19.99	500.0	200.0	V	0.0	-0.5
9807.500000	47.10	---	68.20	21.10	500.0	200.0	V	354.0	-0.4
10600.000000	61.55	---	68.20	6.65	500.0	200.0	H	348.0	-0.8
10602.500000	---	52.66	54.00	1.34	500.0	200.0	V	34.0	-0.8
12723.750000	46.61	---	68.20	21.59	500.0	200.0	V	53.0	0.7
13370.000000	---	35.08	54.00	18.92	500.0	200.0	H	182.0	2.4
15298.750000	49.07	---	68.20	19.13	500.0	200.0	V	95.0	5.6
15612.500000	---	38.09	54.00	15.91	500.0	200.0	H	268.0	6.5
15891.250000	---	45.77	54.00	8.23	500.0	200.0	H	167.0	6.6
17655.000000	52.32	---	68.20	15.88	500.0	200.0	V	181.0	10.2

802.11ax20 CH64



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1062.125000	---	28.67	54.00	25.33	500.0	200.0	H	240.0	-10.4
1291.375000	41.39	---	68.20	26.81	500.0	200.0	V	330.0	-8.3
1362.250000	---	30.41	54.00	23.59	500.0	100.0	V	300.0	-7.8
1688.625000	---	32.18	54.00	21.82	500.0	100.0	H	87.0	-6.0
1973.000000	44.33	---	68.20	23.87	500.0	100.0	V	0.0	-4.7
2588.125000	54.15	---	68.20	14.05	500.0	200.0	V	34.0	-2.0
2795.500000	---	36.56	54.00	17.44	500.0	200.0	V	11.0	-1.3
3395.750000	51.30	---	68.20	16.90	500.0	200.0	H	89.0	1.3
3990.750000	---	40.64	54.00	13.36	500.0	100.0	V	51.0	3.2
4407.250000	51.61	---	68.20	16.59	500.0	100.0	V	259.0	3.6
6033.875000	55.86	---	68.20	12.34	500.0	200.0	V	284.0	5.8
7346.375000	---	43.69	54.00	10.31	500.0	200.0	V	128.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.06	54.00	19.94	500.0	200.0	V	8.0	-2.4
8965.000000	43.66	---	68.20	24.54	500.0	200.0	V	0.0	-1.3
9437.500000	---	34.25	54.00	19.75	500.0	200.0	V	18.0	-0.5
9807.500000	47.46	---	68.20	20.74	500.0	200.0	V	354.0	-0.4
10640.000000	---	47.09	54.00	6.91	500.0	200.0	H	348.0	-0.8
10641.250000	57.22	---	74.00	16.78	500.0	200.0	H	0.0	-0.8
13350.000000	---	34.84	54.00	19.16	500.0	200.0	H	286.0	2.4
13621.250000	47.04	---	68.20	21.16	500.0	200.0	H	314.0	3.0
15245.000000	48.88	---	68.20	19.32	500.0	200.0	V	0.0	5.5
15608.750000	---	38.22	54.00	15.78	500.0	200.0	H	204.0	6.5
17646.250000	52.19	---	68.20	16.01	500.0	200.0	V	107.0	10.2
17937.500000	---	42.40	54.00	11.60	500.0	200.0	H	213.0	10.4

802.11ax20 CH100



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1066.500000	---	27.92	54.00	26.08	500.0	200.0	H	359.0	-10.3
1294.875000	41.92	---	68.20	26.28	500.0	200.0	V	63.0	-8.2
1301.000000	---	30.51	54.00	23.49	500.0	200.0	V	30.0	-8.2
1721.000000	---	32.01	54.00	21.99	500.0	200.0	H	184.0	-5.9
1975.625000	44.33	---	68.20	23.87	500.0	200.0	V	30.0	-4.7
2455.125000	47.57	---	68.20	20.63	500.0	200.0	H	321.0	-2.3
2827.875000	---	36.48	54.00	17.52	500.0	200.0	V	160.0	-1.1
3501.625000	50.93	---	68.20	17.27	500.0	200.0	V	119.0	1.8
3966.250000	---	40.28	54.00	13.72	500.0	200.0	V	63.0	3.0
4475.500000	50.94	---	68.20	17.26	500.0	200.0	V	160.0	3.7
7000.750000	55.73	---	68.20	12.47	500.0	200.0	V	206.0	7.0
7326.250000	---	43.63	54.00	10.37	500.0	200.0	V	7.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.36	54.00	19.64	500.0	200.0	V	6.0	-2.4
8875.000000	43.94	---	68.20	24.26	500.0	200.0	H	72.0	-1.4
9437.500000	---	33.89	54.00	20.11	500.0	200.0	H	138.0	-0.5
9807.500000	47.40	---	68.20	20.80	500.0	200.0	V	353.0	-0.4
11002.500000	---	42.45	54.00	11.55	500.0	200.0	V	344.0	-0.8
11003.750000	53.92	---	74.00	20.08	500.0	200.0	V	0.0	-0.8
13328.750000	---	35.12	54.00	18.88	500.0	200.0	H	303.0	2.3
13638.750000	47.03	---	68.20	21.17	500.0	200.0	H	237.0	3.0
14546.250000	48.31	---	68.20	19.89	500.0	200.0	H	0.0	4.6
15607.500000	---	38.28	54.00	15.72	500.0	200.0	V	93.0	6.5
17673.750000	52.33	---	68.20	15.87	500.0	200.0	V	0.0	10.3
17936.250000	---	42.23	54.00	11.77	500.0	200.0	H	185.0	10.4

802.11ax20 CH116



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1086.625000	---	27.99	54.00	26.01	500.0	200.0	H	194.0	-10.2
1293.125000	40.90	---	68.20	27.30	500.0	200.0	V	341.0	-8.2
1367.500000	---	37.30	54.00	16.70	500.0	200.0	V	333.0	-7.7
1691.250000	---	31.80	54.00	22.20	500.0	200.0	V	171.0	-6.0
1995.750000	44.89	---	68.20	23.31	500.0	200.0	H	331.0	-4.6
2639.750000	47.11	---	68.20	21.09	500.0	200.0	H	314.0	-2.0
2794.625000	---	36.77	54.00	17.23	500.0	200.0	V	28.0	-1.3
3471.875000	50.90	---	68.20	17.30	500.0	200.0	V	23.0	1.7
3986.375000	---	40.60	54.00	13.40	500.0	200.0	H	336.0	3.2
4458.000000	50.27	---	68.20	17.93	500.0	200.0	H	354.0	3.6
6607.875000	55.52	---	68.20	12.68	500.0	200.0	V	10.0	6.7
7254.500000	---	43.77	54.00	10.23	500.0	200.0	H	350.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.21	54.00	19.79	500.0	200.0	V	8.0	-2.4
8992.500000	43.09	---	68.20	25.11	500.0	200.0	H	0.0	-1.3
9471.250000	---	34.12	54.00	19.88	500.0	200.0	H	332.0	-0.1
9807.500000	47.21	---	68.20	20.99	500.0	200.0	V	354.0	-0.4
11162.500000	---	52.61	54.00	1.39	500.0	200.0	V	343.0	-0.5
11163.750000	62.69	---	74.00	11.31	500.0	200.0	V	349.0	-0.5
13342.500000	---	35.09	54.00	18.92	500.0	200.0	V	203.0	2.3
13607.500000	46.67	---	68.20	21.53	500.0	200.0	V	178.0	3.0
15238.750000	48.35	---	68.20	19.85	500.0	200.0	V	339.0	5.5
15685.000000	---	38.31	54.00	15.69	500.0	200.0	H	0.0	6.6
16745.000000	52.41	---	68.20	15.79	500.0	200.0	H	281.0	8.5
17936.250000	---	42.29	54.00	11.71	500.0	200.0	H	244.0	10.4

802.11ax20 CH140



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1287.875000	41.04	---	68.20	27.16	500.0	200.0	H	331.0	-8.3
1385.000000	---	30.37	54.00	23.63	500.0	200.0	H	0.0	-7.7
1661.500000	---	31.82	54.00	22.18	500.0	200.0	H	0.0	-6.1
1975.625000	46.96	---	68.20	21.24	500.0	200.0	V	39.0	-4.7
2645.000000	46.65	---	68.20	21.55	500.0	200.0	H	172.0	-2.0
2819.125000	---	35.97	54.00	18.03	500.0	200.0	H	0.0	-1.2
3458.750000	50.54	---	68.20	17.66	500.0	200.0	H	331.0	1.6
3975.875000	---	39.87	54.00	14.13	500.0	200.0	H	314.0	3.1
4904.250000	---	42.58	54.00	11.42	500.0	200.0	V	152.0	4.6
5298.875000	51.31	---	68.20	16.89	500.0	200.0	V	211.0	5.4
6740.000000	53.82	---	68.20	14.38	500.0	200.0	V	112.0	6.5
7262.375000	---	41.29	54.00	12.71	500.0	200.0	H	241.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.59	54.00	19.41	500.0	200.0	V	8.0	-2.4
8847.500000	44.57	---	68.20	23.63	500.0	200.0	V	116.0	-1.4
9485.000000	---	34.05	54.00	19.95	500.0	200.0	H	316.0	0.0
9807.500000	47.56	---	68.20	20.64	500.0	200.0	H	241.0	-0.4
10551.250000	44.54	---	68.20	23.66	500.0	200.0	H	335.0	-0.9
11400.000000	---	39.35	54.00	14.65	500.0	200.0	H	293.0	-0.5
13335.000000	---	34.88	54.00	19.12	500.0	200.0	V	121.0	2.3
13400.000000	47.09	---	74.00	26.91	500.0	200.0	H	125.0	2.4
14911.250000	48.39	---	68.20	19.81	500.0	200.0	H	236.0	5.0
15575.000000	---	38.23	54.00	15.77	500.0	200.0	V	18.0	6.4
17671.250000	52.34	---	68.20	15.86	500.0	200.0	V	187.0	10.3
17942.500000	---	42.13	54.00	11.87	500.0	200.0	H	139.0	10.5

802.11ax20 CH144



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1290.500000	40.99	---	68.20	27.21	500.0	200.0	H	215.0	-8.3
1403.375000	---	31.02	54.00	22.98	500.0	200.0	H	206.0	-7.6
1509.250000	---	35.48	54.00	18.52	500.0	200.0	V	175.0	-7.0
1959.875000	44.32	---	68.20	23.88	500.0	200.0	V	113.0	-4.7
2669.500000	47.35	---	68.20	20.85	500.0	200.0	H	289.0	-1.9
2827.875000	---	36.39	54.00	17.61	500.0	200.0	V	198.0	-1.1
3451.750000	50.85	---	68.20	17.35	500.0	200.0	H	270.0	1.6
3989.875000	---	40.84	54.00	13.16	500.0	200.0	H	353.0	3.2
5124.750000	---	41.69	54.00	12.31	500.0	200.0	H	148.0	5.1
5159.750000	52.39	---	68.20	15.81	500.0	200.0	H	253.0	5.1
6881.750000	56.11	---	68.20	12.09	500.0	200.0	H	160.0	6.7
7306.125000	---	43.83	54.00	10.17	500.0	200.0	H	178.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.58	54.00	19.42	500.0	200.0	V	8.0	-2.4
8898.750000	44.07	---	68.20	24.13	500.0	200.0	H	17.0	-1.4
9470.000000	---	33.96	54.00	20.04	500.0	200.0	V	119.0	-0.1
9807.500000	47.32	---	68.20	20.88	500.0	200.0	V	355.0	-0.4
11436.250000	---	52.13	54.00	1.87	500.0	200.0	V	342.0	-0.6
11436.250000	60.92	---	74.00	13.08	500.0	200.0	V	342.0	-0.6
13353.750000	---	35.04	54.00	18.96	500.0	200.0	H	212.0	2.4
13585.000000	47.04	---	68.20	21.16	500.0	200.0	H	74.0	2.9
14130.000000	48.40	---	68.20	19.80	500.0	200.0	V	295.0	3.9
15588.750000	---	38.10	54.00	15.90	500.0	200.0	H	8.0	6.5
17672.500000	52.51	---	68.20	15.69	500.0	200.0	H	251.0	10.3
17916.250000	---	42.33	54.00	11.67	500.0	200.0	H	13.0	10.1

802.11ax40 CH38



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1047.250000	---	27.91	54.00	26.09	500.0	100.0	H	241.0	-10.5
1259.875000	41.04	---	68.20	27.16	500.0	200.0	H	67.0	-8.5
1388.500000	---	30.49	54.00	23.51	500.0	100.0	V	36.0	-7.6
1691.250000	---	31.83	54.00	22.17	500.0	100.0	V	82.0	-6.0
1975.625000	45.14	---	68.20	23.06	500.0	200.0	V	22.0	-4.7
2689.625000	48.00	---	68.20	20.20	500.0	200.0	V	346.0	-1.7
2813.875000	---	36.51	54.00	17.49	500.0	100.0	V	145.0	-1.2
3436.000000	51.59	---	68.20	16.61	500.0	200.0	H	0.0	1.5
3998.625000	---	40.69	54.00	13.31	500.0	200.0	V	207.0	3.2
4478.125000	52.67	---	68.20	15.53	500.0	100.0	V	59.0	3.7
6754.000000	55.63	---	68.20	12.57	500.0	200.0	V	263.0	6.5
7327.125000	---	43.82	54.00	10.18	500.0	200.0	V	166.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.49	54.00	19.51	500.0	200.0	V	10.0	-2.4
8865.000000	44.40	---	68.20	23.80	500.0	200.0	V	350.0	-1.4
9473.750000	---	33.88	54.00	20.12	500.0	200.0	H	153.0	0.0
10380.000000	47.73	---	68.20	20.47	500.0	200.0	H	296.0	-1.0
10573.750000	44.70	---	68.20	23.50	500.0	200.0	V	311.0	-0.9
10657.500000	---	33.69	54.00	20.31	500.0	200.0	H	163.0	-0.8
13327.500000	---	35.03	54.00	18.97	500.0	200.0	H	53.0	2.3
13603.750000	46.49	---	68.20	21.71	500.0	200.0	V	326.0	3.0
14297.500000	48.59	---	68.20	19.61	500.0	200.0	V	142.0	4.3
15570.000000	---	42.08	54.00	11.92	500.0	200.0	H	292.0	6.4
17407.500000	52.26	---	68.20	15.94	500.0	200.0	H	83.0	9.7
17918.750000	---	42.52	54.00	11.48	500.0	200.0	V	340.0	10.2

802.11ax40 CH46



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1019.250000	---	31.70	54.00	22.30	500.0	200.0	V	357.0	-10.6
1296.625000	41.19	---	68.20	27.01	500.0	100.0	H	0.0	-8.2
1332.500000	---	29.74	54.00	24.26	500.0	100.0	H	274.0	-8.0
1664.125000	---	31.95	54.00	22.05	500.0	100.0	V	282.0	-6.1
1978.250000	44.07	---	68.20	24.13	500.0	200.0	H	122.0	-4.7
2570.625000	46.96	---	68.20	21.24	500.0	200.0	H	144.0	-2.0
2811.250000	---	36.73	54.00	17.27	500.0	200.0	V	261.0	-1.2
3473.625000	51.02	---	68.20	17.18	500.0	100.0	V	297.0	1.7
3966.250000	---	40.74	54.00	13.26	500.0	100.0	V	223.0	3.0
4466.750000	51.68	---	68.20	16.52	500.0	100.0	V	0.0	3.7
6875.625000	56.38	---	68.20	11.82	500.0	200.0	V	283.0	6.7
7331.500000	---	43.65	54.00	10.35	500.0	200.0	V	179.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	35.28	54.00	18.72	500.0	200.0	V	5.0	-2.4
8693.750000	43.42	---	68.20	24.78	500.0	200.0	H	65.0	-1.5
9437.500000	---	33.82	54.00	20.18	500.0	200.0	V	192.0	-0.5
10462.500000	59.76	---	68.20	8.44	500.0	200.0	V	329.0	-1.0
10483.750000	53.37	---	68.20	14.83	500.0	200.0	V	338.0	-1.0
10662.500000	---	33.86	54.00	20.14	500.0	200.0	H	219.0	-0.8
13350.000000	---	34.98	54.00	19.02	500.0	200.0	H	108.0	2.4
13588.750000	46.86	---	68.20	21.34	500.0	200.0	H	167.0	3.0
15678.750000	---	44.26	54.00	9.74	500.0	200.0	H	172.0	6.6
15683.750000	55.30	---	74.00	18.70	500.0	200.0	H	172.0	6.6
17668.750000	52.79	---	68.20	15.41	500.0	200.0	H	94.0	10.2
17918.750000	---	42.24	54.00	11.76	500.0	200.0	H	0.0	10.2

802.11ax40 CH54



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1061.250000	---	31.78	54.00	22.22	500.0	100.0	V	226.0	-10.4
1262.500000	41.09	---	68.20	27.11	500.0	200.0	H	275.0	-8.5
1367.500000	---	30.15	54.00	23.85	500.0	100.0	H	344.0	-7.7
1664.125000	---	31.65	54.00	22.35	500.0	100.0	V	333.0	-6.1
1869.750000	44.61	---	68.20	23.59	500.0	100.0	V	2.0	-5.1
2624.875000	47.01	---	68.20	21.19	500.0	100.0	H	108.0	-2.0
2826.125000	---	36.32	54.00	17.68	500.0	200.0	V	164.0	-1.2
3284.625000	51.22	---	68.20	16.98	500.0	200.0	V	12.0	0.7
3997.750000	---	40.58	54.00	13.42	500.0	100.0	V	268.0	3.2
4481.625000	51.92	---	68.20	16.28	500.0	100.0	V	164.0	3.8
6824.000000	56.03	---	68.20	12.17	500.0	200.0	V	105.0	6.8
7310.500000	---	43.57	54.00	10.43	500.0	200.0	V	100.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.78	54.00	19.22	500.0	200.0	V	353.0	-2.4
8946.250000	43.72	---	68.20	24.48	500.0	200.0	V	171.0	-1.3
9468.750000	---	34.03	54.00	19.97	500.0	200.0	V	297.0	-0.1
9807.500000	47.06	---	68.20	21.14	500.0	200.0	V	353.0	-0.4
10540.000000	60.28	---	68.20	7.92	500.0	200.0	V	43.0	-0.9
10648.750000	---	33.78	54.00	20.22	500.0	200.0	H	24.0	-0.8
13390.000000	---	34.94	54.00	19.06	500.0	200.0	V	181.0	2.4
13541.250000	46.47	---	68.20	21.73	500.0	200.0	V	324.0	2.9
15337.500000	48.73	---	68.20	19.47	500.0	200.0	V	358.0	5.7
15615.000000	---	38.36	54.00	15.64	500.0	200.0	V	333.0	6.5
15816.250000	---	46.04	54.00	7.96	500.0	200.0	H	172.0	6.8
17537.500000	52.62	---	68.20	15.58	500.0	200.0	H	124.0	9.9

802.11ax40 CH62



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1085.750000	---	27.83	54.00	26.17	500.0	100.0	V	75.0	-10.2
1275.625000	40.57	---	68.20	27.63	500.0	200.0	V	307.0	-8.4
1369.250000	---	30.60	54.00	23.40	500.0	200.0	V	126.0	-7.7
1701.750000	---	32.01	54.00	21.99	500.0	100.0	H	24.0	-6.0
1892.500000	45.12	---	68.20	23.08	500.0	200.0	V	233.0	-5.0
2658.125000	47.41	---	68.20	20.79	500.0	100.0	V	209.0	-1.9
2806.875000	---	36.44	54.00	17.56	500.0	100.0	V	66.0	-1.2
3503.375000	51.26	---	68.20	16.94	500.0	200.0	V	158.0	1.8
3977.625000	---	40.46	54.00	13.54	500.0	200.0	V	256.0	3.1
4409.875000	52.48	---	68.20	15.72	500.0	100.0	V	0.0	3.6
6590.375000	56.77	---	68.20	11.43	500.0	200.0	V	79.0	6.6
7287.750000	---	43.84	54.00	10.16	500.0	100.0	V	119.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.81	54.00	19.19	500.0	200.0	V	300.0	-2.4
8963.750000	43.92	---	68.20	24.28	500.0	200.0	H	238.0	-1.3
9471.250000	---	34.00	54.00	20.00	500.0	200.0	H	33.0	-0.1
9807.500000	47.17	---	68.20	21.03	500.0	200.0	V	0.0	-0.4
10540.000000	44.40	---	68.20	23.80	500.0	200.0	H	166.0	-0.9
10620.000000	---	42.91	54.00	11.09	500.0	200.0	H	301.0	-0.8
13353.750000	---	35.09	54.00	18.91	500.0	200.0	H	23.0	2.4
13727.500000	46.61	---	68.20	21.59	500.0	200.0	H	51.0	3.3
14667.500000	48.38	---	68.20	19.82	500.0	200.0	H	23.0	4.9
15567.500000	---	38.17	54.00	15.83	500.0	200.0	V	205.0	6.4
17677.500000	52.45	---	68.20	15.75	500.0	200.0	H	28.0	10.3
17921.250000	---	42.40	54.00	11.60	500.0	200.0	V	304.0	10.2

802.11ax40 CH102



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1075.250000	---	28.54	54.00	25.46	500.0	200.0	H	135.0	-10.3
1263.375000	40.65	---	68.20	27.55	500.0	200.0	V	115.0	-8.5
1413.000000	---	30.57	54.00	23.43	500.0	200.0	H	201.0	-7.5
1721.000000	---	31.74	54.00	22.26	500.0	200.0	H	89.0	-5.9
1980.000000	46.16	---	68.20	22.04	500.0	200.0	V	0.0	-4.7
2660.750000	47.25	---	68.20	20.95	500.0	200.0	H	84.0	-1.9
2791.125000	---	36.02	54.00	17.98	500.0	200.0	H	32.0	-1.3
3367.750000	50.86	---	68.20	17.34	500.0	200.0	H	5.0	1.0
3938.250000	---	39.72	54.00	14.28	500.0	200.0	H	32.0	2.7
4464.125000	50.40	---	68.20	17.80	500.0	200.0	H	162.0	3.6
6589.500000	53.46	---	68.20	14.74	500.0	200.0	H	28.0	6.6
7319.250000	---	41.51	54.00	12.49	500.0	200.0	H	65.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	35.02	54.00	18.98	500.0	200.0	V	10.0	-2.4
8945.000000	43.75	---	68.20	24.45	500.0	200.0	H	59.0	-1.3
9470.000000	---	34.29	54.00	19.71	500.0	200.0	V	221.0	-0.1
9807.500000	47.49	---	68.20	20.71	500.0	200.0	H	241.0	-0.4
10516.250000	44.73	---	68.20	23.47	500.0	200.0	V	198.0	-1.0
11020.000000	---	40.19	54.00	13.81	500.0	200.0	H	274.0	-0.8
13335.000000	---	35.27	54.00	18.73	500.0	200.0	V	264.0	2.3
13591.250000	47.21	---	68.20	20.99	500.0	200.0	H	40.0	3.0
15302.500000	48.77	---	68.20	19.43	500.0	200.0	V	334.0	5.6
15595.000000	---	37.97	54.00	16.03	500.0	200.0	V	226.0	6.5
17690.000000	51.74	---	68.20	16.46	500.0	200.0	H	130.0	10.3
17923.750000	---	42.18	54.00	11.82	500.0	200.0	V	288.0	10.2

802.11ax40 CH118



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1066.500000	---	28.04	54.00	25.96	500.0	200.0	H	64.0	-10.3
1292.250000	41.19	---	68.20	27.01	500.0	200.0	H	2.0	-8.2
1382.375000	---	34.06	54.00	19.94	500.0	200.0	V	25.0	-7.7
1695.625000	---	31.59	54.00	22.41	500.0	200.0	V	3.0	-6.0
1969.500000	44.37	---	68.20	23.83	500.0	200.0	V	17.0	-4.7
2650.250000	46.83	---	68.20	21.37	500.0	200.0	H	167.0	-2.0
2815.625000	---	36.42	54.00	17.58	500.0	200.0	V	11.0	-1.2
3592.625000	50.95	---	68.20	17.25	500.0	200.0	V	206.0	1.8
3997.750000	---	40.29	54.00	13.71	500.0	200.0	V	104.0	3.2
4405.500000	51.00	---	68.20	17.20	500.0	200.0	V	113.0	3.6
7012.125000	55.16	---	68.20	13.04	500.0	200.0	V	141.0	7.0
7270.250000	---	43.57	54.00	10.43	500.0	200.0	V	132.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.24	54.00	19.76	500.0	200.0	V	11.0	-2.4
8942.500000	43.62	---	68.20	24.58	500.0	200.0	H	44.0	-1.3
9470.000000	---	33.97	54.00	20.03	500.0	200.0	V	0.0	-0.1
9807.500000	46.53	---	68.20	21.67	500.0	200.0	V	0.0	-0.4
11175.000000	---	51.03	54.00	2.97	500.0	200.0	V	345.0	-0.6
11182.500000	62.19	---	74.00	11.81	500.0	200.0	V	345.0	-0.6
13345.000000	---	35.00	54.00	19.00	500.0	200.0	H	63.0	2.3
13573.750000	46.48	---	68.20	21.72	500.0	200.0	H	72.0	2.9
15217.500000	48.69	---	68.20	19.51	500.0	200.0	H	124.0	5.4
15710.000000	---	37.98	54.00	16.02	500.0	200.0	H	53.0	6.6
16776.250000	53.14	---	68.20	15.06	500.0	200.0	H	306.0	8.6
17930.000000	---	42.10	54.00	11.90	500.0	200.0	V	230.0	10.3

802.11ax40 CH134



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1291.375000	40.90	---	68.20	27.30	500.0	200.0	V	314.0	-8.3
1413.875000	---	30.66	54.00	23.34	500.0	200.0	H	133.0	-7.5
1668.500000	---	31.72	54.00	22.28	500.0	200.0	V	277.0	-6.1
1976.500000	46.31	---	68.20	21.89	500.0	200.0	V	350.0	-4.7
2570.625000	47.07	---	68.20	21.13	500.0	200.0	V	286.0	-2.0
2827.000000	---	36.35	54.00	17.65	500.0	200.0	V	0.0	-1.1
3465.750000	50.79	---	68.20	17.41	500.0	200.0	V	67.0	1.6
3971.500000	---	40.48	54.00	13.52	500.0	200.0	V	258.0	3.0
4904.250000	---	42.73	54.00	11.27	500.0	200.0	V	184.0	4.6
5242.000000	53.13	---	68.20	15.07	500.0	200.0	V	350.0	5.3
6579.875000	55.90	---	68.20	12.30	500.0	200.0	V	184.0	6.6
7325.375000	---	43.65	54.00	10.35	500.0	200.0	V	319.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	33.87	54.00	20.13	500.0	200.0	V	296.0	-2.4
8996.250000	43.32	---	68.20	24.88	500.0	200.0	V	164.0	-1.3
9473.750000	---	34.18	54.00	19.83	500.0	200.0	H	7.0	0.0
9807.500000	46.96	---	68.20	21.24	500.0	200.0	H	237.0	-0.4
10565.000000	44.65	---	68.20	23.55	500.0	200.0	V	18.0	-0.9
11340.000000	---	39.11	54.00	14.89	500.0	200.0	H	21.0	-0.5
13342.500000	---	34.92	54.00	19.08	500.0	200.0	H	59.0	2.3
13550.000000	46.48	---	68.20	21.72	500.0	200.0	H	44.0	2.9
15141.250000	49.45	---	68.20	18.75	500.0	200.0	V	75.0	5.2
15585.000000	---	37.90	54.00	16.10	500.0	200.0	V	290.0	6.5
17677.500000	52.12	---	68.20	16.08	500.0	200.0	H	44.0	10.3
17917.500000	---	42.17	54.00	11.83	500.0	200.0	V	164.0	10.2

802.11ax40 CH142



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1089.250000	---	27.69	54.00	26.31	500.0	200.0	H	191.0	-10.2
1264.250000	39.97	---	68.20	28.23	500.0	200.0	H	358.0	-8.5
1499.625000	---	33.33	54.00	20.67	500.0	200.0	V	6.0	-7.0
1793.625000	42.48	---	68.20	25.72	500.0	200.0	H	312.0	-5.4
2165.500000	44.23	---	68.20	23.97	500.0	200.0	H	117.0	-3.5
2229.375000	---	33.29	54.00	20.71	500.0	200.0	H	136.0	-3.2
2809.500000	---	35.82	54.00	18.18	500.0	200.0	V	95.0	-1.2
3023.875000	47.58	---	68.20	20.62	500.0	200.0	H	14.0	-0.6
4117.625000	---	40.02	54.00	13.98	500.0	200.0	V	1.0	3.3
4437.000000	49.56	---	68.20	18.64	500.0	200.0	V	69.0	3.5
6596.500000	53.58	---	68.20	14.62	500.0	200.0	V	65.0	6.6
7529.250000	---	42.73	54.00	11.27	500.0	200.0	V	38.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.04	54.00	19.96	500.0	200.0	V	290.0	-2.4
8565.000000	44.19	---	68.20	24.01	500.0	200.0	H	24.0	-1.8
9470.000000	---	33.76	54.00	20.24	500.0	200.0	V	139.0	-0.1
9807.500000	47.66	---	68.20	20.54	500.0	200.0	H	241.0	-0.4
11416.250000	---	52.52	54.00	1.48	500.0	200.0	V	343.0	-0.5
11423.750000	64.17	---	74.00	9.83	500.0	200.0	V	334.0	-0.6
13375.000000	---	34.82	54.00	19.18	500.0	200.0	V	172.0	2.4
13713.750000	46.56	---	68.20	21.64	500.0	200.0	V	200.0	3.3
14833.750000	48.28	---	68.20	19.92	500.0	200.0	V	29.0	4.9
15596.250000	---	37.95	54.00	16.05	500.0	200.0	V	304.0	6.5
17700.000000	52.57	---	68.20	15.63	500.0	200.0	H	201.0	10.3
17923.750000	---	41.97	54.00	12.03	500.0	200.0	H	92.0	10.2

802.11ax80 CH42



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1251.125000	41.25	---	68.20	26.95	500.0	200.0	V	332.0	-8.6
1406.875000	---	30.62	54.00	23.38	500.0	200.0	V	218.0	-7.5
1687.750000	---	31.99	54.00	22.01	500.0	200.0	V	33.0	-6.0
1977.375000	46.13	---	68.20	22.07	500.0	100.0	V	18.0	-4.7
2638.000000	47.25	---	68.20	20.95	500.0	200.0	V	236.0	-2.0
2769.250000	---	36.54	54.00	17.46	500.0	100.0	V	126.0	-1.4
3446.500000	51.41	---	68.20	16.79	500.0	200.0	H	25.0	1.5
3995.125000	---	40.52	54.00	13.48	500.0	200.0	V	111.0	3.2
4466.750000	51.65	---	68.20	16.55	500.0	100.0	V	44.0	3.7
4904.250000	---	43.42	54.00	10.58	500.0	200.0	V	144.0	4.6
6995.500000	55.97	---	68.20	12.23	500.0	100.0	V	27.0	7.1
7286.000000	---	43.98	54.00	10.02	500.0	200.0	V	195.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.12	54.00	19.88	500.0	200.0	V	5.0	-2.4
8962.500000	43.26	---	68.20	24.94	500.0	200.0	H	149.0	-1.3
9468.750000	---	33.96	54.00	20.04	500.0	200.0	H	131.0	-0.1
10420.000000	46.99	---	68.20	21.21	500.0	200.0	H	299.0	-1.0
10593.750000	43.76	---	68.20	24.44	500.0	200.0	V	232.0	-0.9
10661.250000	---	33.47	54.00	20.53	500.0	200.0	H	163.0	-0.8
13342.500000	---	34.80	54.00	19.20	500.0	200.0	H	75.0	2.3
13521.250000	47.31	---	68.20	20.89	500.0	200.0	H	126.0	2.8
15317.500000	48.62	---	68.20	19.58	500.0	200.0	V	228.0	5.6
15630.000000	---	41.28	54.00	12.72	500.0	200.0	H	285.0	6.5
17637.500000	52.21	---	68.20	15.99	500.0	200.0	H	75.0	10.2
17933.750000	---	42.01	54.00	11.99	500.0	200.0	H	84.0	10.4

802.11ax80 CH58



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1265.125000	40.84	---	68.20	27.36	500.0	200.0	H	265.0	-8.5
1371.000000	---	30.51	54.00	23.49	500.0	200.0	H	214.0	-7.7
1705.250000	---	32.08	54.00	21.92	500.0	100.0	V	1.0	-6.0
1986.125000	45.06	---	68.20	23.14	500.0	100.0	H	185.0	-4.6
2687.875000	46.90	---	68.20	21.30	500.0	100.0	V	42.0	-1.7
2793.750000	---	36.54	54.00	17.46	500.0	200.0	V	316.0	-1.3
3528.750000	52.21	---	68.20	15.99	500.0	100.0	V	37.0	1.7
3885.750000	---	40.44	54.00	13.56	500.0	200.0	V	237.0	2.6
4490.375000	53.10	---	68.20	15.10	500.0	200.0	V	114.0	3.8
4904.250000	---	43.37	54.00	10.63	500.0	200.0	V	219.0	4.6
7242.250000	56.41	---	68.20	11.79	500.0	200.0	V	105.0	7.1
7287.750000	---	43.91	54.00	10.09	500.0	200.0	V	268.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.09	54.00	19.91	500.0	200.0	V	9.0	-2.4
8702.500000	43.73	---	68.20	24.47	500.0	200.0	V	193.0	-1.6
9472.500000	---	34.04	54.00	19.96	500.0	200.0	V	209.0	-0.1
9807.500000	46.47	---	68.20	21.73	500.0	200.0	H	13.0	-0.4
10580.000000	48.14	---	68.20	20.06	500.0	200.0	H	299.0	-0.9
10658.750000	---	33.60	54.00	20.40	500.0	200.0	H	204.0	-0.8
13316.250000	---	34.85	54.00	19.15	500.0	200.0	H	81.0	2.3
13481.250000	46.57	---	68.20	21.63	500.0	200.0	H	289.0	2.6
15307.500000	49.08	---	68.20	19.12	500.0	200.0	V	173.0	5.6
15630.000000	---	38.29	54.00	15.71	500.0	200.0	H	81.0	6.5
17438.750000	52.21	---	68.20	15.99	500.0	200.0	H	204.0	9.7
17925.000000	---	42.28	54.00	11.72	500.0	200.0	H	61.0	10.3

802.11ax80 CH106



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1295.750000	40.94	---	68.20	27.26	500.0	200.0	H	302.0	-8.2
1403.375000	---	30.28	54.00	23.72	500.0	200.0	V	329.0	-7.6
1709.625000	---	31.62	54.00	22.38	500.0	200.0	H	141.0	-5.9
1977.375000	45.57	---	68.20	22.63	500.0	200.0	V	2.0	-4.7
2478.750000	46.65	---	68.20	21.55	500.0	200.0	H	104.0	-2.2
2819.125000	---	35.98	54.00	18.02	500.0	200.0	V	178.0	-1.2
3379.125000	50.78	---	68.20	17.42	500.0	200.0	H	20.0	1.1
3995.125000	---	39.85	54.00	14.15	500.0	200.0	V	293.0	3.2
4904.250000	---	43.24	54.00	10.76	500.0	200.0	V	204.0	4.6
5229.750000	52.21	---	68.20	15.99	500.0	200.0	V	270.0	5.3
6587.750000	54.42	---	68.20	13.78	500.0	200.0	H	145.0	6.6
7599.250000	---	41.41	54.00	12.59	500.0	200.0	H	39.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.86	54.00	19.14	500.0	200.0	V	5.0	-2.4
8993.750000	43.45	---	68.20	24.75	500.0	200.0	V	307.0	-1.3
9470.000000	---	33.79	54.00	20.21	500.0	200.0	V	124.0	-0.1
9807.500000	47.26	---	68.20	20.94	500.0	200.0	H	237.0	-0.4
10525.000000	44.47	---	68.20	23.73	500.0	200.0	H	108.0	-1.0
11060.000000	---	39.89	54.00	14.11	500.0	200.0	H	299.0	-0.6
13343.750000	---	34.78	54.00	19.22	500.0	200.0	V	0.0	2.3
13730.000000	46.31	---	68.20	21.89	500.0	200.0	H	0.0	3.3
14505.000000	48.43	---	68.20	19.77	500.0	200.0	H	0.0	4.5
15615.000000	---	37.91	54.00	16.09	500.0	200.0	H	80.0	6.5
17638.750000	52.06	---	68.20	16.14	500.0	200.0	V	167.0	10.2
17922.500000	---	41.99	54.00	12.01	500.0	200.0	V	83.0	10.2

802.11ax80 CH122



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1284.375000	41.20	---	68.20	27.00	500.0	200.0	V	84.0	-8.3
1413.875000	---	30.56	54.00	23.44	500.0	200.0	V	191.0	-7.5
1706.125000	---	31.85	54.00	22.15	500.0	200.0	V	103.0	-6.0
1982.625000	44.00	---	68.20	24.20	500.0	200.0	H	120.0	-4.6
2666.000000	47.04	---	68.20	21.16	500.0	200.0	V	107.0	-1.9
2818.250000	---	36.34	54.00	17.66	500.0	200.0	V	71.0	-1.2
3541.000000	51.63	---	68.20	16.57	500.0	200.0	H	70.0	1.7
3988.125000	---	40.41	54.00	13.59	500.0	200.0	V	29.0	3.2
5288.375000	53.39	---	68.20	14.81	500.0	200.0	V	348.0	5.3
5409.125000	---	42.76	54.00	11.24	500.0	200.0	V	227.0	5.1
7005.125000	55.91	---	68.20	12.29	500.0	200.0	V	139.0	7.0
7327.125000	---	43.47	54.00	10.53	500.0	200.0	V	139.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.40	54.00	19.60	500.0	200.0	V	5.0	-2.4
8900.000000	43.81	---	68.20	24.39	500.0	200.0	H	211.0	-1.4
9443.750000	---	33.98	54.00	20.02	500.0	200.0	V	245.0	-0.4
9807.500000	46.69	---	68.20	21.51	500.0	200.0	V	354.0	-0.4
11216.250000	53.10	---	74.00	20.90	500.0	200.0	V	339.0	-0.6
11236.250000	---	43.19	54.00	10.81	500.0	200.0	V	339.0	-0.6
13330.000000	---	34.73	54.00	19.27	500.0	200.0	H	192.0	2.3
13588.750000	46.48	---	68.20	21.72	500.0	200.0	V	325.0	3.0
15265.000000	48.14	---	68.20	20.06	500.0	200.0	V	282.0	5.6
15588.750000	---	38.00	54.00	16.00	500.0	200.0	H	0.0	6.5
17663.750000	52.18	---	68.20	16.02	500.0	200.0	V	264.0	10.2
17941.250000	---	41.99	54.00	12.01	500.0	200.0	V	135.0	10.4

802.11ax80 CH138



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1263.375000	40.80	---	68.20	27.40	500.0	200.0	H	179.0	-8.5
1406.875000	---	30.41	54.00	23.59	500.0	200.0	V	284.0	-7.5
1663.250000	---	31.61	54.00	22.39	500.0	200.0	V	56.0	-6.1
1999.250000	44.66	---	68.20	23.54	500.0	200.0	H	322.0	-4.5
2589.000000	47.27	---	68.20	20.93	500.0	200.0	H	165.0	-2.0
2794.625000	---	36.55	54.00	17.45	500.0	200.0	V	195.0	-1.3
3532.250000	50.85	---	68.20	17.35	500.0	200.0	H	161.0	1.7
3998.625000	---	40.36	54.00	13.64	500.0	200.0	V	42.0	3.2
5224.500000	52.07	---	68.20	16.13	500.0	200.0	V	88.0	5.3
5437.125000	---	41.87	54.00	12.13	500.0	200.0	V	29.0	5.2
6972.750000	55.32	---	68.20	12.88	500.0	200.0	V	158.0	7.1
7309.625000	---	43.45	54.00	10.55	500.0	200.0	V	102.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.60	54.00	19.40	500.0	200.0	V	0.0	-2.4
8945.000000	44.09	---	68.20	24.11	500.0	200.0	H	4.0	-1.3
9470.000000	---	33.82	54.00	20.18	500.0	200.0	H	9.0	-0.1
9807.500000	46.67	---	68.20	21.53	500.0	200.0	V	352.0	-0.4
11356.250000	---	46.96	54.00	7.04	500.0	200.0	V	337.0	-0.5
11390.000000	56.13	---	74.00	17.87	500.0	200.0	V	337.0	-0.5
13363.750000	---	34.82	54.00	19.18	500.0	200.0	H	169.0	2.4
13571.250000	46.49	---	68.20	21.71	500.0	200.0	H	174.0	2.9
14521.250000	48.40	---	68.20	19.80	500.0	200.0	V	0.0	4.5
15598.750000	---	37.77	54.00	16.23	500.0	200.0	H	342.0	6.5
17641.250000	52.49	---	68.20	15.71	500.0	200.0	H	75.0	10.2
17936.250000	---	41.82	54.00	12.18	500.0	200.0	V	98.0	10.4

802.11ax160 CH50



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.875000	41.33	---	68.20	26.87	500.0	100.0	V	91.0	-8.5
1399.875000	---	30.41	54.00	23.59	500.0	100.0	H	17.0	-7.6
1689.500000	---	31.66	54.00	22.34	500.0	200.0	H	128.0	-6.0
1971.250000	44.32	---	68.20	23.88	500.0	200.0	V	0.0	-4.7
2506.750000	47.18	---	68.20	21.02	500.0	100.0	H	269.0	-2.1
2792.000000	---	36.17	54.00	17.83	500.0	200.0	H	105.0	-1.3
3549.750000	50.69	---	68.20	17.51	500.0	100.0	H	277.0	1.7
3959.250000	---	39.85	54.00	14.15	500.0	200.0	H	271.0	2.9
4465.000000	50.47	---	68.20	17.73	500.0	100.0	H	203.0	3.6
4904.250000	---	42.74	54.00	11.26	500.0	200.0	V	149.0	4.6
5630.500000	58.74	---	68.20	9.46	500.0	200.0	V	43.0	5.5
7284.250000	---	41.48	54.00	12.52	500.0	200.0	H	8.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.06	54.00	19.94	500.0	200.0	V	14.0	-2.4
8506.250000	43.46	---	68.20	24.74	500.0	200.0	V	333.0	-1.8
9437.500000	---	34.14	54.00	19.86	500.0	200.0	V	63.0	-0.5
9807.500000	46.98	---	68.20	21.22	500.0	200.0	H	235.0	-0.4
10500.000000	47.13	---	68.20	21.07	500.0	200.0	H	302.0	-1.0
10657.500000	---	33.54	54.00	20.46	500.0	200.0	V	162.0	-0.8
13338.750000	---	34.80	54.00	19.20	500.0	200.0	V	285.0	2.3
13516.250000	47.07	---	68.20	21.13	500.0	200.0	H	230.0	2.8
15312.500000	48.71	---	68.20	19.49	500.0	200.0	V	347.0	5.6
15722.500000	---	37.89	54.00	16.11	500.0	200.0	H	268.0	6.7
17535.000000	52.37	---	68.20	15.83	500.0	200.0	V	342.0	9.9
17938.750000	---	41.85	54.00	12.15	500.0	200.0	V	77.0	10.4

802.11ax160 CH114



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1256.375000	41.87	---	68.20	26.33	500.0	200.0	H	354.0	-8.6
1398.125000	---	30.27	54.00	23.73	500.0	200.0	V	101.0	-7.6
1720.125000	---	31.53	54.00	22.47	500.0	200.0	H	313.0	-5.9
1979.125000	47.51	---	68.20	20.69	500.0	200.0	V	359.0	-4.7
2608.250000	47.40	---	68.20	20.80	500.0	200.0	H	0.0	-2.0
2817.375000	---	35.95	54.00	18.05	500.0	200.0	V	0.0	-1.2
3377.375000	51.06	---	68.20	17.14	500.0	200.0	V	44.0	1.1
3999.500000	---	39.72	54.00	14.28	500.0	200.0	H	237.0	3.2
5270.000000	51.36	---	68.20	16.84	500.0	200.0	V	62.0	5.3
5396.000000	---	44.87	54.00	9.13	500.0	200.0	V	30.0	5.1
6843.250000	53.42	---	68.20	14.78	500.0	200.0	V	0.0	6.8
7257.125000	---	41.51	54.00	12.49	500.0	200.0	H	196.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.50	54.00	19.50	500.0	100.0	V	17.0	-2.4
8961.250000	44.31	---	68.20	23.89	500.0	200.0	V	306.0	-1.3
9470.000000	---	33.87	54.00	20.13	500.0	200.0	H	221.0	-0.1
9807.500000	47.28	---	68.20	20.92	500.0	200.0	H	235.0	-0.4
10570.000000	43.94	---	68.20	24.26	500.0	100.0	V	215.0	-0.9
11140.000000	---	39.37	54.00	14.63	500.0	200.0	H	294.0	-0.5
13368.750000	---	34.64	54.00	19.36	500.0	100.0	H	155.0	2.4
13688.750000	46.16	---	68.20	22.04	500.0	200.0	V	325.0	3.1
14341.250000	48.47	---	68.20	19.73	500.0	200.0	V	250.0	4.4
15653.750000	---	37.88	54.00	16.12	500.0	100.0	V	278.0	6.5
17682.500000	52.34	---	68.20	15.86	500.0	200.0	H	174.0	10.3
17918.750000	---	42.09	54.00	11.91	500.0	200.0	H	88.0	10.2

802.11n20 CH36



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1277.375000	41.37	---	68.20	26.83	500.0	200.0	H	272.0	-8.4
1381.500000	---	30.63	54.00	23.37	500.0	100.0	H	355.0	-7.7
1719.250000	---	32.01	54.00	21.99	500.0	100.0	H	177.0	-5.9
1961.625000	44.80	---	68.20	23.40	500.0	100.0	H	203.0	-4.7
2607.375000	47.23	---	68.20	20.97	500.0	100.0	H	318.0	-2.0
2814.750000	---	36.49	54.00	17.51	500.0	200.0	V	289.0	-1.2
3590.000000	51.67	---	68.20	16.53	500.0	200.0	V	1.0	1.8
3965.375000	---	40.52	54.00	13.48	500.0	100.0	V	285.0	3.0
4465.000000	51.74	---	68.20	16.46	500.0	100.0	V	3.0	3.6
4996.125000	---	43.43	54.00	10.57	500.0	100.0	V	108.0	4.4
6971.875000	56.27	---	68.20	11.93	500.0	100.0	V	22.0	7.1
7299.125000	---	43.78	54.00	10.22	500.0	200.0	V	239.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.45	54.00	19.55	500.0	100.0	V	324.0	-2.4
8562.500000	43.60	---	68.20	24.60	500.0	200.0	H	325.0	-1.8
9470.000000	---	33.69	54.00	20.31	500.0	200.0	H	237.0	-0.1
9807.500000	46.35	---	68.20	21.85	500.0	100.0	H	37.0	-0.4
10360.000000	57.84	---	68.20	10.36	500.0	100.0	V	53.0	-1.0
11608.750000	---	33.31	54.00	20.69	500.0	100.0	V	314.0	-0.4
13370.000000	---	34.91	54.00	19.09	500.0	100.0	V	229.0	2.4
13731.250000	46.32	---	68.20	21.88	500.0	200.0	V	70.0	3.3
15348.750000	48.33	---	68.20	19.87	500.0	200.0	H	50.0	5.7
15540.000000	---	41.82	54.00	12.18	500.0	200.0	H	298.0	6.2
17690.000000	52.13	---	68.20	16.07	500.0	100.0	H	323.0	10.3
17916.250000	---	41.39	54.00	12.61	500.0	100.0	V	339.0	10.1

802.11n20 CH40



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1001.750000	---	37.43	54.00	16.57	500.0	100.0	V	151.0	-10.7
1279.125000	41.70	---	68.20	26.50	500.0	200.0	H	94.0	-8.4
1680.750000	---	31.99	54.00	22.01	500.0	200.0	H	89.0	-6.0
1974.750000	46.37	---	68.20	21.83	500.0	100.0	V	22.0	-4.7
2686.125000	47.82	---	68.20	20.38	500.0	200.0	H	122.0	-1.7
2813.000000	---	36.65	54.00	17.35	500.0	200.0	V	347.0	-1.2
3596.125000	51.36	---	68.20	16.84	500.0	200.0	H	145.0	1.8
3989.875000	---	40.77	54.00	13.23	500.0	100.0	V	165.0	3.2
4480.750000	51.47	---	68.20	16.73	500.0	100.0	V	192.0	3.8
5015.375000	---	45.14	54.00	8.86	500.0	100.0	V	214.0	4.4
6826.625000	56.44	---	68.20	11.76	500.0	100.0	H	0.0	6.8
7312.250000	---	43.94	54.00	10.06	500.0	200.0	H	72.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.68	54.00	19.32	500.0	200.0	V	22.0	-2.4
8970.000000	43.87	---	68.20	24.33	500.0	200.0	V	36.0	-1.3
9470.000000	---	33.95	54.00	20.05	500.0	200.0	H	287.0	-0.1
9807.500000	46.28	---	68.20	21.92	500.0	200.0	V	12.0	-0.4
10401.250000	65.64	---	68.20	2.56	500.0	200.0	V	17.0	-1.0
11642.500000	---	33.20	54.00	20.80	500.0	100.0	H	76.0	-0.4
13337.500000	---	34.88	54.00	19.12	500.0	200.0	V	12.0	2.3
13727.500000	46.06	---	68.20	22.14	500.0	200.0	H	73.0	3.3
15610.000000	59.59	---	74.00	14.41	500.0	200.0	H	206.0	6.5
15612.500000	---	47.95	54.00	6.05	500.0	200.0	H	59.0	6.5
17677.500000	52.01	---	68.20	16.19	500.0	200.0	H	220.0	10.3
17927.500000	---	41.49	54.00	12.51	500.0	200.0	H	189.0	10.3

802.11n20 CH48



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1028.875000	---	36.36	54.00	17.64	500.0	200.0	V	132.0	-10.6
1276.500000	40.83	---	68.20	27.37	500.0	200.0	H	74.0	-8.4
1721.000000	---	32.00	54.00	22.00	500.0	200.0	H	166.0	-5.9
1968.625000	44.85	---	68.20	23.35	500.0	200.0	H	120.0	-4.7
2511.125000	46.94	---	68.20	21.26	500.0	100.0	V	119.0	-2.1
2813.000000	---	36.79	54.00	17.21	500.0	200.0	V	119.0	-1.2
3442.125000	51.26	---	68.20	16.95	500.0	100.0	H	311.0	1.5
3996.000000	---	40.76	54.00	13.24	500.0	200.0	H	106.0	3.2
4482.500000	52.38	---	68.20	15.82	500.0	200.0	H	42.0	3.8
5053.000000	---	45.75	54.00	8.25	500.0	100.0	V	151.0	4.9
6630.625000	56.19	---	68.20	12.01	500.0	200.0	H	24.0	6.6
7320.125000	---	43.80	54.00	10.20	500.0	200.0	H	74.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.23	54.00	19.77	500.0	200.0	V	26.0	-2.4
8965.000000	43.99	---	68.20	24.21	500.0	200.0	V	102.0	-1.3
9471.250000	---	33.77	54.00	20.23	500.0	100.0	H	174.0	-0.1
9807.500000	47.06	---	68.20	21.14	500.0	200.0	V	12.0	-0.4
10473.750000	65.13	---	68.20	3.07	500.0	200.0	V	40.0	-1.0
11611.250000	---	33.31	54.00	20.69	500.0	100.0	V	265.0	-0.4
13356.250000	---	34.90	54.00	19.10	500.0	200.0	H	205.0	2.4
13492.500000	46.75	---	68.20	21.45	500.0	200.0	H	244.0	2.7
15712.500000	63.56	---	74.00	10.44	500.0	200.0	H	186.0	6.6
15713.750000	---	51.39	54.00	2.61	500.0	200.0	H	181.0	6.6
17662.500000	52.55	---	68.20	15.65	500.0	100.0	H	1.0	10.2
17917.500000	---	41.24	54.00	12.76	500.0	100.0	H	184.0	10.2

802.11n20 CH52



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1062.125000	---	35.59	54.00	18.41	500.0	200.0	V	76.0	-10.4
1291.375000	41.96	---	68.20	26.24	500.0	200.0	H	48.0	-8.3
1719.250000	---	32.09	54.00	21.91	500.0	200.0	H	5.0	-5.9
1950.250000	44.24	---	68.20	23.96	500.0	200.0	H	279.0	-4.7
2424.500000	45.99	---	68.20	22.21	500.0	100.0	H	323.0	-2.5
2798.125000	---	36.81	54.00	17.19	500.0	200.0	H	223.0	-1.3
3401.000000	51.12	---	68.20	17.08	500.0	200.0	H	52.0	1.3
3992.500000	---	40.73	54.00	13.27	500.0	200.0	H	10.0	3.2
4488.625000	52.04	---	68.20	16.16	500.0	200.0	H	38.0	3.8
5064.375000	---	46.02	54.00	7.98	500.0	200.0	V	332.0	5.0
6969.250000	56.87	---	68.20	11.33	500.0	200.0	H	65.0	7.1
7295.625000	---	43.77	54.00	10.23	500.0	200.0	H	128.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.31	54.00	19.69	500.0	200.0	V	23.0	-2.4
8863.750000	43.69	---	68.20	24.51	500.0	200.0	H	228.0	-1.4
9468.750000	---	33.56	54.00	20.44	500.0	200.0	H	260.0	-0.1
9807.500000	46.32	---	68.20	21.88	500.0	200.0	V	9.0	-0.4
10522.500000	66.73	---	68.20	1.47	500.0	200.0	V	349.0	-1.0
11248.750000	---	33.21	54.00	20.79	500.0	100.0	H	283.0	-0.6
13342.500000	---	34.92	54.00	19.08	500.0	200.0	H	135.0	2.3
13736.250000	46.34	---	68.20	21.86	500.0	200.0	V	250.0	3.4
15307.500000	48.73	---	68.20	19.47	500.0	100.0	V	211.0	5.6
15615.000000	---	37.88	54.00	16.12	500.0	200.0	V	0.0	6.5
15785.000000	---	51.94	54.00	2.06	500.0	200.0	H	193.0	6.8
15785.000000	63.16	---	74.00	10.84	500.0	200.0	H	193.0	6.8

802.11n20 CH60



Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1091.875000	---	31.54	54.00	22.47	500.0	200.0	V	227.0	-10.2
1280.000000	40.66	---	68.20	27.54	500.0	200.0	H	153.0	-8.3
1721.000000	---	31.74	54.00	22.26	500.0	200.0	H	125.0	-5.9
1937.125000	43.83	---	68.20	24.37	500.0	200.0	H	28.0	-4.8
2502.375000	46.72	---	68.20	21.48	500.0	200.0	H	233.0	-2.1
2822.625000	---	36.35	54.00	17.65	500.0	200.0	V	318.0	-1.2
3535.750000	50.81	---	68.20	17.39	500.0	200.0	H	9.0	1.7
3996.000000	---	40.70	54.00	13.30	500.0	200.0	V	0.0	3.2
4479.875000	50.77	---	68.20	17.43	500.0	200.0	V	286.0	3.8
5116.000000	---	45.03	54.00	8.97	500.0	200.0	V	267.0	5.1
6675.250000	55.79	---	68.20	12.41	500.0	200.0	V	349.0	6.6
7286.875000	---	43.75	54.00	10.25	500.0	200.0	V	165.0	7.0



Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8062.500000	---	34.41	54.00	19.59	500.0	100.0	V	40.0	-2.4
8760.000000	43.65	---	68.20	24.55	500.0	100.0	V	8.0	-1.7
9470.000000	---	33.85	54.00	20.15	500.0	100.0	V	211.0	-0.1
9807.500000	46.60	---	68.20	21.60	500.0	200.0	H	253.0	-0.4
10598.750000	61.49	---	68.20	6.71	500.0	200.0	H	44.0	-0.8
10601.250000	---	52.21	54.00	1.79	500.0	200.0	V	338.0	-0.8
13345.000000	---	34.85	54.00	19.15	500.0	200.0	H	234.0	2.3
13518.750000	46.41	---	68.20	21.79	500.0	100.0	H	303.0	2.8
15337.500000	48.69	---	68.20	19.51	500.0	100.0	H	1.0	5.7
15602.500000	---	37.88	54.00	16.12	500.0	100.0	V	230.0	6.5
15906.250000	---	46.76	54.00	7.24	500.0	200.0	H	177.0	6.6
17663.750000	52.00	---	68.20	16.20	500.0	200.0	V	138.0	10.2