



技术要求:

- 颜色C: 黑色;
- 材质M: 80g书纸, 风琴折;
- 工艺F: 啤;
- 环 保: 产品符合包装指令+RoHS2.0+REACH要求;
符合最新版《联创宏声有害物质管理标准》, 同时须符合双方签订的《环保协议书》;
- 其他: 1)颜色与样板(样板只能存放六个月)不能存放严重色差, 色彩误差在-3%~3%之间;
2)表面要求不能有油污、印痕、破损等不良;

			产品型号	TEND1032BK92A04							
			零件名称	说明书							
			零件编号	40.03.598500							
变 更	原 因	签 名/日期	图纸编号	LC8.865.5168							
标 记	签 名 / 日期										
制 图	何新华	2024/11/6	版 本	±0.05	±0.1	±0.2	±0.3	±0.4			
标 准 化	钟思芬		比 例	1:1	MM	B	±0.1	±0.2	±0.3		
审 核	李王华		单 位			C	±0.2	±0.5	±0.7		
批 准	卢华庭					等级	<5	5~15	15~60	60~250	>250

ICHSE

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.
The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.