






3DH5_Ant1_2402



3DH5_Ant1_2441




3DH5_Ant1_2480






Right Earphone:


DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480





Appendix C: Carrier frequency separation

Test Result


TestMode	Antenna	Freq(MHz)	Result[MHz]	Limit[MHz]	Verdict
DH5	Ant1	Hop	0.908	≥0.702	PASS
2DH5	Ant1	Hop	0.974	≥0.898	PASS
3DH5	Ant1	Hop	1.02	≥0.890	PASS

Note:Left Earphone is the worst case, only report the worst case.




Test Graphs

DH5_Ant1_Hop



2DH5_Ant1_Hop



3DH5_Ant1_Hop





Appendix D: Dwell Time

Test Result


TestMode	Antenna	Freq(MHz)	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH1	Ant1	Hop	0.408	320	0.131	≤0.4	PASS
DH3	Ant1	Hop	1.662	160	0.266	≤0.4	PASS
DH5	Ant1	Hop	2.911	106.67	0.311	≤0.4	PASS
2DH1	Ant1	Hop	0.417	320	0.133	≤0.4	PASS
2DH3	Ant1	Hop	1.668	160	0.267	≤0.4	PASS
2DH5	Ant1	Hop	2.916	106.67	0.311	≤0.4	PASS
3DH1	Ant1	Hop	0.417	320	0.133	≤0.4	PASS
3DH3	Ant1	Hop	1.667	160	0.267	≤0.4	PASS
3DH5	Ant1	Hop	2.917	106.67	0.311	≤0.4	PASS

Note:Left Earphone is the worst case, only report the worst case.




Test Graphs


DH1_Ant1_Hop



DH3_Ant1_Hop




DH5_Ant1_Hop







2DH1 Ant1 Hop



2DH3 Ant1 Hop




2DH5 Ant1 Hop







3DH1_Ant1_Hop



3DH3_Ant1_Hop



3DH5_Ant1_Hop





Appendix F: Number of hopping channels

Test Result


TestMode	Antenna	Freq(MHz)	Result[Num]	Limit[Num]	Verdict
DH5	Ant1	Hop	79	≥15	PASS
2DH5	Ant1	Hop	79	≥15	PASS
3DH5	Ant1	Hop	79	≥15	PASS

Note:Left Earphone is the worst case, only report the worst case.




Test Graphs


DH5_Ant1_Hop



2DH5_Ant1_Hop



3DH5_Ant1_Hop





Appendix F: Band edge measurements

Test Result


TestMode	Antenna	ChName	Freq(MHz)	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	-5.01	-50.03	≤-25.01	PASS
		High	2480	-7.18	-50.13	≤-27.18	PASS
		Low	Hop_2402	-6.57	-50.43	≤-26.57	PASS
		High	Hop_2480	-6.90	-49.9	≤-26.9	PASS
2DH5	Ant1	Low	2402	-4.61	-48.74	≤-24.61	PASS
		High	2480	-12.13	-50.18	≤-32.13	PASS
		Low	Hop_2402	-13.24	-50.45	≤-33.24	PASS
		High	Hop_2480	-7.55	-50.41	≤-27.55	PASS
3DH5	Ant1	Low	2402	-4.57	-48.66	≤-24.57	PASS
		High	2480	-9.27	-50.29	≤-29.27	PASS
		Low	Hop_2402	-11.48	-50.41	≤-31.48	PASS
		High	Hop_2480	-10.05	-50.46	≤-30.05	PASS

Note:Left Earphone is the worst case, only report the worst case.




Test Graphs


DH5_Ant1_Low_2402



DH5_Ant1_High_2480




DH5_Ant1_Low_Hop_2402







DH5_Ant1_High_Hop_2480



2DH5_Ant1_Low_2402




2DH5_Ant1_High_2480







2DH5 Ant1 Low Hop 2402



2DH5 Ant1 High Hop 2480




3DH5 Ant1 Low 2402







3DH5 Ant1 High 2480



3DH5 Ant1 Low Hop 2402



3DH5 Ant1 High Hop 2480





Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	-4.55	-4.55	---	PASS
			30~1000	-4.55	-56.67	≤ -24.55	PASS
			1000~26500	-4.55	-39.85	≤ -24.55	PASS
		2441	Reference	-4.29	-4.29	---	PASS
			30~1000	-4.29	-57.36	≤ -24.29	PASS
			1000~26500	-4.29	-40.78	≤ -24.29	PASS
		2480	Reference	-6.38	-6.38	---	PASS
			30~1000	-6.38	-56.16	≤ -26.38	PASS
			1000~26500	-6.38	-44.52	≤ -26.38	PASS
2DH5	Ant1	2402	Reference	-5.14	-5.14	---	PASS
			30~1000	-5.14	-57.23	≤ -25.14	PASS
			1000~26500	-5.14	-42.24	≤ -25.14	PASS
		2441	Reference	-4.24	-4.24	---	PASS
			30~1000	-4.24	-57.9	≤ -24.24	PASS
			1000~26500	-4.24	-44.59	≤ -24.24	PASS
		2480	Reference	-6.46	-6.46	---	PASS
			30~1000	-6.46	-57.92	≤ -26.46	PASS
			1000~26500	-6.46	-45.78	≤ -26.46	PASS
3DH5	Ant1	2402	Reference	-3.91	-3.91	---	PASS
			30~1000	-3.91	-57.84	≤ -23.91	PASS
			1000~26500	-3.91	-36.91	≤ -23.91	PASS
		2441	Reference	-3.82	-3.82	---	PASS
			30~1000	-3.82	-57.79	≤ -23.82	PASS
			1000~26500	-3.82	-41.69	≤ -23.82	PASS
		2480	Reference	-5.93	-5.93	---	PASS
			30~1000	-5.93	-57.64	≤ -25.93	PASS
			1000~26500	-5.93	-44.98	≤ -25.93	PASS

Note: Left Earphone is the worst case, only report the worst case.