

TEST REPORT

Report No.: MTi241204005-0105E1

Test Graphs



TEST REPORT

Report No.: MTi241204005-0105E1



TEST REPORT

Report No.: MTi241204005-0105E1

Appendix D: Time of occupancy

Test Result

Test Mode	Antenna	Frequency [MHz]	BurstWidth [ms]	Hops in 31.6s [Num]	Result [s]	Limit [s]	Verdict
DH1	Ant1	Hop	0.380	313	0.119	≤0.4	PASS
DH3	Ant1	Hop	1.635	160	0.262	≤0.4	PASS
DH5	Ant1	Hop	2.884	87	0.251	≤0.4	PASS
2DH1	Ant1	Hop	0.385	315	0.121	≤0.4	PASS
2DH3	Ant1	Hop	1.478	156	0.231	≤0.4	PASS
2DH5	Ant1	Hop	2.885	97	0.280	≤0.4	PASS
3DH1	Ant1	Hop	0.386	315	0.122	≤0.4	PASS
3DH3	Ant1	Hop	1.637	154	0.252	≤0.4	PASS
3DH5	Ant1	Hop	2.888	94	0.271	≤0.4	PASS


Notes:

1. Period time = $0.4s * 79 = 31.6s$
2. Result (Time of occupancy) = BurstWidth[ms] * Hops in 31.6s [Num]

TEST REPORT


Report No.: MTi241204005-0105E1

Test Graphs




TEST REPORT

Report No.: MTi241204005-0105E1




TEST REPORT

Report No.: MTi241204005-0105E1



TEST REPORT


Report No.: MTi241204005-0105E1



2DH5_Ant1_Hop


TEST REPORT

Report No.: MTi241204005-0105E1




TEST REPORT

Report No.: MTi241204005-0105E1



TEST REPORT

Report No.: MTi241204005-0105E1



TEST REPORT

Report No.: MTi241204005-0105E1

Appendix E: Number of hopping channels


Test Result

Test Mode	Antenna	Frequency [MHz]	Result [Num]	Limit [Num]	Verdict
DH5	Ant1	Hop	79	≥15	PASS
2DH5	Ant1	Hop	79	≥15	PASS
3DH5	Ant1	Hop	79	≥15	PASS

TEST REPORT

Report No.: MTi241204005-0105E1

Test Graphs



TEST REPORT

Report No.: MTi241204005-0105E1




TEST REPORT

Report No.: MTi241204005-0105E1

Appendix F: Band edge measurements

Test Graphs



TEST REPORT

Report No.: MTi241204005-0105E1

