


TEST REPORT


Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTI241204005-0105E4

11AC80SISO_Ant2_5775




11AX20SISO_Ant1_5180



11AX20SISO_Ant2_5180

TEST REPORT


Report No.: MTi241204005-0105E4



TEST REPORT

Report No.: MTI241204005-0105E4

11AX20SISO_Ant1_5240




11AX20SISO_Ant2_5240



11AX20SISO_Ant1_5745


TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTI241204005-0105E4



TEST REPORT


Report No.: MTi241204005-0105E4



TEST REPORT

Report No.: MTI241204005-0105E4

11AX40SISO_Ant1_5230




11AX40SISO_Ant2_5230



11AX40SISO_Ant1_5755

TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTI241204005-0105E4

11AX40SISO_Ant2_5795




11AX80SISO_Ant1_5210



11AX80SISO_Ant2_5210


TEST REPORT

Report No.: MTi241204005-0105E4



TEST REPORT

Report No.: MTi241204005-0105E4



TEST REPORT

Report No.: MTi241204005-0105E4

Appendix C: Maximum conducted output power

Test Result Channel Power

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	0.05	99.05	0.04	0.09	≤23.98	PASS
	Ant2	5180	2.75	99.06	0.04	2.79	≤23.98	PASS
	Ant1	5200	0.29	99.06	0.04	0.33	≤23.98	PASS
	Ant2	5200	2.74	99.53	0.02	2.76	≤23.98	PASS
	Ant1	5240	0.73	99.53	0.02	0.75	≤23.98	PASS
	Ant2	5240	2.84	99.05	0.04	2.88	≤23.98	PASS
	Ant1	5745	0.44	99.05	0.04	0.48	≤30.00	PASS
	Ant2	5745	1.01	99.53	0.02	1.03	≤30.00	PASS
	Ant1	5785	-0.29	99.06	0.04	-0.25	≤30.00	PASS
	Ant2	5785	0.18	99.06	0.04	0.22	≤30.00	PASS
	Ant1	5825	-1.10	99.53	0.02	-1.08	≤30.00	PASS
	Ant2	5825	-1.29	99.06	0.04	-1.25	≤30.00	PASS
11N20SISO	Ant1	5180	-0.05	99.63	0.02	-0.03	≤23.98	PASS
	Ant2	5180	2.40	99.81	0.01	2.41	≤23.98	PASS
	Ant1	5200	0.16	99.81	0.01	0.17	≤23.98	PASS
	Ant2	5200	2.40	99.63	0.02	2.42	≤23.98	PASS
	Ant1	5240	0.56	99.63	0.02	0.58	≤23.98	PASS
	Ant2	5240	2.52	99.81	0.01	2.53	≤23.98	PASS
	Ant1	5745	0.18	99.63	0.02	0.20	≤30.00	PASS
	Ant2	5745	0.66	99.63	0.02	0.68	≤30.00	PASS
	Ant1	5785	-0.58	99.81	0.01	-0.57	≤30.00	PASS
	Ant2	5785	-0.13	99.81	0.01	-0.12	≤30.00	PASS
	Ant1	5825	-1.43	99.63	0.02	-1.41	≤30.00	PASS
	Ant2	5825	-1.65	99.63	0.02	-1.63	≤30.00	PASS
11N40SISO	Ant1	5190	0.73	99.63	0.02	0.75	≤23.98	PASS
	Ant2	5190	2.07	99.63	0.02	2.09	≤23.98	PASS
	Ant1	5230	1.16	99.63	0.02	1.18	≤23.98	PASS
	Ant2	5230	2.12	99.82	0.01	2.13	≤23.98	PASS
	Ant1	5755	-0.30	99.82	0.01	-0.29	≤30.00	PASS
	Ant2	5755	1.20	99.63	0.02	1.22	≤30.00	PASS
	Ant1	5795	-0.97	99.82	0.01	-0.96	≤30.00	PASS
	Ant2	5795	0.33	99.63	0.02	0.35	≤30.00	PASS
11AC20SISO	Ant1	5180	-0.08	99.63	0.02	-0.06	≤23.98	PASS
	Ant2	5180	2.51	99.81	0.01	2.52	≤23.98	PASS
	Ant1	5200	0.15	99.63	0.02	0.17	≤23.98	PASS
	Ant2	5200	2.48	99.63	0.02	2.50	≤23.98	PASS
	Ant1	5240	0.54	99.63	0.02	0.56	≤23.98	PASS
	Ant2	5240	2.55	99.63	0.02	2.57	≤23.98	PASS
	Ant1	5745	0.21	99.81	0.01	0.22	≤30.00	PASS
	Ant2	5745	0.66	99.63	0.02	0.68	≤30.00	PASS
	Ant1	5785	-0.56	99.63	0.02	-0.54	≤30.00	PASS
	Ant2	5785	-0.15	99.63	0.02	-0.13	≤30.00	PASS
	Ant1	5825	-1.41	99.81	0.01	-1.40	≤30.00	PASS
	Ant2	5825	-1.64	99.63	0.02	-1.62	≤30.00	PASS
11AC40SISO	Ant1	5190	0.73	99.63	0.02	0.75	≤23.98	PASS
	Ant2	5190	2.05	99.82	0.01	2.06	≤23.98	PASS
	Ant1	5230	1.16	99.63	0.02	1.18	≤23.98	PASS
	Ant2	5230	2.10	99.63	0.02	2.12	≤23.98	PASS
	Ant1	5755	-0.25	99.82	0.01	-0.24	≤30.00	PASS
	Ant2	5755	1.20	99.82	0.01	1.21	≤30.00	PASS
	Ant1	5795	-0.95	99.63	0.02	-0.93	≤30.00	PASS
	Ant2	5795	0.36	99.82	0.01	0.37	≤30.00	PASS
11AC80SISO	Ant1	5210	1.50	99.63	0.02	1.52	≤23.98	PASS
	Ant2	5210	3.01	99.63	0.02	3.03	≤23.98	PASS

TEST REPORT

Report No.: MTi241204005-0105E4

	Ant1	5775	0.44	99.63	0.02	0.46	≤30.00	PASS
	Ant2	5775	0.83	99.82	0.01	0.84	≤30.00	PASS
11AX20SISO	Ant1	5180	0.20	99.81	0.01	0.21	≤23.98	PASS
	Ant2	5180	2.72	99.81	0.01	2.73	≤23.98	PASS
	Ant1	5200	0.42	99.63	0.02	0.44	≤23.98	PASS
	Ant2	5200	2.72	99.81	0.01	2.73	≤23.98	PASS
	Ant1	5240	0.81	99.63	0.02	0.83	≤23.98	PASS
	Ant2	5240	2.82	99.63	0.02	2.84	≤23.98	PASS
	Ant1	5745	0.49	99.63	0.02	0.51	≤30.00	PASS
	Ant2	5745	0.92	99.63	0.02	0.94	≤30.00	PASS
	Ant1	5785	-0.30	99.63	0.02	-0.28	≤30.00	PASS
	Ant2	5785	0.11	99.63	0.02	0.13	≤30.00	PASS
	Ant1	5825	-1.12	99.63	0.02	-1.10	≤30.00	PASS
	Ant2	5825	-1.35	99.63	0.02	-1.33	≤30.00	PASS
11AX40SISO	Ant1	5190	0.42	99.63	0.02	0.44	≤23.98	PASS
	Ant2	5190	1.75	99.63	0.02	1.77	≤23.98	PASS
	Ant1	5230	0.86	99.63	0.02	0.88	≤23.98	PASS
	Ant2	5230	1.80	99.63	0.02	1.82	≤23.98	PASS
	Ant1	5755	-0.53	99.63	0.02	-0.51	≤30.00	PASS
	Ant2	5755	1.12	99.63	0.02	1.14	≤30.00	PASS
	Ant1	5795	-1.20	99.81	0.01	-1.19	≤30.00	PASS
	Ant2	5795	0.29	99.63	0.02	0.31	≤30.00	PASS
11AX80SISO	Ant1	5210	1.47	99.81	0.01	1.48	≤23.98	PASS
	Ant2	5210	2.94	99.62	0.02	2.96	≤23.98	PASS
	Ant1	5775	0.36	99.62	0.02	0.38	≤30.00	PASS
	Ant2	5775	0.74	99.62	0.02	0.76	≤30.00	PASS
11N20MIMO	Ant1	5180	-9.34	100.00	0.00	-9.34	≤23.98	PASS
	Ant2	5180	-0.76	99.33	0.03	-0.73	≤23.98	PASS
	total	5180	---	---	---	-0.17	≤23.98	PASS
	Ant1	5200	-9.31	100.00	0.00	-9.31	≤23.98	PASS
	Ant2	5200	-0.65	99.33	0.03	-0.62	≤23.98	PASS
	total	5200	---	---	---	-0.07	≤23.98	PASS
	Ant1	5240	-8.17	100.00	0.00	-8.17	≤23.98	PASS
	Ant2	5240	-0.71	99.10	0.04	-0.67	≤23.98	PASS
	total	5240	---	---	---	0.04	≤23.98	PASS
	Ant1	5745	-6.90	99.33	0.03	-6.87	≤30.00	PASS
	Ant2	5745	-0.09	99.33	0.03	-0.06	≤30.00	PASS
	total	5745	---	---	---	0.76	≤30.00	PASS
	Ant1	5785	-8.95	100.00	0.00	-8.95	≤30.00	PASS
	Ant2	5785	-0.97	100.00	0.00	-0.97	≤30.00	PASS
	total	5785	---	---	---	-0.33	≤30.00	PASS
	Ant1	5825	-9.76	100.00	0.00	-9.76	≤30.00	PASS
	Ant2	5825	-2.12	99.44	0.02	-2.10	≤30.00	PASS
	total	5825	---	---	---	-1.41	≤30.00	PASS
11N40MIMO	Ant1	5190	-9.64	100.00	0.00	-9.64	≤23.98	PASS
	Ant2	5190	-1.20	100.00	0.00	-1.20	≤23.98	PASS
	total	5190	---	---	---	-0.62	≤23.98	PASS
	Ant1	5230	-9.00	100.00	0.00	-9.00	≤23.98	PASS
	Ant2	5230	-1.19	100.00	0.00	-1.19	≤23.98	PASS
	total	5230	---	---	---	-0.52	≤23.98	PASS
	Ant1	5755	-8.20	99.34	0.03	-8.17	≤30.00	PASS
	Ant2	5755	-0.85	99.56	0.02	-0.83	≤30.00	PASS
	total	5755	---	---	---	-0.09	≤30.00	PASS
	Ant1	5795	-8.83	100.00	0.00	-8.83	≤30.00	PASS
11AC20MIMO	Ant2	5795	-1.49	99.34	0.03	-1.46	≤30.00	PASS
	total	5795	---	---	---	-0.73	≤30.00	PASS
	Ant1	5180	-9.25	100.00	0.00	-9.25	≤23.98	PASS
	Ant2	5180	-0.76	99.44	0.02	-0.74	≤23.98	PASS
	total	5180	---	---	---	-0.17	≤23.98	PASS
	Ant1	5200	-9.19	100.00	0.00	-9.19	≤23.98	PASS
	Ant2	5200	-0.65	100.00	0.00	-0.65	≤23.98	PASS
	total	5200	---	---	---	-0.08	≤23.98	PASS

TEST REPORT

Report No.: MTi241204005-0105E4

	Ant1	5240	-7.78	100.00	0.00	-7.78	≤23.98	PASS
	Ant2	5240	-0.72	99.10	0.04	-0.68	≤23.98	PASS
	total	5240	---	---	---	0.09	≤23.98	PASS
	Ant1	5745	-6.88	100.00	0.00	-6.88	≤30.00	PASS
	Ant2	5745	-0.05	99.33	0.03	-0.02	≤30.00	PASS
	total	5745	---	---	---	0.79	≤30.00	PASS
	Ant1	5785	-8.93	100.00	0.00	-8.93	≤30.00	PASS
	Ant2	5785	-0.90	99.33	0.03	-0.87	≤30.00	PASS
	total	5785	---	---	---	-0.24	≤30.00	PASS
	Ant1	5825	-9.73	100.00	0.00	-9.73	≤30.00	PASS
	Ant2	5825	-2.12	99.33	0.03	-2.09	≤30.00	PASS
	total	5825	---	---	---	-1.40	≤30.00	PASS
11AC40MIMO	Ant1	5190	-9.68	100.00	0.00	-9.68	≤23.98	PASS
	Ant2	5190	-1.20	100.00	0.00	-1.20	≤23.98	PASS
	total	5190	---	---	---	-0.62	≤23.98	PASS
	Ant1	5230	-8.94	99.82	0.01	-8.93	≤23.98	PASS
	Ant2	5230	-1.24	100.00	0.00	-1.24	≤23.98	PASS
	total	5230	---	---	---	-0.56	≤23.98	PASS
	Ant1	5755	-8.18	100.00	0.00	-8.18	≤30.00	PASS
	Ant2	5755	-0.84	100.00	0.00	-0.84	≤30.00	PASS
	total	5755	---	---	---	-0.10	≤30.00	PASS
	Ant1	5795	-8.84	100.00	0.00	-8.84	≤30.00	PASS
	Ant2	5795	-1.53	99.34	0.03	-1.50	≤30.00	PASS
	total	5795	---	---	---	-0.76	≤30.00	PASS
11AC80MIMO	Ant1	5210	-7.85	99.34	0.03	-7.82	≤23.98	PASS
	Ant2	5210	-1.24	99.11	0.04	-1.20	≤23.98	PASS
	total	5210	---	---	---	-0.34	≤23.98	PASS
	Ant1	5775	-8.21	99.45	0.02	-8.19	≤30.00	PASS
	Ant2	5775	-0.73	100.00	0.00	-0.73	≤30.00	PASS
	total	5775	---	---	---	-0.01	≤30.00	PASS
11AX20MIMO	Ant1	5180	-9.41	99.34	0.03	-9.38	≤23.98	PASS
	Ant2	5180	-1.04	99.33	0.03	-1.01	≤23.98	PASS
	total	5180	---	---	---	-0.42	≤23.98	PASS
	Ant1	5200	-9.40	100.00	0.00	-9.40	≤23.98	PASS
	Ant2	5200	-0.91	99.44	0.02	-0.89	≤23.98	PASS
	total	5200	---	---	---	-0.32	≤23.98	PASS
	Ant1	5240	-8.03	100.00	0.00	-8.03	≤23.98	PASS
	Ant2	5240	-1.00	100.00	0.00	-1.00	≤23.98	PASS
	total	5240	---	---	---	-0.21	≤23.98	PASS
	Ant1	5745	-7.13	99.33	0.03	-7.10	≤30.00	PASS
	Ant2	5745	-0.36	99.33	0.03	-0.33	≤30.00	PASS
	total	5745	---	---	---	0.50	≤30.00	PASS
	Ant1	5785	-9.23	100.00	0.00	-9.23	≤30.00	PASS
	Ant2	5785	-1.26	99.33	0.03	-1.23	≤30.00	PASS
	total	5785	---	---	---	-0.59	≤30.00	PASS
	Ant1	5825	-10.03	100.00	0.00	-10.03	≤30.00	PASS
	Ant2	5825	-2.36	100.00	0.00	-2.36	≤30.00	PASS
	total	5825	---	---	---	-1.67	≤30.00	PASS
11AX40MIMO	Ant1	5190	-9.64	100.00	0.00	-9.64	≤23.98	PASS
	Ant2	5190	-1.27	100.00	0.00	-1.27	≤23.98	PASS
	total	5190	---	---	---	-0.68	≤23.98	PASS
	Ant1	5230	-8.94	100.00	0.00	-8.94	≤23.98	PASS
	Ant2	5230	-1.28	99.33	0.03	-1.25	≤23.98	PASS
	total	5230	---	---	---	-0.57	≤23.98	PASS
	Ant1	5755	-8.28	99.56	0.02	-8.26	≤30.00	PASS
	Ant2	5755	-0.92	99.33	0.03	-0.89	≤30.00	PASS
	total	5755	---	---	---	-0.16	≤30.00	PASS
	Ant1	5795	-8.86	100.00	0.00	-8.86	≤30.00	PASS
	Ant2	5795	-1.57	100.00	0.00	-1.57	≤30.00	PASS
	total	5795	---	---	---	-0.83	≤30.00	PASS
11AX80MIMO	Ant1	5210	-7.90	99.45	0.02	-7.88	≤23.98	PASS
	Ant2	5210	-1.33	100.00	0.00	-1.33	≤23.98	PASS

TEST REPORT

Report No.: MTi241204005-0105E4


	total	5210	---	---	---	-0.46	≤23.98	PASS
	Ant1	5775	-8.48	100.00	0.00	-8.48	≤30.00	PASS
	Ant2	5775	-1.23	100.00	0.00	-1.23	≤30.00	PASS
	total	5775	---	---	---	-0.48	≤30.00	PASS

Note: The Duty Cycle Factor is compensated in the graph.

TEST REPORT


Report No.: MTi241204005-0105E4

Test Graphs




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4



TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4



TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4



TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTI241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTI241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4



TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTI241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4



TEST REPORT

Report No.: MTi241204005-0105E4



TEST REPORT

Report No.: MTi241204005-0105E4



TEST REPORT

Report No.: MTi241204005-0105E4

Appendix D: Maximum power spectral density

Test Result

Test Mode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5180	-9.72	≤11.00	PASS
	Ant2	5180	-5.30	≤11.00	PASS
	Ant1	5200	-10.81	≤11.00	PASS
	Ant2	5200	-5.45	≤11.00	PASS
	Ant1	5240	-10.31	≤11.00	PASS
	Ant2	5240	-5.09	≤11.00	PASS
	Ant1	5745	-16.07	≤30.00	PASS
	Ant2	5745	-10.92	≤30.00	PASS
	Ant1	5785	-17.30	≤30.00	PASS
	Ant2	5785	-11.44	≤30.00	PASS
	Ant1	5825	-18.89	≤30.00	PASS
	Ant2	5825	-12.54	≤30.00	PASS
11N20SISO	Ant1	5180	-10.93	≤11.00	PASS
	Ant2	5180	-5.89	≤11.00	PASS
	Ant1	5200	-11.44	≤11.00	PASS
	Ant2	5200	-5.83	≤11.00	PASS
	Ant1	5240	-10.66	≤11.00	PASS
	Ant2	5240	-5.80	≤11.00	PASS
	Ant1	5745	-16.53	≤30.00	PASS
	Ant2	5745	-11.48	≤30.00	PASS
	Ant1	5785	-17.79	≤30.00	PASS
	Ant2	5785	-12.02	≤30.00	PASS
	Ant1	5825	-19.34	≤30.00	PASS
	Ant2	5825	-13.22	≤30.00	PASS
11N40SISO	Ant1	5190	-13.74	≤11.00	PASS
	Ant2	5190	-9.48	≤11.00	PASS
	Ant1	5230	-12.87	≤11.00	PASS
	Ant2	5230	-9.13	≤11.00	PASS
	Ant1	5755	-20.31	≤30.00	PASS
	Ant2	5755	-14.07	≤30.00	PASS
	Ant1	5795	-21.15	≤30.00	PASS
	Ant2	5795	-14.59	≤30.00	PASS
11AC20SISO	Ant1	5180	-10.69	≤11.00	PASS
	Ant2	5180	-6.30	≤11.00	PASS
	Ant1	5200	-11.57	≤11.00	PASS
	Ant2	5200	-6.01	≤11.00	PASS
	Ant1	5240	-10.77	≤11.00	PASS
	Ant2	5240	-5.88	≤11.00	PASS
	Ant1	5745	-16.70	≤30.00	PASS
	Ant2	5745	-11.20	≤30.00	PASS
	Ant1	5785	-17.86	≤30.00	PASS
	Ant2	5785	-11.95	≤30.00	PASS
	Ant1	5825	-19.35	≤30.00	PASS
	Ant2	5825	-13.31	≤30.00	PASS
11AC40SISO	Ant1	5190	-12.73	≤11.00	PASS
	Ant2	5190	-9.52	≤11.00	PASS
	Ant1	5230	-13.29	≤11.00	PASS
	Ant2	5230	-9.26	≤11.00	PASS
	Ant1	5755	-19.97	≤30.00	PASS
	Ant2	5755	-14.10	≤30.00	PASS
	Ant1	5795	-21.52	≤30.00	PASS
	Ant2	5795	-14.53	≤30.00	PASS
11AC80SISO	Ant1	5210	-14.91	≤11.00	PASS
	Ant2	5210	-10.56	≤11.00	PASS
	Ant1	5775	-21.89	≤30.00	PASS

TEST REPORT

Report No.: MTi241204005-0105E4

	Ant2	5775	-16.25	≤30.00	PASS
11AX20SISO	Ant1	5180	-11.28	≤11.00	PASS
	Ant2	5180	-5.93	≤11.00	PASS
	Ant1	5200	-11.20	≤11.00	PASS
	Ant2	5200	-6.11	≤11.00	PASS
	Ant1	5240	-10.81	≤11.00	PASS
	Ant2	5240	-5.85	≤11.00	PASS
	Ant1	5745	-16.45	≤30.00	PASS
	Ant2	5745	-11.11	≤30.00	PASS
	Ant1	5785	-17.73	≤30.00	PASS
	Ant2	5785	-12.10	≤30.00	PASS
	Ant1	5825	-19.25	≤30.00	PASS
	Ant2	5825	-13.12	≤30.00	PASS
11AX40SISO	Ant1	5190	-13.26	≤11.00	PASS
	Ant2	5190	-9.98	≤11.00	PASS
	Ant1	5230	-13.51	≤11.00	PASS
	Ant2	5230	-9.45	≤11.00	PASS
	Ant1	5755	-20.53	≤30.00	PASS
	Ant2	5755	-14.20	≤30.00	PASS
11AX80SISO	Ant1	5795	-21.56	≤30.00	PASS
	Ant2	5795	-14.42	≤30.00	PASS
	Ant1	5210	-14.82	≤11.00	PASS
	Ant2	5210	-10.64	≤11.00	PASS
	Ant1	5775	-21.70	≤30.00	PASS
	Ant2	5775	-16.06	≤30.00	PASS
11N20MIMO	Ant1	5180	-15.15	≤11.00	PASS
	Ant2	5180	-9.13	≤11.00	PASS
	total	5180	-8.16	≤11.00	PASS
	Ant1	5200	-12.31	≤11.00	PASS
	Ant2	5200	-8.79	≤11.00	PASS
	total	5200	-7.19	≤11.00	PASS
	Ant1	5240	-10.82	≤11.00	PASS
	Ant2	5240	-8.79	≤11.00	PASS
	total	5240	-6.68	≤11.00	PASS
	Ant1	5745	-15.03	≤30.00	PASS
	Ant2	5745	-12.29	≤30.00	PASS
	total	5745	-10.44	≤30.00	PASS
	Ant1	5785	-16.71	≤30.00	PASS
	Ant2	5785	-12.97	≤30.00	PASS
	total	5785	-11.44	≤30.00	PASS
	Ant1	5825	-16.68	≤30.00	PASS
	Ant2	5825	-13.89	≤30.00	PASS
	total	5825	-12.05	≤30.00	PASS
11N40MIMO	Ant1	5190	-16.05	≤11.00	PASS
	Ant2	5190	-12.47	≤11.00	PASS
	total	5190	-10.89	≤11.00	PASS
	Ant1	5230	-15.29	≤11.00	PASS
	Ant2	5230	-12.06	≤11.00	PASS
	total	5230	-10.37	≤11.00	PASS
	Ant1	5755	-18.92	≤30.00	PASS
	Ant2	5755	-15.46	≤30.00	PASS
	total	5755	-13.84	≤30.00	PASS
	Ant1	5795	-19.33	≤30.00	PASS
11AC20MIMO	Ant2	5795	-16.41	≤30.00	PASS
	total	5795	-14.62	≤30.00	PASS
	Ant1	5180	-12.80	≤11.00	PASS
	Ant2	5180	-8.88	≤11.00	PASS
	total	5180	-7.40	≤11.00	PASS
	Ant1	5200	-12.42	≤11.00	PASS
	Ant2	5200	-8.62	≤11.00	PASS
	total	5200	-7.11	≤11.00	PASS
	Ant1	5240	-11.40	≤11.00	PASS

TEST REPORT

Report No.: MTi241204005-0105E4

	Ant2	5240	-8.83	≤11.00	PASS
	total	5240	-6.92	≤11.00	PASS
	Ant1	5745	-14.99	≤30.00	PASS
	Ant2	5745	-12.10	≤30.00	PASS
	total	5745	-10.30	≤30.00	PASS
	Ant1	5785	-16.58	≤30.00	PASS
	Ant2	5785	-13.00	≤30.00	PASS
	total	5785	-11.42	≤30.00	PASS
	Ant1	5825	-16.90	≤30.00	PASS
	Ant2	5825	-13.47	≤30.00	PASS
11AC40MIMO	total	5825	-11.84	≤30.00	PASS
	Ant1	5190	-15.99	≤11.00	PASS
	Ant2	5190	-12.38	≤11.00	PASS
	total	5190	-10.81	≤11.00	PASS
	Ant1	5230	-15.23	≤11.00	PASS
	Ant2	5230	-11.86	≤11.00	PASS
	total	5230	-10.22	≤11.00	PASS
	Ant1	5755	-18.87	≤30.00	PASS
	Ant2	5755	-15.65	≤30.00	PASS
	total	5755	-13.96	≤30.00	PASS
11AC80MIMO	Ant1	5795	-19.39	≤30.00	PASS
	Ant2	5795	-16.12	≤30.00	PASS
	total	5795	-14.44	≤30.00	PASS
	Ant1	5210	-16.65	≤11.00	PASS
	Ant2	5210	-14.86	≤11.00	PASS
	total	5210	-12.65	≤11.00	PASS
	Ant1	5775	-21.15	≤30.00	PASS
	Ant2	5775	-17.69	≤30.00	PASS
	total	5775	-16.07	≤30.00	PASS
	Ant1	5180	-13.06	≤11.00	PASS
11AX20MIMO	Ant2	5180	-9.57	≤11.00	PASS
	total	5180	-7.96	≤11.00	PASS
	Ant1	5200	-12.85	≤11.00	PASS
	Ant2	5200	-9.33	≤11.00	PASS
	total	5200	-7.73	≤11.00	PASS
	Ant1	5240	-11.79	≤11.00	PASS
	Ant2	5240	-9.07	≤11.00	PASS
	total	5240	-7.21	≤11.00	PASS
	Ant1	5745	-15.09	≤30.00	PASS
	Ant2	5745	-12.39	≤30.00	PASS
	total	5745	-10.52	≤30.00	PASS
	Ant1	5785	-17.00	≤30.00	PASS
	Ant2	5785	-13.43	≤30.00	PASS
	total	5785	-11.85	≤30.00	PASS
	Ant1	5825	-17.00	≤30.00	PASS
	Ant2	5825	-14.11	≤30.00	PASS
	total	5825	-12.31	≤30.00	PASS
11AX40MIMO	Ant1	5190	-16.11	≤11.00	PASS
	Ant2	5190	-12.52	≤11.00	PASS
	total	5190	-10.94	≤11.00	PASS
	Ant1	5230	-15.55	≤11.00	PASS
	Ant2	5230	-12.13	≤11.00	PASS
	total	5230	-10.50	≤11.00	PASS
	Ant1	5755	-18.78	≤30.00	PASS
	Ant2	5755	-15.89	≤30.00	PASS
	total	5755	-14.09	≤30.00	PASS
	Ant1	5795	-19.35	≤30.00	PASS
11AX80MIMO	Ant2	5795	-16.66	≤30.00	PASS
	total	5795	-14.79	≤30.00	PASS
	Ant1	5210	-16.54	≤11.00	PASS
	Ant2	5210	-14.93	≤11.00	PASS
	total	5210	-12.65	≤11.00	PASS

TEST REPORT

Report No.: MTi241204005-0105E4

	Ant1	5775	-20.18	≤30.00	PASS
	Ant2	5775	-16.92	≤30.00	PASS
	total	5775	-15.24	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

TEST REPORT

Report No.: MTi241204005-0105E4

Test Graphs



TEST REPORT

Report No.: MTi241204005-0105E4



11A_Ant2_5200



11A_Ant1_5240



TEST REPORT

Report No.: MTi241204005-0105E4

11A_Ant2_5240



11A_Ant1_5745



11A_Ant2_5745

TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4




TEST REPORT

Report No.: MTi241204005-0105E4



TEST REPORT

Report No.: MTi241204005-0105E4



TEST REPORT

Report No.: MTi241204005-0105E4



TEST REPORT

Report No.: MTi241204005-0105E4

