



















































































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.151	56.47	-9.49	65.96	45.90	0.12	10.45	QP
2	0.151	40.87	-15.09	55.96	30.30	0.12	10.45	Average
3	0.188	49.19	-14.92	64.11	38.60	0.13	10.46	QP
4	0.188	32.09	-22.02	54.11	21.50	0.13	10.46	Average
5	0.266	37.23	-24.02	61.25	26.81	-0.05	10.47	QP
6	0.266	24.63	-26.62	51.25	14.21	-0.05	10.47	Average
7	0.431	33.82	-23.42	57.24	23.50	-0.14	10.46	QP
8	0.431	28.62	-18.62	47.24	18.30	-0.14	10.46	Average
9	2.474	33.83	-22.17	56.00	23.80	-0.20	10.23	QP
10	2.474	28.63	-17.37	46.00	18.60	-0.20	10.23	Average
11	17.755	34.21	-25.79	60.00	24.20	-0.28	10.29	QP
12	17.755	29.31	-20.69	50.00	19.30	-0.28	10.29	Average

Note:

1. $\text{Level(dB}\mu\text{V)} = \text{Read Level(dB}\mu\text{V)} + \text{LISN Factor(dB)} + \text{Cable Loss(dB)}$
2. $\text{Over Limit(dB)} = \text{Level(dB}\mu\text{V)} - \text{Limit Line(dB}\mu\text{V)}$



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	51~53%
		Temperature :	21.2~22.5°C

Radiated Spurious Emission Test Modes





Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	0	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	0	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	0	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	1	802.11b	01	2412	1Mbps	-	-
Mode 5	2400-2483.5	1	802.11b	06	2437	1Mbps	-	-
Mode 6	2400-2483.5	1	802.11b	11	2462	1Mbps	-	-
Mode 7	2400-2483.5	0+1	802.11g	01	2412	6Mbps	-	-
Mode 8	2400-2483.5	0+1	802.11g	06	2437	6Mbps	-	-
Mode 9	2400-2483.5	0+1	802.11g	11	2462	6Mbps	-	-
Mode 10	2400-2483.5	0+1	802.11ax HE20	01	2412	MCS0	-	-
Mode 11	2400-2483.5	0+1	802.11ax HE20	06	2437	MCS0	-	-
Mode 12	2400-2483.5	0+1	802.11ax HE20	11	2462	MCS0	-	-
Mode 13	2400-2483.5	0+1	802.11ax HE40	03	2422	MCS0	-	-
Mode 14	2400-2483.5	0+1	802.11ax HE40	06	2437	MCS0	-	-
Mode 15	2400-2483.5	0+1	802.11ax HE40	09	2452	MCS0	-	-
Mode 16	2400-2483.5	0+1	802.11n HT20	01	2412	MCS0	-	-
Mode 17	2400-2483.5	0+1	802.11n HT20	06	2437	MCS0	-	-
Mode 18	2400-2483.5	0+1	802.11n HT20	11	2462	MCS0	-	-
Mode 19	2400-2483.5	0+1	802.11n HT40	03	2422	MCS0	-	-
Mode 20	2400-2483.5	0+1	802.11n HT40	06	2437	MCS0	-	-
Mode 21	2400-2483.5	0+1	802.11n HT40	09	2452	MCS0	-	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2385.92	47.20	54.00	-6.80	V	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	52.69	54.00	-1.31	V	AVERAGE	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
2	802.11b	06	4874.00	52.20	54.00	-1.80	V	AVERAGE	Pass	Harmonic
3	802.11b	11	2491.18	45.85	54.00	-8.15	V	AVERAGE	Pass	Band Edge
3	802.11b	11	4924.00	52.98	54.00	-1.02	V	AVERAGE	Pass	Harmonic
4	802.11b	01	2385.14	52.19	54.00	-1.81	V	AVERAGE	Pass	Band Edge
4	802.11b	01	4824.00	52.29	54.00	-1.71	V	AVERAGE	Pass	Harmonic
5	802.11b	06	-	-	-	-	-	-	-	Band Edge
5	802.11b	06	4874.00	52.89	54.00	-1.11	V	AVERAGE	Pass	Harmonic
6	802.11b	11	2495.02	44.38	54.00	-9.62	V	AVERAGE	Pass	Band Edge
6	802.11b	11	4924.00	52.96	54.00	-1.04	V	AVERAGE	Pass	Harmonic
7	802.11g	01	2389.95	50.87	54.00	-3.13	V	AVERAGE	Pass	Band Edge
7	802.11g	01	4824.00	49.37	54.00	-4.63	V	AVERAGE	Pass	Harmonic
8	802.11g	06	-	-	-	-	-	-	-	Band Edge
8	802.11g	06	4874.00	49.67	54.00	-4.33	V	AVERAGE	Pass	Harmonic
9	802.11g	11	2483.50	50.09	54.00	-3.91	V	AVERAGE	Pass	Band Edge
9	802.11g	11	7386.00	47.10	54.00	-6.90	V	AVERAGE	Pass	Harmonic
10	802.11ax HE20	01	2388.39	50.79	54.00	-3.21	V	AVERAGE	Pass	Band Edge
10	802.11ax HE20	01	4824.00	46.44	54.00	-7.56	V	AVERAGE	Pass	Harmonic
11	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	06	7311.00	50.00	54.00	-4.00	V	AVERAGE	Pass	Harmonic
12	802.11ax HE20	11	2484.16	50.69	54.00	-3.31	V	AVERAGE	Pass	Band Edge
12	802.11ax HE20	11	4924.00	43.75	54.00	-10.25	V	AVERAGE	Pass	Harmonic
13	802.11ax HE40	03	2387.35	50.13	54.00	-3.87	V	AVERAGE	Pass	Band Edge
13	802.11ax HE40	03	7266.00	46.41	74.00	-27.59	V	PEAK	Pass	Harmonic
14	802.11ax HE40	06	2483.68	49.89	54.00	-4.11	V	AVERAGE	Pass	Band Edge
14	802.11ax HE40	06	4874.00	44.39	54.00	-9.61	V	AVERAGE	Pass	Harmonic
15	802.11ax HE40	09	2483.50	49.57	54.00	-4.43	V	AVERAGE	Pass	Band Edge
15	802.11ax HE40	09	7356.00	36.13	54.00	-17.87	V	AVERAGE	Pass	Harmonic
16	802.11n HT20	01	2388.00	50.10	54.00	-3.90	V	AVERAGE	Pass	Band Edge
16	802.11n HT20	01	4824.00	45.10	54.00	-8.90	V	AVERAGE	Pass	Harmonic
17	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
17	802.11n HT20	06	7311.00	50.36	54.00	-3.64	V	AVERAGE	Pass	Harmonic
18	802.11n HT20	11	2484.34	49.98	54.00	-4.02	V	AVERAGE	Pass	Band Edge
18	802.11n HT20	11	4924.00	45.46	54.00	-8.54	V	AVERAGE	Pass	Harmonic
19	802.11n HT40	03	2386.96	50.34	54.00	-3.66	V	AVERAGE	Pass	Band Edge
19	802.11n HT40	03	4844.00	45.58	74.00	-28.42	V	PEAK	Pass	Harmonic
20	802.11n HT40	06	2483.50	50.02	54.00	-3.98	V	AVERAGE	Pass	Band Edge
20	802.11n HT40	06	4874.00	42.80	54.00	-11.20	V	AVERAGE	Pass	Harmonic
21	802.11n HT40	09	2483.50	49.87	54.00	-4.13	V	AVERAGE	Pass	Band Edge
21	802.11n HT40	09	7356.00	45.75	74.00	-28.25	V	PEAK	Pass	Harmonic





Mode	1																																																								
	Band Edge																																																								
	2400-2483.5_802.11b_CH01_2412MHz																																																								
ANT	0																																																								
Pol.	Horizontal						Fundamental																																																		
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.06</td><td>55.37</td><td>74.00</td><td>-18.63</td><td>39.92</td><td>32.10</td><td>8.04</td><td>30.69</td><td>6.00</td><td>126</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2383.06	55.37	74.00	-18.63	39.92	32.10	8.04	30.69	6.00	126	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2383.06	55.37	74.00	-18.63	39.92	32.10	8.04	30.69	6.00	126	360	PEAK																																													
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.09</td><td>-----</td><td>-----</td><td>87.46</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>126</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	103.09	-----	-----	87.46	32.22	8.09	30.68	6.00	126	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2412.00	103.09	-----	-----	87.46	32.22	8.09	30.68	6.00	126	360	PEAK																																													
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.22</td><td>43.27</td><td>54.00</td><td>-10.73</td><td>27.79</td><td>32.12</td><td>8.05</td><td>30.69</td><td>6.00</td><td>126</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.22	43.27	54.00	-10.73	27.79	32.12	8.05	30.69	6.00	126	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2387.22	43.27	54.00	-10.73	27.79	32.12	8.05	30.69	6.00	126	360	AVERAGE																																													
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>98.54</td><td>-----</td><td>-----</td><td>82.91</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>126</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	98.54	-----	-----	82.91	32.22	8.09	30.68	6.00	126	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2412.00	98.54	-----	-----	82.91	32.22	8.09	30.68	6.00	126	360	AVERAGE																																													



Mode	1																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.78</td><td>57.86</td><td>74.00</td><td>-16.14</td><td>42.47</td><td>32.05</td><td>8.03</td><td>30.69</td><td>6.00</td><td>205</td><td>161</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2375.78	57.86	74.00	-16.14	42.47	32.05	8.03	30.69	6.00	205	161	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>108.58</td><td>-----</td><td>-----</td><td>92.95</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>205</td><td>161</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	108.58	-----	-----	92.95	32.22	8.09	30.68	6.00	205	161
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2375.78	57.86	74.00	-16.14	42.47	32.05	8.03	30.69	6.00	205	161	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2412.00	108.58	-----	-----	92.95	32.22	8.09	30.68	6.00	205	161	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.92</td><td>47.20</td><td>54.00</td><td>-6.80</td><td>31.72</td><td>32.12</td><td>8.05</td><td>30.69</td><td>6.00</td><td>205</td><td>161</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2385.92	47.20	54.00	-6.80	31.72	32.12	8.05	30.69	6.00	205	161	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.09</td><td>-----</td><td>-----</td><td>88.46</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>205</td><td>161</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	104.09	-----	-----	88.46	32.22	8.09	30.68	6.00	205	161
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2385.92	47.20	54.00	-6.80	31.72	32.12	8.05	30.69	6.00	205	161	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2412.00	104.09	-----	-----	88.46	32.22	8.09	30.68	6.00	205	161	AVERAGE																																																																																							







Mode	1																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																																																							
ANT	0																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>49.96</td><td>74.00</td><td>-24.04</td><td>69.47</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>330</td><td>156</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>47.60</td><td>54.00</td><td>-6.40</td><td>67.11</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>330</td><td>156</td><td>AVERAGE</td></tr><tr><td>3</td><td>7236.00</td><td>52.17</td><td>78.01</td><td>-25.84</td><td>69.39</td><td>35.66</td><td>14.38</td><td>67.26</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	49.96	74.00	-24.04	69.47	34.15	11.58	65.24	0.00	330	156	PEAK	2	4824.00	47.60	54.00	-6.40	67.11	34.15	11.58	65.24	0.00	330	156	AVERAGE	3	7236.00	52.17	78.01	-25.84	69.39	35.66	14.38	67.26	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>54.07</td><td>74.00</td><td>-19.93</td><td>73.58</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>298</td><td>91</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>52.69</td><td>54.00</td><td>-1.31</td><td>72.20</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>298</td><td>91</td><td>AVERAGE</td></tr><tr><td>3</td><td>7236.00</td><td>54.45</td><td>83.38</td><td>-28.93</td><td>71.67</td><td>35.66</td><td>14.38</td><td>67.26</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	54.07	74.00	-19.93	73.58	34.15	11.58	65.24	0.00	298	91	PEAK	2	4824.00	52.69	54.00	-1.31	72.20	34.15	11.58	65.24	0.00	298	91	AVERAGE	3	7236.00	54.45	83.38	-28.93	71.67	35.66	14.38	67.26	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4824.00	49.96	74.00	-24.04	69.47	34.15	11.58	65.24	0.00	330	156	PEAK																																																																																																																																												
2	4824.00	47.60	54.00	-6.40	67.11	34.15	11.58	65.24	0.00	330	156	AVERAGE																																																																																																																																												
3	7236.00	52.17	78.01	-25.84	69.39	35.66	14.38	67.26	0.00	--	--	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4824.00	54.07	74.00	-19.93	73.58	34.15	11.58	65.24	0.00	298	91	PEAK																																																																																																																																												
2	4824.00	52.69	54.00	-1.31	72.20	34.15	11.58	65.24	0.00	298	91	AVERAGE																																																																																																																																												
3	7236.00	54.45	83.38	-28.93	71.67	35.66	14.38	67.26	0.00	--	--	PEAK																																																																																																																																												







Mode	2																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																																						
ANT	0																																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>42.75</td><td>74.00</td><td>-31.25</td><td>62.15</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>52.73</td><td>74.00</td><td>-21.27</td><td>69.90</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>394</td><td>39</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>48.82</td><td>54.00</td><td>-5.18</td><td>65.99</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>394</td><td>39</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	42.75	74.00	-31.25	62.15	34.15	11.68	65.23	0.00	--	PEAK	2	7311.00	52.73	74.00	-21.27	69.90	35.78	14.48	67.43	0.00	394	39	PEAK	3	7311.00	48.82	54.00	-5.18	65.99	35.78	14.48	67.43	0.00	394	39	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>54.18</td><td>74.00</td><td>-19.82</td><td>73.58</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>300</td><td>108</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>52.20</td><td>54.00</td><td>-1.80</td><td>71.60</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>300</td><td>108</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>70.25</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>300</td><td>126</td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>49.19</td><td>54.00</td><td>-4.81</td><td>66.36</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>300</td><td>126</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	54.18	74.00	-19.82	73.58	34.15	11.68	65.23	0.00	300	108	PEAK	2	4874.00	52.20	54.00	-1.80	71.60	34.15	11.68	65.23	0.00	300	108	AVERAGE	3	7311.00	53.08	74.00	-20.92	70.25	35.78	14.48	67.43	0.00	300	126	PEAK	4	7311.00	49.19	54.00	-4.81	66.36	35.78	14.48	67.43	0.00	300	126
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4874.00	42.75	74.00	-31.25	62.15	34.15	11.68	65.23	0.00	--	PEAK																																																																																																																																												
2	7311.00	52.73	74.00	-21.27	69.90	35.78	14.48	67.43	0.00	394	39	PEAK																																																																																																																																											
3	7311.00	48.82	54.00	-5.18	65.99	35.78	14.48	67.43	0.00	394	39	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4874.00	54.18	74.00	-19.82	73.58	34.15	11.68	65.23	0.00	300	108	PEAK																																																																																																																																											
2	4874.00	52.20	54.00	-1.80	71.60	34.15	11.68	65.23	0.00	300	108	AVERAGE																																																																																																																																											
3	7311.00	53.08	74.00	-20.92	70.25	35.78	14.48	67.43	0.00	300	126	PEAK																																																																																																																																											
4	7311.00	49.19	54.00	-4.81	66.36	35.78	14.48	67.43	0.00	300	126	AVERAGE																																																																																																																																											






Mode	3																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C						 Level (dBuV/m) Frequency (MHz) FCC PART 15C																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.24</td><td>55.30</td><td>74.00</td><td>-18.70</td><td>39.30</td><td>32.39</td><td>8.26</td><td>30.65</td><td>6.00</td><td>137</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2497.24	55.30	74.00	-18.70	39.30	32.39	8.26	30.65	6.00	137	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.40</td><td>-----</td><td>-----</td><td>85.54</td><td>32.33</td><td>8.19</td><td>30.66</td><td>6.00</td><td>137</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	101.40	-----	-----	85.54	32.33	8.19	30.66	6.00	137	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2497.24	55.30	74.00	-18.70	39.30	32.39	8.26	30.65	6.00	137	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2462.00	101.40	-----	-----	85.54	32.33	8.19	30.66	6.00	137	360	PEAK																																																																																							
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG)						 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG)																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.20</td><td>43.08</td><td>54.00</td><td>-10.92</td><td>27.07</td><td>32.40</td><td>8.26</td><td>30.65</td><td>6.00</td><td>137</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2498.20	43.08	54.00	-10.92	27.07	32.40	8.26	30.65	6.00	137	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>97.13</td><td>-----</td><td>-----</td><td>81.28</td><td>32.32</td><td>8.19</td><td>30.66</td><td>6.00</td><td>137</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	97.13	-----	-----	81.28	32.32	8.19	30.66	6.00	137	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2498.20	43.08	54.00	-10.92	27.07	32.40	8.26	30.65	6.00	137	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2462.00	97.13	-----	-----	81.28	32.32	8.19	30.66	6.00	137	360	AVERAGE																																																																																							







Mode	3																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.50</td><td>57.55</td><td>74.00</td><td>-16.45</td><td>41.55</td><td>32.39</td><td>8.26</td><td>30.65</td><td>6.00</td><td>170</td><td>159</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.50	57.55	74.00	-16.45	41.55	32.39	8.26	30.65	6.00	170	159	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>107.46</td><td>-----</td><td>-----</td><td>91.61</td><td>32.32</td><td>8.19</td><td>30.66</td><td>6.00</td><td>170</td><td>159</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.46	-----	-----	91.61	32.32	8.19	30.66	6.00	170	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2495.50	57.55	74.00	-16.45	41.55	32.39	8.26	30.65	6.00	170	159	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	107.46	-----	-----	91.61	32.32	8.19	30.66	6.00	170	159	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.18</td><td>45.85</td><td>54.00</td><td>-8.15</td><td>29.87</td><td>32.38</td><td>8.25</td><td>30.65</td><td>6.00</td><td>170</td><td>159</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.18	45.85	54.00	-8.15	29.87	32.38	8.25	30.65	6.00	170	159	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.11</td><td>-----</td><td>-----</td><td>87.26</td><td>32.32</td><td>8.19</td><td>30.66</td><td>6.00</td><td>170</td><td>159</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.11	-----	-----	87.26	32.32	8.19	30.66	6.00	170	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2491.18	45.85	54.00	-8.15	29.87	32.38	8.25	30.65	6.00	170	159	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	103.11	-----	-----	87.26	32.32	8.19	30.66	6.00	170	159	AVERAGE																																																																																							







Mode	3																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																													
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																																																																													
ANT	0																																																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																																																							
Peak Avg																																																																																																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>47.59</td><td>74.00</td><td>-26.41</td><td>67.26</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>41.13</td><td>54.00</td><td>-12.87</td><td>60.80</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>52.89</td><td>74.00</td><td>-21.11</td><td>69.79</td><td>35.77</td><td>14.58</td><td>67.25</td><td>0.00</td><td>101</td><td>287</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>41.72</td><td>54.00</td><td>-12.28</td><td>58.61</td><td>35.77</td><td>14.58</td><td>67.24</td><td>0.00</td><td>101</td><td>287</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	47.59	74.00	-26.41	67.26	34.00	11.78	65.45	0.00	100	0	PEAK	2	4924.00	41.13	54.00	-12.87	60.80	34.00	11.78	65.45	0.00	100	0	AVERAGE	3	7386.00	52.89	74.00	-21.11	69.79	35.77	14.58	67.25	0.00	101	287	PEAK	4	7386.00	41.72	54.00	-12.28	58.61	35.77	14.58	67.24	0.00	101	287	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>55.18</td><td>74.00</td><td>-18.82</td><td>74.85</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>306</td><td>93</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>52.98</td><td>54.00</td><td>-1.02</td><td>72.65</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>306</td><td>93</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>55.76</td><td>74.00</td><td>-18.24</td><td>72.66</td><td>35.77</td><td>14.58</td><td>67.25</td><td>0.00</td><td>318</td><td>126</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>52.17</td><td>54.00</td><td>-1.83</td><td>69.07</td><td>35.77</td><td>14.58</td><td>67.25</td><td>0.00</td><td>318</td><td>126</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	55.18	74.00	-18.82	74.85	34.00	11.78	65.45	0.00	306	93	PEAK	2	4924.00	52.98	54.00	-1.02	72.65	34.00	11.78	65.45	0.00	306	93	AVERAGE	3	7386.00	55.76	74.00	-18.24	72.66	35.77	14.58	67.25	0.00	318	126	PEAK	4	7386.00	52.17	54.00	-1.83	69.07	35.77	14.58	67.25	0.00	318	126	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	4924.00	47.59	74.00	-26.41	67.26	34.00	11.78	65.45	0.00	100	0	PEAK																																																																																																																																																																																		
2	4924.00	41.13	54.00	-12.87	60.80	34.00	11.78	65.45	0.00	100	0	AVERAGE																																																																																																																																																																																		
3	7386.00	52.89	74.00	-21.11	69.79	35.77	14.58	67.25	0.00	101	287	PEAK																																																																																																																																																																																		
4	7386.00	41.72	54.00	-12.28	58.61	35.77	14.58	67.24	0.00	101	287	AVERAGE																																																																																																																																																																																		
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	4924.00	55.18	74.00	-18.82	74.85	34.00	11.78	65.45	0.00	306	93	PEAK																																																																																																																																																																																		
2	4924.00	52.98	54.00	-1.02	72.65	34.00	11.78	65.45	0.00	306	93	AVERAGE																																																																																																																																																																																		
3	7386.00	55.76	74.00	-18.24	72.66	35.77	14.58	67.25	0.00	318	126	PEAK																																																																																																																																																																																		
4	7386.00	52.17	54.00	-1.83	69.07	35.77	14.58	67.25	0.00	318	126	AVERAGE																																																																																																																																																																																		
Avg	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>47.59</td><td>74.00</td><td>-26.41</td><td>67.26</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>41.13</td><td>54.00</td><td>-12.87</td><td>60.80</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>52.89</td><td>74.00</td><td>-21.11</td><td>69.79</td><td>35.77</td><td>14.58</td><td>67.25</td><td>0.00</td><td>101</td><td>287</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>41.72</td><td>54.00</td><td>-12.28</td><td>58.61</td><td>35.77</td><td>14.58</td><td>67.24</td><td>0.00</td><td>101</td><td>287</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	47.59	74.00	-26.41	67.26	34.00	11.78	65.45	0.00	100	0	PEAK	2	4924.00	41.13	54.00	-12.87	60.80	34.00	11.78	65.45	0.00	100	0	AVERAGE	3	7386.00	52.89	74.00	-21.11	69.79	35.77	14.58	67.25	0.00	101	287	PEAK	4	7386.00	41.72	54.00	-12.28	58.61	35.77	14.58	67.24	0.00	101	287	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>55.18</td><td>74.00</td><td>-18.82</td><td>74.85</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>306</td><td>93</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>52.98</td><td>54.00</td><td>-1.02</td><td>72.65</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>306</td><td>93</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>55.76</td><td>74.00</td><td>-18.24</td><td>72.66</td><td>35.77</td><td>14.58</td><td>67.25</td><td>0.00</td><td>318</td><td>126</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>52.17</td><td>54.00</td><td>-1.83</td><td>69.07</td><td>35.77</td><td>14.58</td><td>67.25</td><td>0.00</td><td>318</td><td>126</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	55.18	74.00	-18.82	74.85	34.00	11.78	65.45	0.00	306	93	PEAK	2	4924.00	52.98	54.00	-1.02	72.65	34.00	11.78	65.45	0.00	306	93	AVERAGE	3	7386.00	55.76	74.00	-18.24	72.66	35.77	14.58	67.25	0.00	318	126	PEAK	4	7386.00	52.17	54.00	-1.83	69.07	35.77	14.58	67.25	0.00	318	126	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	4924.00	47.59	74.00	-26.41	67.26	34.00	11.78	65.45	0.00	100	0	PEAK																																																																																																																																																																																		
2	4924.00	41.13	54.00	-12.87	60.80	34.00	11.78	65.45	0.00	100	0	AVERAGE																																																																																																																																																																																		
3	7386.00	52.89	74.00	-21.11	69.79	35.77	14.58	67.25	0.00	101	287	PEAK																																																																																																																																																																																		
4	7386.00	41.72	54.00	-12.28	58.61	35.77	14.58	67.24	0.00	101	287	AVERAGE																																																																																																																																																																																		
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	4924.00	55.18	74.00	-18.82	74.85	34.00	11.78	65.45	0.00	306	93	PEAK																																																																																																																																																																																		
2	4924.00	52.98	54.00	-1.02	72.65	34.00	11.78	65.45	0.00	306	93	AVERAGE																																																																																																																																																																																		
3	7386.00	55.76	74.00	-18.24	72.66	35.77	14.58	67.25	0.00	318	126	PEAK																																																																																																																																																																																		
4	7386.00	52.17	54.00	-1.83	69.07	35.77	14.58	67.25	0.00	318	126	AVERAGE																																																																																																																																																																																		







Mode	4																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.44</td><td>59.35</td><td>74.00</td><td>-14.65</td><td>43.87</td><td>32.12</td><td>8.05</td><td>30.69</td><td>6.00</td><td>261</td><td>13</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.44	59.35	74.00	-14.65	43.87	32.12	8.05	30.69	6.00	261	13	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.23</td><td>-----</td><td>-----</td><td>93.58</td><td>32.23</td><td>8.10</td><td>30.68</td><td>6.00</td><td>261</td><td>13</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.23	-----	-----	93.58	32.23	8.10	30.68	6.00	261	13
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2386.44	59.35	74.00	-14.65	43.87	32.12	8.05	30.69	6.00	261	13	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	109.23	-----	-----	93.58	32.23	8.10	30.68	6.00	261	13	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.44</td><td>50.46</td><td>54.00</td><td>-3.54</td><td>34.98</td><td>32.12</td><td>8.05</td><td>30.69</td><td>6.00</td><td>261</td><td>13</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.44	50.46	54.00	-3.54	34.98	32.12	8.05	30.69	6.00	261	13	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.81</td><td>-----</td><td>-----</td><td>89.18</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>261</td><td>13</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.81	-----	-----	89.18	32.22	8.09	30.68	6.00	261	13
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2386.44	50.46	54.00	-3.54	34.98	32.12	8.05	30.69	6.00	261	13	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	104.81	-----	-----	89.18	32.22	8.09	30.68	6.00	261	13	AVERAGE																																																																																							





Mode	4																																																						
	Band Edge																																																						
	2400-2483.5_802.11b_CH01_2412MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.14</td><td>60.60</td><td>74.00</td><td>-13.40</td><td>45.13</td><td>32.11</td><td>8.05</td><td>30.69</td><td>6.00</td><td>266</td><td>15</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2385.14	60.60	74.00	-13.40	45.13	32.11	8.05	30.69	6.00	266	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2385.14	60.60	74.00	-13.40	45.13	32.11	8.05	30.69	6.00	266	15	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>114.51</td><td>-----</td><td>-----</td><td>98.88</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>266</td><td>15</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	114.51	-----	-----	98.88	32.22	8.09	30.68	6.00	266	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2412.00	114.51	-----	-----	98.88	32.22	8.09	30.68	6.00	266	15	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.14</td><td>52.19</td><td>54.00</td><td>-1.81</td><td>36.72</td><td>32.11</td><td>8.05</td><td>30.69</td><td>6.00</td><td>266</td><td>15</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2385.14	52.19	54.00	-1.81	36.72	32.11	8.05	30.69	6.00	266	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2385.14	52.19	54.00	-1.81	36.72	32.11	8.05	30.69	6.00	266	15	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.94</td><td>-----</td><td>-----</td><td>94.31</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>266</td><td>15</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	109.94	-----	-----	94.31	32.22	8.09	30.68	6.00	266	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2412.00	109.94	-----	-----	94.31	32.22	8.09	30.68	6.00	266	15	AVERAGE																																											







Mode	4																																																																																																																																					
	Harmonic																																																																																																																																					
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>46.16</td><td>74.00</td><td>-27.84</td><td>65.67</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7237.00</td><td>45.99</td><td>79.26</td><td>-33.27</td><td>63.22</td><td>35.65</td><td>14.38</td><td>67.26</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	46.16	74.00	-27.84	65.67	34.15	11.58	65.24	0.00	--	PEAK	2	7237.00	45.99	79.26	-33.27	63.22	35.65	14.38	67.26	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>53.72</td><td>74.00</td><td>-20.28</td><td>73.23</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>214</td><td>118 PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>52.29</td><td>54.00</td><td>-1.71</td><td>71.00</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>214</td><td>118 AVERAGE</td></tr><tr><td>3</td><td>7236.00</td><td>46.71</td><td>83.35</td><td>-36.64</td><td>63.93</td><td>35.66</td><td>14.38</td><td>67.26</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	53.72	74.00	-20.28	73.23	34.15	11.58	65.24	0.00	214	118 PEAK	2	4824.00	52.29	54.00	-1.71	71.00	34.15	11.58	65.24	0.00	214	118 AVERAGE	3	7236.00	46.71	83.35	-36.64	63.93	35.66	14.38	67.26	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	4824.00	46.16	74.00	-27.84	65.67	34.15	11.58	65.24	0.00	--	PEAK																																																																																																																											
2	7237.00	45.99	79.26	-33.27	63.22	35.65	14.38	67.26	0.00	--	PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	4824.00	53.72	74.00	-20.28	73.23	34.15	11.58	65.24	0.00	214	118 PEAK																																																																																																																											
2	4824.00	52.29	54.00	-1.71	71.00	34.15	11.58	65.24	0.00	214	118 AVERAGE																																																																																																																											
3	7236.00	46.71	83.35	-36.64	63.93	35.66	14.38	67.26	0.00	--	PEAK																																																																																																																											







Mode	5																																																																																																																																		
	Harmonic																																																																																																																																		
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																																	
Peak Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4874.00</td><td>50.16</td><td>74.00</td><td>-23.84</td><td>69.56</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>301 154 PEAK</td></tr><tr><td>2 4874.00</td><td>47.55</td><td>54.00</td><td>-6.45</td><td>66.95</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>301 154 AVERAGE</td></tr><tr><td>3 7311.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>63.05</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 4874.00	50.16	74.00	-23.84	69.56	34.15	11.68	65.23	0.00	301 154 PEAK	2 4874.00	47.55	54.00	-6.45	66.95	34.15	11.68	65.23	0.00	301 154 AVERAGE	3 7311.00	45.88	74.00	-28.12	63.05	35.78	14.48	67.43	0.00	-- -- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4874.00</td><td>55.03</td><td>74.00</td><td>-18.97</td><td>74.43</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>350 97 PEAK</td></tr><tr><td>2 4874.00</td><td>52.89</td><td>54.00</td><td>-1.11</td><td>72.29</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>350 97 AVERAGE</td></tr><tr><td>3 7311.00</td><td>50.58</td><td>74.00</td><td>-23.42</td><td>67.75</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>300 90 PEAK</td></tr><tr><td>4 7311.00</td><td>45.95</td><td>54.00</td><td>-8.05</td><td>63.12</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>300 90 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 4874.00	55.03	74.00	-18.97	74.43	34.15	11.68	65.23	0.00	350 97 PEAK	2 4874.00	52.89	54.00	-1.11	72.29	34.15	11.68	65.23	0.00	350 97 AVERAGE	3 7311.00	50.58	74.00	-23.42	67.75	35.78	14.48	67.43	0.00	300 90 PEAK	4 7311.00	45.95	54.00	-8.05	63.12	35.78	14.48	67.43	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1 4874.00	50.16	74.00	-23.84	69.56	34.15	11.68	65.23	0.00	301 154 PEAK																																																																																																																										
2 4874.00	47.55	54.00	-6.45	66.95	34.15	11.68	65.23	0.00	301 154 AVERAGE																																																																																																																										
3 7311.00	45.88	74.00	-28.12	63.05	35.78	14.48	67.43	0.00	-- -- PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1 4874.00	55.03	74.00	-18.97	74.43	34.15	11.68	65.23	0.00	350 97 PEAK																																																																																																																										
2 4874.00	52.89	54.00	-1.11	72.29	34.15	11.68	65.23	0.00	350 97 AVERAGE																																																																																																																										
3 7311.00	50.58	74.00	-23.42	67.75	35.78	14.48	67.43	0.00	300 90 PEAK																																																																																																																										
4 7311.00	45.95	54.00	-8.05	63.12	35.78	14.48	67.43	0.00	300 90 AVERAGE																																																																																																																										





Mode	6																																																							
	Band Edge																																																							
	2400-2483.5_802.11b_CH11_2462MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.52</td><td>56.81</td><td>74.00</td><td>-17.19</td><td>40.80</td><td>32.40</td><td>8.26</td><td>30.65</td><td>6.00</td><td>110</td><td>199</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.52	56.81	74.00	-17.19	40.80	32.40	8.26	30.65	6.00	110	199	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2499.52	56.81	74.00	-17.19	40.80	32.40	8.26	30.65	6.00	110	199	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2500.00</td><td>43.80</td><td>54.00</td><td>-10.20</td><td>27.79</td><td>32.40</td><td>8.26</td><td>30.65</td><td>6.00</td><td>110</td><td>199</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2500.00	43.80	54.00	-10.20	27.79	32.40	8.26	30.65	6.00	110	199	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2500.00	43.80	54.00	-10.20	27.79	32.40	8.26	30.65	6.00	110	199	AVERAGE																																												
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.26</td><td>-----</td><td>-----</td><td>87.40</td><td>32.33</td><td>8.19</td><td>30.66</td><td>6.00</td><td>110</td><td>199</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.26	-----	-----	87.40	32.33	8.19	30.66	6.00	110	199	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	103.26	-----	-----	87.40	32.33	8.19	30.66	6.00	110	199	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.90</td><td>-----</td><td>-----</td><td>83.04</td><td>32.33</td><td>8.19</td><td>30.66</td><td>6.00</td><td>110</td><td>199</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.90	-----	-----	83.04	32.33	8.19	30.66	6.00	110	199	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	98.90	-----	-----	83.04	32.33	8.19	30.66	6.00	110	199	AVERAGE																																												







Mode	6																																																								
	Band Edge																																																								
	2400-2483.5_802.11b_CH11_2462MHz																																																								
ANT	1																																																								
Pol.	Vertical						Fundamental																																																		
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.46</td><td>57.42</td><td>74.00</td><td>-16.58</td><td>41.42</td><td>32.39</td><td>8.26</td><td>30.65</td><td>6.00</td><td>167</td><td>176 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2496.46	57.42	74.00	-16.58	41.42	32.39	8.26	30.65	6.00	167	176 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2496.46	57.42	74.00	-16.58	41.42	32.39	8.26	30.65	6.00	167	176 PEAK																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.02</td><td>44.38</td><td>54.00</td><td>-9.62</td><td>28.38</td><td>32.39</td><td>8.26</td><td>30.65</td><td>6.00</td><td>167</td><td>176 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2495.02	44.38	54.00	-9.62	28.38	32.39	8.26	30.65	6.00	167	176 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2495.02	44.38	54.00	-9.62	28.38	32.39	8.26	30.65	6.00	167	176 AVERAGE																																														
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>107.05</td><td>-----</td><td>-----</td><td>91.20</td><td>32.32</td><td>8.19</td><td>30.66</td><td>6.00</td><td>167</td><td>176 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	107.05	-----	-----	91.20	32.32	8.19	30.66	6.00	167	176 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2462.00	107.05	-----	-----	91.20	32.32	8.19	30.66	6.00	167	176 PEAK																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.46</td><td>-----</td><td>-----</td><td>86.61</td><td>32.32</td><td>8.19</td><td>30.66</td><td>6.00</td><td>167</td><td>176 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	102.46	-----	-----	86.61	32.32	8.19	30.66	6.00	167	176 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2462.00	102.46	-----	-----	86.61	32.32	8.19	30.66	6.00	167	176 AVERAGE																																														







Mode	6																																																																																																																																																																																						
	Harmonic																																																																																																																																																																																						
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																																																																						
ANT	1																																																																																																																																																																																						
Pol.	Horizontal											Vertical																																																																																																																																																																											
Peak Avg																																																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>50.60</td><td>74.00</td><td>-23.40</td><td>70.27</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>300</td><td>152</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>47.28</td><td>54.00</td><td>-6.72</td><td>66.95</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>300</td><td>152</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>49.98</td><td>74.00</td><td>-24.02</td><td>66.88</td><td>35.77</td><td>14.58</td><td>67.25</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>44.62</td><td>54.00</td><td>-9.38</td><td>61.52</td><td>35.77</td><td>14.58</td><td>67.25</td><td>0.00</td><td>100</td><td>280</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	50.60	74.00	-23.40	70.27	34.00	11.78	65.45	0.00	300	152	PEAK	2	4924.00	47.28	54.00	-6.72	66.95	34.00	11.78	65.45	0.00	300	152	AVERAGE	3	7386.00	49.98	74.00	-24.02	66.88	35.77	14.58	67.25	0.00	100	280	PEAK	4	7386.00	44.62	54.00	-9.38	61.52	35.77	14.58	67.25	0.00	100	280	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>54.85</td><td>74.00</td><td>-19.15</td><td>74.52</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>300</td><td>90</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>52.96</td><td>54.00</td><td>-1.04</td><td>72.63</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>300</td><td>90</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>64.00</td><td>35.77</td><td>14.58</td><td>67.25</td><td>0.00</td><td>300</td><td>90</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>40.66</td><td>54.00</td><td>-13.34</td><td>57.56</td><td>35.77</td><td>14.58</td><td>67.25</td><td>0.00</td><td>300</td><td>90</td><td>AVERAGE</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	54.85	74.00	-19.15	74.52	34.00	11.78	65.45	0.00	300	90	PEAK	2	4924.00	52.96	54.00	-1.04	72.63	34.00	11.78	65.45	0.00	300	90	AVERAGE	3	7386.00	47.10	74.00	-26.90	64.00	35.77	14.58	67.25	0.00	300	90	PEAK	4	7386.00	40.66	54.00	-13.34	57.56	35.77	14.58	67.25	0.00	300	90	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																												
	1	4924.00	50.60	74.00	-23.40	70.27	34.00	11.78	65.45	0.00	300	152	PEAK																																																																																																																																																																										
2	4924.00	47.28	54.00	-6.72	66.95	34.00	11.78	65.45	0.00	300	152	AVERAGE																																																																																																																																																																											
3	7386.00	49.98	74.00	-24.02	66.88	35.77	14.58	67.25	0.00	100	280	PEAK																																																																																																																																																																											
4	7386.00	44.62	54.00	-9.38	61.52	35.77	14.58	67.25	0.00	100	280	AVERAGE																																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																													
1	4924.00	54.85	74.00	-19.15	74.52	34.00	11.78	65.45	0.00	300	90	PEAK																																																																																																																																																																											
2	4924.00	52.96	54.00	-1.04	72.63	34.00	11.78	65.45	0.00	300	90	AVERAGE																																																																																																																																																																											
3	7386.00	47.10	74.00	-26.90	64.00	35.77	14.58	67.25	0.00	300	90	PEAK																																																																																																																																																																											
4	7386.00	40.66	54.00	-13.34	57.56	35.77	14.58	67.25	0.00	300	90	AVERAGE																																																																																																																																																																											







	7																																																						
Mode	Band Edge																																																						
	2400-2483.5_802.11g_CH01_2412MHz																																																						
ANT	0+1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>63.42</td><td>74.00</td><td>-10.58</td><td>47.92</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>125</td><td>191</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	63.42	74.00	-10.58	47.92	32.14	8.05	30.69	6.00	125	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.82	63.42	74.00	-10.58	47.92	32.14	8.05	30.69	6.00	125	191	PEAK																																											
Fundamental																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>109.55</td><td>-----</td><td>-----</td><td>93.90</td><td>32.23</td><td>8.10</td><td>30.68</td><td>6.00</td><td>125</td><td>191</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.55	-----	-----	93.90	32.23	8.10	30.68	6.00	125	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	109.55	-----	-----	93.90	32.23	8.10	30.68	6.00	125	191	PEAK																																											
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>49.33</td><td>54.00</td><td>-4.67</td><td>33.83</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>125</td><td>191</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	49.33	54.00	-4.67	33.83	32.14	8.05	30.69	6.00	125	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	49.33	54.00	-4.67	33.83	32.14	8.05	30.69	6.00	125	191	AVERAGE																																											
Fundamental																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>100.47</td><td>-----</td><td>-----</td><td>84.82</td><td>32.23</td><td>8.10</td><td>30.68</td><td>6.00</td><td>125</td><td>191</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	100.47	-----	-----	84.82	32.23	8.10	30.68	6.00	125	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	100.47	-----	-----	84.82	32.23	8.10	30.68	6.00	125	191	AVERAGE																																											





	7																																																																																					
Mode	Band Edge																																																																																					
	2400-2483.5_802.11g_CH01_2412MHz																																																																																					
ANT	0+1																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2382.54</td><td>64.90</td><td>74.00</td><td>-9.10</td><td>49.45</td><td>32.10</td><td>8.04</td><td>30.69</td><td>6.00</td><td>265</td><td>0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2382.54	64.90	74.00	-9.10	49.45	32.10	8.04	30.69	6.00	265	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>114.29</td><td>-----</td><td>-----</td><td>98.66</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>265</td><td>0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2412.00	114.29	-----	-----	98.66	32.22	8.09	30.68	6.00	265	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 2382.54	64.90	74.00	-9.10	49.45	32.10	8.04	30.69	6.00	265	0 PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 2412.00	114.29	-----	-----	98.66	32.22	8.09	30.68	6.00	265	0 PEAK																																																																												
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.95</td><td>50.87</td><td>54.00</td><td>-3.13</td><td>35.37</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>265</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2389.95	50.87	54.00	-3.13	35.37	32.14	8.05	30.69	6.00	265	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>105.45</td><td>-----</td><td>-----</td><td>89.82</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>265</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2412.00	105.45	-----	-----	89.82	32.22	8.09	30.68	6.00	265	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 2389.95	50.87	54.00	-3.13	35.37	32.14	8.05	30.69	6.00	265	0 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 2412.00	105.45	-----	-----	89.82	32.22	8.09	30.68	6.00	265	0 AVERAGE																																																																												







Mode	7																																																																																																																																																																		
	Harmonic																																																																																																																																																																		
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																																																																		
ANT	0+1																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																												
Peak Avg																																																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>52.81</td><td>74.00</td><td>-21.19</td><td>72.32</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>300</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>43.29</td><td>54.00</td><td>-10.71</td><td>62.80</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>300</td><td>173</td><td>AVERAGE</td></tr><tr><td>3</td><td>7236.00</td><td>55.89</td><td>76.40</td><td>-20.51</td><td>73.07</td><td>35.69</td><td>14.37</td><td>67.24</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	52.81	74.00	-21.19	72.32	34.15	11.58	65.24	0.00	300	173	PEAK	2	4824.00	43.29	54.00	-10.71	62.80	34.15	11.58	65.24	0.00	300	173	AVERAGE	3	7236.00	55.89	76.40	-20.51	73.07	35.69	14.37	67.24	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>57.89</td><td>74.00</td><td>-16.11</td><td>77.40</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>361</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>49.37</td><td>54.00</td><td>-4.63</td><td>68.88</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>361</td><td>117</td><td>AVERAGE</td></tr><tr><td>3</td><td>7236.00</td><td>59.01</td><td>81.76</td><td>-22.75</td><td>76.23</td><td>35.66</td><td>14.38</td><td>67.26</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	57.89	74.00	-16.11	77.40	34.15	11.58	65.24	0.00	361	117	PEAK	2	4824.00	49.37	54.00	-4.63	68.88	34.15	11.58	65.24	0.00	361	117	AVERAGE	3	7236.00	59.01	81.76	-22.75	76.23	35.66	14.38	67.26	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	4824.00	52.81	74.00	-21.19	72.32	34.15	11.58	65.24	0.00	300	173	PEAK																																																																																																																																																							
2	4824.00	43.29	54.00	-10.71	62.80	34.15	11.58	65.24	0.00	300	173	AVERAGE																																																																																																																																																							
3	7236.00	55.89	76.40	-20.51	73.07	35.69	14.37	67.24	0.00	--	--	PEAK																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	4824.00	57.89	74.00	-16.11	77.40	34.15	11.58	65.24	0.00	361	117	PEAK																																																																																																																																																							
2	4824.00	49.37	54.00	-4.63	68.88	34.15	11.58	65.24	0.00	361	117	AVERAGE																																																																																																																																																							
3	7236.00	59.01	81.76	-22.75	76.23	35.66	14.38	67.26	0.00	--	--	PEAK																																																																																																																																																							







Mode	8																																																																																																																																																																																
	Harmonic																																																																																																																																																																																
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																																																																
ANT	0+1																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																										
Peak Avg																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>51.73</td><td>74.00</td><td>-22.27</td><td>71.13</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>271</td><td>358</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>41.78</td><td>54.00</td><td>-12.22</td><td>61.18</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>271</td><td>358</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>61.65</td><td>74.00</td><td>-12.35</td><td>78.82</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>400</td><td>354</td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>48.48</td><td>54.00</td><td>-5.52</td><td>65.65</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>400</td><td>354</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	51.73	74.00	-22.27	71.13	34.15	11.68	65.23	0.00	271	358	PEAK	2	4874.00	41.78	54.00	-12.22	61.18	34.15	11.68	65.23	0.00	271	358	AVERAGE	3	7311.00	61.65	74.00	-12.35	78.82	35.78	14.48	67.43	0.00	400	354	PEAK	4	7311.00	48.48	54.00	-5.52	65.65	35.78	14.48	67.43	0.00	400	354	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>60.03</td><td>74.00</td><td>-13.97</td><td>79.43</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>300</td><td>53</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>49.67</td><td>54.00</td><td>-4.33</td><td>69.07</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>300</td><td>53</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>60.28</td><td>74.00</td><td>-13.72</td><td>77.45</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>304</td><td>284</td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>48.37</td><td>54.00</td><td>-5.63</td><td>65.54</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>304</td><td>284</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	60.03	74.00	-13.97	79.43	34.15	11.68	65.23	0.00	300	53	PEAK	2	4874.00	49.67	54.00	-4.33	69.07	34.15	11.68	65.23	0.00	300	53	AVERAGE	3	7311.00	60.28	74.00	-13.72	77.45	35.78	14.48	67.43	0.00	304	284	PEAK	4	7311.00	48.37	54.00	-5.63	65.54	35.78	14.48	67.43	0.00	304	284
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	4874.00	51.73	74.00	-22.27	71.13	34.15	11.68	65.23	0.00	271	358	PEAK																																																																																																																																																																					
2	4874.00	41.78	54.00	-12.22	61.18	34.15	11.68	65.23	0.00	271	358	AVERAGE																																																																																																																																																																					
3	7311.00	61.65	74.00	-12.35	78.82	35.78	14.48	67.43	0.00	400	354	PEAK																																																																																																																																																																					
4	7311.00	48.48	54.00	-5.52	65.65	35.78	14.48	67.43	0.00	400	354	AVERAGE																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	4874.00	60.03	74.00	-13.97	79.43	34.15	11.68	65.23	0.00	300	53	PEAK																																																																																																																																																																					
2	4874.00	49.67	54.00	-4.33	69.07	34.15	11.68	65.23	0.00	300	53	AVERAGE																																																																																																																																																																					
3	7311.00	60.28	74.00	-13.72	77.45	35.78	14.48	67.43	0.00	304	284	PEAK																																																																																																																																																																					
4	7311.00	48.37	54.00	-5.63	65.54	35.78	14.48	67.43	0.00	304	284	AVERAGE																																																																																																																																																																					





Mode	9																																																						
	Band Edge																																																						
	2400-2483.5_802.11g_CH11_2462MHz																																																						
ANT	0+1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.98</td><td>65.48</td><td>74.00</td><td>-8.52</td><td>49.53</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>111</td><td>187</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.98	65.48	74.00	-8.52	49.53	32.37	8.23	30.65	6.00	111	187
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.98	65.48	74.00	-8.52	49.53	32.37	8.23	30.65	6.00	111	187	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>109.44</td><td>-----</td><td>-----</td><td>93.57</td><td>32.33</td><td>8.20</td><td>30.66</td><td>6.00</td><td>111</td><td>187</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.44	-----	-----	93.57	32.33	8.20	30.66	6.00	111	187
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	109.44	-----	-----	93.57	32.33	8.20	30.66	6.00	111	187	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.76</td><td>47.89</td><td>54.00</td><td>-6.11</td><td>31.93</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>111</td><td>187</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.76	47.89	54.00	-6.11	31.93	32.37	8.24	30.65	6.00	111	187
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.76	47.89	54.00	-6.11	31.93	32.37	8.24	30.65	6.00	111	187	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.95</td><td>-----</td><td>-----</td><td>85.08</td><td>32.33</td><td>8.20</td><td>30.66</td><td>6.00</td><td>111</td><td>187</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.95	-----	-----	85.08	32.33	8.20	30.66	6.00	111	187
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	100.95	-----	-----	85.08	32.33	8.20	30.66	6.00	111	187	AVERAGE																																											







		9																																																			
Mode		Band Edge																																																			
		2400-2483.5_802.11g_CH11_2462MHz																																																			
ANT		0+1																																																			
Pol.		Vertical					Fundamental																																														
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.92</td><td>69.86</td><td>74.00</td><td>-4.14</td><td>53.91</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>100</td><td>243 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.92	69.86	74.00	-4.14	53.91	32.37	8.23	30.65	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	2483.92	69.86	74.00	-4.14	53.91	32.37	8.23	30.65	6.00	100	243 PEAK																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.09</td><td>54.00</td><td>-3.91</td><td>34.14</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>100</td><td>243 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	50.09	54.00	-3.91	34.14	32.37	8.23	30.65	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	2483.50	50.09	54.00	-3.91	34.14	32.37	8.23	30.65	6.00	100	243 AVERAGE																																										
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>111.32</td><td>-----</td><td>-----</td><td>95.47</td><td>32.32</td><td>8.19</td><td>30.66</td><td>6.00</td><td>100</td><td>243 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	111.32	-----	-----	95.47	32.32	8.19	30.66	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	2462.00	111.32	-----	-----	95.47	32.32	8.19	30.66	6.00	100	243 PEAK																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.04</td><td>-----</td><td>-----</td><td>86.19</td><td>32.32</td><td>8.19</td><td>30.66</td><td>6.00</td><td>100</td><td>243 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	102.04	-----	-----	86.19	32.32	8.19	30.66	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	2462.00	102.04	-----	-----	86.19	32.32	8.19	30.66	6.00	100	243 AVERAGE																																										







Mode	9																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																																							
ANT	0+1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.86</td><td>74.00</td><td>-33.14</td><td>60.53</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>43.45</td><td>74.00</td><td>-30.55</td><td>60.35</td><td>35.77</td><td>14.58</td><td>67.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	40.86	74.00	-33.14	60.53	34.00	11.78	65.45	0.00	--	--	PEAK	2	7386.00	43.45	74.00	-30.55	60.35	35.77	14.58	67.25	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>54.46</td><td>74.00</td><td>-19.54</td><td>74.13</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>224</td><td>4</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>45.03</td><td>54.00</td><td>-8.97</td><td>64.70</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>224</td><td>4</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>59.39</td><td>74.00</td><td>-14.61</td><td>76.29</td><td>35.77</td><td>14.58</td><td>67.25</td><td>0.00</td><td>317</td><td>43</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>47.10</td><td>54.00</td><td>-6.90</td><td>64.01</td><td>35.77</td><td>14.58</td><td>67.26</td><td>0.00</td><td>317</td><td>43</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	54.46	74.00	-19.54	74.13	34.00	11.78	65.45	0.00	224	4	PEAK	2	4924.00	45.03	54.00	-8.97	64.70	34.00	11.78	65.45	0.00	224	4	AVERAGE	3	7386.00	59.39	74.00	-14.61	76.29	35.77	14.58	67.25	0.00	317	43	PEAK	4	7386.00	47.10	54.00	-6.90	64.01	35.77	14.58	67.26	0.00	317	43	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4924.00	40.86	74.00	-33.14	60.53	34.00	11.78	65.45	0.00	--	--	PEAK																																																																																																																																												
2	7386.00	43.45	74.00	-30.55	60.35	35.77	14.58	67.25	0.00	--	--	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4924.00	54.46	74.00	-19.54	74.13	34.00	11.78	65.45	0.00	224	4	PEAK																																																																																																																																												
2	4924.00	45.03	54.00	-8.97	64.70	34.00	11.78	65.45	0.00	224	4	AVERAGE																																																																																																																																												
3	7386.00	59.39	74.00	-14.61	76.29	35.77	14.58	67.25	0.00	317	43	PEAK																																																																																																																																												
4	7386.00	47.10	54.00	-6.90	64.01	35.77	14.58	67.26	0.00	317	43	AVERAGE																																																																																																																																												





Mode	10																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH01_2412MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>63.42</td><td>74.00</td><td>-10.58</td><td>47.92</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>100</td><td>182</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.43	63.42	74.00	-10.58	47.92	32.14	8.05	30.69	6.00	100	182	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.55</td><td>-----</td><td>-----</td><td>91.90</td><td>32.23</td><td>8.10</td><td>30.68</td><td>6.00</td><td>100</td><td>182</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	107.55	-----	-----	91.90	32.23	8.10	30.68	6.00	100	182	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2389.43	63.42	74.00	-10.58	47.92	32.14	8.05	30.69	6.00	100	182	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2412.00	107.55	-----	-----	91.90	32.23	8.10	30.68	6.00	100	182	PEAK																																																																																								
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>49.31</td><td>54.00</td><td>-4.69</td><td>33.81</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>100</td><td>182</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.82	49.31	54.00	-4.69	33.81	32.14	8.05	30.69	6.00	100	182	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>98.30</td><td>-----</td><td>-----</td><td>82.65</td><td>32.23</td><td>8.10</td><td>30.68</td><td>6.00</td><td>100</td><td>182</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	98.30	-----	-----	82.65	32.23	8.10	30.68	6.00	100	182	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2389.82	49.31	54.00	-4.69	33.81	32.14	8.05	30.69	6.00	100	182	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2412.00	98.30	-----	-----	82.65	32.23	8.10	30.68	6.00	100	182	AVERAGE																																																																																								





Mode	10																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11ax HE20_CH01_2412MHz																																																																																																
ANT	0+1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>66.73</td><td>74.00</td><td>-7.27</td><td>51.23</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>224</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	66.73	74.00	-7.27	51.23	32.14	8.05	30.69	6.00	224	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>112.42</td><td>-----</td><td>-----</td><td>96.81</td><td>32.21</td><td>8.08</td><td>30.68</td><td>6.00</td><td>224</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	112.42	-----	-----	96.81	32.21	8.08	30.68	6.00	224
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.56	66.73	74.00	-7.27	51.23	32.14	8.05	30.69	6.00	224	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2412.00	112.42	-----	-----	96.81	32.21	8.08	30.68	6.00	224	0 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.39</td><td>50.79</td><td>54.00</td><td>-3.21</td><td>35.30</td><td>32.13</td><td>8.05</td><td>30.69</td><td>6.00</td><td>224</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.39	50.79	54.00	-3.21	35.30	32.13	8.05	30.69	6.00	224	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.15</td><td>-----</td><td>-----</td><td>86.52</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>224</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.15	-----	-----	86.52	32.22	8.09	30.68	6.00	224
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2388.39	50.79	54.00	-3.21	35.30	32.13	8.05	30.69	6.00	224	0 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2412.00	102.15	-----	-----	86.52	32.22	8.09	30.68	6.00	224	0 AVERAGE																																																																																						







Mode	10																																																																																																																																												
	Harmonic																																																																																																																																												
	2400-2483.5_802.11ax HE20_CH01_2412MHz																																																																																																																																												
ANT	0+1																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>65.03</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7233.00</td><td>54.54</td><td>78.29</td><td>-23.75</td><td>71.76</td><td>35.67</td><td>14.37</td><td>67.26</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4824.00	45.52	74.00	-28.48	65.03	34.15	11.58	65.24	0.00	--	-- PEAK	2	7233.00	54.54	78.29	-23.75	71.76	35.67	14.37	67.26	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>56.87</td><td>74.00</td><td>-17.13</td><td>76.38</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>285</td><td>18 PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>46.44</td><td>54.00</td><td>-7.56</td><td>65.95</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>285</td><td>18 AVERAGE</td></tr><tr><td>3</td><td>7237.00</td><td>57.84</td><td>82.76</td><td>-24.92</td><td>75.07</td><td>35.65</td><td>14.38</td><td>67.26</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4824.00	56.87	74.00	-17.13	76.38	34.15	11.58	65.24	0.00	285	18 PEAK	2	4824.00	46.44	54.00	-7.56	65.95	34.15	11.58	65.24	0.00	285	18 AVERAGE	3	7237.00	57.84	82.76	-24.92	75.07	35.65	14.38	67.26	0.00	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	4824.00	45.52	74.00	-28.48	65.03	34.15	11.58	65.24	0.00	--	-- PEAK																																																																																																																																		
2	7233.00	54.54	78.29	-23.75	71.76	35.67	14.37	67.26	0.00	--	-- PEAK																																																																																																																																		
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	4824.00	56.87	74.00	-17.13	76.38	34.15	11.58	65.24	0.00	285	18 PEAK																																																																																																																																		
2	4824.00	46.44	54.00	-7.56	65.95	34.15	11.58	65.24	0.00	285	18 AVERAGE																																																																																																																																		
3	7237.00	57.84	82.76	-24.92	75.07	35.65	14.38	67.26	0.00	--	-- PEAK																																																																																																																																		







Mode	11																																																																																									
	Harmonic																																																																																									
	2400-2483.5_802.11ax HE20_CH06_2437MHz																																																																																									
ANT	0+1																																																																																									
Pol.	Horizontal																																																																																									
Peak Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>43.91</td><td>74.00</td><td>-30.09</td><td>63.31</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>55.79</td><td>74.00</td><td>-18.21</td><td>72.96</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>100</td><td>89 PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>44.49</td><td>54.00</td><td>-9.51</td><td>61.68</td><td>35.77</td><td>14.48</td><td>67.44</td><td>0.00</td><td>100</td><td>89 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	43.91	74.00	-30.09	63.31	34.15	11.68	65.23	0.00	--	PEAK	2	7311.00	55.79	74.00	-18.21	72.96	35.78	14.48	67.43	0.00	100	89 PEAK	3	7311.00	44.49	54.00	-9.51	61.68	35.77	14.48	67.44	0.00	100	89 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	4874.00	43.91	74.00	-30.09	63.31	34.15	11.68	65.23	0.00	--	PEAK																																																																															
2	7311.00	55.79	74.00	-18.21	72.96	35.78	14.48	67.43	0.00	100	89 PEAK																																																																															
3	7311.00	44.49	54.00	-9.51	61.68	35.77	14.48	67.44	0.00	100	89 AVERAGE																																																																															
Vertical																																																																																										
																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>51.74</td><td>74.00</td><td>-22.26</td><td>71.14</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>283</td><td>40 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>42.36</td><td>54.00</td><td>-11.64</td><td>61.76</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>283</td><td>40 AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>61.13</td><td>74.00</td><td>-12.87</td><td>78.30</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>283</td><td>40 PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>50.00</td><td>54.00</td><td>-4.00</td><td>67.17</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>283</td><td>40 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	51.74	74.00	-22.26	71.14	34.15	11.68	65.23	0.00	283	40 PEAK	2	4874.00	42.36	54.00	-11.64	61.76	34.15	11.68	65.23	0.00	283	40 AVERAGE	3	7311.00	61.13	74.00	-12.87	78.30	35.78	14.48	67.43	0.00	283	40 PEAK	4	7311.00	50.00	54.00	-4.00	67.17	35.78	14.48	67.43	0.00	283	40 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	4874.00	51.74	74.00	-22.26	71.14	34.15	11.68	65.23	0.00	283	40 PEAK																																																																															
2	4874.00	42.36	54.00	-11.64	61.76	34.15	11.68	65.23	0.00	283	40 AVERAGE																																																																															
3	7311.00	61.13	74.00	-12.87	78.30	35.78	14.48	67.43	0.00	283	40 PEAK																																																																															
4	7311.00	50.00	54.00	-4.00	67.17	35.78	14.48	67.43	0.00	283	40 AVERAGE																																																																															





		12																																																						
Mode		Band Edge																																																						
		2400-2483.5_802.11ax HE20_CH11_2462MHz																																																						
ANT		0+1																																																						
Pol.		Horizontal																																																						
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.60</td><td>63.67</td><td>74.00</td><td>-10.33</td><td>47.71</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>100</td><td>181</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.60	63.67	74.00	-10.33	47.71	32.37	8.24	30.65	6.00	100	181	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2485.60	63.67	74.00	-10.33	47.71	32.37	8.24	30.65	6.00	100	181	PEAK																																												
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.34</td><td>-----</td><td>-----</td><td>94.51</td><td>32.31</td><td>8.18</td><td>30.66</td><td>6.00</td><td>100</td><td>181</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.34	-----	-----	94.51	32.31	8.18	30.66	6.00	100	181	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	110.34	-----	-----	94.51	32.31	8.18	30.66	6.00	100	181	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.02</td><td>49.06</td><td>54.00</td><td>-4.94</td><td>33.10</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>100</td><td>181</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.02	49.06	54.00	-4.94	33.10	32.37	8.24	30.65	6.00	100	181	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2486.02	49.06	54.00	-4.94	33.10	32.37	8.24	30.65	6.00	100	181	AVERAGE																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>99.07</td><td>-----</td><td>-----</td><td>83.24</td><td>32.31</td><td>8.18</td><td>30.66</td><td>6.00</td><td>100</td><td>181</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	99.07	-----	-----	83.24	32.31	8.18	30.66	6.00	100	181	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	99.07	-----	-----	83.24	32.31	8.18	30.66	6.00	100	181	AVERAGE																																												







Mode	12																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>113.8</td><td>74.00</td><td>-8.74</td><td>49.31</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>100</td><td>232</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	113.8	74.00	-8.74	49.31	32.37	8.23	30.65	6.00	100	232	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>111.19</td><td>-----</td><td>-----</td><td>95.34</td><td>32.32</td><td>8.19</td><td>30.66</td><td>6.00</td><td>100</td><td>232</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.19	-----	-----	95.34	32.32	8.19	30.66	6.00	100	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	113.8	74.00	-8.74	49.31	32.37	8.23	30.65	6.00	100	232	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	111.19	-----	-----	95.34	32.32	8.19	30.66	6.00	100	232	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>113.8</td><td>74.00</td><td>-8.74</td><td>49.31</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>100</td><td>232</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	113.8	74.00	-8.74	49.31	32.37	8.23	30.65	6.00	100	232	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.20</td><td>-----</td><td>-----</td><td>85.36</td><td>32.32</td><td>8.18</td><td>30.66</td><td>6.00</td><td>100</td><td>232</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.20	-----	-----	85.36	32.32	8.18	30.66	6.00	100	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	113.8	74.00	-8.74	49.31	32.37	8.23	30.65	6.00	100	232	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	101.20	-----	-----	85.36	32.32	8.18	30.66	6.00	100	232	AVERAGE																																																																																							





Mode	12																																																																																																																																																																		
	Harmonic																																																																																																																																																																		
	2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																																																																																																																		
ANT	0+1																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																												
Peak Avg																																																																																																																																																																			
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.07</td><td>74.00</td><td>-32.93</td><td>60.74</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>42.96</td><td>74.00</td><td>-31.04</td><td>59.86</td><td>35.77</td><td>14.58</td><td>67.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4924.00	41.07	74.00	-32.93	60.74	34.00	11.78	65.45	0.00	--	--	PEAK	2	7386.00	42.96	74.00	-31.04	59.86	35.77	14.58	67.25	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>54.97</td><td>74.00</td><td>-19.03</td><td>74.64</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>224</td><td>193</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>43.75</td><td>54.00</td><td>-10.25</td><td>63.42</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>224</td><td>193</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>56.07</td><td>74.00</td><td>-17.93</td><td>72.97</td><td>35.77</td><td>14.58</td><td>67.25</td><td>0.00</td><td>274</td><td>1</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>43.66</td><td>54.00</td><td>-10.34</td><td>60.53</td><td>35.78</td><td>14.58</td><td>67.23</td><td>0.00</td><td>274</td><td>1</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4924.00	54.97	74.00	-19.03	74.64	34.00	11.78	65.45	0.00	224	193	PEAK	2	4924.00	43.75	54.00	-10.25	63.42	34.00	11.78	65.45	0.00	224	193	AVERAGE	3	7386.00	56.07	74.00	-17.93	72.97	35.77	14.58	67.25	0.00	274	1	PEAK	4	7386.00	43.66	54.00	-10.34	60.53	35.78	14.58	67.23	0.00	274	1	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																								
1	4924.00	41.07	74.00	-32.93	60.74	34.00	11.78	65.45	0.00	--	--	PEAK																																																																																																																																																							
2	7386.00	42.96	74.00	-31.04	59.86	35.77	14.58	67.25	0.00	--	--	PEAK																																																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																								
1	4924.00	54.97	74.00	-19.03	74.64	34.00	11.78	65.45	0.00	224	193	PEAK																																																																																																																																																							
2	4924.00	43.75	54.00	-10.25	63.42	34.00	11.78	65.45	0.00	224	193	AVERAGE																																																																																																																																																							
3	7386.00	56.07	74.00	-17.93	72.97	35.77	14.58	67.25	0.00	274	1	PEAK																																																																																																																																																							
4	7386.00	43.66	54.00	-10.34	60.53	35.78	14.58	67.23	0.00	274	1	AVERAGE																																																																																																																																																							







		13																																																							
Mode		Band Edge - L																																																							
		2400-2483.5_802.11ax HE40_CH03_2422MHz																																																							
ANT		0+1																																																							
Pol.		Horizontal																																																							
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>60.21</td><td>74.00</td><td>-13.79</td><td>44.71</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>112</td><td>190</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	60.21	74.00	-13.79	44.71	32.14	8.05	30.69	6.00	112	190	PEAK	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2389.95	60.21	74.00	-13.79	44.71	32.14	8.05	30.69	6.00	112	190	PEAK																																													
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>102.50</td><td>-----</td><td>-----</td><td>86.78</td><td>32.26</td><td>8.13</td><td>30.67</td><td>6.00</td><td>112</td><td>190</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	102.50	-----	-----	86.78	32.26	8.13	30.67	6.00	112	190	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2422.00	102.50	-----	-----	86.78	32.26	8.13	30.67	6.00	112	190	PEAK																																													
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>45.86</td><td>54.00</td><td>-8.14</td><td>30.36</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>112</td><td>190</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	45.86	54.00	-8.14	30.36	32.14	8.05	30.69	6.00	112	190	AVERAGE	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2389.95	45.86	54.00	-8.14	30.36	32.14	8.05	30.69	6.00	112	190	AVERAGE																																													
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>91.80</td><td>-----</td><td>-----</td><td>76.08</td><td>32.26</td><td>8.13</td><td>30.67</td><td>6.00</td><td>112</td><td>190</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	91.80	-----	-----	76.08	32.26	8.13	30.67	6.00	112	190	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2422.00	91.80	-----	-----	76.08	32.26	8.13	30.67	6.00	112	190	AVERAGE																																													





Mode	13																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.82</td><td>55.36</td><td>74.00</td><td>-18.64</td><td>39.40</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>112</td><td>190</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.82	55.36	74.00	-18.64	39.40	32.37	8.24	30.65	6.00	112	190	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.82	55.36	74.00	-18.64	39.40	32.37	8.24	30.65	6.00	112	190	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.58</td><td>43.81</td><td>54.00</td><td>-10.19</td><td>27.84</td><td>32.38</td><td>8.24</td><td>30.65</td><td>6.00</td><td>112</td><td>190</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.58	43.81	54.00	-10.19	27.84	32.38	8.24	30.65	6.00	112	190	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2487.58	43.81	54.00	-10.19	27.84	32.38	8.24	30.65	6.00	112	190	AVERAGE																																												





Mode	13																																																																																							
	Band Edge - L																																																																																							
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																																																							
ANT	0+1																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.61</td><td>62.73</td><td>74.00</td><td>-11.27</td><td>47.24</td><td>32.13</td><td>8.05</td><td>30.69</td><td>6.00</td><td>266</td><td>-1 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.61	62.73	74.00	-11.27	47.24	32.13	8.05	30.69	6.00	266	-1 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>106.41</td><td>-----</td><td>-----</td><td>90.78</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>266</td><td>-1 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	106.41	-----	-----	90.78	32.22	8.09	30.68	6.00	266	-1 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2387.61	62.73	74.00	-11.27	47.24	32.13	8.05	30.69	6.00	266	-1 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2422.00	106.41	-----	-----	90.78	32.22	8.09	30.68	6.00	266	-1 PEAK																																																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.35</td><td>50.13</td><td>54.00</td><td>-3.87</td><td>34.65</td><td>32.12</td><td>8.05</td><td>30.69</td><td>6.00</td><td>266</td><td>-1 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.35	50.13	54.00	-3.87	34.65	32.12	8.05	30.69	6.00	266	-1 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>96.83</td><td>-----</td><td>-----</td><td>81.20</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>266</td><td>-1 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	96.83	-----	-----	81.20	32.22	8.09	30.68	6.00	266	-1 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2387.35	50.13	54.00	-3.87	34.65	32.12	8.05	30.69	6.00	266	-1 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2422.00	96.83	-----	-----	81.20	32.22	8.09	30.68	6.00	266	-1 AVERAGE																																																																													







Mode	13																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																					
ANT	0+1																																																					
Pol.	Vertical										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.98</td><td>55.10</td><td>74.00</td><td>-18.90</td><td>39.09</td><td>32.40</td><td>8.26</td><td>30.65</td><td>6.00</td><td>266</td><td>-1 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.98	55.10	74.00	-18.90	39.09	32.40	8.26	30.65	6.00	266	-1 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2498.98	55.10	74.00	-18.90	39.09	32.40	8.26	30.65	6.00	266	-1 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.74</td><td>43.74</td><td>54.00</td><td>-10.26</td><td>27.78</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>266</td><td>-1 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.74	43.74	54.00	-10.26	27.78	32.37	8.24	30.65	6.00	266	-1 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2486.74	43.74	54.00	-10.26	27.78	32.37	8.24	30.65	6.00	266	-1 AVERAGE																																											



Mode	13																																																																						
	Harmonic																																																																						
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																																						
ANT	0+1																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4844.00</td><td>41.33</td><td>74.00</td><td>-32.67</td><td>60.69</td><td>34.19</td><td>11.62</td><td>65.17</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>42.94</td><td>74.00</td><td>-31.06</td><td>60.19</td><td>35.66</td><td>14.42</td><td>67.33</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4844.00	41.33	74.00	-32.67	60.69	34.19	11.62	65.17	0.00	--	-- PEAK	2	7266.00	42.94	74.00	-31.06	60.19	35.66	14.42	67.33	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	4844.00	41.33	74.00	-32.67	60.69	34.19	11.62	65.17	0.00	--	-- PEAK																																																												
2	7266.00	42.94	74.00	-31.06	60.19	35.66	14.42	67.33	0.00	--	-- PEAK																																																												
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4844.00</td><td>44.64</td><td>74.00</td><td>-29.36</td><td>64.00</td><td>34.19</td><td>11.62</td><td>65.17</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>63.66</td><td>35.66</td><td>14.42</td><td>67.33</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4844.00	44.64	74.00	-29.36	64.00	34.19	11.62	65.17	0.00	--	-- PEAK	2	7266.00	46.41	74.00	-27.59	63.66	35.66	14.42	67.33	0.00	--	-- PEAK	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	4844.00	44.64	74.00	-29.36	64.00	34.19	11.62	65.17	0.00	--	-- PEAK																																																												
2	7266.00	46.41	74.00	-27.59	63.66	35.66	14.42	67.33	0.00	--	-- PEAK																																																												







Mode	14																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>58.65</td><td>74.00</td><td>-15.35</td><td>43.15</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>100</td><td>183</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	58.65	74.00	-15.35	43.15	32.14	8.05	30.69	6.00	100	183	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>106.70</td><td>-----</td><td>-----</td><td>90.92</td><td>32.29</td><td>8.16</td><td>30.67</td><td>6.00</td><td>100</td><td>183</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	106.70	-----	-----	90.92	32.29	8.16	30.67	6.00	100	183	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.56	58.65	74.00	-15.35	43.15	32.14	8.05	30.69	6.00	100	183	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2437.00	106.70	-----	-----	90.92	32.29	8.16	30.67	6.00	100	183	PEAK																																																																																								
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>45.82</td><td>54.00</td><td>-8.18</td><td>30.32</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>100</td><td>183</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	45.82	54.00	-8.18	30.32	32.14	8.05	30.69	6.00	100	183	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>96.31</td><td>-----</td><td>-----</td><td>80.53</td><td>32.29</td><td>8.16</td><td>30.67</td><td>6.00</td><td>100</td><td>183</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	96.31	-----	-----	80.53	32.29	8.16	30.67	6.00	100	183	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.69	45.82	54.00	-8.18	30.32	32.14	8.05	30.69	6.00	100	183	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2437.00	96.31	-----	-----	80.53	32.29	8.16	30.67	6.00	100	183	AVERAGE																																																																																								



Mode	14																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.30</td><td>64.86</td><td>74.00</td><td>-9.14</td><td>48.90</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>100</td><td>183</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.30	64.86	74.00	-9.14	48.90	32.37	8.24	30.65	6.00	100	183	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2485.30	64.86	74.00	-9.14	48.90	32.37	8.24	30.65	6.00	100	183	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.48</td><td>47.31</td><td>54.00</td><td>-6.69</td><td>31.35</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>100</td><td>183</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.48	47.31	54.00	-6.69	31.35	32.37	8.24	30.65	6.00	100	183	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2485.48	47.31	54.00	-6.69	31.35	32.37	8.24	30.65	6.00	100	183	AVERAGE																																												





Mode	14																																																																																																				
	Band Edge - L																																																																																																				
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																				
ANT	0+1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.13</td><td>64.02</td><td>74.00</td><td>-9.98</td><td>48.53</td><td>32.13</td><td>8.05</td><td>30.69</td><td>6.00</td><td>260</td><td>-1 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.13	64.02	74.00	-9.98	48.53	32.13	8.05	30.69	6.00	260	-1 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>111.56</td><td>-----</td><td>-----</td><td>95.85</td><td>32.26</td><td>8.12</td><td>30.67</td><td>6.00</td><td>260</td><td>-1 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	111.56	-----	-----	95.85	32.26	8.12	30.67	6.00	260
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2388.13	64.02	74.00	-9.98	48.53	32.13	8.05	30.69	6.00	260	-1 PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2437.00	111.56	-----	-----	95.85	32.26	8.12	30.67	6.00	260	-1 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.74</td><td>48.81</td><td>54.00</td><td>-5.19</td><td>33.32</td><td>32.13</td><td>8.05</td><td>30.69</td><td>6.00</td><td>260</td><td>-1 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.74	48.81	54.00	-5.19	33.32	32.13	8.05	30.69	6.00	260	-1 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>100.06</td><td>-----</td><td>-----</td><td>84.35</td><td>32.26</td><td>8.12</td><td>30.67</td><td>6.00</td><td>260</td><td>-1 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	100.06	-----	-----	84.35	32.26	8.12	30.67	6.00	260
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2387.74	48.81	54.00	-5.19	33.32	32.13	8.05	30.69	6.00	260	-1 AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2437.00	100.06	-----	-----	84.35	32.26	8.12	30.67	6.00	260	-1 AVERAGE																																																																																										







Mode	14																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																					
ANT	0+1																																																					
Pol.	Vertical										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.92</td><td>64.92</td><td>74.00</td><td>-9.08</td><td>48.97</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>260</td><td>-1 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.92	64.92	74.00	-9.08	48.97	32.37	8.23	30.65	6.00	260	-1 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.92	64.92	74.00	-9.08	48.97	32.37	8.23	30.65	6.00	260	-1 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>49.89</td><td>54.00</td><td>-4.11</td><td>33.94</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>260</td><td>-1 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	49.89	54.00	-4.11	33.94	32.37	8.23	30.65	6.00	260	-1 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.68	49.89	54.00	-4.11	33.94	32.37	8.23	30.65	6.00	260	-1 AVERAGE																																											



Mode	14																																																																													
	Harmonic																																																																													
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																													
ANT	0+1																																																																													
Pol.	Horizontal																																																																													
Peak Avg																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>41.30</td><td>74.00</td><td>-32.70</td><td>60.70</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>42.81</td><td>74.00</td><td>-31.19</td><td>59.98</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	41.30	74.00	-32.70	60.70	34.15	11.68	65.23	0.00	--	-- PEAK	2	7311.00	42.81	74.00	-31.19	59.98	35.78	14.48	67.43	0.00	--	-- PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	4874.00	41.30	74.00	-32.70	60.70	34.15	11.68	65.23	0.00	--	-- PEAK																																																																			
2	7311.00	42.81	74.00	-31.19	59.98	35.78	14.48	67.43	0.00	--	-- PEAK																																																																			
Vertical																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>54.21</td><td>74.00</td><td>-19.79</td><td>73.61</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>339</td><td>20 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>44.39</td><td>54.00</td><td>-9.61</td><td>63.79</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>339</td><td>20 AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>62.31</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	54.21	74.00	-19.79	73.61	34.15	11.68	65.23	0.00	339	20 PEAK	2	4874.00	44.39	54.00	-9.61	63.79	34.15	11.68	65.23	0.00	339	20 AVERAGE	3	7311.00	45.14	74.00	-28.86	62.31	35.78	14.48	67.43	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	4874.00	54.21	74.00	-19.79	73.61	34.15	11.68	65.23	0.00	339	20 PEAK																																																																			
2	4874.00	44.39	54.00	-9.61	63.79	34.15	11.68	65.23	0.00	339	20 AVERAGE																																																																			
3	7311.00	45.14	74.00	-28.86	62.31	35.78	14.48	67.43	0.00	--	-- PEAK																																																																			



Mode	15																																																																																																														
	Band Edge - L																																																																																																														
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2358.62</td><td>54.28</td><td>74.00</td><td>-19.72</td><td>39.03</td><td>31.95</td><td>8.00</td><td>30.70</td><td>6.00</td><td>100</td><td>190</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2358.62	54.28	74.00	-19.72	39.03	31.95	8.00	30.70	6.00	100	190	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>104.17</td><td>-----</td><td>-----</td><td>88.32</td><td>32.32</td><td>8.19</td><td>30.66</td><td>6.00</td><td>100</td><td>190</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	104.17	-----	-----	88.32	32.32	8.19	30.66	6.00	100	190
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2358.62	54.28	74.00	-19.72	39.03	31.95	8.00	30.70	6.00	100	190	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	104.17	-----	-----	88.32	32.32	8.19	30.66	6.00	100	190	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>43.55</td><td>54.00</td><td>-10.45</td><td>28.05</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>100</td><td>190</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	43.55	54.00	-10.45	28.05	32.14	8.05	30.69	6.00	100	190	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>93.25</td><td>-----</td><td>-----</td><td>77.47</td><td>32.29</td><td>8.16</td><td>30.67</td><td>6.00</td><td>100</td><td>190</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	93.25	-----	-----	77.47	32.29	8.16	30.67	6.00	100	190
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.82	43.55	54.00	-10.45	28.05	32.14	8.05	30.69	6.00	100	190	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	93.25	-----	-----	77.47	32.29	8.16	30.67	6.00	100	190	AVERAGE																																																																																																			





Mode	15																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.90</td><td>63.95</td><td>74.00</td><td>-10.05</td><td>47.99</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>100</td><td>190</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.90	63.95	74.00	-10.05	47.99	32.37	8.24	30.65	6.00	100	190	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2485.90	63.95	74.00	-10.05	47.99	32.37	8.24	30.65	6.00	100	190	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.66</td><td>48.90</td><td>54.00</td><td>-5.10</td><td>32.94</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>100</td><td>190</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.66	48.90	54.00	-5.10	32.94	32.37	8.24	30.65	6.00	100	190	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2485.66	48.90	54.00	-5.10	32.94	32.37	8.24	30.65	6.00	100	190	AVERAGE																																												





Mode	15																																																						
	Band Edge - L																																																						
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																						
ANT	0+1																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2364.47</td><td>55.30</td><td>74.00</td><td>-18.70</td><td>40.00</td><td>31.99</td><td>8.01</td><td>30.70</td><td>6.00</td><td>263</td><td>-1 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2364.47	55.30	74.00	-18.70	40.00	31.99	8.01	30.70	6.00	263	-1 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2364.47	55.30	74.00	-18.70	40.00	31.99	8.01	30.70	6.00	263	-1 PEAK																																													
Fundamental																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2452.00</td><td>105.01</td><td>-----</td><td>-----</td><td>89.26</td><td>32.28</td><td>8.14</td><td>30.67</td><td>6.00</td><td>263</td><td>-1 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2452.00	105.01	-----	-----	89.26	32.28	8.14	30.67	6.00	263	-1 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2452.00	105.01	-----	-----	89.26	32.28	8.14	30.67	6.00	263	-1 PEAK																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2383.71</td><td>44.66</td><td>54.00</td><td>-9.34</td><td>29.21</td><td>32.10</td><td>8.04</td><td>30.69</td><td>6.00</td><td>263</td><td>-1 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2383.71	44.66	54.00	-9.34	29.21	32.10	8.04	30.69	6.00	263	-1 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2383.71	44.66	54.00	-9.34	29.21	32.10	8.04	30.69	6.00	263	-1 AVERAGE																																													
Fundamental																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2452.00</td><td>95.83</td><td>-----</td><td>-----</td><td>80.07</td><td>32.28</td><td>8.15</td><td>30.67</td><td>6.00</td><td>263</td><td>-1 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2452.00	95.83	-----	-----	80.07	32.28	8.15	30.67	6.00	263	-1 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2452.00	95.83	-----	-----	80.07	32.28	8.15	30.67	6.00	263	-1 AVERAGE																																													



Mode	15																																														
	Band Edge - R																																														
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																														
ANT	0+1																																														
Pol.	Vertical					Fundamental																																									
Peak						Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.10</td><td>66.35</td><td>74.00</td><td>-7.65</td><td>50.40</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>263</td><td>-1 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.10	66.35	74.00	-7.65	50.40
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	2484.10	66.35	74.00	-7.65	50.40	32.37	8.23	30.65	6.00	263	-1 PEAK																																				
Avg						Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.57</td><td>54.00</td><td>-4.43</td><td>33.62</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>263</td><td>-1 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.57	54.00	-4.43	33.62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	2483.50	49.57	54.00	-4.43	33.62	32.37	8.23	30.65	6.00	263	-1 AVERAGE																																				





Mode	15																																																																													
	Harmonic																																																																													
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																													
ANT	0+1																																																																													
Pol.	Horizontal																																																																													
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4984.00</td><td>40.56</td><td>74.00</td><td>-33.44</td><td>60.07</td><td>34.08</td><td>11.74</td><td>65.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>42.53</td><td>74.00</td><td>-31.47</td><td>59.75</td><td>35.71</td><td>14.54</td><td>67.47</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4984.00	40.56	74.00	-33.44	60.07	34.08	11.74	65.33	0.00	--	PEAK	2	7356.00	42.53	74.00	-31.47	59.75	35.71	14.54	67.47	0.00	--	PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4984.00	40.56	74.00	-33.44	60.07	34.08	11.74	65.33	0.00	--	PEAK																																																																			
2	7356.00	42.53	74.00	-31.47	59.75	35.71	14.54	67.47	0.00	--	PEAK																																																																			
Vertical																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4984.00</td><td>45.61</td><td>74.00</td><td>-28.39</td><td>65.12</td><td>34.08</td><td>11.74</td><td>65.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>64.58</td><td>35.71</td><td>14.54</td><td>67.47</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3</td><td>7356.00</td><td>36.13</td><td>54.00</td><td>-17.87</td><td>53.42</td><td>35.70</td><td>14.53</td><td>67.52</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4984.00	45.61	74.00	-28.39	65.12	34.08	11.74	65.33	0.00	--	PEAK	2	7356.00	47.36	74.00	-26.64	64.58	35.71	14.54	67.47	0.00	300	0 PEAK	3	7356.00	36.13	54.00	-17.87	53.42	35.70	14.53	67.52	0.00	300	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4984.00	45.61	74.00	-28.39	65.12	34.08	11.74	65.33	0.00	--	PEAK																																																																			
2	7356.00	47.36	74.00	-26.64	64.58	35.71	14.54	67.47	0.00	300	0 PEAK																																																																			
3	7356.00	36.13	54.00	-17.87	53.42	35.70	14.53	67.52	0.00	300	0 AVERAGE																																																																			




Mode	16																																																																											
	Harmonic																																																																											
	2400-2483.5_802.11n_HT20_CH01_MHz																																																																											
ANT	0+1																																																																											
Pol.	Horizontal																																																																											
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>66.38</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>-- PEAK</td></tr><tr><td>2</td><td>7236.00</td><td>49.55</td><td>77.00</td><td>-27.53</td><td>66.69</td><td>35.72</td><td>14.36</td><td>67.22</td><td>0.00</td><td>-- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	46.87	74.00	-27.13	66.38	34.15	11.58	65.24	0.00	-- PEAK	2	7236.00	49.55	77.00	-27.53	66.69	35.72	14.36	67.22	0.00	-- PEAK										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	4824.00	46.87	74.00	-27.13	66.38	34.15	11.58	65.24	0.00	-- PEAK																																																																		
2	7236.00	49.55	77.00	-27.53	66.69	35.72	14.36	67.22	0.00	-- PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>75.53</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>287 13 PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>45.10</td><td>54.00</td><td>-8.90</td><td>64.61</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>287 13 AVERAGE</td></tr><tr><td>3</td><td>7230.00</td><td>51.94</td><td>81.44</td><td>-29.50</td><td>69.14</td><td>35.68</td><td>14.37</td><td>67.25</td><td>0.00</td><td>-- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	56.02	74.00	-17.98	75.53	34.15	11.58	65.24	0.00	287 13 PEAK	2	4824.00	45.10	54.00	-8.90	64.61	34.15	11.58	65.24	0.00	287 13 AVERAGE	3	7230.00	51.94	81.44	-29.50	69.14	35.68	14.37	67.25	0.00	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	4824.00	56.02	74.00	-17.98	75.53	34.15	11.58	65.24	0.00	287 13 PEAK																																																																		
2	4824.00	45.10	54.00	-8.90	64.61	34.15	11.58	65.24	0.00	287 13 AVERAGE																																																																		
3	7230.00	51.94	81.44	-29.50	69.14	35.68	14.37	67.25	0.00	-- PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>75.53</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>287 13 PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>45.10</td><td>54.00</td><td>-8.90</td><td>64.61</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>287 13 AVERAGE</td></tr><tr><td>3</td><td>7230.00</td><td>51.94</td><td>81.44</td><td>-29.50</td><td>69.14</td><td>35.68</td><td>14.37</td><td>67.25</td><td>0.00</td><td>-- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	56.02	74.00	-17.98	75.53	34.15	11.58	65.24	0.00	287 13 PEAK	2	4824.00	45.10	54.00	-8.90	64.61	34.15	11.58	65.24	0.00	287 13 AVERAGE	3	7230.00	51.94	81.44	-29.50	69.14	35.68	14.37	67.25	0.00	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	4824.00	56.02	74.00	-17.98	75.53	34.15	11.58	65.24	0.00	287 13 PEAK																																																																		
2	4824.00	45.10	54.00	-8.90	64.61	34.15	11.58	65.24	0.00	287 13 AVERAGE																																																																		
3	7230.00	51.94	81.44	-29.50	69.14	35.68	14.37	67.25	0.00	-- PEAK																																																																		





Mode	17																																																																																
	Harmonic																																																																																
	2400-2483.5_802.11n HT20_CH06_MHz																																																																																
ANT	0+1																																																																																
Pol.	Horizontal						Vertical																																																																										
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>42.38</td><td>74.00</td><td>-31.62</td><td>61.78</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>60.09</td><td>74.00</td><td>-13.91</td><td>77.26</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>297</td><td>306</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>48.00</td><td>54.00</td><td>-6.00</td><td>65.17</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>297</td><td>306</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4874.00	42.38	74.00	-31.62	61.78	34.15	11.68	65.23	0.00	--	--	PEAK	2	7311.00	60.09	74.00	-13.91	77.26	35.78	14.48	67.43	0.00	297	306	PEAK	3	7311.00	48.00	54.00	-6.00	65.17	35.78	14.48	67.43	0.00	297	306	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1	4874.00	42.38	74.00	-31.62	61.78	34.15	11.68	65.23	0.00	--	--	PEAK																																																																					
2	7311.00	60.09	74.00	-13.91	77.26	35.78	14.48	67.43	0.00	297	306	PEAK																																																																					
3	7311.00	48.00	54.00	-6.00	65.17	35.78	14.48	67.43	0.00	297	306	AVERAGE																																																																					




Mode	18																																																																																												
	Harmonic																																																																																												
	2400-2483.5_802.11n HT20_CH11_MHz																																																																																												
ANT	0+1																																																																																												
Pol.	Horizontal																																																																																												
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.54</td><td>74.00</td><td>-33.46</td><td>60.21</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>43.12</td><td>74.00</td><td>-30.88</td><td>60.02</td><td>35.77</td><td>14.58</td><td>67.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	40.54	74.00	-33.46	60.21	34.00	11.78	65.45	0.00	--	--	PEAK	2	7386.00	43.12	74.00	-30.88	60.02	35.77	14.58	67.25	0.00	--	--	PEAK																									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	4924.00	40.54	74.00	-33.46	60.21	34.00	11.78	65.45	0.00	--	--	PEAK																																																																																	
2	7386.00	43.12	74.00	-30.88	60.02	35.77	14.58	67.25	0.00	--	--	PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>55.21</td><td>74.00</td><td>-18.79</td><td>74.08</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>334</td><td>20</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>45.46</td><td>54.00</td><td>-8.54</td><td>65.13</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>334</td><td>20</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>56.37</td><td>74.00</td><td>-17.63</td><td>73.27</td><td>35.77</td><td>14.58</td><td>67.25</td><td>0.00</td><td>314</td><td>40</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>45.44</td><td>54.00</td><td>-8.56</td><td>62.31</td><td>35.78</td><td>14.58</td><td>67.23</td><td>0.00</td><td>314</td><td>40</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	55.21	74.00	-18.79	74.08	34.00	11.78	65.45	0.00	334	20	PEAK	2	4924.00	45.46	54.00	-8.54	65.13	34.00	11.78	65.45	0.00	334	20	AVERAGE	3	7386.00	56.37	74.00	-17.63	73.27	35.77	14.58	67.25	0.00	314	40	PEAK	4	7386.00	45.44	54.00	-8.56	62.31	35.78	14.58	67.23	0.00	314	40	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	4924.00	55.21	74.00	-18.79	74.08	34.00	11.78	65.45	0.00	334	20	PEAK																																																																																	
2	4924.00	45.46	54.00	-8.54	65.13	34.00	11.78	65.45	0.00	334	20	AVERAGE																																																																																	
3	7386.00	56.37	74.00	-17.63	73.27	35.77	14.58	67.25	0.00	314	40	PEAK																																																																																	
4	7386.00	45.44	54.00	-8.56	62.31	35.78	14.58	67.23	0.00	314	40	AVERAGE																																																																																	



Mode	19																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11n HT40_CH03_MHz																																																																																																									
ANT	0+1																																																																																																									
Pol.	Horizontal										Vertical																																																																																															
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4844.00</td><td>40.97</td><td>74.00</td><td>-33.03</td><td>60.33</td><td>34.19</td><td>11.62</td><td>65.17</td></tr><tr><td>2</td><td>7266.00</td><td>42.21</td><td>74.00</td><td>-31.79</td><td>59.46</td><td>35.66</td><td>14.42</td><td>67.33</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4844.00	40.97	74.00	-33.03	60.33	34.19	11.62	65.17	2	7266.00	42.21	74.00	-31.79	59.46	35.66	14.42	67.33	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4844.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>64.94</td><td>34.19</td><td>11.62</td><td>65.17</td></tr><tr><td>2</td><td>7266.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>62.54</td><td>35.66</td><td>14.42</td><td>67.33</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4844.00	45.58	74.00	-28.42	64.94	34.19	11.62	65.17	2	7266.00	45.29	74.00	-28.71	62.54	35.66	14.42	67.33
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4844.00	40.97	74.00	-33.03	60.33	34.19	11.62	65.17																																																																																																		
2	7266.00	42.21	74.00	-31.79	59.46	35.66	14.42	67.33																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4844.00	45.58	74.00	-28.42	64.94	34.19	11.62	65.17																																																																																																		
2	7266.00	45.29	74.00	-28.71	62.54	35.66	14.42	67.33																																																																																																		



Mode	20																																																																											
	Harmonic																																																																											
	2400-2483.5_802.11n HT40_CH06_MHz																																																																											
ANT	0+1																																																																											
Pol.	Horizontal																																																																											
Peak Avg																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>41.31</td><td>74.00</td><td>-32.69</td><td>60.71</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>7311.00</td><td>42.69</td><td>74.00</td><td>-31.31</td><td>59.86</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>--</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	41.31	74.00	-32.69	60.71	34.15	11.68	65.23	0.00	--	2	7311.00	42.69	74.00	-31.31	59.86	35.78	14.48	67.43	0.00	--										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	4874.00	41.31	74.00	-32.69	60.71	34.15	11.68	65.23	0.00	--																																																																		
2	7311.00	42.69	74.00	-31.31	59.86	35.78	14.48	67.43	0.00	--																																																																		
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>51.64</td><td>74.00</td><td>-22.36</td><td>71.04</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>242</td></tr><tr><td>2</td><td>4874.00</td><td>42.80</td><td>54.00</td><td>-11.20</td><td>62.20</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>242</td></tr><tr><td>3</td><td>7311.00</td><td>43.69</td><td>74.00</td><td>-30.31</td><td>60.86</td><td>35.78</td><td>14.48</td><td>67.43</td><td>0.00</td><td>--</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	51.64	74.00	-22.36	71.04	34.15	11.68	65.23	0.00	242	2	4874.00	42.80	54.00	-11.20	62.20	34.15	11.68	65.23	0.00	242	3	7311.00	43.69	74.00	-30.31	60.86	35.78	14.48	67.43	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	4874.00	51.64	74.00	-22.36	71.04	34.15	11.68	65.23	0.00	242																																																																		
2	4874.00	42.80	54.00	-11.20	62.20	34.15	11.68	65.23	0.00	242																																																																		
3	7311.00	43.69	74.00	-30.31	60.86	35.78	14.48	67.43	0.00	--																																																																		