






Mode	21																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11n HT40_CH09_MHz																																																																																																																													
ANT	0+1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>40.90</td><td>74.00</td><td>-33.10</td><td>60.41</td><td>34.08</td><td>11.74</td><td>65.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>43.00</td><td>74.00</td><td>-31.00</td><td>60.22</td><td>35.71</td><td>14.54</td><td>67.47</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	40.90	74.00	-33.10	60.41	34.08	11.74	65.33	0.00	--	--	PEAK	2	7356.00	43.00	74.00	-31.00	60.22	35.71	14.54	67.47	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>44.86</td><td>74.00</td><td>-29.14</td><td>64.37</td><td>34.08</td><td>11.74</td><td>65.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>62.97</td><td>35.71</td><td>14.54</td><td>67.47</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	44.86	74.00	-29.14	64.37	34.08	11.74	65.33	0.00	--	--	PEAK	2	7356.00	45.75	74.00	-28.25	62.97	35.71	14.54	67.47	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4904.00	40.90	74.00	-33.10	60.41	34.08	11.74	65.33	0.00	--	--	PEAK																																																																																																																		
2	7356.00	43.00	74.00	-31.00	60.22	35.71	14.54	67.47	0.00	--	--	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4904.00	44.86	74.00	-29.14	64.37	34.08	11.74	65.33	0.00	--	--	PEAK																																																																																																																		
2	7356.00	45.75	74.00	-28.25	62.97	35.71	14.54	67.47	0.00	--	--	PEAK																																																																																																																		


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(KHz)	VBW Setting
802.11b	98.59	-	-	10Hz
802.11g	92.36	1.39	0.719	0.75Khz
802.11n HT20	91.90	1.305	0.766	0.82Khz
802.11n HT40	84.84	0.644	1.554	1.6Khz
802.11ax HE20	91.69	1.192	0.839	0.91Khz
802.11ax HE40	84.67	0.635	1.575	1.6Khz


802.11b



802.11g




802.11n HT20






802.11n HT40



802.11ax HE20





802.11ax HE40

