




Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.153	47.14	-18.68	65.82	36.60	0.12	10.42	QP
2	0.153	32.14	-23.68	55.82	21.60	0.12	10.42	Average
3 *	0.186	51.84	-12.36	64.20	41.30	0.13	10.41	QP
4	0.186	35.44	-18.76	54.20	24.90	0.13	10.41	Average
5	0.221	40.96	-21.83	62.79	30.51	0.06	10.39	QP
6	0.221	27.26	-25.53	52.79	16.81	0.06	10.39	Average
7	0.431	32.72	-24.52	57.24	22.60	-0.14	10.26	QP
8	0.431	28.72	-18.52	47.24	18.60	-0.14	10.26	Average
9	2.608	34.37	-21.63	56.00	24.50	-0.20	10.07	QP
10	2.608	27.37	-18.63	46.00	17.50	-0.20	10.07	Average
11	17.755	35.51	-24.49	60.00	24.50	-0.28	11.29	QP
12	17.755	29.81	-20.19	50.00	18.80	-0.28	11.29	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	51~53%
		Temperature :	21.2~22.5°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	0+1	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	0+1	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	0+1	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	0+1	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	0+1	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	0+1	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	0+1	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	0+1	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	0+1	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	0+1	802.11ax HE20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	0+1	802.11ax HE20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	0+1	802.11ax HE20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	0+1	802.11ax HE20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	0+1	802.11ax HE20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	0+1	802.11ax HE20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	0+1	802.11ax HE20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	0+1	802.11ax HE20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	0+1	802.11ax HE20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	0+1	802.11ax HE40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	0+1	802.11ax HE40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	0+1	802.11ax HE40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	0+1	802.11ax HE40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	0+1	802.11ax HE40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	0+1	802.11ax HE40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	0+1	802.11ax HE40	134	5670	MCS0	-	-
Mode 26	U-NII-1	5.15-5.25	0+1	802.11n HT20	36	5180	MCS0	-	-
Mode 27	U-NII-1	5.15-5.25	0+1	802.11n HT20	44	5220	MCS0	-	-
Mode 28	U-NII-1	5.15-5.25	0+1	802.11n HT20	48	5240	MCS0	-	-
Mode 29	U-NII-2A	5.25-5.35	0+1	802.11n HT20	52	5260	MCS0	-	-
Mode 30	U-NII-2A	5.25-5.35	0+1	802.11n HT20	60	5300	MCS0	-	-
Mode 31	U-NII-2A	5.25-5.35	0+1	802.11n HT20	64	5320	MCS0	-	-
Mode 32	U-NII-2C	5.47-5.725	0+1	802.11n HT20	100	5500	MCS0	-	-
Mode 33	U-NII-2C	5.47-5.725	0+1	802.11n HT20	116	5580	MCS0	-	-
Mode 34	U-NII-2C	5.47-5.725	0+1	802.11n HT20	140	5700	MCS0	-	-
Mode 35	U-NII-1	5.15-5.25	0+1	802.11n HT40	38	5190	MCS0	-	-
Mode 36	U-NII-1	5.15-5.25	0+1	802.11n HT40	46	5230	MCS0	-	-

Mode 37	U-NII-2A	5.25-5.35	0+1	802.11n HT40	54	5270	MCS0	-	-
Mode 38	U-NII-2A	5.25-5.35	0+1	802.11n HT40	62	5310	MCS0	-	-
Mode 39	U-NII-2C	5.47-5.725	0+1	802.11n HT40	102	5510	MCS0	-	-
Mode 40	U-NII-2C	5.47-5.725	0+1	802.11n HT40	110	5550	MCS0	-	-
Mode 41	U-NII-2C	5.47-5.725	0+1	802.11n HT40	134	5670	MCS0	-	-
Mode 42	U-NII-3	5.725-5.85	0+1	802.11a	149	5745	6Mbps	-	-
Mode 43	U-NII-3	5.725-5.85	0+1	802.11a	157	5785	6Mbps	-	-
Mode 44	U-NII-3	5.725-5.85	0+1	802.11a	165	5825	6Mbps	-	-
Mode 45	U-NII-3	5.725-5.85	0+1	802.11ax HE20	149	5745	MCS0	-	-
Mode 46	U-NII-3	5.725-5.85	0+1	802.11ax HE20	157	5785	MCS0	-	-
Mode 47	U-NII-3	5.725-5.85	0+1	802.11ax HE20	165	5825	MCS0	-	-
Mode 48	U-NII-3	5.725-5.85	0+1	802.11ax HE40	151	5755	MCS0	-	-
Mode 49	U-NII-3	5.725-5.85	0+1	802.11ax HE40	159	5795	MCS0	-	-
Mode 50	U-NII-3	5.725-5.85	0+1	802.11n HT20	149	5745	MCS0	-	-
Mode 51	U-NII-3	5.725-5.85	0+1	802.11n HT20	157	5785	MCS0	-	-
Mode 52	U-NII-3	5.725-5.85	0+1	802.11n HT20	165	5825	MCS0	-	-
Mode 53	U-NII-3	5.725-5.85	0+1	802.11n HT40	151	5755	MCS0	-	-
Mode 54	U-NII-3	5.725-5.85	0+1	802.11n HT40	159	5795	MCS0	-	-
Mode 55	U-NII-2C	5.47-5.85	0+1	802.11a	144	5720	6Mbps	-	-
Mode 56	U-NII-2C	5.47-5.85	0+1	802.11ax HE20	144	5720	MCS0	-	-
Mode 57	U-NII-2C	5.47-5.85	0+1	802.11n HT20	144	5720	MCS0	-	-
Mode 58	U-NII-2C	5.47-5.85	0+1	802.11ax HE40	142	5710	MCS0	-	-
Mode 59	U-NII-2C	5.47-5.85	0+1	802.11n HT40	142	5710	MCS0	-	-





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5147.95	50.91	54.00	-3.09	H	AVERAGE	Pass	Band Edge
1	802.11a	36	15540.00	48.31	54.00	-5.69	H	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	15660.00	50.09	54.00	-3.91	H	AVERAGE	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	49.83	54.00	-4.17	H	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	15780.00	50.55	54.00	-3.45	H	AVERAGE	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	47.75	54.00	-6.25	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.00	50.73	54.00	-3.27	V	AVERAGE	Pass	Band Edge
6	802.11a	64	15960.00	50.52	54.00	-3.48	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5465.93	64.36	68.20	-3.84	V	PEAK	Pass	Band Edge
7	802.11a	100	16500.00	64.67	68.20	-3.53	V	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	60.45	68.20	-7.75	V	PEAK	Pass	Harmonic
9	802.11a	140	5728.88	63.99	68.20	-4.21	V	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	43.41	54.00	-10.59	H	AVERAGE	Pass	Harmonic
10	802.11ax HE20	36	5147.25	50.39	54.00	-3.61	V	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	15540.00	44.35	54.00	-9.65	V	AVERAGE	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	44	15660.00	44.68	54.00	-9.32	V	AVERAGE	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	48	15720.00	47.32	54.00	-6.68	V	AVERAGE	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	52	15780.00	48.83	54.00	-5.17	V	AVERAGE	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	60	15900.00	46.92	54.00	-7.08	H	AVERAGE	Pass	Harmonic
15	802.11ax HE20	64	5350.15	48.12	54.00	-5.88	V	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	15960.00	49.72	54.00	-4.28	V	AVERAGE	Pass	Harmonic
16	802.11ax HE20	100	5460.00	48.38	54.00	-5.62	V	AVERAGE	Pass	Band Edge
16	802.11ax HE20	100	16500.00	59.36	68.20	-8.84	V	PEAK	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	116	16740.00	59.14	68.20	-9.06	V	PEAK	Pass	Harmonic
18	802.11ax HE20	140	5725.20	63.74	68.20	-4.46	V	PEAK	Pass	Band Edge
18	802.11ax HE20	140	11400.00	43.21	54.00	-10.79	V	AVERAGE	Pass	Harmonic
19	802.11ax HE40	38	5150.00	49.82	54.00	-4.18	V	AVERAGE	Pass	Band Edge
19	802.11ax HE40	38	10380.00	45.93	68.20	-22.27	H	PEAK	Pass	Harmonic
20	802.11ax HE40	46	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE40	46	15690.00	44.70	54.00	-9.30	V	AVERAGE	Pass	Harmonic
21	802.11ax HE40	54	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE40	54	15810.00	45.07	54.00	-8.93	V	AVERAGE	Pass	Harmonic
22	802.11ax HE40	62	5350.75	50.81	54.00	-3.19	V	AVERAGE	Pass	Band Edge





22	802.11ax HE40	62	15930.00	40.01	54.00	-13.99	V	AVERAGE	Pass	Harmonic
23	802.11ax HE40	102	5468.97	65.00	68.20	-3.20	V	PEAK	Pass	Band Edge
23	802.11ax HE40	102	16530.00	51.33	68.20	-16.87	V	PEAK	Pass	Harmonic
24	802.11ax HE40	110	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE40	110	16650.00	56.97	68.20	-11.23	V	PEAK	Pass	Harmonic
25	802.11ax HE40	134	5726.80	63.67	68.20	-4.53	V	PEAK	Pass	Band Edge
25	802.11ax HE40	134	11340.00	40.69	54.00	-13.31	V	AVERAGE	Pass	Harmonic
26	802.11n HT20	36	5147.75	50.08	54.00	-3.92	V	AVERAGE	Pass	Band Edge
26	802.11n HT20	36	15540.00	44.14	54.00	-9.86	V	AVERAGE	Pass	Harmonic
27	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
27	802.11n HT20	44	15660.00	50.65	54.00	-3.35	H	AVERAGE	Pass	Harmonic
28	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
28	802.11n HT20	48	15720.00	50.66	54.00	-3.34	V	AVERAGE	Pass	Harmonic
29	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
29	802.11n HT20	52	15780.00	50.74	54.00	-3.26	V	AVERAGE	Pass	Harmonic
30	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
30	802.11n HT20	60	15900.00	50.97	54.00	-3.03	H	AVERAGE	Pass	Harmonic
31	802.11n HT20	64	5350.93	50.94	54.00	-3.06	V	AVERAGE	Pass	Band Edge
31	802.11n HT20	64	15960.00	50.56	54.00	-3.44	V	AVERAGE	Pass	Harmonic
32	802.11n HT20	100	5467.37	62.98	68.20	-5.22	V	PEAK	Pass	Band Edge
32	802.11n HT20	100	16500.00	63.01	68.20	-5.19	V	PEAK	Pass	Harmonic
33	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
33	802.11n HT20	116	16740.00	60.87	68.20	-7.33	V	PEAK	Pass	Harmonic
34	802.11n HT20	140	5726.96	63.54	68.20	-4.66	H	PEAK	Pass	Band Edge
34	802.11n HT20	140	17100.00	50.79	68.20	-17.41	V	PEAK	Pass	Harmonic
35	802.11n HT40	38	5149.21	50.94	54.00	-3.06	V	AVERAGE	Pass	Band Edge
35	802.11n HT40	38	10380.00	45.51	68.20	-22.69	V	PEAK	Pass	Harmonic
36	802.11n HT40	46	-	-	-	-	-	-	-	Band Edge
36	802.11n HT40	46	15690.00	49.24	54.00	-4.76	V	AVERAGE	Pass	Harmonic
37	802.11n HT40	54	-	-	-	-	-	-	-	Band Edge
37	802.11n HT40	54	15810.00	50.60	54.00	-3.40	V	AVERAGE	Pass	Harmonic
38	802.11n HT40	62	5350.25	50.76	54.00	-3.24	V	AVERAGE	Pass	Band Edge
38	802.11n HT40	62	10620.00	37.57	54.00	-16.43	H	AVERAGE	Pass	Harmonic
39	802.11n HT40	102	5469.45	64.84	68.20	-3.36	V	PEAK	Pass	Band Edge
39	802.11n HT40	102	11020.00	45.48	74.00	-28.52	H	PEAK	Pass	Harmonic
40	802.11n HT40	110	-	-	-	-	-	-	-	Band Edge
40	802.11n HT40	110	16650.00	57.15	68.20	-11.05	V	PEAK	Pass	Harmonic
41	802.11n HT40	134	5728.64	64.06	68.20	-4.14	H	PEAK	Pass	Band Edge
41	802.11n HT40	134	11340.00	42.44	54.00	-11.56	V	AVERAGE	Pass	Harmonic
42	802.11a	149	5614.80	56.99	68.20	-11.21	H	PEAK	Pass	Band Edge
42	802.11a	149	11490.00	44.64	54.00	-9.36	H	AVERAGE	Pass	Harmonic
43	802.11a	157	-	-	-	-	-	-	-	Band Edge
43	802.11a	157	11570.00	45.64	54.00	-8.36	V	AVERAGE	Pass	Harmonic
44	802.11a	165	5940.00	57.67	68.20	-10.53	H	PEAK	Pass	Band Edge
44	802.11a	165	11650.00	47.83	54.00	-6.17	V	AVERAGE	Pass	Harmonic
45	802.11ax HE20	149	5604.40	57.50	68.20	-10.70	H	PEAK	Pass	Band Edge

45	802.11ax HE20	149	11490.00	45.31	54.00	-8.69	V	AVERAGE	Pass	Harmonic
46	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE20	157	11570.00	45.94	54.00	-8.06	V	AVERAGE	Pass	Harmonic
47	802.11ax HE20	165	5927.60	57.76	68.20	-10.44	H	PEAK	Pass	Band Edge
47	802.11ax HE20	165	11650.00	47.07	54.00	-6.93	V	AVERAGE	Pass	Harmonic
48	802.11ax HE40	151	5648.44	57.59	68.20	-10.61	V	PEAK	Pass	Band Edge
48	802.11ax HE40	151	11510.00	42.39	54.00	-11.61	H	AVERAGE	Pass	Harmonic
49	802.11ax HE40	159	5964.80	57.52	68.20	-10.68	V	PEAK	Pass	Band Edge
49	802.11ax HE40	159	11590.00	44.87	54.00	-9.13	V	AVERAGE	Pass	Harmonic
50	802.11n HT20	149	5605.60	56.03	68.20	-12.17	V	PEAK	Pass	Band Edge
50	802.11n HT20	149	11490.00	45.66	54.00	-8.34	V	AVERAGE	Pass	Harmonic
51	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
51	802.11n HT20	157	11570.00	46.64	54.00	-7.36	V	AVERAGE	Pass	Harmonic
52	802.11n HT20	165	5925.20	57.11	68.20	-11.09	V	PEAK	Pass	Band Edge
52	802.11n HT20	165	11650.00	48.12	54.00	-5.88	V	AVERAGE	Pass	Harmonic
53	802.11n HT40	151	5926.80	57.49	68.20	-10.71	V	PEAK	Pass	Band Edge
53	802.11n HT40	151	11510.00	40.97	54.00	-13.03	V	AVERAGE	Pass	Harmonic
54	802.11n HT40	159	5984.40	57.25	68.20	-10.95	H	PEAK	Pass	Band Edge
54	802.11n HT40	159	11590.00	44.24	54.00	-9.76	V	AVERAGE	Pass	Harmonic
55	802.11a	144	-	-	-	-	-	-	-	Band Edge
55	802.11a	144	11440.00	43.55	54.00	-10.45	H	AVERAGE	Pass	Harmonic
56	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE20	144	11440.00	45.64	54.00	-8.36	H	AVERAGE	Pass	Harmonic
57	802.11n HT20	144	-	-	-	-	-	-	-	Band Edge
57	802.11n HT20	144	11440.00	44.44	54.00	-9.56	V	AVERAGE	Pass	Harmonic
58	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE40	142	11420.00	43.17	54.00	-10.83	V	AVERAGE	Pass	Harmonic
59	802.11n HT40	142	-	-	-	-	-	-	-	Band Edge
59	802.11n HT40	142	11420.00	43.04	54.00	-10.96	H	AVERAGE	Pass	Harmonic





Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.15</td><td>62.91</td><td>74.00</td><td>-11.09</td><td>46.65</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>111</td><td>181</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.15	62.91	74.00	-11.09	46.65	34.10	12.03	29.87	0.00	111	181	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>110.68</td><td>-----</td><td>-----</td><td>94.32</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>111</td><td>181</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.68	-----	-----	94.32	34.19	12.05	29.88	0.00	111	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.15	62.91	74.00	-11.09	46.65	34.10	12.03	29.87	0.00	111	181	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	110.68	-----	-----	94.32	34.19	12.05	29.88	0.00	111	181	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.95</td><td>50.91</td><td>54.00</td><td>-3.09</td><td>34.64</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>111</td><td>181</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.95	50.91	54.00	-3.09	34.64	34.11	12.03	29.87	0.00	111	181	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.93</td><td>-----</td><td>-----</td><td>87.53</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>111</td><td>181</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.93	-----	-----	87.53	34.22	12.06	29.88	0.00	111	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.95	50.91	54.00	-3.09	34.64	34.11	12.03	29.87	0.00	111	181	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	103.93	-----	-----	87.53	34.22	12.06	29.88	0.00	111	181	AVERAGE																																																																																																			



Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.65</td><td>60.05</td><td>74.00</td><td>-13.95</td><td>43.78</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>354</td><td>310</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.65	60.05	74.00	-13.95	43.78	34.11	12.03	29.87	0.00	354	310	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.39</td><td>-----</td><td>-----</td><td>90.99</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>354</td><td>310</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.39	-----	-----	90.99	34.22	12.06	29.88	0.00	354	310
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5146.65	60.05	74.00	-13.95	43.78	34.11	12.03	29.87	0.00	354	310	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	107.39	-----	-----	90.99	34.22	12.06	29.88	0.00	354	310	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>48.78</td><td>54.00</td><td>-5.22</td><td>32.52</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>354</td><td>310</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	48.78	54.00	-5.22	32.52	34.10	12.03	29.87	0.00	354	310	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.52</td><td>-----</td><td>-----</td><td>84.12</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>354</td><td>310</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.52	-----	-----	84.12	34.22	12.06	29.88	0.00	354	310
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5150.00	48.78	54.00	-5.22	32.52	34.10	12.03	29.87	0.00	354	310	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	100.52	-----	-----	84.12	34.22	12.06	29.88	0.00	354	310	AVERAGE																																																																																																			





Mode	1																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																									
ANT	0+1																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. Two vertical blue lines mark the frequencies 10360.00 MHz and 15540.00 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 7000 to 18000 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10360.00</td><td>52.28</td><td>68.20</td><td>-15.92</td><td>63.82</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>276 0 PEAK</td></tr><tr><td>2 15540.00</td><td>59.69</td><td>74.00</td><td>-14.31</td><td>64.74</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>315 37 PEAK</td></tr><tr><td>3 15540.00</td><td>48.31</td><td>54.00</td><td>-5.69</td><td>53.36</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>315 37 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	52.28	68.20	-15.92	63.82	37.46	17.54	66.54	0.00	276 0 PEAK	2 15540.00	59.69	74.00	-14.31	64.74	40.04	21.65	66.74	0.00	315 37 PEAK	3 15540.00	48.31	54.00	-5.69	53.36	40.04	21.65	66.74	0.00	315 37 AVERAGE	 Horizontal Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. Two vertical blue lines mark the frequencies 10360.00 MHz and 15540.00 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 7000 to 18000 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10360.00</td><td>55.12</td><td>68.20</td><td>-13.08</td><td>66.66</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>300 324 PEAK</td></tr><tr><td>2 15540.00</td><td>51.89</td><td>74.00</td><td>-22.11</td><td>56.94</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>300 320 PEAK</td></tr><tr><td>3 15540.00</td><td>40.57</td><td>54.00</td><td>-13.43</td><td>45.62</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>300 320 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	55.12	68.20	-13.08	66.66	37.46	17.54	66.54	0.00	300 324 PEAK	2 15540.00	51.89	74.00	-22.11	56.94	40.04	21.65	66.74	0.00	300 320 PEAK	3 15540.00	40.57	54.00	-13.43	45.62	40.04	21.65	66.74	0.00	300 320 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 10360.00	52.28	68.20	-15.92	63.82	37.46	17.54	66.54	0.00	276 0 PEAK																																																																																																																	
2 15540.00	59.69	74.00	-14.31	64.74	40.04	21.65	66.74	0.00	315 37 PEAK																																																																																																																	
3 15540.00	48.31	54.00	-5.69	53.36	40.04	21.65	66.74	0.00	315 37 AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 10360.00	55.12	68.20	-13.08	66.66	37.46	17.54	66.54	0.00	300 324 PEAK																																																																																																																	
2 15540.00	51.89	74.00	-22.11	56.94	40.04	21.65	66.74	0.00	300 320 PEAK																																																																																																																	
3 15540.00	40.57	54.00	-13.43	45.62	40.04	21.65	66.74	0.00	300 320 AVERAGE																																																																																																																	




		2																																																																														
Mode		Harmonic																																																																														
		U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																														
ANT		0+1																																																																														
Pol.		Horizontal					Vertical																																																																									
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>56.68</td><td>68.20</td><td>-11.52</td><td>68.08</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>324</td><td>39 PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>61.18</td><td>74.00</td><td>-12.82</td><td>65.69</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>324</td><td>39 PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>50.09</td><td>54.00</td><td>-3.91</td><td>54.60</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>324</td><td>39 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	56.68	68.20	-11.52	68.08	37.54	17.61	66.55	0.00	324	39 PEAK	2	15660.00	61.18	74.00	-12.82	65.69	40.16	21.74	66.41	0.00	324	39 PEAK	3	15660.00	50.09	54.00	-3.91	54.60	40.16	21.74	66.41	0.00	324	39 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	10440.00	56.68	68.20	-11.52	68.08	37.54	17.61	66.55	0.00	324	39 PEAK																																																																					
2	15660.00	61.18	74.00	-12.82	65.69	40.16	21.74	66.41	0.00	324	39 PEAK																																																																					
3	15660.00	50.09	54.00	-3.91	54.60	40.16	21.74	66.41	0.00	324	39 AVERAGE																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>57.53</td><td>68.20</td><td>-10.67</td><td>68.93</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>246</td><td>345 PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>60.36</td><td>74.00</td><td>-13.64</td><td>64.87</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>225</td><td>274 PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>49.57</td><td>54.00</td><td>-4.43</td><td>54.08</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>225</td><td>274 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	57.53	68.20	-10.67	68.93	37.54	17.61	66.55	0.00	246	345 PEAK	2	15660.00	60.36	74.00	-13.64	64.87	40.16	21.74	66.41	0.00	225	274 PEAK	3	15660.00	49.57	54.00	-4.43	54.08	40.16	21.74	66.41	0.00	225	274 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	10440.00	57.53	68.20	-10.67	68.93	37.54	17.61	66.55	0.00	246	345 PEAK																																																																					
2	15660.00	60.36	74.00	-13.64	64.87	40.16	21.74	66.41	0.00	225	274 PEAK																																																																					
3	15660.00	49.57	54.00	-4.43	54.08	40.16	21.74	66.41	0.00	225	274 AVERAGE																																																																					



Mode	3																																																																																																																																																																					
	Harmonic																																																																																																																																																																					
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																																																					
ANT	0+1																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																															
Peak Avg																																																																																																																																																																						
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>55.43</td><td>68.20</td><td>-12.77</td><td>66.76</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>61.39</td><td>74.00</td><td>-12.61</td><td>65.58</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>323</td><td>38</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>49.83</td><td>54.00</td><td>-4.17</td><td>54.03</td><td>40.26</td><td>21.79</td><td>66.25</td><td>0.00</td><td>323</td><td>38</td><td>AVERAGE</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10480.00	55.43	68.20	-12.77	66.76	37.58	17.65	66.56	0.00	--	--	PEAK	2	15720.00	61.39	74.00	-12.61	65.58	40.26	21.79	66.24	0.00	323	38	PEAK	3	15720.00	49.83	54.00	-4.17	54.03	40.26	21.79	66.25	0.00	323	38	AVERAGE	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>55.74</td><td>68.20</td><td>-12.46</td><td>67.07</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>271</td><td>345</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>59.43</td><td>74.00</td><td>-14.57</td><td>63.62</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>100</td><td>255</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>47.55</td><td>54.00</td><td>-6.45</td><td>51.75</td><td>40.26</td><td>21.79</td><td>66.25</td><td>0.00</td><td>100</td><td>255</td><td>AVERAGE</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10480.00	55.74	68.20	-12.46	67.07	37.58	17.65	66.56	0.00	271	345	PEAK	2	15720.00	59.43	74.00	-14.57	63.62	40.26	21.79	66.24	0.00	100	255	PEAK	3	15720.00	47.55	54.00	-6.45	51.75	40.26	21.79	66.25	0.00	100	255	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																											
1	10480.00	55.43	68.20	-12.77	66.76	37.58	17.65	66.56	0.00	--	--	PEAK																																																																																																																																																										
2	15720.00	61.39	74.00	-12.61	65.58	40.26	21.79	66.24	0.00	323	38	PEAK																																																																																																																																																										
3	15720.00	49.83	54.00	-4.17	54.03	40.26	21.79	66.25	0.00	323	38	AVERAGE																																																																																																																																																										
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																											
1	10480.00	55.74	68.20	-12.46	67.07	37.58	17.65	66.56	0.00	271	345	PEAK																																																																																																																																																										
2	15720.00	59.43	74.00	-14.57	63.62	40.26	21.79	66.24	0.00	100	255	PEAK																																																																																																																																																										
3	15720.00	47.55	54.00	-6.45	51.75	40.26	21.79	66.25	0.00	100	255	AVERAGE																																																																																																																																																										







		4																																																																																									
Mode		Harmonic																																																																																									
		U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																									
ANT		0+1																																																																																									
Pol.		Horizontal						Vertical																																																																																			
Peak Avg																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>55.45</td><td>68.20</td><td>-12.75</td><td>66.70</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>61.52</td><td>74.00</td><td>-12.48</td><td>65.32</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>378</td><td>39</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>50.55</td><td>54.00</td><td>-3.45</td><td>54.33</td><td>40.45</td><td>21.84</td><td>66.07</td><td>0.00</td><td>378</td><td>39</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10520.00	55.45	68.20	-12.75	66.70	37.60	17.69	66.54	0.00	--	--	PEAK	2	15780.00	61.52	74.00	-12.48	65.32	40.44	21.84	66.08	0.00	378	39	PEAK	3	15780.00	50.55	54.00	-3.45	54.33	40.45	21.84	66.07	0.00	378	39	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	10520.00	55.45	68.20	-12.75	66.70	37.60	17.69	66.54	0.00	--	--	PEAK																																																																															
2	15780.00	61.52	74.00	-12.48	65.32	40.44	21.84	66.08	0.00	378	39	PEAK																																																																															
3	15780.00	50.55	54.00	-3.45	54.33	40.45	21.84	66.07	0.00	378	39	AVERAGE																																																																															
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>62.77</td><td>68.20</td><td>-5.43</td><td>74.02</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>335</td><td>321</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>57.92</td><td>74.00</td><td>-16.08</td><td>61.72</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100</td><td>278</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>47.40</td><td>54.00</td><td>-6.60</td><td>51.20</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100</td><td>278</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10520.00	62.77	68.20	-5.43	74.02	37.60	17.69	66.54	0.00	335	321	PEAK	2	15780.00	57.92	74.00	-16.08	61.72	40.44	21.84	66.08	0.00	100	278	PEAK	3	15780.00	47.40	54.00	-6.60	51.20	40.44	21.84	66.08	0.00	100	278	AVERAGE	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	10520.00	62.77	68.20	-5.43	74.02	37.60	17.69	66.54	0.00	335	321	PEAK																																																																															
2	15780.00	57.92	74.00	-16.08	61.72	40.44	21.84	66.08	0.00	100	278	PEAK																																																																															
3	15780.00	47.40	54.00	-6.60	51.20	40.44	21.84	66.08	0.00	100	278	AVERAGE																																																																															







Mode	5																																																																																																																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																																																																																																																								
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																																																																																																																																																								
ANT	0+1																																																																																																																																																																																																																																																																																								
Pol.	Horizontal										Vertical																																																																																																																																																																																																																																																																														
Peak Avg																																																																																																																																																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="6" rowspan="5"></th></tr><tr><td>1 10600.00</td><td>54.06</td><td>74.00</td><td>-19.94</td><td>65.14</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>347</td><td>18</td><td>PEAK</td><td colspan="7"></td></tr><tr><td>2 10600.00</td><td>42.18</td><td>54.00</td><td>-11.82</td><td>53.26</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>347</td><td>18</td><td>AVERAGE</td><td colspan="7"></td></tr><tr><td>3 15900.00</td><td>57.27</td><td>74.00</td><td>-16.73</td><td>60.68</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>347</td><td>18</td><td>PEAK</td><td colspan="7"></td></tr><tr><td>4 15900.00</td><td>45.40</td><td>54.00</td><td>-8.60</td><td>48.81</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>347</td><td>18</td><td>AVERAGE</td><td colspan="7"></td></tr></table>												Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg							1 10600.00	54.06	74.00	-19.94	65.14	37.60	17.77	66.45	0.00	347	18	PEAK								2 10600.00	42.18	54.00	-11.82	53.26	37.60	17.77	66.45	0.00	347	18	AVERAGE								3 15900.00	57.27	74.00	-16.73	60.68	40.40	21.94	65.75	0.00	347	18	PEAK								4 15900.00	45.40	54.00	-8.60	48.81	40.40	21.94	65.75	0.00	347	18	AVERAGE								<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="6" rowspan="5"></th></tr><tr><td>1 10600.00</td><td>57.47</td><td>74.00</td><td>-16.53</td><td>68.55</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>300</td><td>12</td><td>PEAK</td><td colspan="7"></td></tr><tr><td>2 10600.00</td><td>46.27</td><td>54.00</td><td>-7.73</td><td>57.35</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>300</td><td>12</td><td>AVERAGE</td><td colspan="7"></td></tr><tr><td>3 15900.00</td><td>59.82</td><td>74.00</td><td>-14.18</td><td>63.23</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>268</td><td>40</td><td>PEAK</td><td colspan="7"></td></tr><tr><td>4 15900.00</td><td>47.75</td><td>54.00</td><td>-6.25</td><td>51.16</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>268</td><td>40</td><td>AVERAGE</td><td colspan="7"></td></tr></table>								Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg							1 10600.00	57.47	74.00	-16.53	68.55	37.60	17.77	66.45	0.00	300	12	PEAK								2 10600.00	46.27	54.00	-7.73	57.35	37.60	17.77	66.45	0.00	300	12	AVERAGE								3 15900.00	59.82	74.00	-14.18	63.23	40.40	21.94	65.75	0.00	268	40	PEAK								4 15900.00	47.75	54.00	-6.25	51.16	40.40	21.94	65.75	0.00	268	40	AVERAGE						
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																													
1 10600.00	54.06	74.00	-19.94	65.14	37.60	17.77	66.45	0.00	347	18	PEAK																																																																																																																																																																																																																																																																														
2 10600.00	42.18	54.00	-11.82	53.26	37.60	17.77	66.45	0.00	347	18	AVERAGE																																																																																																																																																																																																																																																																														
3 15900.00	57.27	74.00	-16.73	60.68	40.40	21.94	65.75	0.00	347	18	PEAK																																																																																																																																																																																																																																																																														
4 15900.00	45.40	54.00	-8.60	48.81	40.40	21.94	65.75	0.00	347	18	AVERAGE																																																																																																																																																																																																																																																																														
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																													
1 10600.00	57.47	74.00	-16.53	68.55	37.60	17.77	66.45	0.00	300	12	PEAK																																																																																																																																																																																																																																																																														
2 10600.00	46.27	54.00	-7.73	57.35	37.60	17.77	66.45	0.00	300	12	AVERAGE																																																																																																																																																																																																																																																																														
3 15900.00	59.82	74.00	-14.18	63.23	40.40	21.94	65.75	0.00	268	40	PEAK																																																																																																																																																																																																																																																																														
4 15900.00	47.75	54.00	-6.25	51.16	40.40	21.94	65.75	0.00	268	40	AVERAGE																																																																																																																																																																																																																																																																														





Mode	6																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.05</td><td>61.81</td><td>74.00</td><td>-12.19</td><td>45.03</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.05	61.81	74.00	-12.19	45.03	34.41	12.21	29.84	0.00	100	226	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>109.03</td><td>-----</td><td>-----</td><td>92.34</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>100</td><td>226</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.03	-----	-----	92.34	34.40	12.18	29.89	0.00	100	226
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5352.05	61.81	74.00	-12.19	45.03	34.41	12.21	29.84	0.00	100	226	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	109.03	-----	-----	92.34	34.40	12.18	29.89	0.00	100	226	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.05</td><td>49.95</td><td>54.00</td><td>-4.05</td><td>33.18</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>226</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.05	49.95	54.00	-4.05	33.18	34.40	12.21	29.84	0.00	100	226	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>100.25</td><td>-----</td><td>-----</td><td>83.58</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>226</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.25	-----	-----	83.58	34.40	12.17	29.90	0.00	100	226
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.05	49.95	54.00	-4.05	33.18	34.40	12.21	29.84	0.00	100	226	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	100.25	-----	-----	83.58	34.40	12.17	29.90	0.00	100	226	AVERAGE																																																																																																			







Mode	6																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.45</td><td>63.03</td><td>74.00</td><td>-10.97</td><td>46.26</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>300</td><td>94</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.45	63.03	74.00	-10.97	46.26	34.40	12.21	29.84	0.00	300	94	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>110.49</td><td>-----</td><td>-----</td><td>93.82</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>300</td><td>94</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.49	-----	-----	93.82	34.40	12.17	29.90	0.00	300	94
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.45	63.03	74.00	-10.97	46.26	34.40	12.21	29.84	0.00	300	94	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	110.49	-----	-----	93.82	34.40	12.17	29.90	0.00	300	94	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.73</td><td>54.00</td><td>-3.27</td><td>33.97</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>300</td><td>94</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.73	54.00	-3.27	33.97	34.40	12.20	29.84	0.00	300	94	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.18</td><td>-----</td><td>-----</td><td>85.51</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>300</td><td>94</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.18	-----	-----	85.51	34.40	12.17	29.90	0.00	300	94
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.00	50.73	54.00	-3.27	33.97	34.40	12.20	29.84	0.00	300	94	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	102.18	-----	-----	85.51	34.40	12.17	29.90	0.00	300	94	AVERAGE																																																																																																			









Mode	6																																																																																																		
	Harmonic																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal																																																																																																		
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>48.79</td><td>74.00</td><td>-25.21</td><td>59.75</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>300</td><td>350</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>39.15</td><td>54.00</td><td>-14.85</td><td>50.11</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>300</td><td>350</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>61.16</td><td>74.00</td><td>-12.84</td><td>64.23</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>300</td><td>350</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>50.45</td><td>54.00</td><td>-3.55</td><td>53.53</td><td>40.52</td><td>21.99</td><td>65.59</td><td>0.00</td><td>300</td><td>350</td><td>AVERAGE</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor				MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	48.79	74.00	-25.21	59.75	37.64	17.80	66.40	0.00	300	350	PEAK	2	10640.00	39.15	54.00	-14.85	50.11	37.64	17.80	66.40	0.00	300	350	AVERAGE	3	15960.00	61.16	74.00	-12.84	64.23	40.52	21.99	65.58	0.00	300	350	PEAK	4	15960.00	50.45	54.00	-3.55	53.53	40.52	21.99	65.59	0.00	300	350
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																																											
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	10640.00	48.79	74.00	-25.21	59.75	37.64	17.80	66.40	0.00	300	350	PEAK																																																																																							
2	10640.00	39.15	54.00	-14.85	50.11	37.64	17.80	66.40	0.00	300	350	AVERAGE																																																																																							
3	15960.00	61.16	74.00	-12.84	64.23	40.52	21.99	65.58	0.00	300	350	PEAK																																																																																							
4	15960.00	50.45	54.00	-3.55	53.53	40.52	21.99	65.59	0.00	300	350	AVERAGE																																																																																							
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>58.93</td><td>74.00</td><td>-15.07</td><td>69.89</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>300</td><td>335</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>48.45</td><td>54.00</td><td>-5.55</td><td>59.41</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>300</td><td>335</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>61.15</td><td>74.00</td><td>-12.85</td><td>64.22</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>343</td><td>292</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>50.52</td><td>54.00</td><td>-3.48</td><td>53.60</td><td>40.52</td><td>21.99</td><td>65.59</td><td>0.00</td><td>343</td><td>292</td><td>AVERAGE</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor				MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	58.93	74.00	-15.07	69.89	37.64	17.80	66.40	0.00	300	335	PEAK	2	10640.00	48.45	54.00	-5.55	59.41	37.64	17.80	66.40	0.00	300	335	AVERAGE	3	15960.00	61.15	74.00	-12.85	64.22	40.52	21.99	65.58	0.00	343	292	PEAK	4	15960.00	50.52	54.00	-3.48	53.60	40.52	21.99	65.59	0.00	343	292
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																																											
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	10640.00	58.93	74.00	-15.07	69.89	37.64	17.80	66.40	0.00	300	335	PEAK																																																																																							
2	10640.00	48.45	54.00	-5.55	59.41	37.64	17.80	66.40	0.00	300	335	AVERAGE																																																																																							
3	15960.00	61.15	74.00	-12.85	64.22	40.52	21.99	65.58	0.00	343	292	PEAK																																																																																							
4	15960.00	50.52	54.00	-3.48	53.60	40.52	21.99	65.59	0.00	343	292	AVERAGE																																																																																							





Mode	7																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																											
ANT	0+1																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.45</td><td>58.52</td><td>74.00</td><td>-15.48</td><td>41.47</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>103</td><td>143</td><td>PEAK</td></tr><tr><td>2</td><td>5468.17</td><td>57.81</td><td>68.20</td><td>-10.39</td><td>40.80</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>103</td><td>143</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.45	58.52	74.00	-15.48	41.47	34.59	12.33	29.87	0.00	103	143	PEAK	2	5468.17	57.81	68.20	-10.39	40.80	34.56	12.34	29.89	0.00	103	143	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>107.07</td><td>-----</td><td>-----</td><td>90.12</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>103</td><td>143</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.07	-----	-----	90.12	34.51	12.38	29.94	0.00	103	143
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5457.45	58.52	74.00	-15.48	41.47	34.59	12.33	29.87	0.00	103	143	PEAK																																																																																																																
2	5468.17	57.81	68.20	-10.39	40.80	34.56	12.34	29.89	0.00	103	143	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	107.07	-----	-----	90.12	34.51	12.38	29.94	0.00	103	143	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.77</td><td>46.51</td><td>54.00</td><td>-7.49</td><td>29.47</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>103</td><td>143</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.77	46.51	54.00	-7.49	29.47	34.58	12.33	29.87	0.00	103	143	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.70</td><td>-----</td><td>-----</td><td>82.75</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>103</td><td>143</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.70	-----	-----	82.75	34.51	12.38	29.94	0.00	103	143	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5457.77	46.51	54.00	-7.49	29.47	34.58	12.33	29.87	0.00	103	143	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	99.70	-----	-----	82.75	34.51	12.38	29.94	0.00	103	143	AVERAGE																																																																																																																






Mode	7																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																											
ANT	0+1																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.29</td><td>58.60</td><td>74.00</td><td>-15.40</td><td>41.55</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>300</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>5465.93</td><td>64.36</td><td>68.20</td><td>-3.84</td><td>47.34</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>300</td><td>146</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.29	58.60	74.00	-15.40	41.55	34.59	12.33	29.87	0.00	300	146	PEAK	2	5465.93	64.36	68.20	-3.84	47.34	34.57	12.34	29.89	0.00	300	146	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>112.67</td><td>-----</td><td>-----</td><td>95.71</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>300</td><td>146</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.67	-----	-----	95.71	34.52	12.37	29.93	0.00	300	146
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5457.29	58.60	74.00	-15.40	41.55	34.59	12.33	29.87	0.00	300	146	PEAK																																																																																																																
2	5465.93	64.36	68.20	-3.84	47.34	34.57	12.34	29.89	0.00	300	146	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	112.67	-----	-----	95.71	34.52	12.37	29.93	0.00	300	146	PEAK																																																																																																																
Avg																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5460.00</td><td>48.60</td><td>54.00</td><td>-5.40</td><td>31.57</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>300</td><td>146</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	48.60	54.00	-5.40	31.57	34.58	12.33	29.88	0.00	300	146	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>104.34</td><td>-----</td><td>-----</td><td>87.38</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>300</td><td>146</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.34	-----	-----	87.38	34.52	12.37	29.93	0.00	300	146	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5460.00	48.60	54.00	-5.40	31.57	34.58	12.33	29.88	0.00	300	146	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	104.34	-----	-----	87.38	34.52	12.37	29.93	0.00	300	146	AVERAGE																																																																																																																

Mode	7																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																													
ANT	0+1																																																																																																																													
Pol.	Horizontal								Vertical																																																																																																																					
Peak Avg																																																																																																																														
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	50.83	74.00	-23.17	60.87	37.00	18.15	65.99	0.00	300	53 PEAK	2 11000.00	41.67	54.00	-12.33	51.71	37.00	18.15	65.99	0.00	300	53 AVERAGE	3 16500.00	62.42	68.20	-5.78	64.03	41.58	22.33	65.52	0.00	339	348 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11000.00</td><td>57.04</td><td>74.00</td><td>-16.96</td><td>67.08</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300</td><td>338 PEAK</td></tr><tr><td>2 11000.00</td><td>46.13</td><td>54.00</td><td>-7.87</td><td>56.17</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300</td><td>338 AVERAGE</td></tr><tr><td>3 16500.00</td><td>64.67</td><td>68.20</td><td>-3.53</td><td>66.25</td><td>41.60</td><td>22.34</td><td>65.52</td><td>0.00</td><td>308</td><td>318 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	57.04	74.00	-16.96	67.08	37.00	18.15	65.99	0.00	300	338 PEAK	2 11000.00	46.13	54.00	-7.87	56.17	37.00	18.15	65.99	0.00	300	338 AVERAGE	3 16500.00	64.67	68.20	-3.53	66.25	41.60	22.34	65.52	0.00	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1 11000.00	50.83	74.00	-23.17	60.87	37.00	18.15	65.99	0.00	300	53 PEAK																																																																																																																				
2 11000.00	41.67	54.00	-12.33	51.71	37.00	18.15	65.99	0.00	300	53 AVERAGE																																																																																																																				
3 16500.00	62.42	68.20	-5.78	64.03	41.58	22.33	65.52	0.00	339	348 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1 11000.00	57.04	74.00	-16.96	67.08	37.00	18.15	65.99	0.00	300	338 PEAK																																																																																																																				
2 11000.00	46.13	54.00	-7.87	56.17	37.00	18.15	65.99	0.00	300	338 AVERAGE																																																																																																																				
3 16500.00	64.67	68.20	-3.53	66.25	41.60	22.34	65.52	0.00	308	318 PEAK																																																																																																																				








Mode	8																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																						
ANT	0+1																																																																																																																																						
Pol.	Horizontal								Vertical																																																																																																																														
Peak Avg																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11160.00</td><td>52.68</td><td>74.00</td><td>-21.32</td><td>61.80</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>300 50 PEAK</td></tr><tr><td>2 11160.00</td><td>43.47</td><td>54.00</td><td>-10.53</td><td>52.59</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>300 50 AVERAGE</td></tr><tr><td>3 16740.00</td><td>56.42</td><td>68.20</td><td>-11.78</td><td>57.41</td><td>41.94</td><td>22.49</td><td>65.42</td><td>0.00</td><td>300 312 PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	52.68	74.00	-21.32	61.80	37.96	18.29	65.37	0.00	300 50 PEAK	2 11160.00	43.47	54.00	-10.53	52.59	37.96	18.29	65.37	0.00	300 50 AVERAGE	3 16740.00	56.42	68.20	-11.78	57.41	41.94	22.49	65.42	0.00	300 312 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11160.00</td><td>53.34</td><td>74.00</td><td>-20.66</td><td>62.46</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>320 163 PEAK</td></tr><tr><td>2 11160.00</td><td>44.36</td><td>54.00</td><td>-9.64</td><td>53.49</td><td>37.96</td><td>18.29</td><td>65.38</td><td>0.00</td><td>320 163 AVERAGE</td></tr><tr><td>3 16740.00</td><td>60.45</td><td>68.20</td><td>-7.75</td><td>61.43</td><td>41.95</td><td>22.49</td><td>65.42</td><td>0.00</td><td>299 320 PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	53.34	74.00	-20.66	62.46	37.96	18.29	65.37	0.00	320 163 PEAK	2 11160.00	44.36	54.00	-9.64	53.49	37.96	18.29	65.38	0.00	320 163 AVERAGE	3 16740.00	60.45	68.20	-7.75	61.43	41.95	22.49	65.42	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1 11160.00	52.68	74.00	-21.32	61.80	37.96	18.29	65.37	0.00	300 50 PEAK																																																																																																																														
2 11160.00	43.47	54.00	-10.53	52.59	37.96	18.29	65.37	0.00	300 50 AVERAGE																																																																																																																														
3 16740.00	56.42	68.20	-11.78	57.41	41.94	22.49	65.42	0.00	300 312 PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1 11160.00	53.34	74.00	-20.66	62.46	37.96	18.29	65.37	0.00	320 163 PEAK																																																																																																																														
2 11160.00	44.36	54.00	-9.64	53.49	37.96	18.29	65.38	0.00	320 163 AVERAGE																																																																																																																														
3 16740.00	60.45	68.20	-7.75	61.43	41.95	22.49	65.42	0.00	299 320 PEAK																																																																																																																														







Mode	9																																																																																															
	Band Edge																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																															
ANT	0+1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5727.12</td><td>58.00</td><td>68.20</td><td>-10.20</td><td>40.60</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>100</td><td>150</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5727.12	58.00	68.20	-10.20	40.60	34.65	12.68	29.93	0.00	100	150	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>106.82</td><td>-----</td><td>-----</td><td>89.57</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>150</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	106.82	-----	-----	89.57	34.60	12.65	30.00	0.00	100	150
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5727.12	58.00	68.20	-10.20	40.60	34.65	12.68	29.93	0.00	100	150	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5700.00	106.82	-----	-----	89.57	34.60	12.65	30.00	0.00	100	150	PEAK																																																																																					
Avg	Blank																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>99.38</td><td>-----</td><td>-----</td><td>82.13</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>100</td><td>150</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	99.38	-----	-----	82.13	34.60	12.64	29.99	0.00	100	150	AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5700.00	99.38	-----	-----	82.13	34.60	12.64	29.99	0.00	100	150	AVERAGE																																																																																					







Mode	9																																																																																															
	Band Edge																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																															
ANT	0+1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.88</td><td>63.99</td><td>68.20</td><td>-4.21</td><td>46.58</td><td>34.66</td><td>12.68</td><td>29.93</td><td>0.00</td><td>334</td><td>34 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.88	63.99	68.20	-4.21	46.58	34.66	12.68	29.93	0.00	334	34 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>112.04</td><td>-----</td><td>-----</td><td>94.78</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>334</td><td>34 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	112.04	-----	-----	94.78	34.60	12.63	29.97	0.00	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5728.88	63.99	68.20	-4.21	46.58	34.66	12.68	29.93	0.00	334	34 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5700.00	112.04	-----	-----	94.78	34.60	12.63	29.97	0.00	334	34 PEAK																																																																																					
Avg	Blank																																																																																															
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>103.69</td><td>-----</td><td>-----</td><td>86.43</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>334</td><td>34 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.69	-----	-----	86.43	34.60	12.63	29.97	0.00	334	34 AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5700.00	103.69	-----	-----	86.43	34.60	12.63	29.97	0.00	334	34 AVERAGE																																																																																					

Mode	9																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																					
ANT	0+1																																																																																																																																					
Pol.	Horizontal								Vertical																																																																																																																													
Peak Avg																																																																																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	51.91	74.00	-22.09	59.86	38.00	18.50	64.45	0.00	384	66	PEAK	2 11400.00	43.41	54.00	-10.59	51.35	38.00	18.50	64.44	0.00	384	66	AVERAGE	3 17100.00	50.37	68.20	-17.83	51.49	41.41	22.74	65.27	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11400.00</td><td>52.16</td><td>74.00</td><td>-21.84</td><td>60.11</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>300</td><td>94</td><td>PEAK</td></tr><tr><td>2 11400.00</td><td>42.71</td><td>54.00</td><td>-11.29</td><td>50.66</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>300</td><td>94</td><td>AVERAGE</td></tr><tr><td>3 17100.00</td><td>50.56</td><td>68.20</td><td>-17.64</td><td>51.68</td><td>41.41</td><td>22.74</td><td>65.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	52.16	74.00	-21.84	60.11	38.00	18.50	64.45	0.00	300	94	PEAK	2 11400.00	42.71	54.00	-11.29	50.66	38.00	18.50	64.45	0.00	300	94	AVERAGE	3 17100.00	50.56	68.20	-17.64	51.68	41.41	22.74	65.27	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1 11400.00	51.91	74.00	-22.09	59.86	38.00	18.50	64.45	0.00	384	66	PEAK																																																																																																																											
2 11400.00	43.41	54.00	-10.59	51.35	38.00	18.50	64.44	0.00	384	66	AVERAGE																																																																																																																											
3 17100.00	50.37	68.20	-17.83	51.49	41.41	22.74	65.27	0.00	--	--	PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1 11400.00	52.16	74.00	-21.84	60.11	38.00	18.50	64.45	0.00	300	94	PEAK																																																																																																																											
2 11400.00	42.71	54.00	-11.29	50.66	38.00	18.50	64.45	0.00	300	94	AVERAGE																																																																																																																											
3 17100.00	50.56	68.20	-17.64	51.68	41.41	22.74	65.27	0.00	--	--	PEAK																																																																																																																											



Mode	10																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.05</td><td>57.79</td><td>74.00</td><td>-16.21</td><td>41.52</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>148</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.05	57.79	74.00	-16.21	41.52	34.11	12.03	29.87	0.00	100	148	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.36</td><td>-----</td><td>-----</td><td>88.96</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>100</td><td>148</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.36	-----	-----	88.96	34.22	12.06	29.88	0.00	100	148
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.05	57.79	74.00	-16.21	41.52	34.11	12.03	29.87	0.00	100	148	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	105.36	-----	-----	88.96	34.22	12.06	29.88	0.00	100	148	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.25</td><td>47.92</td><td>54.00</td><td>-6.08</td><td>31.66</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>148</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.25	47.92	54.00	-6.08	31.66	34.10	12.03	29.87	0.00	100	148	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>96.88</td><td>-----</td><td>-----</td><td>80.48</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>100</td><td>148</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.88	-----	-----	80.48	34.22	12.06	29.88	0.00	100	148
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.25	47.92	54.00	-6.08	31.66	34.10	12.03	29.87	0.00	100	148	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	96.88	-----	-----	80.48	34.22	12.06	29.88	0.00	100	148	AVERAGE																																																																																																			





Mode	10																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.85</td><td>61.63</td><td>74.00</td><td>-12.37</td><td>45.36</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>339</td><td>147</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.85	61.63	74.00	-12.37	45.36	34.11	12.03	29.87	0.00	339	147	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.61</td><td>-----</td><td>-----</td><td>92.25</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>339</td><td>147</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.61	-----	-----	92.25	34.19	12.05	29.88	0.00	339	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5146.85	61.63	74.00	-12.37	45.36	34.11	12.03	29.87	0.00	339	147	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	108.61	-----	-----	92.25	34.19	12.05	29.88	0.00	339	147	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.25</td><td>50.39</td><td>54.00</td><td>-3.61</td><td>34.12</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>339</td><td>147</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.25	50.39	54.00	-3.61	34.12	34.11	12.03	29.87	0.00	339	147	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.56</td><td>-----</td><td>-----</td><td>85.20</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>339</td><td>147</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.56	-----	-----	85.20	34.19	12.05	29.88	0.00	339	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.25	50.39	54.00	-3.61	34.12	34.11	12.03	29.87	0.00	339	147	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	101.56	-----	-----	85.20	34.19	12.05	29.88	0.00	339	147	AVERAGE																																																																																																			





Mode	10																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																																																																				
ANT	0+1																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>46.31</td><td>68.20</td><td>-21.89</td><td>57.85</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>54.32</td><td>74.00</td><td>-19.68</td><td>59.37</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>300</td><td>310</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>42.56</td><td>54.00</td><td>-11.44</td><td>47.61</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>300</td><td>310</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10360.00	46.31	68.20	-21.89	57.85	37.46	17.54	66.54	0.00	--	--	PEAK	2	15540.00	54.32	74.00	-19.68	59.37	40.04	21.65	66.74	0.00	300	310	PEAK	3	15540.00	42.56	54.00	-11.44	47.61	40.04	21.65	66.74	0.00	300	310	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>55.89</td><td>68.20</td><td>-12.31</td><td>67.43</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>369</td><td>291</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>54.35</td><td>74.00</td><td>-19.65</td><td>59.40</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>300</td><td>117</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>44.35</td><td>54.00</td><td>-9.65</td><td>49.40</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>300</td><td>117</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10360.00	55.89	68.20	-12.31	67.43	37.46	17.54	66.54	0.00	369	291	PEAK	2	15540.00	54.35	74.00	-19.65	59.40	40.04	21.65	66.74	0.00	300	117	PEAK	3	15540.00	44.35	54.00	-9.65	49.40	40.04	21.65	66.74	0.00	300	117
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																													
1	10360.00	46.31	68.20	-21.89	57.85	37.46	17.54	66.54	0.00	--	--	PEAK																																																																																																																																									
2	15540.00	54.32	74.00	-19.68	59.37	40.04	21.65	66.74	0.00	300	310	PEAK																																																																																																																																									
3	15540.00	42.56	54.00	-11.44	47.61	40.04	21.65	66.74	0.00	300	310	AVERAGE																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																													
1	10360.00	55.89	68.20	-12.31	67.43	37.46	17.54	66.54	0.00	369	291	PEAK																																																																																																																																									
2	15540.00	54.35	74.00	-19.65	59.40	40.04	21.65	66.74	0.00	300	117	PEAK																																																																																																																																									
3	15540.00	44.35	54.00	-9.65	49.40	40.04	21.65	66.74	0.00	300	117	AVERAGE																																																																																																																																									



Mode	11																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz																																																																																																																																																				
ANT	0+1																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>55.10</td><td>68.20</td><td>-13.10</td><td>66.50</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>300</td><td>153</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>56.20</td><td>74.00</td><td>-17.80</td><td>68.71</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>347</td><td>310</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>49.06</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>347</td><td>310</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10440.00	55.10	68.20	-13.10	66.50	37.54	17.61	66.55	0.00	300	153	PEAK	2	15660.00	56.20	74.00	-17.80	68.71	40.16	21.74	66.41	0.00	347	310	PEAK	3	15660.00	44.55	54.00	-9.45	49.06	40.16	21.74	66.41	0.00	347	310	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>58.26</td><td>68.20</td><td>-9.94</td><td>69.66</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>330</td><td>287</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>56.25</td><td>74.00</td><td>-17.75</td><td>68.76</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>100</td><td>215</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>44.68</td><td>54.00</td><td>-9.32</td><td>49.19</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>100</td><td>215</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10440.00	58.26	68.20	-9.94	69.66	37.54	17.61	66.55	0.00	330	287	PEAK	2	15660.00	56.25	74.00	-17.75	68.76	40.16	21.74	66.41	0.00	100	215	PEAK	3	15660.00	44.68	54.00	-9.32	49.19	40.16	21.74	66.41	0.00	100	215
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																													
1	10440.00	55.10	68.20	-13.10	66.50	37.54	17.61	66.55	0.00	300	153	PEAK																																																																																																																																									
2	15660.00	56.20	74.00	-17.80	68.71	40.16	21.74	66.41	0.00	347	310	PEAK																																																																																																																																									
3	15660.00	44.55	54.00	-9.45	49.06	40.16	21.74	66.41	0.00	347	310	AVERAGE																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																													
1	10440.00	58.26	68.20	-9.94	69.66	37.54	17.61	66.55	0.00	330	287	PEAK																																																																																																																																									
2	15660.00	56.25	74.00	-17.75	68.76	40.16	21.74	66.41	0.00	100	215	PEAK																																																																																																																																									
3	15660.00	44.68	54.00	-9.32	49.19	40.16	21.74	66.41	0.00	100	215	AVERAGE																																																																																																																																									



Mode	12																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz																																																																																																																																								
ANT	0+1																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																			
Peak Avg																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>55.38</td><td>68.20</td><td>-12.82</td><td>66.71</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>302</td><td>150 PEAK</td></tr><tr><td>2 15720.00</td><td>55.61</td><td>74.00</td><td>-18.39</td><td>59.80</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>100</td><td>252 PEAK</td></tr><tr><td>3 15720.00</td><td>45.07</td><td>54.00</td><td>-8.93</td><td>49.27</td><td>40.26</td><td>21.79</td><td>66.25</td><td>0.00</td><td>100</td><td>252 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	55.38	68.20	-12.82	66.71	37.58	17.65	66.56	0.00	302	150 PEAK	2 15720.00	55.61	74.00	-18.39	59.80	40.26	21.79	66.24	0.00	100	252 PEAK	3 15720.00	45.07	54.00	-8.93	49.27	40.26	21.79	66.25	0.00	100	252 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>57.43</td><td>68.20</td><td>-10.77</td><td>68.76</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>274</td><td>290 PEAK</td></tr><tr><td>2 15720.00</td><td>59.88</td><td>74.00</td><td>-14.12</td><td>64.07</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>305</td><td>173 PEAK</td></tr><tr><td>3 15720.00</td><td>47.32</td><td>54.00</td><td>-6.68</td><td>51.52</td><td>40.26</td><td>21.79</td><td>66.25</td><td>0.00</td><td>305</td><td>173 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	57.43	68.20	-10.77	68.76	37.58	17.65	66.56	0.00	274	290 PEAK	2 15720.00	59.88	74.00	-14.12	64.07	40.26	21.79	66.24	0.00	305	173 PEAK	3 15720.00	47.32	54.00	-6.68	51.52	40.26	21.79	66.25	0.00	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 10480.00	55.38	68.20	-12.82	66.71	37.58	17.65	66.56	0.00	302	150 PEAK																																																																																																																															
2 15720.00	55.61	74.00	-18.39	59.80	40.26	21.79	66.24	0.00	100	252 PEAK																																																																																																																															
3 15720.00	45.07	54.00	-8.93	49.27	40.26	21.79	66.25	0.00	100	252 AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 10480.00	57.43	68.20	-10.77	68.76	37.58	17.65	66.56	0.00	274	290 PEAK																																																																																																																															
2 15720.00	59.88	74.00	-14.12	64.07	40.26	21.79	66.24	0.00	305	173 PEAK																																																																																																																															
3 15720.00	47.32	54.00	-6.68	51.52	40.26	21.79	66.25	0.00	305	173 AVERAGE																																																																																																																															







Mode	13																																																														
	Harmonic																																																														
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz																																																														
ANT	0+1																																																														
Pol.	Horizontal																																																														
Peak Avg																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10520.00	46.63	68.20	-21.57	57.88	37.60	17.69	66.54	0.00	--	-- PEAK	2 15780.00	56.86	74.00	-17.14	60.66	40.44	21.84	66.08	0.00	100	252 PEAK	3 15780.00	45.61	54.00	-8.39	49.39	40.45	21.84	66.07	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1 10520.00	46.63	68.20	-21.57	57.88	37.60	17.69	66.54	0.00	--	-- PEAK																																																					
2 15780.00	56.86	74.00	-17.14	60.66	40.44	21.84	66.08	0.00	100	252 PEAK																																																					
3 15780.00	45.61	54.00	-8.39	49.39	40.45	21.84	66.07	0.00	100	252 AVERAGE																																																					
Peak Avg																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10520.00	58.72	68.20	-9.48	69.97	37.60	17.69	66.54	0.00	366	293 PEAK	2 15780.00	59.63	74.00	-14.37	63.43	40.44	21.84	66.08	0.00	306	175 PEAK	3 15780.00	48.83	54.00	-5.17	52.63	40.44	21.84	66.08	0.00	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1 10520.00	58.72	68.20	-9.48	69.97	37.60	17.69	66.54	0.00	366	293 PEAK																																																					
2 15780.00	59.63	74.00	-14.37	63.43	40.44	21.84	66.08	0.00	306	175 PEAK																																																					
3 15780.00	48.83	54.00	-5.17	52.63	40.44	21.84	66.08	0.00	306	175 AVERAGE																																																					







Mode	14																																																																																																																																																																																
	Harmonic																																																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz																																																																																																																																																																																
ANT	0+1																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																										
Peak Avg																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>55.37</td><td>74.00</td><td>-18.63</td><td>66.45</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>300</td><td>148</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>44.09</td><td>54.00</td><td>-9.91</td><td>55.17</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>300</td><td>148</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>59.34</td><td>74.00</td><td>-14.66</td><td>62.75</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>300</td><td>350</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>46.92</td><td>54.00</td><td>-7.08</td><td>50.31</td><td>40.41</td><td>21.94</td><td>65.74</td><td>0.00</td><td>300</td><td>350</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	55.37	74.00	-18.63	66.45	37.60	17.77	66.45	0.00	300	148	PEAK	2	10600.00	44.09	54.00	-9.91	55.17	37.60	17.77	66.45	0.00	300	148	AVERAGE	3	15900.00	59.34	74.00	-14.66	62.75	40.40	21.94	65.75	0.00	300	350	PEAK	4	15900.00	46.92	54.00	-7.08	50.31	40.41	21.94	65.74	0.00	300	350	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>55.59</td><td>74.00</td><td>-18.41</td><td>66.67</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>292</td><td>335</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>46.16</td><td>54.00</td><td>-7.84</td><td>57.24</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>292</td><td>335</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>57.43</td><td>74.00</td><td>-16.57</td><td>60.84</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>300</td><td>305</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>46.82</td><td>54.00</td><td>-7.18</td><td>50.23</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>300</td><td>305</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	55.59	74.00	-18.41	66.67	37.60	17.77	66.45	0.00	292	335	PEAK	2	10600.00	46.16	54.00	-7.84	57.24	37.60	17.77	66.45	0.00	292	335	AVERAGE	3	15900.00	57.43	74.00	-16.57	60.84	40.40	21.94	65.75	0.00	300	305	PEAK	4	15900.00	46.82	54.00	-7.18	50.23	40.40	21.94	65.75	0.00	300	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	10600.00	55.37	74.00	-18.63	66.45	37.60	17.77	66.45	0.00	300	148	PEAK																																																																																																																																																																					
2	10600.00	44.09	54.00	-9.91	55.17	37.60	17.77	66.45	0.00	300	148	AVERAGE																																																																																																																																																																					
3	15900.00	59.34	74.00	-14.66	62.75	40.40	21.94	65.75	0.00	300	350	PEAK																																																																																																																																																																					
4	15900.00	46.92	54.00	-7.08	50.31	40.41	21.94	65.74	0.00	300	350	AVERAGE																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	10600.00	55.59	74.00	-18.41	66.67	37.60	17.77	66.45	0.00	292	335	PEAK																																																																																																																																																																					
2	10600.00	46.16	54.00	-7.84	57.24	37.60	17.77	66.45	0.00	292	335	AVERAGE																																																																																																																																																																					
3	15900.00	57.43	74.00	-16.57	60.84	40.40	21.94	65.75	0.00	300	305	PEAK																																																																																																																																																																					
4	15900.00	46.82	54.00	-7.18	50.23	40.40	21.94	65.75	0.00	300	305	AVERAGE																																																																																																																																																																					



Mode	15																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5385.45</td><td>54.96</td><td>74.00</td><td>-19.04</td><td>37.98</td><td>34.54</td><td>12.24</td><td>29.80</td><td>0.00</td><td>316</td><td>34</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.45	54.96	74.00	-19.04	37.98	34.54	12.24	29.80	0.00	316	34	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.29</td><td>-----</td><td>-----</td><td>88.60</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>316</td><td>34</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.29	-----	-----	88.60	34.40	12.18	29.89	0.00	316	34
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5385.45	54.96	74.00	-19.04	37.98	34.54	12.24	29.80	0.00	316	34	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	105.29	-----	-----	88.60	34.40	12.18	29.89	0.00	316	34	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.95</td><td>45.92</td><td>54.00</td><td>-8.08</td><td>29.14</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>316</td><td>34</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.95	45.92	54.00	-8.08	29.14	34.41	12.21	29.84	0.00	316	34	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>96.99</td><td>-----</td><td>-----</td><td>80.30</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>316</td><td>34</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.99	-----	-----	80.30	34.40	12.18	29.89	0.00	316	34
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5352.95	45.92	54.00	-8.08	29.14	34.41	12.21	29.84	0.00	316	34	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	96.99	-----	-----	80.30	34.40	12.18	29.89	0.00	316	34	AVERAGE																																																																																							







Mode	15																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.05</td><td>60.39</td><td>74.00</td><td>-13.61</td><td>43.62</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>264</td><td>177</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.05	60.39	74.00	-13.61	43.62	34.40	12.21	29.84	0.00	264	177	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>110.00</td><td>-----</td><td>-----</td><td>93.31</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>264</td><td>177</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.00	-----	-----	93.31	34.40	12.18	29.89	0.00	264	177
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.05	60.39	74.00	-13.61	43.62	34.40	12.21	29.84	0.00	264	177	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	110.00	-----	-----	93.31	34.40	12.18	29.89	0.00	264	177	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.15</td><td>48.12</td><td>54.00</td><td>-5.88</td><td>31.35</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>264</td><td>177</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.15	48.12	54.00	-5.88	31.35	34.40	12.21	29.84	0.00	264	177	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.84</td><td>-----</td><td>-----</td><td>85.17</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>264</td><td>177</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.84	-----	-----	85.17	34.40	12.17	29.90	0.00	264	177
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.15	48.12	54.00	-5.88	31.35	34.40	12.21	29.84	0.00	264	177	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	101.84	-----	-----	85.17	34.40	12.17	29.90	0.00	264	177	AVERAGE																																																																																							



Mode	15																																																																																								
	Harmonic																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																								
ANT	0+1																																																																																								
Pol.	Horizontal																																																																																								
Peak Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>55.33</td><td>74.00</td><td>-18.67</td><td>66.29</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>314</td><td>152 PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>45.54</td><td>54.00</td><td>-8.46</td><td>56.50</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>314</td><td>152 AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>60.49</td><td>74.00</td><td>-13.51</td><td>63.56</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>100</td><td>256 PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>48.35</td><td>54.00</td><td>-5.65</td><td>51.42</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>100</td><td>256 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	55.33	74.00	-18.67	66.29	37.64	17.80	66.40	0.00	314	152 PEAK	2	10640.00	45.54	54.00	-8.46	56.50	37.64	17.80	66.40	0.00	314	152 AVERAGE	3	15960.00	60.49	74.00	-13.51	63.56	40.52	21.99	65.58	0.00	100	256 PEAK	4	15960.00	48.35	54.00	-5.65	51.42	40.52	21.99	65.58	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	10640.00	55.33	74.00	-18.67	66.29	37.64	17.80	66.40	0.00	314	152 PEAK																																																																														
2	10640.00	45.54	54.00	-8.46	56.50	37.64	17.80	66.40	0.00	314	152 AVERAGE																																																																														
3	15960.00	60.49	74.00	-13.51	63.56	40.52	21.99	65.58	0.00	100	256 PEAK																																																																														
4	15960.00	48.35	54.00	-5.65	51.42	40.52	21.99	65.58	0.00	100	256 AVERAGE																																																																														
Peak Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>55.51</td><td>74.00</td><td>-18.49</td><td>66.47</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>300</td><td>335 PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>46.34</td><td>54.00</td><td>-7.66</td><td>57.30</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>300</td><td>335 AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>60.83</td><td>74.00</td><td>-13.17</td><td>63.90</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>304</td><td>296 PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>49.72</td><td>54.00</td><td>-4.28</td><td>52.79</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>304</td><td>296 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	55.51	74.00	-18.49	66.47	37.64	17.80	66.40	0.00	300	335 PEAK	2	10640.00	46.34	54.00	-7.66	57.30	37.64	17.80	66.40	0.00	300	335 AVERAGE	3	15960.00	60.83	74.00	-13.17	63.90	40.52	21.99	65.58	0.00	304	296 PEAK	4	15960.00	49.72	54.00	-4.28	52.79	40.52	21.99	65.58	0.00	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	10640.00	55.51	74.00	-18.49	66.47	37.64	17.80	66.40	0.00	300	335 PEAK																																																																														
2	10640.00	46.34	54.00	-7.66	57.30	37.64	17.80	66.40	0.00	300	335 AVERAGE																																																																														
3	15960.00	60.83	74.00	-13.17	63.90	40.52	21.99	65.58	0.00	304	296 PEAK																																																																														
4	15960.00	49.72	54.00	-4.28	52.79	40.52	21.99	65.58	0.00	304	296 AVERAGE																																																																														





Mode	16																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.57</td><td>56.62</td><td>74.00</td><td>-17.38</td><td>39.58</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>103</td><td>157</td><td>PEAK</td></tr><tr><td>2</td><td>5462.41</td><td>58.53</td><td>68.20</td><td>-9.67</td><td>41.50</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>103</td><td>157</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.57	56.62	74.00	-17.38	39.58	34.58	12.33	29.87	0.00	103	157	PEAK	2	5462.41	58.53	68.20	-9.67	41.50	34.58	12.33	29.88	0.00	103	157	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.50</td><td>-----</td><td>-----</td><td>92.55</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>103</td><td>157</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.50	-----	-----	92.55	34.51	12.38	29.94	0.00	103	157
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.57	56.62	74.00	-17.38	39.58	34.58	12.33	29.87	0.00	103	157	PEAK																																																																																																				
2	5462.41	58.53	68.20	-9.67	41.50	34.58	12.33	29.88	0.00	103	157	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	109.50	-----	-----	92.55	34.51	12.38	29.94	0.00	103	157	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.57</td><td>46.53</td><td>54.00</td><td>-7.47</td><td>29.49</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>103</td><td>157</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.57	46.53	54.00	-7.47	29.49	34.58	12.33	29.87	0.00	103	157	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.24</td><td>-----</td><td>-----</td><td>82.29</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>103</td><td>157</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.24	-----	-----	82.29	34.51	12.38	29.94	0.00	103	157	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.57	46.53	54.00	-7.47	29.49	34.58	12.33	29.87	0.00	103	157	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	99.24	-----	-----	82.29	34.51	12.38	29.94	0.00	103	157	AVERAGE																																																																																																				





Mode	16																																																																		
	Band Edge																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																		
ANT	0+1																																																																		
Pol.	Vertical						Fundamental																																																												
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>57.49</td><td>74.00</td><td>-16.51</td><td>40.46</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>270</td><td>92 PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>60.77</td><td>68.20</td><td>-7.43</td><td>43.76</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>270</td><td>92 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	57.49	74.00	-16.51	40.46	34.58	12.33	29.88	0.00	270	92 PEAK	2	5470.00	60.77	68.20	-7.43	43.76	34.56	12.34	29.89	0.00	270
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5460.00	57.49	74.00	-16.51	40.46	34.58	12.33	29.88	0.00	270	92 PEAK																																																								
2	5470.00	60.77	68.20	-7.43	43.76	34.56	12.34	29.89	0.00	270	92 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>48.38</td><td>54.00</td><td>-5.62</td><td>31.35</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>270</td><td>92 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	48.38	54.00	-5.62	31.35	34.58	12.33	29.88	0.00	270	92 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5460.00	48.38	54.00	-5.62	31.35	34.58	12.33	29.88	0.00	270	92 AVERAGE																																																								
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>111.51</td><td>-----</td><td>-----</td><td>94.55</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>270</td><td>92 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.51	-----	-----	94.55	34.52	12.37	29.93	0.00	270	92 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5500.00	111.51	-----	-----	94.55	34.52	12.37	29.93	0.00	270	92 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.94</td><td>-----</td><td>-----</td><td>85.98</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>270</td><td>92 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.94	-----	-----	85.98	34.52	12.37	29.93	0.00	270	92 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5500.00	102.94	-----	-----	85.98	34.52	12.37	29.93	0.00	270	92 AVERAGE																																																								






Mode	16																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																																																															
ANT	0+1																																																																																																																																															
Pol.	Horizontal								Vertical																																																																																																																																							
Peak Avg																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11000.00</td><td>51.71</td><td>74.00</td><td>-22.29</td><td>61.75</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300</td><td>52 PEAK</td></tr><tr><td>2 11000.00</td><td>41.35</td><td>54.00</td><td>-12.65</td><td>51.39</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300</td><td>52 AVERAGE</td></tr><tr><td>3 16500.00</td><td>57.18</td><td>68.20</td><td>-11.02</td><td>58.76</td><td>41.60</td><td>22.34</td><td>65.52</td><td>0.00</td><td>282</td><td>352 PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11000.00	51.71	74.00	-22.29	61.75	37.00	18.15	65.99	0.00	300	52 PEAK	2 11000.00	41.35	54.00	-12.65	51.39	37.00	18.15	65.99	0.00	300	52 AVERAGE	3 16500.00	57.18	68.20	-11.02	58.76	41.60	22.34	65.52	0.00	282	352 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11000.00</td><td>51.56</td><td>74.00</td><td>-22.44</td><td>61.60</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300</td><td>111 PEAK</td></tr><tr><td>2 11000.00</td><td>42.85</td><td>54.00</td><td>-11.15</td><td>52.89</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300</td><td>111 AVERAGE</td></tr><tr><td>3 16500.00</td><td>59.36</td><td>68.20</td><td>-8.84</td><td>60.94</td><td>41.60</td><td>22.34</td><td>65.52</td><td>0.00</td><td>300</td><td>321 PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11000.00	51.56	74.00	-22.44	61.60	37.00	18.15	65.99	0.00	300	111 PEAK	2 11000.00	42.85	54.00	-11.15	52.89	37.00	18.15	65.99	0.00	300	111 AVERAGE	3 16500.00	59.36	68.20	-8.84	60.94	41.60	22.34	65.52	0.00	300	321 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 11000.00	51.71	74.00	-22.29	61.75	37.00	18.15	65.99	0.00	300	52 PEAK																																																																																																																																						
2 11000.00	41.35	54.00	-12.65	51.39	37.00	18.15	65.99	0.00	300	52 AVERAGE																																																																																																																																						
3 16500.00	57.18	68.20	-11.02	58.76	41.60	22.34	65.52	0.00	282	352 PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 11000.00	51.56	74.00	-22.44	61.60	37.00	18.15	65.99	0.00	300	111 PEAK																																																																																																																																						
2 11000.00	42.85	54.00	-11.15	52.89	37.00	18.15	65.99	0.00	300	111 AVERAGE																																																																																																																																						
3 16500.00	59.36	68.20	-8.84	60.94	41.60	22.34	65.52	0.00	300	321 PEAK																																																																																																																																						






Mode	17																																																																																																																																									
	Harmonic																																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																																																									
ANT	0+1																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>46.82</td><td>74.00</td><td>-27.18</td><td>55.94</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16740.00</td><td>54.57</td><td>68.20</td><td>-13.63</td><td>55.57</td><td>41.94</td><td>22.48</td><td>65.42</td><td>0.00</td><td>300</td><td>311</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	46.82	74.00	-27.18	55.94	37.96	18.29	65.37	0.00	--	--	PEAK	2	16740.00	54.57	68.20	-13.63	55.57	41.94	22.48	65.42	0.00	300	311	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>53.18</td><td>74.00</td><td>-20.82</td><td>62.30</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>246</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>43.35</td><td>54.00</td><td>-10.65</td><td>52.47</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>246</td><td>110</td><td>AVERAGE</td></tr><tr><td>3</td><td>16740.00</td><td>59.14</td><td>68.20</td><td>-9.06</td><td>60.13</td><td>41.94</td><td>22.49</td><td>65.42</td><td>0.00</td><td>300</td><td>321</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	53.18	74.00	-20.82	62.30	37.96	18.29	65.37	0.00	246	110	PEAK	2	11160.00	43.35	54.00	-10.65	52.47	37.96	18.29	65.37	0.00	246	110	AVERAGE	3	16740.00	59.14	68.20	-9.06	60.13	41.94	22.49	65.42	0.00	300	321
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	11160.00	46.82	74.00	-27.18	55.94	37.96	18.29	65.37	0.00	--	--	PEAK																																																																																																																														
2	16740.00	54.57	68.20	-13.63	55.57	41.94	22.48	65.42	0.00	300	311	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	11160.00	53.18	74.00	-20.82	62.30	37.96	18.29	65.37	0.00	246	110	PEAK																																																																																																																														
2	11160.00	43.35	54.00	-10.65	52.47	37.96	18.29	65.37	0.00	246	110	AVERAGE																																																																																																																														
3	16740.00	59.14	68.20	-9.06	60.13	41.94	22.49	65.42	0.00	300	321	PEAK																																																																																																																														





Mode	18																																																							
	Band Edge																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.84</td><td>62.13</td><td>68.20</td><td>-6.07</td><td>44.74</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.84	62.13	68.20	-6.07	44.74	34.65	12.68	29.94	0.00	100	147	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.84	62.13	68.20	-6.07	44.74	34.65	12.68	29.94	0.00	100	147	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>104.53</td><td>-----</td><td>-----</td><td>87.25</td><td>34.61</td><td>12.65</td><td>29.98</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	104.53	-----	-----	87.25	34.61	12.65	29.98	0.00	100	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5700.00	104.53	-----	-----	87.25	34.61	12.65	29.98	0.00	100	147	PEAK																																												
Avg	Blank																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>95.81</td><td>-----</td><td>-----</td><td>78.56</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>147</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	95.81	-----	-----	78.56	34.60	12.65	30.00	0.00	100	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5700.00	95.81	-----	-----	78.56	34.60	12.65	30.00	0.00	100	147	AVERAGE																																												









Mode	18																																																																																													
	Band Edge																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																													
ANT	0+1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5725.20</td><td>63.74</td><td>68.20</td><td>-4.46</td><td>46.35</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>268</td><td>22 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5725.20	63.74	68.20	-4.46	46.35	34.65	12.68	29.94	0.00	268	22 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>110.94</td><td>-----</td><td>-----</td><td>93.69</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>268</td><td>22 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	110.94	-----	-----	93.69	34.60	12.65	30.00	0.00	268
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5725.20	63.74	68.20	-4.46	46.35	34.65	12.68	29.94	0.00	268	22 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5700.00	110.94	-----	-----	93.69	34.60	12.65	30.00	0.00	268	22 PEAK																																																																																				
Avg	Blank																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>102.47</td><td>-----</td><td>-----</td><td>85.22</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>268</td><td>22 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	102.47	-----	-----	85.22	34.60	12.65	30.00	0.00	268	22 AVERAGE																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5700.00	102.47	-----	-----	85.22	34.60	12.65	30.00	0.00	268	22 AVERAGE																																																																																				







Mode	18																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																																																															
ANT	0+1																																																																																																																																															
Pol.	Horizontal										Vertical																																																																																																																																					
Peak Avg																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11400.00</td><td>52.37</td><td>74.00</td><td>-21.63</td><td>60.32</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>398</td><td>67 PEAK</td></tr><tr><td>2 11400.00</td><td>43.05</td><td>54.00</td><td>-10.95</td><td>50.99</td><td>38.00</td><td>18.50</td><td>64.44</td><td>0.00</td><td>398</td><td>67 AVERAGE</td></tr><tr><td>3 17100.00</td><td>50.78</td><td>68.20</td><td>-17.42</td><td>51.92</td><td>41.41</td><td>22.73</td><td>65.28</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	52.37	74.00	-21.63	60.32	38.00	18.50	64.45	0.00	398	67 PEAK	2 11400.00	43.05	54.00	-10.95	50.99	38.00	18.50	64.44	0.00	398	67 AVERAGE	3 17100.00	50.78	68.20	-17.42	51.92	41.41	22.73	65.28	0.00	--	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11400.00</td><td>51.52</td><td>74.00</td><td>-22.48</td><td>59.47</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>236</td><td>107 PEAK</td></tr><tr><td>2 11400.00</td><td>43.21</td><td>54.00</td><td>-10.79</td><td>51.16</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>236</td><td>107 AVERAGE</td></tr><tr><td>3 17100.00</td><td>50.04</td><td>68.20</td><td>-18.16</td><td>51.17</td><td>41.42</td><td>22.73</td><td>65.28</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	51.52	74.00	-22.48	59.47	38.00	18.50	64.45	0.00	236	107 PEAK	2 11400.00	43.21	54.00	-10.79	51.16	38.00	18.50	64.45	0.00	236	107 AVERAGE	3 17100.00	50.04	68.20	-18.16	51.17	41.42	22.73	65.28	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 11400.00	52.37	74.00	-21.63	60.32	38.00	18.50	64.45	0.00	398	67 PEAK																																																																																																																																						
2 11400.00	43.05	54.00	-10.95	50.99	38.00	18.50	64.44	0.00	398	67 AVERAGE																																																																																																																																						
3 17100.00	50.78	68.20	-17.42	51.92	41.41	22.73	65.28	0.00	--	-- PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 11400.00	51.52	74.00	-22.48	59.47	38.00	18.50	64.45	0.00	236	107 PEAK																																																																																																																																						
2 11400.00	43.21	54.00	-10.79	51.16	38.00	18.50	64.45	0.00	236	107 AVERAGE																																																																																																																																						
3 17100.00	50.04	68.20	-18.16	51.17	41.42	22.73	65.28	0.00	--	-- PEAK																																																																																																																																						





Mode	19																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5121.69</td><td>56.49</td><td>74.00</td><td>-17.51</td><td>40.12</td><td>34.21</td><td>12.02</td><td>29.86</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5121.69	56.49	74.00	-17.51	40.12	34.21	12.02	29.86	0.00	100	147	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>96.86</td><td>-----</td><td>-----</td><td>80.43</td><td>34.26</td><td>12.06</td><td>29.89</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	96.86	-----	-----	80.43	34.26	12.06	29.89	0.00	100	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5121.69	56.49	74.00	-17.51	40.12	34.21	12.02	29.86	0.00	100	147	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	96.86	-----	-----	80.43	34.26	12.06	29.89	0.00	100	147	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.97</td><td>47.01</td><td>54.00</td><td>-6.99</td><td>30.74</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>147</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.97	47.01	54.00	-6.99	30.74	34.11	12.03	29.87	0.00	100	147	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>88.49</td><td>-----</td><td>-----</td><td>72.06</td><td>34.26</td><td>12.06</td><td>29.89</td><td>0.00</td><td>100</td><td>147</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	88.49	-----	-----	72.06	34.26	12.06	29.89	0.00	100	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5146.97	47.01	54.00	-6.99	30.74	34.11	12.03	29.87	0.00	100	147	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	88.49	-----	-----	72.06	34.26	12.06	29.89	0.00	100	147	AVERAGE																																																																																							

Mode	19																																																	
	Band Edge - R																																																	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																	
ANT	0+1																																																	
Pol.	Horizontal	Fundamental																																																
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5457.17</td><td>55.63</td><td>74.00</td><td>-18.37</td><td>38.58</td><td>34.59</td><td>12.33</td><td>29.87</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>147 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5457.17	55.63	74.00	-18.37	38.58	34.59	12.33	29.87							0.00	100								147 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5457.17	55.63	74.00	-18.37	38.58	34.59	12.33	29.87																																											
						0.00	100																																											
							147 PEAK																																											
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5444.47</td><td>45.90</td><td>54.00</td><td>-8.10</td><td>28.84</td><td>34.60</td><td>12.31</td><td>29.85</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>147 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5444.47	45.90	54.00	-8.10	28.84	34.60	12.31	29.85							0.00	100								147 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5444.47	45.90	54.00	-8.10	28.84	34.60	12.31	29.85																																											
						0.00	100																																											
							147 AVERAGE																																											





Mode	19																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.85</td><td>58.26</td><td>74.00</td><td>-15.74</td><td>41.98</td><td>34.12</td><td>12.03</td><td>29.87</td><td>0.00</td><td>300</td><td>144</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.85	58.26	74.00	-15.74	41.98	34.12	12.03	29.87	0.00	300	144	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>102.89</td><td>-----</td><td>-----</td><td>86.47</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>300</td><td>144</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	102.89	-----	-----	86.47	34.24	12.06	29.88	0.00	300	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5145.85	58.26	74.00	-15.74	41.98	34.12	12.03	29.87	0.00	300	144	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	102.89	-----	-----	86.47	34.24	12.06	29.88	0.00	300	144	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>49.82</td><td>54.00</td><td>-4.18</td><td>33.56</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>300</td><td>144</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	49.82	54.00	-4.18	33.56	34.10	12.03	29.87	0.00	300	144	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>93.91</td><td>-----</td><td>-----</td><td>77.49</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>300</td><td>144</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	93.91	-----	-----	77.49	34.24	12.06	29.88	0.00	300	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5150.00	49.82	54.00	-4.18	33.56	34.10	12.03	29.87	0.00	300	144	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	93.91	-----	-----	77.49	34.24	12.06	29.88	0.00	300	144	AVERAGE																																																																																																			

Mode	19																																																	
	Band Edge - R																																																	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																	
ANT	0+1																																																	
Pol.	Vertical					Fundamental																																												
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5456.90</td><td>55.36</td><td>74.00</td><td>-18.64</td><td>38.31</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>300 144 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5456.90	55.36	74.00	-18.64	38.31	34.59	12.33	29.87	0.00	300 144 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																									
1 5456.90	55.36	74.00	-18.64	38.31	34.59	12.33	29.87	0.00	300 144 PEAK																																									
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5443.13</td><td>45.88</td><td>54.00</td><td>-8.12</td><td>28.82</td><td>34.60</td><td>12.31</td><td>29.85</td><td>0.00</td><td>300 144 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5443.13	45.88	54.00	-8.12	28.82	34.60	12.31	29.85	0.00	300 144 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																									
1 5443.13	45.88	54.00	-8.12	28.82	34.60	12.31	29.85	0.00	300 144 AVERAGE																																									

		19																																																						
Mode		Harmonic																																																						
		U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																						
ANT		0+1																																																						
Pol.		Horizontal					Vertical																																																	
Peak Avg																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10380.00</td><td>45.93</td><td>68.20</td><td>-22.27</td><td>57.45</td><td>37.48</td><td>17.55</td><td>66.55</td></tr><tr><td>2</td><td>15570.00</td><td>45.98</td><td>74.00</td><td>-28.02</td><td>50.90</td><td>40.07</td><td>21.67</td><td>66.66</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10380.00	45.93	68.20	-22.27	57.45	37.48	17.55	66.55	2	15570.00	45.98	74.00	-28.02	50.90	40.07	21.67	66.66
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	10380.00	45.93	68.20	-22.27	57.45	37.48	17.55	66.55																																																
2	15570.00	45.98	74.00	-28.02	50.90	40.07	21.67	66.66																																																
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10380.00</td><td>44.89</td><td>68.20</td><td>-23.31</td><td>56.41</td><td>37.48</td><td>17.55</td><td>66.55</td></tr><tr><td>2</td><td>15570.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>50.04</td><td>40.07</td><td>21.67</td><td>66.66</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10380.00	44.89	68.20	-23.31	56.41	37.48	17.55	66.55	2	15570.00	45.12	74.00	-28.88	50.04	40.07	21.67	66.66
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	10380.00	44.89	68.20	-23.31	56.41	37.48	17.55	66.55																																																
2	15570.00	45.12	74.00	-28.88	50.04	40.07	21.67	66.66																																																









Mode	20																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																																																																																																								
ANT	0+1																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																			
Peak Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10460.00</td><td>45.60</td><td>68.20</td><td>-22.60</td><td>56.97</td><td>37.56</td><td>17.63</td><td>66.56</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2 15690.00</td><td>53.13</td><td>74.00</td><td>-20.87</td><td>57.50</td><td>40.19</td><td>21.77</td><td>66.33</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr><tr><td>3 15690.00</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>46.86</td><td>40.19</td><td>21.77</td><td>66.31</td><td>0.00</td><td>100</td><td>251 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10460.00	45.60	68.20	-22.60	56.97	37.56	17.63	66.56	0.00	--	PEAK	2 15690.00	53.13	74.00	-20.87	57.50	40.19	21.77	66.33	0.00	100	251 PEAK	3 15690.00	42.51	54.00	-11.49	46.86	40.19	21.77	66.31	0.00	100	251 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10460.00</td><td>52.29</td><td>68.20</td><td>-15.91</td><td>63.66</td><td>37.56</td><td>17.63</td><td>66.56</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2 15690.00</td><td>55.00</td><td>74.00</td><td>-19.00</td><td>59.37</td><td>40.19</td><td>21.77</td><td>66.33</td><td>0.00</td><td>100</td><td>217 PEAK</td></tr><tr><td>3 15690.00</td><td>44.70</td><td>54.00</td><td>-9.30</td><td>49.05</td><td>40.19</td><td>21.77</td><td>66.31</td><td>0.00</td><td>100</td><td>217 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10460.00	52.29	68.20	-15.91	63.66	37.56	17.63	66.56	0.00	--	PEAK	2 15690.00	55.00	74.00	-19.00	59.37	40.19	21.77	66.33	0.00	100	217 PEAK	3 15690.00	44.70	54.00	-9.30	49.05	40.19	21.77	66.31	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 10460.00	45.60	68.20	-22.60	56.97	37.56	17.63	66.56	0.00	--	PEAK																																																																																																																															
2 15690.00	53.13	74.00	-20.87	57.50	40.19	21.77	66.33	0.00	100	251 PEAK																																																																																																																															
3 15690.00	42.51	54.00	-11.49	46.86	40.19	21.77	66.31	0.00	100	251 AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 10460.00	52.29	68.20	-15.91	63.66	37.56	17.63	66.56	0.00	--	PEAK																																																																																																																															
2 15690.00	55.00	74.00	-19.00	59.37	40.19	21.77	66.33	0.00	100	217 PEAK																																																																																																																															
3 15690.00	44.70	54.00	-9.30	49.05	40.19	21.77	66.31	0.00	100	217 AVERAGE																																																																																																																															







Mode	21																																																																											
	Harmonic																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz																																																																											
ANT	0+1																																																																											
Pol.	Horizontal																																																																											
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10540.00</td><td>50.05</td><td>68.20</td><td>-18.15</td><td>61.25</td><td>37.60</td><td>17.71</td><td>66.51</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15810.00</td><td>53.72</td><td>74.00</td><td>-20.28</td><td>57.35</td><td>40.49</td><td>21.87</td><td>65.99</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>46.77</td><td>40.49</td><td>21.87</td><td>65.98</td><td>0.00</td><td>100</td><td>251 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10540.00	50.05	68.20	-18.15	61.25	37.60	17.71	66.51	0.00	--	PEAK	2	15810.00	53.72	74.00	-20.28	57.35	40.49	21.87	65.99	0.00	100	251 PEAK	3	15810.00	43.15	54.00	-10.85	46.77	40.49	21.87	65.98	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	10540.00	50.05	68.20	-18.15	61.25	37.60	17.71	66.51	0.00	--	PEAK																																																																	
2	15810.00	53.72	74.00	-20.28	57.35	40.49	21.87	65.99	0.00	100	251 PEAK																																																																	
3	15810.00	43.15	54.00	-10.85	46.77	40.49	21.87	65.98	0.00	100	251 AVERAGE																																																																	
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10540.00</td><td>56.63</td><td>68.20</td><td>-11.57</td><td>67.83</td><td>37.60</td><td>17.71</td><td>66.51</td><td>0.00</td><td>332</td><td>290 PEAK</td></tr><tr><td>2</td><td>15810.00</td><td>55.39</td><td>74.00</td><td>-18.61</td><td>59.02</td><td>40.49</td><td>21.87</td><td>65.99</td><td>0.00</td><td>300</td><td>176 PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>45.07</td><td>54.00</td><td>-8.93</td><td>48.71</td><td>40.49</td><td>21.87</td><td>66.00</td><td>0.00</td><td>300</td><td>176 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10540.00	56.63	68.20	-11.57	67.83	37.60	17.71	66.51	0.00	332	290 PEAK	2	15810.00	55.39	74.00	-18.61	59.02	40.49	21.87	65.99	0.00	300	176 PEAK	3	15810.00	45.07	54.00	-8.93	48.71	40.49	21.87	66.00	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	10540.00	56.63	68.20	-11.57	67.83	37.60	17.71	66.51	0.00	332	290 PEAK																																																																	
2	15810.00	55.39	74.00	-18.61	59.02	40.49	21.87	65.99	0.00	300	176 PEAK																																																																	
3	15810.00	45.07	54.00	-8.93	48.71	40.49	21.87	66.00	0.00	300	176 AVERAGE																																																																	





Mode	22																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5110.81</td><td>57.08</td><td>74.00</td><td>-16.92</td><td>40.66</td><td>34.26</td><td>12.01</td><td>29.85</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5110.81	57.08	74.00	-16.92	40.66	34.26	12.01	29.85	0.00	100	147	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>97.62</td><td>-----</td><td>-----</td><td>80.98</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	97.62	-----	-----	80.98	34.40	12.15	29.91	0.00	100	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5110.81	57.08	74.00	-16.92	40.66	34.26	12.01	29.85	0.00	100	147	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	97.62	-----	-----	80.98	34.40	12.15	29.91	0.00	100	147	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5100.73</td><td>46.65</td><td>54.00</td><td>-7.35</td><td>30.20</td><td>34.30</td><td>12.00</td><td>29.85</td><td>0.00</td><td>100</td><td>147</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.73	46.65	54.00	-7.35	30.20	34.30	12.00	29.85	0.00	100	147	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>89.14</td><td>-----</td><td>-----</td><td>72.49</td><td>34.40</td><td>12.16</td><td>29.91</td><td>0.00</td><td>100</td><td>147</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	89.14	-----	-----	72.49	34.40	12.16	29.91	0.00	100	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5100.73	46.65	54.00	-7.35	30.20	34.30	12.00	29.85	0.00	100	147	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	89.14	-----	-----	72.49	34.40	12.16	29.91	0.00	100	147	AVERAGE																																																																																							



Mode	22																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																											
ANT	0+1																																											
Pol.	Horizontal	Fundamental																																										
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5353.05</td><td>61.34</td><td>74.00</td><td>-12.66</td><td>44.56</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>147 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5353.05	61.34	74.00	-12.66	44.56	34.41	12.21	29.84	0.00	100	147 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5353.05	61.34	74.00	-12.66	44.56	34.41	12.21	29.84	0.00	100	147 PEAK																																		
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5352.85</td><td>46.19</td><td>54.00</td><td>-7.81</td><td>29.41</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>147 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5352.85	46.19	54.00	-7.81	29.41	34.41	12.21	29.84	0.00	100	147 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5352.85	46.19	54.00	-7.81	29.41	34.41	12.21	29.84	0.00	100	147 AVERAGE																																		






Mode	22																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5123.29</td><td>56.34</td><td>74.00</td><td>-17.66</td><td>39.97</td><td>34.21</td><td>12.02</td><td>29.86</td><td>0.00</td><td>281</td><td>178</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5123.29	56.34	74.00	-17.66	39.97	34.21	12.02	29.86	0.00	281	178	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>104.31</td><td>-----</td><td>-----</td><td>87.65</td><td>34.40</td><td>12.16</td><td>29.90</td><td>0.00</td><td>281</td><td>178</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	104.31	-----	-----	87.65	34.40	12.16	29.90	0.00	281	178
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5123.29	56.34	74.00	-17.66	39.97	34.21	12.02	29.86	0.00	281	178	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	104.31	-----	-----	87.65	34.40	12.16	29.90	0.00	281	178	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5101.05</td><td>46.83</td><td>54.00</td><td>-7.17</td><td>30.38</td><td>34.30</td><td>12.00</td><td>29.85</td><td>0.00</td><td>281</td><td>178</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5101.05	46.83	54.00	-7.17	30.38	34.30	12.00	29.85	0.00	281	178	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>96.26</td><td>-----</td><td>-----</td><td>79.61</td><td>34.40</td><td>12.16</td><td>29.91</td><td>0.00</td><td>281</td><td>178</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	96.26	-----	-----	79.61	34.40	12.16	29.91	0.00	281	178
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5101.05	46.83	54.00	-7.17	30.38	34.30	12.00	29.85	0.00	281	178	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	96.26	-----	-----	79.61	34.40	12.16	29.91	0.00	281	178	AVERAGE																																																																																																			

Mode	22																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																			
ANT	0+1																																																			
Pol.	Vertical					Fundamental																																														
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5351.65</td><td>64.40</td><td>74.00</td><td>-9.60</td><td>47.62</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>281</td><td>178 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5351.65	64.40	74.00	-9.60	47.62	34.41	12.21	29.84	0.00	281	178 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1 5351.65	64.40	74.00	-9.60	47.62	34.41	12.21	29.84	0.00	281	178 PEAK																																										
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.75</td><td>50.81</td><td>54.00</td><td>-3.19</td><td>34.04</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>281</td><td>178 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.75	50.81	54.00	-3.19	34.04	34.40	12.21	29.84	0.00	281	178 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1 5350.75	50.81	54.00	-3.19	34.04	34.40	12.21	29.84	0.00	281	178 AVERAGE																																										




Mode	22																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																																																																																																					
ANT	0+1																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak Avg																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>56.53</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15930.00</td><td>47.05</td><td>74.00</td><td>-26.95</td><td>50.29</td><td>40.46</td><td>21.96</td><td>65.66</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>15930.00</td><td>38.15</td><td>54.00</td><td>-15.85</td><td>41.28</td><td>40.50</td><td>21.90</td><td>65.61</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10620.00	45.52	74.00	-28.48	56.53	37.62	17.79	66.42	0.00	--	--	PEAK	2	15930.00	47.05	74.00	-26.95	50.29	40.46	21.96	65.66	0.00	100	0	PEAK	3	15930.00	38.15	54.00	-15.85	41.28	40.50	21.90	65.61	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>57.74</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15930.00</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>53.70</td><td>40.46</td><td>21.96</td><td>65.66</td><td>0.00</td><td>363</td><td>291</td><td>PEAK</td></tr><tr><td>3</td><td>15930.00</td><td>40.01</td><td>54.00</td><td>-13.99</td><td>43.26</td><td>40.46</td><td>21.96</td><td>65.67</td><td>0.00</td><td>363</td><td>291</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10620.00	46.73	74.00	-27.27	57.74	37.62	17.79	66.42	0.00	--	--	PEAK	2	15930.00	50.46	74.00	-23.54	53.70	40.46	21.96	65.66	0.00	363	291	PEAK	3	15930.00	40.01	54.00	-13.99	43.26	40.46	21.96	65.67	0.00	363	291
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	10620.00	45.52	74.00	-28.48	56.53	37.62	17.79	66.42	0.00	--	--	PEAK																																																																																																																																										
2	15930.00	47.05	74.00	-26.95	50.29	40.46	21.96	65.66	0.00	100	0	PEAK																																																																																																																																										
3	15930.00	38.15	54.00	-15.85	41.28	40.50	21.90	65.61	0.00	100	0	AVERAGE																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	10620.00	46.73	74.00	-27.27	57.74	37.62	17.79	66.42	0.00	--	--	PEAK																																																																																																																																										
2	15930.00	50.46	74.00	-23.54	53.70	40.46	21.96	65.66	0.00	363	291	PEAK																																																																																																																																										
3	15930.00	40.01	54.00	-13.99	43.26	40.46	21.96	65.67	0.00	363	291	AVERAGE																																																																																																																																										







Mode	23																																																																																		
	Band Edge - L																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																																																		
ANT	0+1																																																																																		
Pol.	Horizontal																																																																																		
Peak	Fundamental																																																																																		
																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5440.17	56.44	74.00	-17.56	39.38	34.60	12.30	29.84	0.00	107	155 PEAK	2	5467.21	64.25	68.20	-3.95	47.23	34.57	12.34	29.89	0.00	107	155 PEAK																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																								
1	5440.17	56.44	74.00	-17.56	39.38	34.60	12.30	29.84	0.00	107	155 PEAK																																																																								
2	5467.21	64.25	68.20	-3.95	47.23	34.57	12.34	29.89	0.00	107	155 PEAK																																																																								
Avg																																																																																			
																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5457.13	47.03	54.00	-6.97	29.98	34.59	12.33	29.87	0.00	107	155 AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5510.00	94.19	-----	-----	77.19	34.50	12.41	29.91	0.00	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																								
1	5457.13	47.03	54.00	-6.97	29.98	34.59	12.33	29.87	0.00	107	155 AVERAGE																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																								
1	5510.00	94.19	-----	-----	77.19	34.50	12.41	29.91	0.00	107	155 AVERAGE																																																																								





Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.64</td><td>55.90</td><td>68.20</td><td>-12.30</td><td>38.45</td><td>34.67</td><td>12.69</td><td>29.91</td><td>0.00</td><td>107</td><td>155</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.64	55.90	68.20	-12.30	38.45	34.67	12.69	29.91	0.00	107	155	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.64	55.90	68.20	-12.30	38.45	34.67	12.69	29.91	0.00	107	155	PEAK																																												



Mode	23																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																																	
ANT	0+1																																																																	
Pol.	Vertical						Fundamental																																																											
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.85</td><td>60.94</td><td>74.00</td><td>-13.06</td><td>43.91</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>243</td><td>15 PEAK</td></tr><tr><td>2</td><td>5468.97</td><td>65.00</td><td>68.20</td><td>-3.20</td><td>47.99</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>243</td><td>15 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	60.94	74.00	-13.06	43.91	34.58	12.33	29.88	0.00	243	15 PEAK	2	5468.97	65.00	68.20	-3.20	47.99	34.56	12.34	29.89	0.00	243
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.85	60.94	74.00	-13.06	43.91	34.58	12.33	29.88	0.00	243	15 PEAK																																																							
2	5468.97	65.00	68.20	-3.20	47.99	34.56	12.34	29.89	0.00	243	15 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.05</td><td>49.24</td><td>54.00</td><td>-4.76</td><td>32.20</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>243</td><td>15 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.05	49.24	54.00	-4.76	32.20	34.58	12.33	29.87	0.00	243	15 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.05	49.24	54.00	-4.76	32.20	34.58	12.33	29.87	0.00	243	15 AVERAGE																																																							
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>109.15</td><td>-----</td><td>-----</td><td>92.17</td><td>34.50</td><td>12.40</td><td>29.92</td><td>0.00</td><td>243</td><td>15 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	109.15	-----	-----	92.17	34.50	12.40	29.92	0.00	243	15 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	109.15	-----	-----	92.17	34.50	12.40	29.92	0.00	243	15 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>99.02</td><td>-----</td><td>-----</td><td>82.02</td><td>34.50</td><td>12.41</td><td>29.91</td><td>0.00</td><td>243</td><td>15 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	99.02	-----	-----	82.02	34.50	12.41	29.91	0.00	243	15 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	99.02	-----	-----	82.02	34.50	12.41	29.91	0.00	243	15 AVERAGE																																																							







Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																							
ANT	0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.24</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>39.34</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>243</td><td>15</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.24	56.81	68.20	-11.39	39.34	34.68	12.69	29.90	0.00	243	15	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5738.24	56.81	68.20	-11.39	39.34	34.68	12.69	29.90	0.00	243	15	PEAK																																												

		23																																																																		
Mode		Harmonic																																																																		
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																																		
ANT		0+1																																																																		
Pol.		Horizontal						Vertical																																																												
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11020.00</td><td>44.71</td><td>74.00</td><td>-29.29</td><td>54.63</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16530.00</td><td>48.35</td><td>68.20</td><td>-19.85</td><td>49.92</td><td>41.61</td><td>22.34</td><td>65.52</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11020.00	44.71	74.00	-29.29	54.63	37.82	18.17	65.91	0.00	--	PEAK	2	16530.00	48.35	68.20	-19.85	49.92	41.61	22.34	65.52	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	11020.00	44.71	74.00	-29.29	54.63	37.82	18.17	65.91	0.00	--	PEAK																																																									
2	16530.00	48.35	68.20	-19.85	49.92	41.61	22.34	65.52	0.00	--	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11020.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>55.55</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16530.00</td><td>51.33</td><td>68.20</td><td>-16.87</td><td>52.85</td><td>41.63</td><td>22.36</td><td>65.51</td><td>0.00</td><td>300</td><td>110 PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11020.00	45.63	74.00	-28.37	55.55	37.82	18.17	65.91	0.00	--	PEAK	2	16530.00	51.33	68.20	-16.87	52.85	41.63	22.36	65.51	0.00	300	110 PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	11020.00	45.63	74.00	-28.37	55.55	37.82	18.17	65.91	0.00	--	PEAK																																																									
2	16530.00	51.33	68.20	-16.87	52.85	41.63	22.36	65.51	0.00	300	110 PEAK																																																									




		24																																																																						
Mode		Harmonic																																																																						
		U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz																																																																						
ANT		0+1																																																																						
Pol.		Horizontal					Vertical																																																																	
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11100.00</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>56.14</td><td>37.90</td><td>18.24</td><td>65.60</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>16650.00</td><td>51.16</td><td>68.20</td><td>-17.04</td><td>52.39</td><td>41.80</td><td>22.43</td><td>65.46</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11100.00	46.68	74.00	-27.32	56.14	37.90	18.24	65.60	0.00	--	-- PEAK	2	16650.00	51.16	68.20	-17.04	52.39	41.80	22.43	65.46	0.00	100	213 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	11100.00	46.68	74.00	-27.32	56.14	37.90	18.24	65.60	0.00	--	-- PEAK																																																													
2	16650.00	51.16	68.20	-17.04	52.39	41.80	22.43	65.46	0.00	100	213 PEAK																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11100.00</td><td>46.91</td><td>74.00</td><td>-27.09</td><td>56.37</td><td>37.90</td><td>18.24</td><td>65.60</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>16650.00</td><td>56.97</td><td>68.20</td><td>-11.23</td><td>58.23</td><td>41.78</td><td>22.42</td><td>65.46</td><td>0.00</td><td>266</td><td>110 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11100.00	46.91	74.00	-27.09	56.37	37.90	18.24	65.60	0.00	--	-- PEAK	2	16650.00	56.97	68.20	-11.23	58.23	41.78	22.42	65.46	0.00	266	110 PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	11100.00	46.91	74.00	-27.09	56.37	37.90	18.24	65.60	0.00	--	-- PEAK																																																													
2	16650.00	56.97	68.20	-11.23	58.23	41.78	22.42	65.46	0.00	266	110 PEAK																																																													







Mode	25																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.77</td><td>55.34</td><td>74.00</td><td>-18.66</td><td>38.30</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>5462.57</td><td>55.35</td><td>68.20</td><td>-12.85</td><td>38.33</td><td>34.57</td><td>12.33</td><td>29.88</td><td>0.00</td><td>100</td><td>149</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.77	55.34	74.00	-18.66	38.30	34.58	12.33	29.87	0.00	100	149	PEAK	2	5462.57	55.35	68.20	-12.85	38.33	34.57	12.33	29.88	0.00	100	149	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>103.78</td><td>-----</td><td>-----</td><td>86.46</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>100</td><td>149</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.78	-----	-----	86.46	34.60	12.59	29.87	0.00	100	149
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.77	55.34	74.00	-18.66	38.30	34.58	12.33	29.87	0.00	100	149	PEAK																																																																																																				
2	5462.57	55.35	68.20	-12.85	38.33	34.57	12.33	29.88	0.00	100	149	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	103.78	-----	-----	86.46	34.60	12.59	29.87	0.00	100	149	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.77</td><td>45.76</td><td>54.00</td><td>-8.24</td><td>28.70</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>100</td><td>149</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.77	45.76	54.00	-8.24	28.70	34.60	12.32	29.86	0.00	100	149	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>95.85</td><td>-----</td><td>-----</td><td>78.55</td><td>34.60</td><td>12.59</td><td>29.89</td><td>0.00</td><td>100</td><td>149</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	95.85	-----	-----	78.55	34.60	12.59	29.89	0.00	100	149	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5449.77	45.76	54.00	-8.24	28.70	34.60	12.32	29.86	0.00	100	149	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	95.85	-----	-----	78.55	34.60	12.59	29.89	0.00	100	149	AVERAGE																																																																																																				






Mode	25																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.28</td><td>61.66</td><td>68.20</td><td>-6.54</td><td>44.25</td><td>34.66</td><td>12.68</td><td>29.93</td><td>0.00</td><td>100</td><td>149</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.28	61.66	68.20	-6.54	44.25	34.66	12.68	29.93	0.00	100	149	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5729.28	61.66	68.20	-6.54	44.25	34.66	12.68	29.93	0.00	100	149	PEAK																																												







Mode	25																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.21</td><td>56.46</td><td>74.00</td><td>-17.54</td><td>39.42</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>317</td><td>32</td><td>PEAK</td></tr><tr><td>2</td><td>5465.61</td><td>55.22</td><td>68.20</td><td>-12.98</td><td>38.19</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>317</td><td>32</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.21	56.46	74.00	-17.54	39.42	34.58	12.33	29.87	0.00	317	32	PEAK	2	5465.61	55.22	68.20	-12.98	38.19	34.57	12.34	29.88	0.00	317	32	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>109.18</td><td>-----</td><td>-----</td><td>91.91</td><td>34.60</td><td>12.62</td><td>29.95</td><td>0.00</td><td>317</td><td>32</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	109.18	-----	-----	91.91	34.60	12.62	29.95	0.00	317	32
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.21	56.46	74.00	-17.54	39.42	34.58	12.33	29.87	0.00	317	32	PEAK																																																																																																				
2	5465.61	55.22	68.20	-12.98	38.19	34.57	12.34	29.88	0.00	317	32	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	109.18	-----	-----	91.91	34.60	12.62	29.95	0.00	317	32	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.57</td><td>45.81</td><td>54.00</td><td>-8.19</td><td>28.77</td><td>34.59</td><td>12.32</td><td>29.87</td><td>0.00</td><td>317</td><td>32</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.57	45.81	54.00	-8.19	28.77	34.59	12.32	29.87	0.00	317	32	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>100.30</td><td>-----</td><td>-----</td><td>82.98</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>317</td><td>32</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.30	-----	-----	82.98	34.60	12.59	29.87	0.00	317	32	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5454.57	45.81	54.00	-8.19	28.77	34.59	12.32	29.87	0.00	317	32	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	100.30	-----	-----	82.98	34.60	12.59	29.87	0.00	317	32	AVERAGE																																																																																																				







Mode	25																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																					
ANT	0+1																																					
Pol.	Vertical	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5726.00</td><td>63.67</td><td>68.20</td><td>-4.53</td><td>46.27</td><td>34.65</td><td>12.68</td><td>29.93</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.00	63.67	68.20	-4.53	46.27	34.65	12.68	29.93	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5726.00	63.67	68.20	-4.53	46.27	34.65	12.68	29.93																														

		25																																																																
Mode		Harmonic																																																																
		U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																
ANT		0+1																																																																
Pol.		Horizontal																																																																
Peak Avg																																																																		
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11340.00	46.56	74.00	-27.44	54.85	37.94	18.45	64.68	0.00	--	--	PEAK	2 17010.00	49.27	68.20	-18.93	50.35	41.55	22.67	65.30	0.00	--	--	PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11340.00	46.56	74.00	-27.44	54.85	37.94	18.45	64.68	0.00	--	--	PEAK																																																							
2 17010.00	49.27	68.20	-18.93	50.35	41.55	22.67	65.30	0.00	--	--	PEAK																																																							
		Vertical																																																																
																																																																		
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11340.00	50.25	74.00	-23.75	58.54	37.94	18.45	64.68	0.00	334	164	PEAK	2 11340.00	40.69	54.00	-13.31	49.02	37.93	18.44	64.70	0.00	334	164	AVERAGE	3 17010.00	49.53	68.20	-18.67	50.60	41.57	22.66	65.30	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11340.00	50.25	74.00	-23.75	58.54	37.94	18.45	64.68	0.00	334	164	PEAK																																																							
2 11340.00	40.69	54.00	-13.31	49.02	37.93	18.44	64.70	0.00	334	164	AVERAGE																																																							
3 17010.00	49.53	68.20	-18.67	50.60	41.57	22.66	65.30	0.00	--	--	PEAK																																																							





Mode	26																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.45</td><td>58.19</td><td>74.00</td><td>-15.81</td><td>41.93</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>149</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.45	58.19	74.00	-15.81	41.93	34.10	12.03	29.87	0.00	100	149	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.52</td><td>-----</td><td>-----</td><td>89.12</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>100</td><td>149</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.52	-----	-----	89.12	34.22	12.06	29.88	0.00	100	149
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.45	58.19	74.00	-15.81	41.93	34.10	12.03	29.87	0.00	100	149	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	105.52	-----	-----	89.12	34.22	12.06	29.88	0.00	100	149	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.55</td><td>48.73</td><td>54.00</td><td>-5.27</td><td>32.47</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>149</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.55	48.73	54.00	-5.27	32.47	34.10	12.03	29.87	0.00	100	149	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.63</td><td>-----</td><td>-----</td><td>82.23</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>100</td><td>149</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.63	-----	-----	82.23	34.22	12.06	29.88	0.00	100	149
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.55	48.73	54.00	-5.27	32.47	34.10	12.03	29.87	0.00	100	149	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	98.63	-----	-----	82.23	34.22	12.06	29.88	0.00	100	149	AVERAGE																																																																																																			





Mode	26																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.75</td><td>61.49</td><td>74.00</td><td>-12.51</td><td>45.22</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>336</td><td>147</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.75	61.49	74.00	-12.51	45.22	34.11	12.03	29.87	0.00	336	147	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>109.71</td><td>-----</td><td>-----</td><td>93.29</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>336</td><td>147</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.71	-----	-----	93.29	34.24	12.06	29.88	0.00	336	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5146.75	61.49	74.00	-12.51	45.22	34.11	12.03	29.87	0.00	336	147	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	109.71	-----	-----	93.29	34.24	12.06	29.88	0.00	336	147	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.75</td><td>50.08</td><td>54.00</td><td>-3.92</td><td>33.81</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>336</td><td>147</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.75	50.08	54.00	-3.92	33.81	34.11	12.03	29.87	0.00	336	147	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.13</td><td>-----</td><td>-----</td><td>85.77</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>336</td><td>147</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.13	-----	-----	85.77	34.19	12.05	29.88	0.00	336	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.75	50.08	54.00	-3.92	33.81	34.11	12.03	29.87	0.00	336	147	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	102.13	-----	-----	85.77	34.19	12.05	29.88	0.00	336	147	AVERAGE																																																																																																			





Mode	26																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																																																								
ANT	0+1																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																			
Peak Avg																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>54.77</td><td>68.20</td><td>-13.43</td><td>66.31</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>371</td><td>295 PEAK</td></tr><tr><td>2 15540.00</td><td>54.23</td><td>74.00</td><td>-19.77</td><td>59.28</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>300</td><td>314 PEAK</td></tr><tr><td>3 15540.00</td><td>43.74</td><td>54.00</td><td>-10.26</td><td>48.79</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>300</td><td>314 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	54.77	68.20	-13.43	66.31	37.46	17.54	66.54	0.00	371	295 PEAK	2 15540.00	54.23	74.00	-19.77	59.28	40.04	21.65	66.74	0.00	300	314 PEAK	3 15540.00	43.74	54.00	-10.26	48.79	40.04	21.65	66.74	0.00	300	314 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>57.01</td><td>68.20</td><td>-11.19</td><td>68.55</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>325</td><td>287 PEAK</td></tr><tr><td>2 15540.00</td><td>55.55</td><td>74.00</td><td>-18.45</td><td>60.60</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>100</td><td>218 PEAK</td></tr><tr><td>3 15540.00</td><td>44.14</td><td>54.00</td><td>-9.86</td><td>49.19</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>100</td><td>218 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	57.01	68.20	-11.19	68.55	37.46	17.54	66.54	0.00	325	287 PEAK	2 15540.00	55.55	74.00	-18.45	60.60	40.04	21.65	66.74	0.00	100	218 PEAK	3 15540.00	44.14	54.00	-9.86	49.19	40.04	21.65	66.74	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 10360.00	54.77	68.20	-13.43	66.31	37.46	17.54	66.54	0.00	371	295 PEAK																																																																																																																															
2 15540.00	54.23	74.00	-19.77	59.28	40.04	21.65	66.74	0.00	300	314 PEAK																																																																																																																															
3 15540.00	43.74	54.00	-10.26	48.79	40.04	21.65	66.74	0.00	300	314 AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 10360.00	57.01	68.20	-11.19	68.55	37.46	17.54	66.54	0.00	325	287 PEAK																																																																																																																															
2 15540.00	55.55	74.00	-18.45	60.60	40.04	21.65	66.74	0.00	100	218 PEAK																																																																																																																															
3 15540.00	44.14	54.00	-9.86	49.19	40.04	21.65	66.74	0.00	100	218 AVERAGE																																																																																																																															





Mode	27																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-1_5.15-5.25_802.11n HT20_CH44_5220MHz																																																																																																																																													
ANT	0+1																																																																																																																																													
Pol.	Horizontal							Vertical																																																																																																																																						
Peak Avg																																																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>15660.00</td><td>61.43</td><td>74.00</td><td>-12.57</td><td>65.94</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>313</td><td>309</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>50.65</td><td>54.00</td><td>-3.35</td><td>55.16</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>313</td><td>309</td><td>AVERAGE</td></tr></table>									Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	15660.00	61.43	74.00	-12.57	65.94	40.16	21.74	66.41	0.00	313	309	PEAK	2	15660.00	50.65	54.00	-3.35	55.16	40.16	21.74	66.41	0.00	313	309	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>15660.00</td><td>60.35</td><td>74.00</td><td>-13.65</td><td>64.86</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>300</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>50.63</td><td>54.00</td><td>-3.37</td><td>55.14</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>300</td><td>171</td><td>AVERAGE</td></tr></table>									Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	15660.00	60.35	74.00	-13.65	64.86	40.16	21.74	66.41	0.00	300	171	PEAK	2	15660.00	50.63	54.00	-3.37	55.14	40.16	21.74	66.41	0.00	300	171	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																																																			
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	15660.00	61.43	74.00	-12.57	65.94	40.16	21.74	66.41	0.00	313	309	PEAK																																																																																																																																		
2	15660.00	50.65	54.00	-3.35	55.16	40.16	21.74	66.41	0.00	313	309	AVERAGE																																																																																																																																		
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																																																			
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	15660.00	60.35	74.00	-13.65	64.86	40.16	21.74	66.41	0.00	300	171	PEAK																																																																																																																																		
2	15660.00	50.63	54.00	-3.37	55.14	40.16	21.74	66.41	0.00	300	171	AVERAGE																																																																																																																																		






Mode	28																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-1_5.15-5.25_802.11n HT20_CH48_5240MHz																																																																																																																																																					
ANT	0+1																																																																																																																																																					
Pol.	Horizontal								Vertical																																																																																																																																													
Peak Avg																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>57.66</td><td>68.20</td><td>-10.54</td><td>68.99</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>360</td><td>149</td><td>PEAK</td></tr><tr><td>2 15720.00</td><td>57.90</td><td>74.00</td><td>-16.10</td><td>62.09</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>300</td><td>300</td><td>PEAK</td></tr><tr><td>3 15720.00</td><td>46.89</td><td>54.00</td><td>-7.11</td><td>51.09</td><td>40.26</td><td>21.79</td><td>66.25</td><td>0.00</td><td>300</td><td>300</td><td>AVERAGE</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	57.66	68.20	-10.54	68.99	37.58	17.65	66.56	0.00	360	149	PEAK	2 15720.00	57.90	74.00	-16.10	62.09	40.26	21.79	66.24	0.00	300	300	PEAK	3 15720.00	46.89	54.00	-7.11	51.09	40.26	21.79	66.25	0.00	300	300	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>58.51</td><td>68.20</td><td>-9.69</td><td>69.84</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>398</td><td>291</td><td>PEAK</td></tr><tr><td>2 15720.00</td><td>61.91</td><td>74.00</td><td>-12.09</td><td>66.10</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>290</td><td>168</td><td>PEAK</td></tr><tr><td>3 15720.00</td><td>50.66</td><td>54.00</td><td>-3.34</td><td>54.85</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>290</td><td>168</td><td>AVERAGE</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	58.51	68.20	-9.69	69.84	37.58	17.65	66.56	0.00	398	291	PEAK	2 15720.00	61.91	74.00	-12.09	66.10	40.26	21.79	66.24	0.00	290	168	PEAK	3 15720.00	50.66	54.00	-3.34	54.85	40.26	21.79	66.24	0.00	290	168	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1 10480.00	57.66	68.20	-10.54	68.99	37.58	17.65	66.56	0.00	360	149	PEAK																																																																																																																																											
2 15720.00	57.90	74.00	-16.10	62.09	40.26	21.79	66.24	0.00	300	300	PEAK																																																																																																																																											
3 15720.00	46.89	54.00	-7.11	51.09	40.26	21.79	66.25	0.00	300	300	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1 10480.00	58.51	68.20	-9.69	69.84	37.58	17.65	66.56	0.00	398	291	PEAK																																																																																																																																											
2 15720.00	61.91	74.00	-12.09	66.10	40.26	21.79	66.24	0.00	290	168	PEAK																																																																																																																																											
3 15720.00	50.66	54.00	-3.34	54.85	40.26	21.79	66.24	0.00	290	168	AVERAGE																																																																																																																																											



Mode	29																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz																																																																																																																																														
ANT	0+1																																																																																																																																														
Pol.	Horizontal								Vertical																																																																																																																																						
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10520.00</td><td>58.73</td><td>68.20</td><td>-9.47</td><td>69.98</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>331</td><td>156 PEAK</td></tr><tr><td>2 15780.00</td><td>58.99</td><td>74.00</td><td>-15.01</td><td>62.79</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100</td><td>258 PEAK</td></tr><tr><td>3 15780.00</td><td>48.62</td><td>54.00</td><td>-5.38</td><td>52.42</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100</td><td>258 AVERAGE</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10520.00	58.73	68.20	-9.47	69.98	37.60	17.69	66.54	0.00	331	156 PEAK	2 15780.00	58.99	74.00	-15.01	62.79	40.44	21.84	66.08	0.00	100	258 PEAK	3 15780.00	48.62	54.00	-5.38	52.42	40.44	21.84	66.08	0.00	100	258 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10520.00</td><td>61.17</td><td>68.20</td><td>-7.03</td><td>72.42</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>300</td><td>291 PEAK</td></tr><tr><td>2 15780.00</td><td>61.48</td><td>74.00</td><td>-12.52</td><td>65.28</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>300</td><td>172 PEAK</td></tr><tr><td>3 15780.00</td><td>50.74</td><td>54.00</td><td>-3.26</td><td>54.54</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>300</td><td>172 AVERAGE</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10520.00	61.17	68.20	-7.03	72.42	37.60	17.69	66.54	0.00	300	291 PEAK	2 15780.00	61.48	74.00	-12.52	65.28	40.44	21.84	66.08	0.00	300	172 PEAK	3 15780.00	50.74	54.00	-3.26	54.54	40.44	21.84	66.08	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 10520.00	58.73	68.20	-9.47	69.98	37.60	17.69	66.54	0.00	331	156 PEAK																																																																																																																																					
2 15780.00	58.99	74.00	-15.01	62.79	40.44	21.84	66.08	0.00	100	258 PEAK																																																																																																																																					
3 15780.00	48.62	54.00	-5.38	52.42	40.44	21.84	66.08	0.00	100	258 AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 10520.00	61.17	68.20	-7.03	72.42	37.60	17.69	66.54	0.00	300	291 PEAK																																																																																																																																					
2 15780.00	61.48	74.00	-12.52	65.28	40.44	21.84	66.08	0.00	300	172 PEAK																																																																																																																																					
3 15780.00	50.74	54.00	-3.26	54.54	40.44	21.84	66.08	0.00	300	172 AVERAGE																																																																																																																																					







Mode	30																																																																																																																																																																																
	Harmonic																																																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz																																																																																																																																																																																
ANT	0+1																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																										
Peak Avg																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>57.45</td><td>74.00</td><td>-16.55</td><td>68.53</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>325</td><td>153</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>47.51</td><td>54.00</td><td>-6.49</td><td>58.59</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>325</td><td>153</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>62.79</td><td>74.00</td><td>-11.21</td><td>66.20</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>316</td><td>347</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>50.97</td><td>54.00</td><td>-3.03</td><td>54.36</td><td>40.41</td><td>21.94</td><td>65.74</td><td>0.00</td><td>316</td><td>347</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	57.45	74.00	-16.55	68.53	37.60	17.77	66.45	0.00	325	153	PEAK	2	10600.00	47.51	54.00	-6.49	58.59	37.60	17.77	66.45	0.00	325	153	AVERAGE	3	15900.00	62.79	74.00	-11.21	66.20	40.40	21.94	65.75	0.00	316	347	PEAK	4	15900.00	50.97	54.00	-3.03	54.36	40.41	21.94	65.74	0.00	316	347	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>59.28</td><td>74.00</td><td>-14.72</td><td>70.36</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>240</td><td>290</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>48.63</td><td>54.00</td><td>-5.37</td><td>59.71</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>240</td><td>290</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>60.38</td><td>74.00</td><td>-13.62</td><td>63.79</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>50.11</td><td>54.00</td><td>-3.89</td><td>53.52</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>300</td><td>263</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	59.28	74.00	-14.72	70.36	37.60	17.77	66.45	0.00	240	290	PEAK	2	10600.00	48.63	54.00	-5.37	59.71	37.60	17.77	66.45	0.00	240	290	AVERAGE	3	15900.00	60.38	74.00	-13.62	63.79	40.40	21.94	65.75	0.00	300	263	PEAK	4	15900.00	50.11	54.00	-3.89	53.52	40.40	21.94	65.75	0.00	300	263
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	10600.00	57.45	74.00	-16.55	68.53	37.60	17.77	66.45	0.00	325	153	PEAK																																																																																																																																																																					
2	10600.00	47.51	54.00	-6.49	58.59	37.60	17.77	66.45	0.00	325	153	AVERAGE																																																																																																																																																																					
3	15900.00	62.79	74.00	-11.21	66.20	40.40	21.94	65.75	0.00	316	347	PEAK																																																																																																																																																																					
4	15900.00	50.97	54.00	-3.03	54.36	40.41	21.94	65.74	0.00	316	347	AVERAGE																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	10600.00	59.28	74.00	-14.72	70.36	37.60	17.77	66.45	0.00	240	290	PEAK																																																																																																																																																																					
2	10600.00	48.63	54.00	-5.37	59.71	37.60	17.77	66.45	0.00	240	290	AVERAGE																																																																																																																																																																					
3	15900.00	60.38	74.00	-13.62	63.79	40.40	21.94	65.75	0.00	300	263	PEAK																																																																																																																																																																					
4	15900.00	50.11	54.00	-3.89	53.52	40.40	21.94	65.75	0.00	300	263	AVERAGE																																																																																																																																																																					













Mode	31																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.15</td><td>62.00</td><td>74.00</td><td>-11.92</td><td>45.30</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>361</td><td>267</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.15	62.00	74.00	-11.92	45.30	34.41	12.21	29.84	0.00	361	267	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>111.59</td><td>-----</td><td>-----</td><td>94.90</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>361</td><td>267</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	111.59	-----	-----	94.90	34.40	12.18	29.89	0.00	361	267
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5352.15	62.00	74.00	-11.92	45.30	34.41	12.21	29.84	0.00	361	267	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	111.59	-----	-----	94.90	34.40	12.18	29.89	0.00	361	267	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.15</td><td>49.30</td><td>54.00</td><td>-4.70</td><td>32.52</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>361</td><td>267</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.15	49.30	54.00	-4.70	32.52	34.41	12.21	29.84	0.00	361	267	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>103.84</td><td>-----</td><td>-----</td><td>87.15</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>361</td><td>267</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.84	-----	-----	87.15	34.40	12.18	29.89	0.00	361	267
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5352.15	49.30	54.00	-4.70	32.52	34.41	12.21	29.84	0.00	361	267	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	103.84	-----	-----	87.15	34.40	12.18	29.89	0.00	361	267	AVERAGE																																																																																							







Mode	31																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.65</td><td>61.92</td><td>74.00</td><td>-12.08</td><td>45.15</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>300</td><td>231</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.65	61.92	74.00	-12.08	45.15	34.40	12.21	29.84	0.00	300	231	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>113.03</td><td>-----</td><td>-----</td><td>96.36</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>300</td><td>231</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	113.03	-----	-----	96.36	34.40	12.17	29.90	0.00	300	231
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.65	61.92	74.00	-12.08	45.15	34.40	12.21	29.84	0.00	300	231	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	113.03	-----	-----	96.36	34.40	12.17	29.90	0.00	300	231	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.93</td><td>50.94</td><td>54.00</td><td>-3.06</td><td>34.17</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>300</td><td>231</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.93	50.94	54.00	-3.06	34.17	34.40	12.21	29.84	0.00	300	231	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>104.97</td><td>-----</td><td>-----</td><td>88.30</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>300</td><td>231</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.97	-----	-----	88.30	34.40	12.17	29.90	0.00	300	231
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.93	50.94	54.00	-3.06	34.17	34.40	12.21	29.84	0.00	300	231	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	104.97	-----	-----	88.30	34.40	12.17	29.90	0.00	300	231	AVERAGE																																																																																							







Mode	31																																																																																	
	Harmonic																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																	
ANT	0+1																																																																																	
Pol.	Horizontal																																																																																	
Peak Avg																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	58.00	74.00	-16.00	68.96	37.64	17.80	66.40	0.00	300	148	PEAK	2	10640.00	46.87	54.00	-7.13	57.83	37.64	17.80	66.40	0.00	300	148	AVERAGE	3	15960.00	60.92	74.00	-13.08	63.99	40.52	21.99	65.58	0.00	300	346	PEAK	4	15960.00	50.37	54.00	-3.63	53.46	40.51	21.99	65.59	0.00	300	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	10640.00	58.00	74.00	-16.00	68.96	37.64	17.80	66.40	0.00	300	148	PEAK																																																																						
2	10640.00	46.87	54.00	-7.13	57.83	37.64	17.80	66.40	0.00	300	148	AVERAGE																																																																						
3	15960.00	60.92	74.00	-13.08	63.99	40.52	21.99	65.58	0.00	300	346	PEAK																																																																						
4	15960.00	50.37	54.00	-3.63	53.46	40.51	21.99	65.59	0.00	300	346	AVERAGE																																																																						
Peak Avg																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	55.05	74.00	-18.95	66.01	37.64	17.80	66.40	0.00	300	332	PEAK	2	10640.00	44.92	54.00	-9.08	55.88	37.64	17.80	66.40	0.00	300	332	AVERAGE	3	15960.00	62.78	74.00	-11.22	65.85	40.52	21.99	65.58	0.00	377	289	PEAK	4	15960.00	50.56	54.00	-3.44	53.64	40.52	21.99	65.59	0.00	377	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	10640.00	55.05	74.00	-18.95	66.01	37.64	17.80	66.40	0.00	300	332	PEAK																																																																						
2	10640.00	44.92	54.00	-9.08	55.88	37.64	17.80	66.40	0.00	300	332	AVERAGE																																																																						
3	15960.00	62.78	74.00	-11.22	65.85	40.52	21.99	65.58	0.00	377	289	PEAK																																																																						
4	15960.00	50.56	54.00	-3.44	53.64	40.52	21.99	65.59	0.00	377	289	AVERAGE																																																																						





Mode	32																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																																											
ANT	0+1																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.17</td><td>58.04</td><td>74.00</td><td>-15.96</td><td>40.99</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>370</td><td>264</td><td>PEAK</td></tr><tr><td>2</td><td>5467.53</td><td>62.29</td><td>68.20</td><td>-5.91</td><td>45.28</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>370</td><td>264</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.17	58.04	74.00	-15.96	40.99	34.59	12.33	29.87	0.00	370	264	PEAK	2	5467.53	62.29	68.20	-5.91	45.28	34.56	12.34	29.89	0.00	370	264	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>112.62</td><td>-----</td><td>-----</td><td>95.67</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>370</td><td>264</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.62	-----	-----	95.67	34.51	12.38	29.94	0.00	370	264
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5456.17	58.04	74.00	-15.96	40.99	34.59	12.33	29.87	0.00	370	264	PEAK																																																																																																																
2	5467.53	62.29	68.20	-5.91	45.28	34.56	12.34	29.89	0.00	370	264	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	112.62	-----	-----	95.67	34.51	12.38	29.94	0.00	370	264	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.25</td><td>48.45</td><td>54.00</td><td>-5.55</td><td>31.41</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>370</td><td>264</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.25	48.45	54.00	-5.55	31.41	34.58	12.33	29.87	0.00	370	264	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.73</td><td>-----</td><td>-----</td><td>87.78</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>370</td><td>264</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.73	-----	-----	87.78	34.51	12.38	29.94	0.00	370	264	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5458.25	48.45	54.00	-5.55	31.41	34.58	12.33	29.87	0.00	370	264	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	104.73	-----	-----	87.78	34.51	12.38	29.94	0.00	370	264	AVERAGE																																																																																																																



Mode	32																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																			
ANT	0+1																																																																			
Pol.	Vertical						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.81</td><td>58.03</td><td>74.00</td><td>-15.97</td><td>40.98</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>300</td><td>211</td><td>PEAK</td></tr><tr><td>2</td><td>5467.37</td><td>62.98</td><td>68.20</td><td>-5.22</td><td>45.96</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>300</td><td>211</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.81	58.03	74.00	-15.97	40.98	34.59	12.33	29.87	0.00	300	211	PEAK	2	5467.37	62.98	68.20	-5.22	45.96	34.57	12.34	29.89	0.00	300	211
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5456.81	58.03	74.00	-15.97	40.98	34.59	12.33	29.87	0.00	300	211	PEAK																																																								
2	5467.37	62.98	68.20	-5.22	45.96	34.57	12.34	29.89	0.00	300	211	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>48.36</td><td>54.00</td><td>-5.64</td><td>31.33</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>300</td><td>211</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	48.36	54.00	-5.64	31.33	34.58	12.33	29.88	0.00	300	211	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5460.00	48.36	54.00	-5.64	31.33	34.58	12.33	29.88	0.00	300	211	AVERAGE																																																								
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>111.77</td><td>-----</td><td>-----</td><td>94.81</td><td>34.50</td><td>12.39</td><td>29.93</td><td>0.00</td><td>300</td><td>211</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.77	-----	-----	94.81	34.50	12.39	29.93	0.00	300	211	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	111.77	-----	-----	94.81	34.50	12.39	29.93	0.00	300	211	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.28</td><td>-----</td><td>-----</td><td>87.32</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>300</td><td>211</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.28	-----	-----	87.32	34.52	12.37	29.93	0.00	300	211	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	104.28	-----	-----	87.32	34.52	12.37	29.93	0.00	300	211	AVERAGE																																																								






Mode	32																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																																																																																								
ANT	0+1																																																																																																																																																																								
Pol.	Horizontal												Vertical																																																																																																																																																												
Peak Avg																																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>51.59</td><td>74.00</td><td>-22.41</td><td>61.63</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>42.92</td><td>54.00</td><td>-11.08</td><td>52.96</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300</td><td>49</td><td>AVERAGE</td></tr><tr><td>3</td><td>16500.00</td><td>59.45</td><td>68.20</td><td>-8.75</td><td>61.03</td><td>41.60</td><td>22.34</td><td>65.52</td><td>0.00</td><td>323</td><td>345</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11000.00	51.59	74.00	-22.41	61.63	37.00	18.15	65.99	0.00	300	49	PEAK	2	11000.00	42.92	54.00	-11.08	52.96	37.00	18.15	65.99	0.00	300	49	AVERAGE	3	16500.00	59.45	68.20	-8.75	61.03	41.60	22.34	65.52	0.00	323	345	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>63.40</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300</td><td>347</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>44.09</td><td>54.00</td><td>-9.91</td><td>54.13</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300</td><td>347</td><td>AVERAGE</td></tr><tr><td>3</td><td>16500.00</td><td>63.01</td><td>68.20</td><td>-5.19</td><td>64.61</td><td>41.59</td><td>22.33</td><td>65.52</td><td>0.00</td><td>300</td><td>319</td><td>PEAK</td></tr></table>						Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11000.00	53.36	74.00	-20.64	63.40	37.00	18.15	65.99	0.00	300	347	PEAK	2	11000.00	44.09	54.00	-9.91	54.13	37.00	18.15	65.99	0.00	300	347	AVERAGE	3	16500.00	63.01	68.20	-5.19	64.61	41.59	22.33	65.52	0.00	300	319
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																														
1	11000.00	51.59	74.00	-22.41	61.63	37.00	18.15	65.99	0.00	300	49	PEAK																																																																																																																																																													
2	11000.00	42.92	54.00	-11.08	52.96	37.00	18.15	65.99	0.00	300	49	AVERAGE																																																																																																																																																													
3	16500.00	59.45	68.20	-8.75	61.03	41.60	22.34	65.52	0.00	323	345	PEAK																																																																																																																																																													
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																														
1	11000.00	53.36	74.00	-20.64	63.40	37.00	18.15	65.99	0.00	300	347	PEAK																																																																																																																																																													
2	11000.00	44.09	54.00	-9.91	54.13	37.00	18.15	65.99	0.00	300	347	AVERAGE																																																																																																																																																													
3	16500.00	63.01	68.20	-5.19	64.61	41.59	22.33	65.52	0.00	300	319	PEAK																																																																																																																																																													






Mode	33																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																																																																																					
ANT	0+1																																																																																																																																																					
Pol.	Horizontal								Vertical																																																																																																																																													
Peak Avg																																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11160.00</td><td>52.94</td><td>74.00</td><td>-21.06</td><td>62.06</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>283</td><td>49</td><td>PEAK</td></tr><tr><td>2 11160.00</td><td>43.08</td><td>54.00</td><td>-10.92</td><td>52.20</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>283</td><td>49</td><td>AVERAGE</td></tr><tr><td>3 16740.00</td><td>52.88</td><td>68.20</td><td>-15.32</td><td>53.87</td><td>41.94</td><td>22.49</td><td>65.42</td><td>0.00</td><td>300</td><td>84</td><td>PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11160.00	52.94	74.00	-21.06	62.06	37.96	18.29	65.37	0.00	283	49	PEAK	2 11160.00	43.08	54.00	-10.92	52.20	37.96	18.29	65.37	0.00	283	49	AVERAGE	3 16740.00	52.88	68.20	-15.32	53.87	41.94	22.49	65.42	0.00	300	84	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11160.00</td><td>53.11</td><td>74.00</td><td>-20.89</td><td>62.23</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>320</td><td>165</td><td>PEAK</td></tr><tr><td>2 11160.00</td><td>44.01</td><td>54.00</td><td>-9.99</td><td>53.14</td><td>37.96</td><td>18.29</td><td>65.38</td><td>0.00</td><td>320</td><td>165</td><td>AVERAGE</td></tr><tr><td>3 16740.00</td><td>60.87</td><td>68.20</td><td>-7.33</td><td>61.85</td><td>41.95</td><td>22.49</td><td>65.42</td><td>0.00</td><td>300</td><td>322</td><td>PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11160.00	53.11	74.00	-20.89	62.23	37.96	18.29	65.37	0.00	320	165	PEAK	2 11160.00	44.01	54.00	-9.99	53.14	37.96	18.29	65.38	0.00	320	165	AVERAGE	3 16740.00	60.87	68.20	-7.33	61.85	41.95	22.49	65.42	0.00	300	322	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1 11160.00	52.94	74.00	-21.06	62.06	37.96	18.29	65.37	0.00	283	49	PEAK																																																																																																																																											
2 11160.00	43.08	54.00	-10.92	52.20	37.96	18.29	65.37	0.00	283	49	AVERAGE																																																																																																																																											
3 16740.00	52.88	68.20	-15.32	53.87	41.94	22.49	65.42	0.00	300	84	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1 11160.00	53.11	74.00	-20.89	62.23	37.96	18.29	65.37	0.00	320	165	PEAK																																																																																																																																											
2 11160.00	44.01	54.00	-9.99	53.14	37.96	18.29	65.38	0.00	320	165	AVERAGE																																																																																																																																											
3 16740.00	60.87	68.20	-7.33	61.85	41.95	22.49	65.42	0.00	300	322	PEAK																																																																																																																																											



Mode	34																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																
ANT	0+1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.96</td><td>63.54</td><td>68.20</td><td>-4.66</td><td>46.14</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>342</td><td>265 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.96	63.54	68.20	-4.66	46.14	34.65	12.68	29.93	0.00	342	265 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.08</td><td>-----</td><td>-----</td><td>91.83</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>342</td><td>265 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	109.08	-----	-----	91.83	34.60	12.65	30.00	0.00	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5726.96	63.54	68.20	-4.66	46.14	34.65	12.68	29.93	0.00	342	265 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5700.00	109.08	-----	-----	91.83	34.60	12.65	30.00	0.00	342	265 PEAK																																																																																						
Avg	Blank																																																																																																
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.45</td><td>-----</td><td>-----</td><td>86.20</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>342</td><td>265 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	103.45	-----	-----	86.20	34.60	12.64	29.99	0.00	342	265 AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5700.00	103.45	-----	-----	86.20	34.60	12.64	29.99	0.00	342	265 AVERAGE																																																																																						









Mode	34																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.12</td><td>62.96</td><td>68.20</td><td>-5.24</td><td>45.57</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>300</td><td>214</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.12	62.96	68.20	-5.24	45.57	34.65	12.68	29.94	0.00	300	214	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>109.81</td><td>-----</td><td>-----</td><td>92.56</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>300</td><td>214</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.81	-----	-----	92.56	34.60	12.65	30.00	0.00	300	214
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.12	62.96	68.20	-5.24	45.57	34.65	12.68	29.94	0.00	300	214	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	109.81	-----	-----	92.56	34.60	12.65	30.00	0.00	300	214	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>102.16</td><td>-----</td><td>-----</td><td>84.91</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>300</td><td>214</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.16	-----	-----	84.91	34.60	12.64	29.99	0.00	300	214	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	102.16	-----	-----	84.91	34.60	12.64	29.99	0.00	300	214	AVERAGE																																																																																							







		34																																																																											
Mode		Harmonic																																																																											
		U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																											
ANT		0+1																																																																											
Pol.		Horizontal						Vertical																																																																					
Peak Avg																																																																													
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>54.79</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17100.00</td><td>50.58</td><td>68.20</td><td>-17.62</td><td>51.73</td><td>41.40</td><td>22.73</td><td>65.28</td><td>0.00</td><td>100</td><td>334</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11400.00	46.84	74.00	-27.16	54.79	38.00	18.50	64.45	0.00	--	--	PEAK	2	17100.00	50.58	68.20	-17.62	51.73	41.40	22.73	65.28	0.00	100	334	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																		
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	11400.00	46.84	74.00	-27.16	54.79	38.00	18.50	64.45	0.00	--	--	PEAK																																																																	
2	17100.00	50.58	68.20	-17.62	51.73	41.40	22.73	65.28	0.00	100	334	PEAK																																																																	
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>54.84</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17100.00</td><td>50.79</td><td>68.20</td><td>-17.41</td><td>51.91</td><td>41.41</td><td>22.74</td><td>65.27</td><td>0.00</td><td>393</td><td>2</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11400.00	46.89	74.00	-27.11	54.84	38.00	18.50	64.45	0.00	--	--	PEAK	2	17100.00	50.79	68.20	-17.41	51.91	41.41	22.74	65.27	0.00	393	2	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																		
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	11400.00	46.89	74.00	-27.11	54.84	38.00	18.50	64.45	0.00	--	--	PEAK																																																																	
2	17100.00	50.79	68.20	-17.41	51.91	41.41	22.74	65.27	0.00	393	2	PEAK																																																																	



Mode	35																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>62.54</td><td>74.00</td><td>-11.46</td><td>46.28</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>124</td><td>192</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	62.54	74.00	-11.46	46.28	34.10	12.03	29.87	0.00	124	192	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>101.25</td><td>-----</td><td>-----</td><td>84.85</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>124</td><td>192</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	101.25	-----	-----	84.85	34.22	12.06	29.88	0.00	124	192
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	62.54	74.00	-11.46	46.28	34.10	12.03	29.87	0.00	124	192	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	101.25	-----	-----	84.85	34.22	12.06	29.88	0.00	124	192	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.57</td><td>49.13</td><td>54.00</td><td>-4.87</td><td>32.86</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>124</td><td>192</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.57	49.13	54.00	-4.87	32.86	34.11	12.03	29.87	0.00	124	192	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>93.45</td><td>-----</td><td>-----</td><td>77.05</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>124</td><td>192</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	93.45	-----	-----	77.05	34.22	12.06	29.88	0.00	124	192
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.57	49.13	54.00	-4.87	32.86	34.11	12.03	29.87	0.00	124	192	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	93.45	-----	-----	77.05	34.22	12.06	29.88	0.00	124	192	AVERAGE																																																																																							

Mode	35																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																									
ANT	0+1																																									
Pol.	Horizontal					Fundamental																																				
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5459.60</td><td>55.88</td><td>74.00</td><td>-18.12</td><td>38.85</td><td>34.58</td><td>12.33</td><td>29.88</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5459.60	55.88	74.00	-18.12	38.85	34.58	12.33	29.88	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5459.60	55.88	74.00	-18.12	38.85	34.58	12.33	29.88																																			
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5453.39</td><td>45.60</td><td>54.00</td><td>-8.40</td><td>28.56</td><td>34.59</td><td>12.32</td><td>29.87</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5453.39	45.60	54.00	-8.40	28.56	34.59	12.32	29.87	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5453.39	45.60	54.00	-8.40	28.56	34.59	12.32	29.87																																			





Mode	35																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.89</td><td>62.32</td><td>74.00</td><td>-11.68</td><td>46.06</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>303</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.89	62.32	74.00	-11.68	46.06	34.10	12.03	29.87	0.00	303	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>102.52</td><td>-----</td><td>-----</td><td>86.09</td><td>34.26</td><td>12.06</td><td>29.89</td><td>0.00</td><td>303</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	102.52	-----	-----	86.09	34.26	12.06	29.89	0.00	303	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.89	62.32	74.00	-11.68	46.06	34.10	12.03	29.87	0.00	303	0	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	102.52	-----	-----	86.09	34.26	12.06	29.89	0.00	303	0	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.21</td><td>50.94</td><td>54.00</td><td>-3.06</td><td>34.68</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>303</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.21	50.94	54.00	-3.06	34.68	34.10	12.03	29.87	0.00	303	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>94.70</td><td>-----</td><td>-----</td><td>78.30</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>303</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	94.70	-----	-----	78.30	34.22	12.06	29.88	0.00	303	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.21	50.94	54.00	-3.06	34.68	34.10	12.03	29.87	0.00	303	0	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	94.70	-----	-----	78.30	34.22	12.06	29.88	0.00	303	0	AVERAGE																																																																																							





Mode	35																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																					
ANT	0+1																																																					
Pol.	Vertical										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.13</td><td>55.93</td><td>74.00</td><td>-18.07</td><td>38.87</td><td>34.60</td><td>12.31</td><td>29.85</td><td>0.00</td><td>303</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.13	55.93	74.00	-18.07	38.87	34.60	12.31	29.85	0.00	303	0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5443.13	55.93	74.00	-18.07	38.87	34.60	12.31	29.85	0.00	303	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.33</td><td>45.64</td><td>54.00</td><td>-8.36</td><td>28.60</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>303</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.33	45.64	54.00	-8.36	28.60	34.58	12.33	29.87	0.00	303	0 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5459.33	45.64	54.00	-8.36	28.60	34.58	12.33	29.87	0.00	303	0 AVERAGE																																											





		35																																																																																																																																																										
Mode		Harmonic																																																																																																																																																										
		U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																																																																										
ANT		0+1																																																																																																																																																										
Pol.		Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10380.00</td><td>45.50</td><td>68.20</td><td>-22.70</td><td>57.02</td><td>37.48</td><td>17.55</td><td>66.55</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>51.34</td><td>40.07</td><td>21.67</td><td>66.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10380.00	45.50	68.20	-22.70	57.02	37.48	17.55	66.55	0.00	--	--	PEAK	2	15570.00	46.42	74.00	-27.58	51.34	40.07	21.67	66.66	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10380.00</td><td>45.51</td><td>68.20</td><td>-22.69</td><td>57.03</td><td>37.48</td><td>17.55</td><td>66.55</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>46.56</td><td>74.00</td><td>-27.44</td><td>51.48</td><td>40.07</td><td>21.67</td><td>66.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10380.00	45.51	68.20	-22.69	57.03	37.48	17.55	66.55	0.00	--	--	PEAK	2	15570.00	46.56	74.00	-27.44	51.48	40.07	21.67	66.66	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																	
1	10380.00	45.50	68.20	-22.70	57.02	37.48	17.55	66.55	0.00	--	--	PEAK																																																																																																																																																
2	15570.00	46.42	74.00	-27.58	51.34	40.07	21.67	66.66	0.00	--	--	PEAK																																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																	
1	10380.00	45.51	68.20	-22.69	57.03	37.48	17.55	66.55	0.00	--	--	PEAK																																																																																																																																																
2	15570.00	46.56	74.00	-27.44	51.48	40.07	21.67	66.66	0.00	--	--	PEAK																																																																																																																																																







Mode	36																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																																																																																								
ANT	0+1																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																			
Peak Avg																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10460.00</td><td>48.81</td><td>68.20</td><td>-19.39</td><td>60.18</td><td>37.56</td><td>17.63</td><td>66.56</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 15690.00</td><td>55.25</td><td>74.00</td><td>-18.75</td><td>59.62</td><td>40.19</td><td>21.77</td><td>66.33</td><td>0.00</td><td>300</td><td>307 PEAK</td></tr><tr><td>3 15690.00</td><td>46.33</td><td>54.00</td><td>-7.67</td><td>50.69</td><td>40.19</td><td>21.77</td><td>66.32</td><td>0.00</td><td>300</td><td>307 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10460.00	48.81	68.20	-19.39	60.18	37.56	17.63	66.56	0.00	--	-- PEAK	2 15690.00	55.25	74.00	-18.75	59.62	40.19	21.77	66.33	0.00	300	307 PEAK	3 15690.00	46.33	54.00	-7.67	50.69	40.19	21.77	66.32	0.00	300	307 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10460.00</td><td>59.80</td><td>68.20</td><td>-8.40</td><td>71.17</td><td>37.56</td><td>17.63</td><td>66.56</td><td>0.00</td><td>331</td><td>289 PEAK</td></tr><tr><td>2 15690.00</td><td>60.17</td><td>74.00</td><td>-13.83</td><td>64.54</td><td>40.19</td><td>21.77</td><td>66.33</td><td>0.00</td><td>300</td><td>171 PEAK</td></tr><tr><td>3 15690.00</td><td>49.24</td><td>54.00</td><td>-4.76</td><td>53.60</td><td>40.19</td><td>21.77</td><td>66.32</td><td>0.00</td><td>300</td><td>171 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10460.00	59.80	68.20	-8.40	71.17	37.56	17.63	66.56	0.00	331	289 PEAK	2 15690.00	60.17	74.00	-13.83	64.54	40.19	21.77	66.33	0.00	300	171 PEAK	3 15690.00	49.24	54.00	-4.76	53.60	40.19	21.77	66.32	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 10460.00	48.81	68.20	-19.39	60.18	37.56	17.63	66.56	0.00	--	-- PEAK																																																																																																																															
2 15690.00	55.25	74.00	-18.75	59.62	40.19	21.77	66.33	0.00	300	307 PEAK																																																																																																																															
3 15690.00	46.33	54.00	-7.67	50.69	40.19	21.77	66.32	0.00	300	307 AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 10460.00	59.80	68.20	-8.40	71.17	37.56	17.63	66.56	0.00	331	289 PEAK																																																																																																																															
2 15690.00	60.17	74.00	-13.83	64.54	40.19	21.77	66.33	0.00	300	171 PEAK																																																																																																																															
3 15690.00	49.24	54.00	-4.76	53.60	40.19	21.77	66.32	0.00	300	171 AVERAGE																																																																																																																															





Mode	37																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																																																																																					
ANT	0+1																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak Avg																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10540.00</td><td>57.43</td><td>68.20</td><td>-10.77</td><td>68.63</td><td>37.60</td><td>17.71</td><td>66.51</td><td>0.00</td><td>296</td><td>150</td><td>PEAK</td></tr><tr><td>2</td><td>15810.00</td><td>57.88</td><td>74.00</td><td>-16.12</td><td>61.51</td><td>40.49</td><td>21.87</td><td>65.99</td><td>0.00</td><td>300</td><td>346</td><td>PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>48.55</td><td>54.00</td><td>-5.45</td><td>52.18</td><td>40.49</td><td>21.87</td><td>65.99</td><td>0.00</td><td>300</td><td>346</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10540.00	57.43	68.20	-10.77	68.63	37.60	17.71	66.51	0.00	296	150	PEAK	2	15810.00	57.88	74.00	-16.12	61.51	40.49	21.87	65.99	0.00	300	346	PEAK	3	15810.00	48.55	54.00	-5.45	52.18	40.49	21.87	65.99	0.00	300	346	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10540.00</td><td>58.95</td><td>68.20</td><td>-9.25</td><td>70.15</td><td>37.60</td><td>17.71</td><td>66.51</td><td>0.00</td><td>252</td><td>347</td><td>PEAK</td></tr><tr><td>2</td><td>15810.00</td><td>61.32</td><td>74.00</td><td>-12.68</td><td>64.95</td><td>40.49</td><td>21.87</td><td>65.99</td><td>0.00</td><td>300</td><td>265</td><td>PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>50.60</td><td>54.00</td><td>-3.40</td><td>54.23</td><td>40.49</td><td>21.87</td><td>65.99</td><td>0.00</td><td>300</td><td>265</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10540.00	58.95	68.20	-9.25	70.15	37.60	17.71	66.51	0.00	252	347	PEAK	2	15810.00	61.32	74.00	-12.68	64.95	40.49	21.87	65.99	0.00	300	265	PEAK	3	15810.00	50.60	54.00	-3.40	54.23	40.49	21.87	65.99	0.00	300	265	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																														
1	10540.00	57.43	68.20	-10.77	68.63	37.60	17.71	66.51	0.00	296	150	PEAK																																																																																																																																										
2	15810.00	57.88	74.00	-16.12	61.51	40.49	21.87	65.99	0.00	300	346	PEAK																																																																																																																																										
3	15810.00	48.55	54.00	-5.45	52.18	40.49	21.87	65.99	0.00	300	346	AVERAGE																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																														
1	10540.00	58.95	68.20	-9.25	70.15	37.60	17.71	66.51	0.00	252	347	PEAK																																																																																																																																										
2	15810.00	61.32	74.00	-12.68	64.95	40.49	21.87	65.99	0.00	300	265	PEAK																																																																																																																																										
3	15810.00	50.60	54.00	-3.40	54.23	40.49	21.87	65.99	0.00	300	265	AVERAGE																																																																																																																																										









Mode	38																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5134.17</td><td>57.09</td><td>74.00</td><td>-16.91</td><td>40.77</td><td>34.16</td><td>12.02</td><td>29.86</td><td>0.00</td><td>100</td><td>321</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.17	57.09	74.00	-16.91	40.77	34.16	12.02	29.86	0.00	100	321	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>100.32</td><td>-----</td><td>-----</td><td>83.62</td><td>34.40</td><td>12.18</td><td>29.88</td><td>0.00</td><td>100</td><td>321</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	100.32	-----	-----	83.62	34.40	12.18	29.88	0.00	100	321
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5134.17	57.09	74.00	-16.91	40.77	34.16	12.02	29.86	0.00	100	321	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	100.32	-----	-----	83.62	34.40	12.18	29.88	0.00	100	321	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5103.77</td><td>46.66</td><td>54.00</td><td>-7.34</td><td>30.23</td><td>34.28</td><td>12.00</td><td>29.85</td><td>0.00</td><td>100</td><td>321</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5103.77	46.66	54.00	-7.34	30.23	34.28	12.00	29.85	0.00	100	321	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>93.48</td><td>-----</td><td>-----</td><td>76.83</td><td>34.40</td><td>12.16</td><td>29.91</td><td>0.00</td><td>100</td><td>321</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	93.48	-----	-----	76.83	34.40	12.16	29.91	0.00	100	321
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5103.77	46.66	54.00	-7.34	30.23	34.28	12.00	29.85	0.00	100	321	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	93.48	-----	-----	76.83	34.40	12.16	29.91	0.00	100	321	AVERAGE																																																																																							





Mode	38																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																					
ANT	0+1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.35</td><td>59.11</td><td>74.00</td><td>-14.89</td><td>42.33</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.35	59.11	74.00	-14.89	42.33	34.41	12.21	29.84	0.00	100	321 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5352.35	59.11	74.00	-14.89	42.33	34.41	12.21	29.84	0.00	100	321 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.55</td><td>48.59</td><td>54.00</td><td>-5.41</td><td>31.81</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>321 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.55	48.59	54.00	-5.41	31.81	34.41	12.21	29.84	0.00	100	321 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5352.55	48.59	54.00	-5.41	31.81	34.41	12.21	29.84	0.00	100	321 AVERAGE																																											








Mode	38																																																																																																
	Band Edge - L																																																																																																
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																
ANT	0+1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5120.89</td><td>57.00</td><td>74.00</td><td>-17.00</td><td>40.63</td><td>34.22</td><td>12.01</td><td>29.86</td><td>0.00</td><td>300</td><td>316 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5120.89	57.00	74.00	-17.00	40.63	34.22	12.01	29.86	0.00	300	316 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>101.75</td><td>-----</td><td>-----</td><td>85.11</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>300</td><td>316 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	101.75	-----	-----	85.11	34.40	12.15	29.91	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5120.89	57.00	74.00	-17.00	40.63	34.22	12.01	29.86	0.00	300	316 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5310.00	101.75	-----	-----	85.11	34.40	12.15	29.91	0.00	300	316 PEAK																																																																																						
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5109.85</td><td>46.74</td><td>54.00</td><td>-7.26</td><td>30.32</td><td>34.26</td><td>12.01</td><td>29.85</td><td>0.00</td><td>300</td><td>316 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5109.85	46.74	54.00	-7.26	30.32	34.26	12.01	29.85	0.00	300	316 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>94.41</td><td>-----</td><td>-----</td><td>77.76</td><td>34.40</td><td>12.16</td><td>29.91</td><td>0.00</td><td>300</td><td>316 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	94.41	-----	-----	77.76	34.40	12.16	29.91	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5109.85	46.74	54.00	-7.26	30.32	34.26	12.01	29.85	0.00	300	316 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5310.00	94.41	-----	-----	77.76	34.40	12.16	29.91	0.00	300	316 AVERAGE																																																																																						

Mode	38																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																					
ANT	0+1																																																					
Pol.	Vertical						Fundamental																																															
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.45</td><td>61.48</td><td>74.00</td><td>-12.52</td><td>44.71</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>300</td><td>316 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.45	61.48	74.00	-12.52	44.71	34.40	12.21	29.84	0.00	300	316 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.45	61.48	74.00	-12.52	44.71	34.40	12.21	29.84	0.00	300	316 PEAK																																											
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.25</td><td>50.76</td><td>54.00</td><td>-3.24</td><td>33.99</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>300</td><td>316 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.25	50.76	54.00	-3.24	33.99	34.40	12.21	29.84	0.00	300	316 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.25	50.76	54.00	-3.24	33.99	34.40	12.21	29.84	0.00	300	316 AVERAGE																																											

Mode	38																																																																																												
	Harmonic																																																																																												
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																												
ANT	0+1																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 10620.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>58.04</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td></tr><tr><td>2 10620.00</td><td>37.57</td><td>54.00</td><td>-16.43</td><td>48.55</td><td>37.63</td><td>17.80</td><td>66.41</td><td>0.00</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10620.00	47.03	74.00	-26.97	58.04	37.62	17.79	66.42	0.00	2 10620.00	37.57	54.00	-16.43	48.55	37.63	17.80	66.41	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 10620.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>57.22</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10620.00	46.21	74.00	-27.79	57.22	37.62	17.79	66.42	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																					
1 10620.00	47.03	74.00	-26.97	58.04	37.62	17.79	66.42	0.00																																																																																					
2 10620.00	37.57	54.00	-16.43	48.55	37.63	17.80	66.41	0.00																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																					
1 10620.00	46.21	74.00	-27.79	57.22	37.62	17.79	66.42	0.00																																																																																					
Remark						Remark																																																																																							
360 PEAK						360 AVERAGE																																																																																							
300						300																																																																																							
cm						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg						deg																																																																																							
deg																																																																																													




Mode	39																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.81</td><td>56.93</td><td>74.00</td><td>-17.07</td><td>39.88</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>106</td><td>233</td><td>PEAK</td></tr><tr><td>2</td><td>5467.69</td><td>63.06</td><td>68.20</td><td>-5.14</td><td>46.05</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>106</td><td>233</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.81	56.93	74.00	-17.07	39.88	34.59	12.33	29.87	0.00	106	233	PEAK	2	5467.69	63.06	68.20	-5.14	46.05	34.56	12.34	29.89	0.00	106	233	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>102.41</td><td>-----</td><td>-----</td><td>85.40</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>106</td><td>233</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	102.41	-----	-----	85.40	34.50	12.41	29.90	0.00	106	233
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.81	56.93	74.00	-17.07	39.88	34.59	12.33	29.87	0.00	106	233	PEAK																																																																																																				
2	5467.69	63.06	68.20	-5.14	46.05	34.56	12.34	29.89	0.00	106	233	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	102.41	-----	-----	85.40	34.50	12.41	29.90	0.00	106	233	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.05</td><td>47.55</td><td>54.00</td><td>-6.45</td><td>30.51</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>106</td><td>233</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.05	47.55	54.00	-6.45	30.51	34.58	12.33	29.87	0.00	106	233	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>94.59</td><td>-----</td><td>-----</td><td>77.59</td><td>34.50</td><td>12.41</td><td>29.91</td><td>0.00</td><td>106</td><td>233</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	94.59	-----	-----	77.59	34.50	12.41	29.91	0.00	106	233	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.05	47.55	54.00	-6.45	30.51	34.58	12.33	29.87	0.00	106	233	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	94.59	-----	-----	77.59	34.50	12.41	29.91	0.00	106	233	AVERAGE																																																																																																				

Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5761.12</td><td>56.58</td><td>68.20</td><td>-11.62</td><td>38.99</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>106</td><td>233</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5761.12	56.58	68.20	-11.62	38.99	34.72	12.72	29.85	0.00	106	233	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5761.12	56.58	68.20	-11.62	38.99	34.72	12.72	29.85	0.00	106	233	PEAK																																												





Mode	39																																																																				
	Band Edge - L																																																																				
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																				
ANT	0+1																																																																				
Pol.	Vertical						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.17</td><td>58.52</td><td>74.00</td><td>-15.48</td><td>41.47</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>300</td><td>330</td><td>PEAK</td></tr><tr><td>2</td><td>5469.45</td><td>64.84</td><td>68.20</td><td>-3.36</td><td>47.83</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>300</td><td>330</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.17	58.52	74.00	-15.48	41.47	34.59	12.33	29.87	0.00	300	330	PEAK	2	5469.45	64.84	68.20	-3.36	47.83	34.56	12.34	29.89	0.00	300	330	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5456.17	58.52	74.00	-15.48	41.47	34.59	12.33	29.87	0.00	300	330	PEAK																																																									
2	5469.45	64.84	68.20	-3.36	47.83	34.56	12.34	29.89	0.00	300	330	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.85</td><td>49.36</td><td>54.00</td><td>-4.64</td><td>32.33</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>300</td><td>330</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	49.36	54.00	-4.64	32.33	34.58	12.33	29.88	0.00	300	330	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5459.85	49.36	54.00	-4.64	32.33	34.58	12.33	29.88	0.00	300	330	AVERAGE																																																									
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>104.43</td><td>-----</td><td>-----</td><td>87.47</td><td>34.50</td><td>12.39</td><td>29.93</td><td>0.00</td><td>300</td><td>330</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	104.43	-----	-----	87.47	34.50	12.39	29.93	0.00	300	330	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5510.00	104.43	-----	-----	87.47	34.50	12.39	29.93	0.00	300	330	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>96.88</td><td>-----</td><td>-----</td><td>79.90</td><td>34.50</td><td>12.40</td><td>29.92</td><td>0.00</td><td>300</td><td>330</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.88	-----	-----	79.90	34.50	12.40	29.92	0.00	300	330	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5510.00	96.88	-----	-----	79.90	34.50	12.40	29.92	0.00	300	330	AVERAGE																																																									





Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																							
ANT	0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.16</td><td>56.63</td><td>68.20</td><td>-11.57</td><td>39.13</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>300</td><td>330</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.16	56.63	68.20	-11.57	39.13	34.69	12.70	29.89	0.00	300	330	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5744.16	56.63	68.20	-11.57	39.13	34.69	12.70	29.89	0.00	300	330	PEAK																																												








Mode	39																																																																																																						
	Harmonic																																																																																																						
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																						
ANT	0+1																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.48</td><td>74.00</td><td>-28.52</td><td>55.40</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	45.48	74.00	-28.52	55.40	37.82	18.17	65.91	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.17</td><td>74.00</td><td>-28.83</td><td>55.09</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	45.17	74.00	-28.83	55.09	37.82	18.17	65.91	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11020.00	45.48	74.00	-28.52	55.40	37.82	18.17	65.91	0.00	--	--	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11020.00	45.17	74.00	-28.83	55.09	37.82	18.17	65.91	0.00	--	--	PEAK																																																																																											



Mode	40																																																																																								
	Harmonic																																																																																								
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																																																																								
ANT	0+1																																																																																								
Pol.	Horizontal											Vertical																																																																													
Peak Avg																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11100.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>55.34</td><td>37.90</td><td>18.24</td><td>65.60</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 16650.00</td><td>53.48</td><td>68.20</td><td>-14.72</td><td>54.74</td><td>41.78</td><td>22.42</td><td>65.46</td><td>0.00</td><td>300</td><td>354</td><td></td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11100.00	45.88	74.00	-28.12	55.34	37.90	18.24	65.60	0.00	--	--	--	PEAK	2 16650.00	53.48	68.20	-14.72	54.74	41.78	22.42	65.46	0.00	300	354		PEAK												
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1 11100.00	45.88	74.00	-28.12	55.34	37.90	18.24	65.60	0.00	--	--	--	PEAK																																																																													
2 16650.00	53.48	68.20	-14.72	54.74	41.78	22.42	65.46	0.00	300	354		PEAK																																																																													
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11100.00</td><td>49.86</td><td>74.00</td><td>-24.14</td><td>59.32</td><td>37.90</td><td>18.24</td><td>65.60</td><td>0.00</td><td>303</td><td>110</td><td></td><td>PEAK</td></tr><tr><td>2 11100.00</td><td>41.34</td><td>54.00</td><td>-12.66</td><td>50.86</td><td>37.89</td><td>18.23</td><td>65.64</td><td>0.00</td><td>303</td><td>110</td><td></td><td>AVERAGE</td></tr><tr><td>3 16650.00</td><td>57.15</td><td>68.20</td><td>-11.05</td><td>58.39</td><td>41.79</td><td>22.43</td><td>65.46</td><td>0.00</td><td>305</td><td>316</td><td></td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11100.00	49.86	74.00	-24.14	59.32	37.90	18.24	65.60	0.00	303	110		PEAK	2 11100.00	41.34	54.00	-12.66	50.86	37.89	18.23	65.64	0.00	303	110		AVERAGE	3 16650.00	57.15	68.20	-11.05	58.39	41.79	22.43	65.46	0.00	305	316		PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1 11100.00	49.86	74.00	-24.14	59.32	37.90	18.24	65.60	0.00	303	110		PEAK																																																																													
2 11100.00	41.34	54.00	-12.66	50.86	37.89	18.23	65.64	0.00	303	110		AVERAGE																																																																													
3 16650.00	57.15	68.20	-11.05	58.39	41.79	22.43	65.46	0.00	305	316		PEAK																																																																													





Mode	41																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5426.73</td><td>55.18</td><td>74.00</td><td>-18.82</td><td>38.11</td><td>34.60</td><td>12.29</td><td>29.82</td><td>0.00</td><td>118</td><td>234</td><td>PEAK</td></tr><tr><td>2</td><td>5466.09</td><td>55.13</td><td>68.20</td><td>-13.07</td><td>38.11</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>118</td><td>234</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5426.73	55.18	74.00	-18.82	38.11	34.60	12.29	29.82	0.00	118	234	PEAK	2	5466.09	55.13	68.20	-13.07	38.11	34.57	12.34	29.89	0.00	118	234	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>105.91</td><td>-----</td><td>-----</td><td>88.61</td><td>34.60</td><td>12.59</td><td>29.89</td><td>0.00</td><td>118</td><td>234</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	105.91	-----	-----	88.61	34.60	12.59	29.89	0.00	118	234
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5426.73	55.18	74.00	-18.82	38.11	34.60	12.29	29.82	0.00	118	234	PEAK																																																																																																				
2	5466.09	55.13	68.20	-13.07	38.11	34.57	12.34	29.89	0.00	118	234	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	105.91	-----	-----	88.61	34.60	12.59	29.89	0.00	118	234	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.41</td><td>45.67</td><td>54.00</td><td>-8.33</td><td>28.63</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>118</td><td>234</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.41	45.67	54.00	-8.33	28.63	34.58	12.33	29.87	0.00	118	234	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>97.69</td><td>-----</td><td>-----</td><td>80.39</td><td>34.60</td><td>12.59</td><td>29.89</td><td>0.00</td><td>118</td><td>234</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	97.69	-----	-----	80.39	34.60	12.59	29.89	0.00	118	234	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.41	45.67	54.00	-8.33	28.63	34.58	12.33	29.87	0.00	118	234	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	97.69	-----	-----	80.39	34.60	12.59	29.89	0.00	118	234	AVERAGE																																																																																																				

Mode	41																																																																	
	Band Edge - R																																																																	
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																	
ANT	0+1																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5728.64</td><td>64.06</td><td>68.20</td><td>-4.14</td><td>46.65</td><td>34.66</td><td>12.68</td><td>29.93</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>118</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>234</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5728.64	64.06	68.20	-4.14	46.65	34.66	12.68	29.93								0.00	118									234	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																										
1	5728.64	64.06	68.20	-4.14	46.65	34.66	12.68	29.93																																																										
							0.00	118																																																										
								234																																																										



Mode	41																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																																
ANT	0+1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.69</td><td>56.74</td><td>74.00</td><td>-17.26</td><td>39.68</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>285</td><td>311</td><td>PEAK</td></tr><tr><td>2</td><td>5462.57</td><td>55.90</td><td>68.20</td><td>-12.30</td><td>38.88</td><td>34.57</td><td>12.33</td><td>29.88</td><td>0.00</td><td>285</td><td>311</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.69	56.74	74.00	-17.26	39.68	34.60	12.32	29.86	0.00	285	311	PEAK	2	5462.57	55.90	68.20	-12.30	38.88	34.57	12.33	29.88	0.00	285	311	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>107.71</td><td>-----</td><td>-----</td><td>90.42</td><td>34.60</td><td>12.60</td><td>29.91</td><td>0.00</td><td>285</td><td>311</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.71	-----	-----	90.42	34.60	12.60	29.91	0.00	285	311	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5451.69	56.74	74.00	-17.26	39.68	34.60	12.32	29.86	0.00	285	311	PEAK																																																																																																					
2	5462.57	55.90	68.20	-12.30	38.88	34.57	12.33	29.88	0.00	285	311	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	107.71	-----	-----	90.42	34.60	12.60	29.91	0.00	285	311	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.25</td><td>45.81</td><td>54.00</td><td>-8.19</td><td>28.75</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>285</td><td>311</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.25	45.81	54.00	-8.19	28.75	34.60	12.32	29.86	0.00	285	311	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>100.04</td><td>-----</td><td>-----</td><td>82.74</td><td>34.60</td><td>12.59</td><td>29.89</td><td>0.00</td><td>285</td><td>311</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.04	-----	-----	82.74	34.60	12.59	29.89	0.00	285	311	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5450.25	45.81	54.00	-8.19	28.75	34.60	12.32	29.86	0.00	285	311	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	100.04	-----	-----	82.74	34.60	12.59	29.89	0.00	285	311	AVERAGE																																																																																																					

Mode	41																																																																	
	Band Edge - R																																																																	
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																	
ANT	0+1																																																																	
Pol.	Vertical						Fundamental																																																											
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5725.36</td><td>62.48</td><td>68.20</td><td>-5.72</td><td>45.09</td><td>34.65</td><td>12.68</td><td>29.94</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>285</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>311</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.36	62.48	68.20	-5.72	45.09	34.65	12.68	29.94								0.00	285									311	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																										
1	5725.36	62.48	68.20	-5.72	45.09	34.65	12.68	29.94																																																										
							0.00	285																																																										
								311																																																										



Mode	41																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																											
ANT	0+1																																																																											
Pol.	Horizontal																																																																											
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1 11340.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>54.44</td><td>37.94</td><td>18.45</td><td>64.68</td><td>0.00</td><td>--</td><td>--</td></tr><tr><td>2 17010.00</td><td>50.45</td><td>68.20</td><td>-17.75</td><td>51.54</td><td>41.54</td><td>22.67</td><td>65.30</td><td>0.00</td><td>300</td><td>315</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 11340.00	46.15	74.00	-27.85	54.44	37.94	18.45	64.68	0.00	--	--	2 17010.00	50.45	68.20	-17.75	51.54	41.54	22.67	65.30	0.00	300	315										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11340.00	46.15	74.00	-27.85	54.44	37.94	18.45	64.68	0.00	--	--																																																																		
2 17010.00	50.45	68.20	-17.75	51.54	41.54	22.67	65.30	0.00	300	315																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1 11340.00</td><td>51.68</td><td>74.00</td><td>-22.32</td><td>59.97</td><td>37.94</td><td>18.45</td><td>64.68</td><td>0.00</td><td>343</td><td>163</td></tr><tr><td>2 11340.00</td><td>42.44</td><td>54.00</td><td>-11.56</td><td>50.77</td><td>37.93</td><td>18.44</td><td>64.70</td><td>0.00</td><td>343</td><td>163</td></tr><tr><td>3 17010.00</td><td>52.57</td><td>68.20</td><td>-15.63</td><td>53.65</td><td>41.57</td><td>22.66</td><td>65.31</td><td>0.00</td><td>296</td><td>317</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 11340.00	51.68	74.00	-22.32	59.97	37.94	18.45	64.68	0.00	343	163	2 11340.00	42.44	54.00	-11.56	50.77	37.93	18.44	64.70	0.00	343	163	3 17010.00	52.57	68.20	-15.63	53.65	41.57	22.66	65.31	0.00	296	317
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11340.00	51.68	74.00	-22.32	59.97	37.94	18.45	64.68	0.00	343	163																																																																		
2 11340.00	42.44	54.00	-11.56	50.77	37.93	18.44	64.70	0.00	343	163																																																																		
3 17010.00	52.57	68.20	-15.63	53.65	41.57	22.66	65.31	0.00	296	317																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1 11340.00</td><td>51.68</td><td>74.00</td><td>-22.32</td><td>59.97</td><td>37.94</td><td>18.45</td><td>64.68</td><td>0.00</td><td>343</td><td>163</td></tr><tr><td>2 11340.00</td><td>42.44</td><td>54.00</td><td>-11.56</td><td>50.77</td><td>37.93</td><td>18.44</td><td>64.70</td><td>0.00</td><td>343</td><td>163</td></tr><tr><td>3 17010.00</td><td>52.57</td><td>68.20</td><td>-15.63</td><td>53.65</td><td>41.57</td><td>22.66</td><td>65.31</td><td>0.00</td><td>296</td><td>317</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 11340.00	51.68	74.00	-22.32	59.97	37.94	18.45	64.68	0.00	343	163	2 11340.00	42.44	54.00	-11.56	50.77	37.93	18.44	64.70	0.00	343	163	3 17010.00	52.57	68.20	-15.63	53.65	41.57	22.66	65.31	0.00	296	317
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11340.00	51.68	74.00	-22.32	59.97	37.94	18.45	64.68	0.00	343	163																																																																		
2 11340.00	42.44	54.00	-11.56	50.77	37.93	18.44	64.70	0.00	343	163																																																																		
3 17010.00	52.57	68.20	-15.63	53.65	41.57	22.66	65.31	0.00	296	317																																																																		





Mode	42																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5614.00</td><td>56.99</td><td>68.20</td><td>-11.21</td><td>39.69</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>103</td><td>234</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>53.96</td><td>69.39</td><td>-15.43</td><td>36.65</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>103</td><td>234</td><td>PEAK</td></tr><tr><td>3</td><td>5707.60</td><td>58.04</td><td>107.43</td><td>-49.39</td><td>40.75</td><td>34.62</td><td>12.65</td><td>29.98</td><td>0.00</td><td>103</td><td>234</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>59.07</td><td>110.90</td><td>-51.83</td><td>41.71</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>103</td><td>234</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5614.00	56.99	68.20	-11.21	39.69	34.53	12.54	29.77	0.00	103	234	PEAK	2	5651.60	53.96	69.39	-15.43	36.65	34.60	12.58	29.87	0.00	103	234	PEAK	3	5707.60	58.04	107.43	-49.39	40.75	34.62	12.65	29.98	0.00	103	234	PEAK	4	5720.00	59.07	110.90	-51.83	41.71	34.64	12.67	29.95	0.00	103	234	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.44</td><td>-----</td><td>-----</td><td>87.97</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>103</td><td>234</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.44	-----	-----	87.97	34.68	12.69	29.90	0.00	103	234	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5614.00	56.99	68.20	-11.21	39.69	34.53	12.54	29.77	0.00	103	234	PEAK																																																																																																																															
2	5651.60	53.96	69.39	-15.43	36.65	34.60	12.58	29.87	0.00	103	234	PEAK																																																																																																																															
3	5707.60	58.04	107.43	-49.39	40.75	34.62	12.65	29.98	0.00	103	234	PEAK																																																																																																																															
4	5720.00	59.07	110.90	-51.83	41.71	34.64	12.67	29.95	0.00	103	234	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	105.44	-----	-----	87.97	34.68	12.69	29.90	0.00	103	234	PEAK																																																																																																																															
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>97.95</td><td>-----</td><td>-----</td><td>80.48</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>103</td><td>234</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.95	-----	-----	80.48	34.68	12.69	29.90	0.00	103	234	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	97.95	-----	-----	80.48	34.68	12.69	29.90	0.00	103	234	AVERAGE																																																																																																																															



Mode	42																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.00</td><td>56.12</td><td>68.20</td><td>-12.08</td><td>38.80</td><td>34.59</td><td>12.58</td><td>29.85</td><td>0.00</td><td>277</td><td>310</td><td>PEAK</td></tr><tr><td>2</td><td>5658.40</td><td>54.78</td><td>68.50</td><td>-13.72</td><td>37.47</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>277</td><td>310</td><td>PEAK</td></tr><tr><td>3</td><td>5716.40</td><td>61.60</td><td>109.89</td><td>-48.29</td><td>44.26</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>277</td><td>310</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>64.31</td><td>112.72</td><td>-48.41</td><td>46.95</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>277</td><td>310</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.00	56.12	68.20	-12.08	38.80	34.59	12.58	29.85	0.00	277	310	PEAK	2	5658.40	54.78	68.50	-13.72	37.47	34.60	12.58	29.87	0.00	277	310	PEAK	3	5716.40	61.60	109.89	-48.29	44.26	34.63	12.67	29.96	0.00	277	310	PEAK	4	5720.80	64.31	112.72	-48.41	46.95	34.64	12.67	29.95	0.00	277	310	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.75</td><td>-----</td><td>-----</td><td>91.25</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>277</td><td>310</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.75	-----	-----	91.25	34.69	12.70	29.89	0.00	277	310
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5646.00	56.12	68.20	-12.08	38.80	34.59	12.58	29.85	0.00	277	310	PEAK																																																																																																																															
2	5658.40	54.78	68.50	-13.72	37.47	34.60	12.58	29.87	0.00	277	310	PEAK																																																																																																																															
3	5716.40	61.60	109.89	-48.29	44.26	34.63	12.67	29.96	0.00	277	310	PEAK																																																																																																																															
4	5720.80	64.31	112.72	-48.41	46.95	34.64	12.67	29.95	0.00	277	310	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	108.75	-----	-----	91.25	34.69	12.70	29.89	0.00	277	310	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.67</td><td>-----</td><td>-----</td><td>82.20</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>277</td><td>310</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.67	-----	-----	82.20	34.68	12.69	29.90	0.00	277	310	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	99.67	-----	-----	82.20	34.68	12.69	29.90	0.00	277	310	AVERAGE																																																																																																																															

Mode	42																																																																	
	Harmonic																																																																	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																	
ANT	0+1																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>54.95</td><td>74.00</td><td>-19.05</td><td>62.47</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>377</td><td>66 PEAK</td></tr><tr><td>2 11490.00</td><td>44.64</td><td>54.00</td><td>-9.36</td><td>52.16</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>377</td><td>66 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	54.95	74.00	-19.05	62.47	38.00	18.58	64.10	0.00	377	66 PEAK	2 11490.00	44.64	54.00	-9.36	52.16	38.00	18.58	64.10	0.00	377	66 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11490.00	54.95	74.00	-19.05	62.47	38.00	18.58	64.10	0.00	377	66 PEAK																																																								
2 11490.00	44.64	54.00	-9.36	52.16	38.00	18.58	64.10	0.00	377	66 AVERAGE																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>53.98</td><td>74.00</td><td>-20.02</td><td>61.50</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>354</td><td>273 PEAK</td></tr><tr><td>2 11490.00</td><td>44.38</td><td>54.00</td><td>-9.62</td><td>51.90</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>354</td><td>273 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	53.98	74.00	-20.02	61.50	38.00	18.58	64.10	0.00	354	273 PEAK	2 11490.00	44.38	54.00	-9.62	51.90	38.00	18.58	64.10	0.00	354	273 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11490.00	53.98	74.00	-20.02	61.50	38.00	18.58	64.10	0.00	354	273 PEAK																																																								
2 11490.00	44.38	54.00	-9.62	51.90	38.00	18.58	64.10	0.00	354	273 AVERAGE																																																								

Mode	43																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																			
ANT	0+1																																																																																																																			
Pol.	Horizontal										Vertical																																																																																																									
Peak Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td></tr><tr><td>1</td><td>11570.00</td><td>55.21</td><td>74.00</td><td>-18.79</td><td>62.59</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td></tr><tr><td>2</td><td>11570.00</td><td>44.54</td><td>54.00</td><td>-9.46</td><td>51.92</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	11570.00	55.21	74.00	-18.79	62.59	38.07	18.65	64.10	0.00	2	11570.00	44.54	54.00	-9.46	51.92	38.07	18.65	64.10	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td></tr><tr><td>1</td><td>11570.00</td><td>57.31</td><td>74.00</td><td>-16.69</td><td>64.69</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td></tr><tr><td>2</td><td>11570.00</td><td>45.64</td><td>54.00</td><td>-8.36</td><td>53.02</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	11570.00	57.31	74.00	-16.69	64.69	38.07	18.65	64.10	0.00	2	11570.00	45.64	54.00	-8.36	53.02	38.07	18.65	64.10	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																											
1	11570.00	55.21	74.00	-18.79	62.59	38.07	18.65	64.10	0.00																																																																																																											
2	11570.00	44.54	54.00	-9.46	51.92	38.07	18.65	64.10	0.00																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																											
1	11570.00	57.31	74.00	-16.69	64.69	38.07	18.65	64.10	0.00																																																																																																											
2	11570.00	45.64	54.00	-8.36	53.02	38.07	18.65	64.10	0.00																																																																																																											
<table><tbody><tr><td>1</td><td>11570.00</td><td>55.21</td><td>74.00</td><td>-18.79</td><td>62.59</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>305</td><td>68</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>44.54</td><td>54.00</td><td>-9.46</td><td>51.92</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>305</td><td>68</td><td>AVERAGE</td></tr></tbody></table>										1	11570.00	55.21	74.00	-18.79	62.59	38.07	18.65	64.10	0.00	305	68	PEAK	2	11570.00	44.54	54.00	-9.46	51.92	38.07	18.65	64.10	0.00	305	68	AVERAGE	<table><tbody><tr><td>1</td><td>11570.00</td><td>57.31</td><td>74.00</td><td>-16.69</td><td>64.69</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>375</td><td>267</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.64</td><td>54.00</td><td>-8.36</td><td>53.02</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>375</td><td>267</td><td>AVERAGE</td></tr></tbody></table>						1	11570.00	57.31	74.00	-16.69	64.69	38.07	18.65	64.10	0.00	375	267	PEAK	2	11570.00	45.64	54.00	-8.36	53.02	38.07	18.65	64.10	0.00	375	267	AVERAGE																																																	
1	11570.00	55.21	74.00	-18.79	62.59	38.07	18.65	64.10	0.00	305	68	PEAK																																																																																																								
2	11570.00	44.54	54.00	-9.46	51.92	38.07	18.65	64.10	0.00	305	68	AVERAGE																																																																																																								
1	11570.00	57.31	74.00	-16.69	64.69	38.07	18.65	64.10	0.00	375	267	PEAK																																																																																																								
2	11570.00	45.64	54.00	-8.36	53.02	38.07	18.65	64.10	0.00	375	267	AVERAGE																																																																																																								