














Mode	44																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	0+1																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>61.45</td><td>113.18</td><td>-51.73</td><td>43.58</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>103 313 PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>58.48</td><td>106.03</td><td>-47.55</td><td>40.50</td><td>34.93</td><td>12.89</td><td>29.84</td><td>0.00</td><td>103 313 PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>56.30</td><td>70.42</td><td>-14.12</td><td>38.07</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>103 313 PEAK</td></tr><tr><td>4</td><td>5940.00</td><td>57.67</td><td>68.20</td><td>-10.53</td><td>39.40</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>103 313 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	61.45	113.18	-51.73	43.58	34.82	12.86	29.81	0.00	103 313 PEAK	2	5872.40	58.48	106.03	-47.55	40.50	34.93	12.89	29.84	0.00	103 313 PEAK	3	5922.00	56.30	70.42	-14.12	38.07	35.10	12.98	29.85	0.00	103 313 PEAK	4	5940.00	57.67	68.20	-10.53	39.40	35.10	13.01	29.84	0.00	103 313 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.41</td><td>-----</td><td>-----</td><td>90.58</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>103 313 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.41	-----	-----	90.58	34.80	12.82	29.79	0.00	103 313 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5854.00	61.45	113.18	-51.73	43.58	34.82	12.86	29.81	0.00	103 313 PEAK																																																																																																																										
2	5872.40	58.48	106.03	-47.55	40.50	34.93	12.89	29.84	0.00	103 313 PEAK																																																																																																																										
3	5922.00	56.30	70.42	-14.12	38.07	35.10	12.98	29.85	0.00	103 313 PEAK																																																																																																																										
4	5940.00	57.67	68.20	-10.53	39.40	35.10	13.01	29.84	0.00	103 313 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5825.00	108.41	-----	-----	90.58	34.80	12.82	29.79	0.00	103 313 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.17</td><td>-----</td><td>-----</td><td>82.34</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>103 313 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.17	-----	-----	82.34	34.80	12.82	29.79	0.00	103 313 AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5825.00	100.17	-----	-----	82.34	34.80	12.82	29.79	0.00	103 313 AVERAGE																																																																																																																										



Mode	44																																																																																																																																											
	Band Edge																																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																											
ANT	0+1																																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																																					
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.60</td><td>63.58</td><td>114.09</td><td>-50.51</td><td>45.71</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>231</td><td>333</td><td>PEAK</td></tr><tr><td>2</td><td>5862.80</td><td>65.32</td><td>108.71</td><td>-43.39</td><td>47.39</td><td>34.88</td><td>12.88</td><td>29.83</td><td>0.00</td><td>231</td><td>333</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>56.10</td><td>69.23</td><td>-13.13</td><td>37.87</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>231</td><td>333</td><td>PEAK</td></tr><tr><td>4</td><td>5946.80</td><td>57.05</td><td>68.20</td><td>-11.15</td><td>38.76</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>231</td><td>333</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	63.58	114.09	-50.51	45.71	34.82	12.86	29.81	0.00	231	333	PEAK	2	5862.80	65.32	108.71	-43.39	47.39	34.88	12.88	29.83	0.00	231	333	PEAK	3	5923.60	56.10	69.23	-13.13	37.87	35.10	12.98	29.85	0.00	231	333	PEAK	4	5946.80	57.05	68.20	-11.15	38.76	35.10	13.02	29.83	0.00	231	333	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.70</td><td>-----</td><td>-----</td><td>91.87</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>231</td><td>333</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	109.70	-----	-----	91.87	34.80	12.82	29.79	0.00	231	333
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5853.60	63.58	114.09	-50.51	45.71	34.82	12.86	29.81	0.00	231	333	PEAK																																																																																																																																
2	5862.80	65.32	108.71	-43.39	47.39	34.88	12.88	29.83	0.00	231	333	PEAK																																																																																																																																
3	5923.60	56.10	69.23	-13.13	37.87	35.10	12.98	29.85	0.00	231	333	PEAK																																																																																																																																
4	5946.80	57.05	68.20	-11.15	38.76	35.10	13.02	29.83	0.00	231	333	PEAK																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	109.70	-----	-----	91.87	34.80	12.82	29.79	0.00	231	333	PEAK																																																																																																																																
Avg	Blank																																																																																																																																											
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.87</td><td>-----</td><td>-----</td><td>84.04</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>231</td><td>333</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	101.87	-----	-----	84.04	34.80	12.82	29.79	0.00	231	333	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	101.87	-----	-----	84.04	34.80	12.82	29.79	0.00	231	333	AVERAGE																																																																																																																																



Mode	44																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																				
ANT	0+1																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11650.00</td><td>56.52</td><td>74.00</td><td>-17.48</td><td>63.74</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>311</td><td>67</td><td>PEAK</td></tr><tr><td>2 11650.00</td><td>45.24</td><td>54.00</td><td>-8.76</td><td>52.46</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>311</td><td>67</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	56.52	74.00	-17.48	63.74	38.20	18.72	64.14	0.00	311	67	PEAK	2 11650.00	45.24	54.00	-8.76	52.46	38.20	18.72	64.14	0.00	311	67	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11650.00</td><td>58.87</td><td>74.00</td><td>-15.13</td><td>66.09</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>259</td><td>272</td><td>PEAK</td></tr><tr><td>2 11650.00</td><td>47.83</td><td>54.00</td><td>-6.17</td><td>55.05</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>259</td><td>272</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11650.00	58.87	74.00	-15.13	66.09	38.20	18.72	64.14	0.00	259	272	PEAK	2 11650.00	47.83	54.00	-6.17	55.05	38.20	18.72	64.14	0.00	259	272	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1 11650.00	56.52	74.00	-17.48	63.74	38.20	18.72	64.14	0.00	311	67	PEAK																																																																																																										
2 11650.00	45.24	54.00	-8.76	52.46	38.20	18.72	64.14	0.00	311	67	AVERAGE																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1 11650.00	58.87	74.00	-15.13	66.09	38.20	18.72	64.14	0.00	259	272	PEAK																																																																																																										
2 11650.00	47.83	54.00	-6.17	55.05	38.20	18.72	64.14	0.00	259	272	AVERAGE																																																																																																										








Mode	45																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Three peaks are marked with vertical lines and numbered 1, 2, and 3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5604.40</td><td>57.50</td><td>68.20</td><td>-10.70</td><td>40.20</td><td>34.51</td><td>12.53</td><td>29.74</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>54.25</td><td>69.09</td><td>-14.84</td><td>36.94</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>57.18</td><td>105.97</td><td>-48.79</td><td>39.92</td><td>34.60</td><td>12.65</td><td>29.99</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>60.93</td><td>110.90</td><td>-49.97</td><td>43.57</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5604.40	57.50	68.20	-10.70	40.20	34.51	12.53	29.74	0.00	100	237	PEAK	2	5651.20	54.25	69.09	-14.84	36.94	34.60	12.58	29.87	0.00	100	237	PEAK	3	5702.40	57.18	105.97	-48.79	39.92	34.60	12.65	29.99	0.00	100	237	PEAK	4	5720.00	60.93	110.90	-49.97	43.57	34.64	12.67	29.95	0.00	100	237	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single sharp peak is visible at 5745 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>106.43</td><td>-----</td><td>-----</td><td>88.93</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	106.43	-----	-----	88.93	34.69	12.70	29.89	0.00	100	237	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5604.40	57.50	68.20	-10.70	40.20	34.51	12.53	29.74	0.00	100	237	PEAK																																																																																																																															
2	5651.20	54.25	69.09	-14.84	36.94	34.60	12.58	29.87	0.00	100	237	PEAK																																																																																																																															
3	5702.40	57.18	105.97	-48.79	39.92	34.60	12.65	29.99	0.00	100	237	PEAK																																																																																																																															
4	5720.00	60.93	110.90	-49.97	43.57	34.64	12.67	29.95	0.00	100	237	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	106.43	-----	-----	88.93	34.69	12.70	29.89	0.00	100	237	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single sharp peak is visible at 5745 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>98.43</td><td>-----</td><td>-----</td><td>80.93</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>237</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.43	-----	-----	80.93	34.69	12.70	29.89	0.00	100	237	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	98.43	-----	-----	80.93	34.69	12.70	29.89	0.00	100	237	AVERAGE																																																																																																																															






Mode	45																																																																																																																																															
	Band Edge																																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																																															
ANT	0+1																																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																																									
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5630.00</td><td>56.57</td><td>68.20</td><td>-11.63</td><td>39.26</td><td>34.56</td><td>12.56</td><td>29.81</td><td>0.00</td><td>278</td><td>254 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.37</td><td>68.80</td><td>-14.43</td><td>37.06</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>278</td><td>254 PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>66.58</td><td>110.68</td><td>-44.10</td><td>49.22</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>278</td><td>254 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>71.44</td><td>112.72</td><td>-41.28</td><td>54.08</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>278</td><td>254 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5630.00	56.57	68.20	-11.63	39.26	34.56	12.56	29.81	0.00	278	254 PEAK	2	5650.00	54.37	68.80	-14.43	37.06	34.60	12.58	29.87	0.00	278	254 PEAK	3	5719.20	66.58	110.68	-44.10	49.22	34.64	12.67	29.95	0.00	278	254 PEAK	4	5720.00	71.44	112.72	-41.28	54.08	34.64	12.67	29.95	0.00	278	254 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.20</td><td>-----</td><td>-----</td><td>92.73</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>278</td><td>254 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	110.20	-----	-----	92.73	34.68	12.69	29.90	0.00	278	254 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	5630.00	56.57	68.20	-11.63	39.26	34.56	12.56	29.81	0.00	278	254 PEAK																																																																																																																																					
2	5650.00	54.37	68.80	-14.43	37.06	34.60	12.58	29.87	0.00	278	254 PEAK																																																																																																																																					
3	5719.20	66.58	110.68	-44.10	49.22	34.64	12.67	29.95	0.00	278	254 PEAK																																																																																																																																					
4	5720.00	71.44	112.72	-41.28	54.08	34.64	12.67	29.95	0.00	278	254 PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																					
1	5745.00	110.20	-----	-----	92.73	34.68	12.69	29.90	0.00	278	254 PEAK																																																																																																																																					
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.14</td><td>-----</td><td>-----</td><td>83.67</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>278</td><td>254 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	101.14	-----	-----	83.67	34.68	12.69	29.90	0.00	278	254 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																					
1	5745.00	101.14	-----	-----	83.67	34.68	12.69	29.90	0.00	278	254 AVERAGE																																																																																																																																					



Mode	45																								
	Harmonic																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																								
ANT	0+1																								
Pol.	Horizontal								Vertical																
Peak Avg																									
	Limit								Limit																
	Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark	Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			
	1	11490.00	53.45	74.00	-20.55	60.97	38.00	18.58	64.10	0.00	376	65	PEAK	1	11490.00	53.70	74.00	-20.30	61.22	38.00	18.58	64.10	0.00	372	265
2	11490.00	44.83	54.00	-9.17	52.35	38.00	18.58	64.10	0.00	376	65	AVERAGE	2	11490.00	45.31	54.00	-8.69	52.83	38.00	18.58	64.10	0.00	372	265	AVERAGE
3	17235.00	51.60	68.20	-16.60	52.59	41.39	22.85	65.23	0.00	300	200	PEAK	3	17235.00	53.41	68.20	-14.79	54.40	41.39	22.85	65.23	0.00	300	329	PEAK




Mode	46																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																																																											
ANT	0+1																																																																																																																											
Pol.	Horizontal							Vertical																																																																																																																				
Peak Avg																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>53.59</td><td>74.00</td><td>-20.41</td><td>60.97</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>300</td><td>67 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>44.88</td><td>54.00</td><td>-9.12</td><td>52.26</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>300</td><td>67 AVERAGE</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	53.59	74.00	-20.41	60.97	38.07	18.65	64.10	0.00	300	67 PEAK	2	11570.00	44.88	54.00	-9.12	52.26	38.07	18.65	64.10	0.00	300	67 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>56.18</td><td>74.00</td><td>-17.82</td><td>63.56</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>394</td><td>277 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.94</td><td>54.00</td><td>-8.06</td><td>53.32</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>394</td><td>277 AVERAGE</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	56.18	74.00	-17.82	63.56	38.07	18.65	64.10	0.00	394	277 PEAK	2	11570.00	45.94	54.00	-8.06	53.32	38.07	18.65	64.10	0.00	394	277 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	11570.00	53.59	74.00	-20.41	60.97	38.07	18.65	64.10	0.00	300	67 PEAK																																																																																																																	
2	11570.00	44.88	54.00	-9.12	52.26	38.07	18.65	64.10	0.00	300	67 AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	11570.00	56.18	74.00	-17.82	63.56	38.07	18.65	64.10	0.00	394	277 PEAK																																																																																																																	
2	11570.00	45.94	54.00	-8.06	53.32	38.07	18.65	64.10	0.00	394	277 AVERAGE																																																																																																																	


Mode	47																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																																														
ANT	0+1																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.60</td><td>64.85</td><td>114.09</td><td>-49.24</td><td>46.98</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>104</td><td>313 PEAK</td></tr><tr><td>2</td><td>5863.20</td><td>61.42</td><td>108.60</td><td>-47.18</td><td>43.49</td><td>34.88</td><td>12.88</td><td>29.83</td><td>0.00</td><td>104</td><td>313 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>55.74</td><td>69.53</td><td>-13.79</td><td>37.51</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>104</td><td>313 PEAK</td></tr><tr><td>4</td><td>5927.60</td><td>57.76</td><td>68.20</td><td>-10.44</td><td>39.52</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>104</td><td>313 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.60	64.85	114.09	-49.24	46.98	34.82	12.86	29.81	0.00	104	313 PEAK	2	5863.20	61.42	108.60	-47.18	43.49	34.88	12.88	29.83	0.00	104	313 PEAK	3	5923.20	55.74	69.53	-13.79	37.51	35.10	12.98	29.85	0.00	104	313 PEAK	4	5927.60	57.76	68.20	-10.44	39.52	35.10	12.99	29.85	0.00	104	313 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.27</td><td>-----</td><td>-----</td><td>89.44</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>104</td><td>313 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	107.27	-----	-----	89.44	34.80	12.81	29.78	0.00	104	313 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5853.60	64.85	114.09	-49.24	46.98	34.82	12.86	29.81	0.00	104	313 PEAK																																																																																																																																				
2	5863.20	61.42	108.60	-47.18	43.49	34.88	12.88	29.83	0.00	104	313 PEAK																																																																																																																																				
3	5923.20	55.74	69.53	-13.79	37.51	35.10	12.98	29.85	0.00	104	313 PEAK																																																																																																																																				
4	5927.60	57.76	68.20	-10.44	39.52	35.10	12.99	29.85	0.00	104	313 PEAK																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	107.27	-----	-----	89.44	34.80	12.81	29.78	0.00	104	313 PEAK																																																																																																																																				
Avg	Blank																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.21</td><td>-----</td><td>-----</td><td>82.38</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>104</td><td>313 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	100.21	-----	-----	82.38	34.80	12.82	29.79	0.00	104	313 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	100.21	-----	-----	82.38	34.80	12.82	29.79	0.00	104	313 AVERAGE																																																																																																																																				






Mode	47																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. The signal peaks at approximately 5825 MHz. The limit line is labeled U-NII-3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.20</td><td>67.44</td><td>115.00</td><td>-47.56</td><td>49.57</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>244</td><td>335</td><td>PEAK</td></tr><tr><td>2</td><td>5857.20</td><td>63.23</td><td>110.28</td><td>-47.05</td><td>45.34</td><td>34.84</td><td>12.87</td><td>29.82</td><td>0.00</td><td>244</td><td>335</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>55.16</td><td>69.23</td><td>-14.07</td><td>36.93</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>244</td><td>335</td><td>PEAK</td></tr><tr><td>4</td><td>5944.80</td><td>57.13</td><td>68.20</td><td>-11.07</td><td>38.84</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>244</td><td>335</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.20	67.44	115.00	-47.56	49.57	34.82	12.86	29.81	0.00	244	335	PEAK	2	5857.20	63.23	110.28	-47.05	45.34	34.84	12.87	29.82	0.00	244	335	PEAK	3	5923.60	55.16	69.23	-14.07	36.93	35.10	12.98	29.85	0.00	244	335	PEAK	4	5944.80	57.13	68.20	-11.07	38.84	35.10	13.02	29.83	0.00	244	335	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. The signal peaks at approximately 5825 MHz. The limit line is labeled U-NII-3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>109.54</td><td>-----</td><td>-----</td><td>91.71</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>244</td><td>335</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.54	-----	-----	91.71	34.80	12.81	29.78	0.00	244	335	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5853.20	67.44	115.00	-47.56	49.57	34.82	12.86	29.81	0.00	244	335	PEAK																																																																																																																															
2	5857.20	63.23	110.28	-47.05	45.34	34.84	12.87	29.82	0.00	244	335	PEAK																																																																																																																															
3	5923.60	55.16	69.23	-14.07	36.93	35.10	12.98	29.85	0.00	244	335	PEAK																																																																																																																															
4	5944.80	57.13	68.20	-11.07	38.84	35.10	13.02	29.83	0.00	244	335	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	109.54	-----	-----	91.71	34.80	12.81	29.78	0.00	244	335	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. The signal peaks at approximately 5825 MHz. The limit line is labeled U-NII-3(AVG). <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>101.44</td><td>-----</td><td>-----</td><td>83.61</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>244</td><td>335</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.44	-----	-----	83.61	34.80	12.81	29.78	0.00	244	335	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	101.44	-----	-----	83.61	34.80	12.81	29.78	0.00	244	335	AVERAGE																																																																																																																															


Mode	47																																																																																																							
	Harmonic																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																							
ANT	0+1																																																																																																							
Pol.	Horizontal							Vertical																																																																																																
Peak Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 11650.00</td><td>54.64</td><td>74.00</td><td>-19.36</td><td>61.86</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td></tr><tr><td>2 11650.00</td><td>45.03</td><td>54.00</td><td>-8.97</td><td>52.25</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	54.64	74.00	-19.36	61.86	38.20	18.72	64.14	0.00	2 11650.00	45.03	54.00	-8.97	52.25	38.20	18.72	64.14	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 11650.00</td><td>57.28</td><td>74.00</td><td>-16.72</td><td>64.50</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td></tr><tr><td>2 11650.00</td><td>47.07</td><td>54.00</td><td>-6.93</td><td>54.29</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	57.28	74.00	-16.72	64.50	38.20	18.72	64.14	0.00	2 11650.00	47.07	54.00	-6.93	54.29	38.20	18.72	64.14	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1 11650.00	54.64	74.00	-19.36	61.86	38.20	18.72	64.14	0.00																																																																																																
2 11650.00	45.03	54.00	-8.97	52.25	38.20	18.72	64.14	0.00																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1 11650.00	57.28	74.00	-16.72	64.50	38.20	18.72	64.14	0.00																																																																																																
2 11650.00	47.07	54.00	-6.93	54.29	38.20	18.72	64.14	0.00																																																																																																
Remark							Remark																																																																																																	



Mode	48																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																																																			
ANT	0+1																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5601.17</td><td>56.18</td><td>68.20</td><td>-12.02</td><td>38.89</td><td>34.50</td><td>12.52</td><td>29.73</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr><tr><td>2 5650.15</td><td>56.12</td><td>68.31</td><td>-12.19</td><td>38.81</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr><tr><td>3 5712.46</td><td>69.65</td><td>108.79</td><td>-39.14</td><td>52.34</td><td>34.62</td><td>12.66</td><td>29.97</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr><tr><td>4 5720.67</td><td>63.62</td><td>112.43</td><td>-48.81</td><td>46.26</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5601.17	56.18	68.20	-12.02	38.89	34.50	12.52	29.73	0.00	100	243 PEAK	2 5650.15	56.12	68.31	-12.19	38.81	34.60	12.58	29.87	0.00	100	243 PEAK	3 5712.46	69.65	108.79	-39.14	52.34	34.62	12.66	29.97	0.00	100	243 PEAK	4 5720.67	63.62	112.43	-48.81	46.26	34.64	12.67	29.95	0.00	100	243 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>101.85</td><td>-----</td><td>-----</td><td>84.32</td><td>34.70</td><td>12.71</td><td>29.88</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	101.85	-----	-----	84.32	34.70	12.71	29.88	0.00	100	243 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5601.17	56.18	68.20	-12.02	38.89	34.50	12.52	29.73	0.00	100	243 PEAK																																																																																																																										
2 5650.15	56.12	68.31	-12.19	38.81	34.60	12.58	29.87	0.00	100	243 PEAK																																																																																																																										
3 5712.46	69.65	108.79	-39.14	52.34	34.62	12.66	29.97	0.00	100	243 PEAK																																																																																																																										
4 5720.67	63.62	112.43	-48.81	46.26	34.64	12.67	29.95	0.00	100	243 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	101.85	-----	-----	84.32	34.70	12.71	29.88	0.00	100	243 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>94.29</td><td>-----</td><td>-----</td><td>76.70</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>100</td><td>243 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	94.29	-----	-----	76.70	34.72	12.72	29.85	0.00	100	243 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	94.29	-----	-----	76.70	34.72	12.72	29.85	0.00	100	243 AVERAGE																																																																																																																										

Mode	48																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																															
ANT	0+1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>53.27</td><td>110.91</td><td>-57.64</td><td>35.40</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>2</td><td>5874.05</td><td>57.01</td><td>105.56</td><td>-48.55</td><td>39.01</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>3</td><td>5923.97</td><td>55.43</td><td>68.96</td><td>-13.53</td><td>37.20</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>4</td><td>5949.13</td><td>56.92</td><td>68.20</td><td>-11.28</td><td>38.63</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	53.27	110.91	-57.64	35.40	34.83	12.86	29.82	0.00	100	243	PEAK	2	5874.05	57.01	105.56	-48.55	39.01	34.94	12.90	29.84	0.00	100	243	PEAK	3	5923.97	55.43	68.96	-13.53	37.20	35.10	12.98	29.85	0.00	100	243	PEAK	4	5949.13	56.92	68.20	-11.28	38.63	35.10	13.02	29.83	0.00	100	243	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5855.00	53.27	110.91	-57.64	35.40	34.83	12.86	29.82	0.00	100	243	PEAK																																																																																				
2	5874.05	57.01	105.56	-48.55	39.01	34.94	12.90	29.84	0.00	100	243	PEAK																																																																																				
3	5923.97	55.43	68.96	-13.53	37.20	35.10	12.98	29.85	0.00	100	243	PEAK																																																																																				
4	5949.13	56.92	68.20	-11.28	38.63	35.10	13.02	29.83	0.00	100	243	PEAK																																																																																				







Mode	48																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5648.44</td><td>57.59</td><td>68.20</td><td>-10.61</td><td>40.27</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>272</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>5650.15</td><td>54.27</td><td>68.31</td><td>-14.04</td><td>36.96</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>272</td><td>242</td><td>PEAK</td></tr><tr><td>3</td><td>5719.90</td><td>75.15</td><td>110.87</td><td>-35.72</td><td>57.79</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>272</td><td>242</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>70.64</td><td>110.90</td><td>-40.26</td><td>53.28</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>272</td><td>242</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.44	57.59	68.20	-10.61	40.27	34.60	12.58	29.86	0.00	272	242	PEAK	2	5650.15	54.27	68.31	-14.04	36.96	34.60	12.58	29.87	0.00	272	242	PEAK	3	5719.90	75.15	110.87	-35.72	57.79	34.64	12.67	29.95	0.00	272	242	PEAK	4	5720.00	70.64	110.90	-40.26	53.28	34.64	12.67	29.95	0.00	272	242	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>107.01</td><td>-----</td><td>-----</td><td>89.45</td><td>34.71</td><td>12.71</td><td>29.86</td><td>0.00</td><td>272</td><td>242</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	107.01	-----	-----	89.45	34.71	12.71	29.86	0.00	272	242	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5648.44	57.59	68.20	-10.61	40.27	34.60	12.58	29.86	0.00	272	242	PEAK																																																																																																																															
2	5650.15	54.27	68.31	-14.04	36.96	34.60	12.58	29.87	0.00	272	242	PEAK																																																																																																																															
3	5719.90	75.15	110.87	-35.72	57.79	34.64	12.67	29.95	0.00	272	242	PEAK																																																																																																																															
4	5720.00	70.64	110.90	-40.26	53.28	34.64	12.67	29.95	0.00	272	242	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	107.01	-----	-----	89.45	34.71	12.71	29.86	0.00	272	242	PEAK																																																																																																																															
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>99.06</td><td>-----</td><td>-----</td><td>81.53</td><td>34.70</td><td>12.71</td><td>29.88</td><td>0.00</td><td>272</td><td>242</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.06	-----	-----	81.53	34.70	12.71	29.88	0.00	272	242	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	99.06	-----	-----	81.53	34.70	12.71	29.88	0.00	272	242	AVERAGE																																																																																																																															

Mode	48																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																							
ANT	0+1																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.55</td><td>55.22</td><td>111.92</td><td>-56.70</td><td>37.35</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>272</td><td>242 PEAK</td></tr><tr><td>2 5872.49</td><td>55.86</td><td>106.00</td><td>-50.14</td><td>37.88</td><td>34.93</td><td>12.89</td><td>29.84</td><td>0.00</td><td>272</td><td>242 PEAK</td></tr><tr><td>3 5924.36</td><td>54.39</td><td>68.67</td><td>-14.28</td><td>36.16</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>272</td><td>242 PEAK</td></tr><tr><td>4 5927.29</td><td>57.06</td><td>68.20</td><td>-11.14</td><td>38.82</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>272</td><td>242 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.55	55.22	111.92	-56.70	37.35	34.83	12.86	29.82	0.00	272	242 PEAK	2 5872.49	55.86	106.00	-50.14	37.88	34.93	12.89	29.84	0.00	272	242 PEAK	3 5924.36	54.39	68.67	-14.28	36.16	35.10	12.98	29.85	0.00	272	242 PEAK	4 5927.29	57.06	68.20	-11.14	38.82	35.10	12.99	29.85	0.00	272	242 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.55	55.22	111.92	-56.70	37.35	34.83	12.86	29.82	0.00	272	242 PEAK																																																																														
2 5872.49	55.86	106.00	-50.14	37.88	34.93	12.89	29.84	0.00	272	242 PEAK																																																																														
3 5924.36	54.39	68.67	-14.28	36.16	35.10	12.98	29.85	0.00	272	242 PEAK																																																																														
4 5927.29	57.06	68.20	-11.14	38.82	35.10	12.99	29.85	0.00	272	242 PEAK																																																																														




Mode	48																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																																				
ANT	0+1																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11510.00</td><td>51.09</td><td>74.00</td><td>-22.91</td><td>58.55</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>371</td><td>65 PEAK</td></tr><tr><td>2 11510.00</td><td>42.39</td><td>54.00</td><td>-11.61</td><td>49.86</td><td>38.00</td><td>18.59</td><td>64.06</td><td>0.00</td><td>371</td><td>65 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	51.09	74.00	-22.91	58.55	38.01	18.60	64.07	0.00	371	65 PEAK	2 11510.00	42.39	54.00	-11.61	49.86	38.00	18.59	64.06	0.00	371	65 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11510.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>54.73</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2 11510.00</td><td>38.22</td><td>54.00</td><td>-15.78</td><td>45.70</td><td>38.00</td><td>18.59</td><td>64.07</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	47.27	74.00	-26.73	54.73	38.01	18.60	64.07	0.00	100	0 PEAK	2 11510.00	38.22	54.00	-15.78	45.70	38.00	18.59	64.07	0.00	100	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1 11510.00	51.09	74.00	-22.91	58.55	38.01	18.60	64.07	0.00	371	65 PEAK																																																																																																											
2 11510.00	42.39	54.00	-11.61	49.86	38.00	18.59	64.06	0.00	371	65 AVERAGE																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1 11510.00	47.27	74.00	-26.73	54.73	38.01	18.60	64.07	0.00	100	0 PEAK																																																																																																											
2 11510.00	38.22	54.00	-15.78	45.70	38.00	18.59	64.07	0.00	100	0 AVERAGE																																																																																																											






Mode	49																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5624.00</td><td>56.47</td><td>68.20</td><td>-11.73</td><td>39.16</td><td>34.55</td><td>12.55</td><td>29.79</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>53.23</td><td>68.50</td><td>-15.27</td><td>35.92</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>54.64</td><td>105.52</td><td>-50.88</td><td>37.39</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.26</td><td>110.90</td><td>-57.64</td><td>35.90</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5624.00	56.47	68.20	-11.73	39.16	34.55	12.55	29.79	0.00	100	235	PEAK	2	5650.40	53.23	68.50	-15.27	35.92	34.60	12.58	29.87	0.00	100	235	PEAK	3	5700.80	54.64	105.52	-50.88	37.39	34.60	12.65	30.00	0.00	100	235	PEAK	4	5720.00	53.26	110.90	-57.64	35.90	34.64	12.67	29.95	0.00	100	235	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>104.21</td><td>-----</td><td>-----</td><td>86.50</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	104.21	-----	-----	86.50	34.76	12.75	29.80	0.00	100	235	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5624.00	56.47	68.20	-11.73	39.16	34.55	12.55	29.79	0.00	100	235	PEAK																																																																																																																															
2	5650.40	53.23	68.50	-15.27	35.92	34.60	12.58	29.87	0.00	100	235	PEAK																																																																																																																															
3	5700.80	54.64	105.52	-50.88	37.39	34.60	12.65	30.00	0.00	100	235	PEAK																																																																																																																															
4	5720.00	53.26	110.90	-57.64	35.90	34.64	12.67	29.95	0.00	100	235	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	104.21	-----	-----	86.50	34.76	12.75	29.80	0.00	100	235	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>94.38</td><td>-----</td><td>-----</td><td>76.62</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	94.38	-----	-----	76.62	34.78	12.76	29.78	0.00	100	235	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	94.38	-----	-----	76.62	34.78	12.76	29.78	0.00	100	235	AVERAGE																																																																																																																															

Mode	49																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																							
ANT	0+1																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>56.46</td><td>112.27</td><td>-55.81</td><td>38.59</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100 235 PEAK</td></tr><tr><td>2 5874.80</td><td>54.47</td><td>105.36</td><td>-50.89</td><td>36.46</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>100 235 PEAK</td></tr><tr><td>3 5924.40</td><td>54.28</td><td>68.64</td><td>-14.36</td><td>36.05</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100 235 PEAK</td></tr><tr><td>4 5939.20</td><td>56.58</td><td>68.20</td><td>-11.62</td><td>38.31</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>100 235 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5854.40	56.46	112.27	-55.81	38.59	34.83	12.86	29.82	0.00	100 235 PEAK	2 5874.80	54.47	105.36	-50.89	36.46	34.95	12.90	29.84	0.00	100 235 PEAK	3 5924.40	54.28	68.64	-14.36	36.05	35.10	12.98	29.85	0.00	100 235 PEAK	4 5939.20	56.58	68.20	-11.62	38.31	35.10	13.01	29.84	0.00	100 235 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1 5854.40	56.46	112.27	-55.81	38.59	34.83	12.86	29.82	0.00	100 235 PEAK																																																															
2 5874.80	54.47	105.36	-50.89	36.46	34.95	12.90	29.84	0.00	100 235 PEAK																																																															
3 5924.40	54.28	68.64	-14.36	36.05	35.10	12.98	29.85	0.00	100 235 PEAK																																																															
4 5939.20	56.58	68.20	-11.62	38.31	35.10	13.01	29.84	0.00	100 235 PEAK																																																															






Mode	49																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue signal line with peaks at 5649.60, 5650.00, 5701.60, and 5720.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.60</td><td>55.94</td><td>68.20</td><td>-12.26</td><td>38.62</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>245</td><td>311</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.47</td><td>68.20</td><td>-12.73</td><td>38.15</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>245</td><td>311</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>55.16</td><td>105.75</td><td>-50.59</td><td>37.91</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>245</td><td>311</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.62</td><td>112.72</td><td>-58.10</td><td>37.26</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>245</td><td>311</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5649.60	55.94	68.20	-12.26	38.62	34.60	12.58	29.86	0.00	245	311	PEAK	2	5650.00	55.47	68.20	-12.73	38.15	34.60	12.58	29.86	0.00	245	311	PEAK	3	5701.60	55.16	105.75	-50.59	37.91	34.60	12.65	30.00	0.00	245	311	PEAK	4	5720.00	54.62	112.72	-58.10	37.26	34.64	12.67	29.95	0.00	245	311	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line with a peak at 5795.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>106.99</td><td>-----</td><td>-----</td><td>89.23</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>245</td><td>311</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	106.99	-----	-----	89.23	34.78	12.76	29.78	0.00	245	311	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5649.60	55.94	68.20	-12.26	38.62	34.60	12.58	29.86	0.00	245	311	PEAK																																																																																																																															
2	5650.00	55.47	68.20	-12.73	38.15	34.60	12.58	29.86	0.00	245	311	PEAK																																																																																																																															
3	5701.60	55.16	105.75	-50.59	37.91	34.60	12.65	30.00	0.00	245	311	PEAK																																																																																																																															
4	5720.00	54.62	112.72	-58.10	37.26	34.64	12.67	29.95	0.00	245	311	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	106.99	-----	-----	89.23	34.78	12.76	29.78	0.00	245	311	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line with a peak at 5795.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>98.71</td><td>-----</td><td>-----</td><td>80.95</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>245</td><td>311</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	98.71	-----	-----	80.95	34.78	12.76	29.78	0.00	245	311	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	98.71	-----	-----	80.95	34.78	12.76	29.78	0.00	245	311	AVERAGE																																																																																																																															





Mode	49																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																
ANT	0+1																																																																																
Pol.	Vertical						Fundamental																																																																										
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>61.16</td><td>112.27</td><td>-51.11</td><td>43.29</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>245 311 PEAK</td></tr><tr><td>2 5874.00</td><td>61.95</td><td>105.58</td><td>-43.63</td><td>43.95</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>245 311 PEAK</td></tr><tr><td>3 5923.60</td><td>56.38</td><td>69.23</td><td>-12.85</td><td>38.15</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>245 311 PEAK</td></tr><tr><td>4 5964.00</td><td>57.52</td><td>68.20</td><td>-10.68</td><td>39.19</td><td>35.10</td><td>13.05</td><td>29.82</td><td>0.00</td><td>245 311 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5854.40	61.16	112.27	-51.11	43.29	34.83	12.86	29.82	0.00	245 311 PEAK	2 5874.00	61.95	105.58	-43.63	43.95	34.94	12.90	29.84	0.00	245 311 PEAK	3 5923.60	56.38	69.23	-12.85	38.15	35.10	12.98	29.85	0.00	245 311 PEAK	4 5964.00	57.52	68.20	-10.68	39.19	35.10	13.05	29.82	0.00	245 311 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																								
1 5854.40	61.16	112.27	-51.11	43.29	34.83	12.86	29.82	0.00	245 311 PEAK																																																																								
2 5874.00	61.95	105.58	-43.63	43.95	34.94	12.90	29.84	0.00	245 311 PEAK																																																																								
3 5923.60	56.38	69.23	-12.85	38.15	35.10	12.98	29.85	0.00	245 311 PEAK																																																																								
4 5964.00	57.52	68.20	-10.68	39.19	35.10	13.05	29.82	0.00	245 311 PEAK																																																																								

Mode	49																																																																							
	Harmonic																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																							
ANT	0+1																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th><th colspan="2"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11590.00</td><td>52.73</td><td>74.00</td><td>-21.27</td><td>60.08</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>314</td><td>68</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>43.24</td><td>54.00</td><td>-10.76</td><td>50.60</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>314</td><td>68</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11590.00	52.73	74.00	-21.27	60.08	38.09	18.67	64.11	0.00	314	68	PEAK	2 11590.00	43.24	54.00	-10.76	50.60	38.08	18.66	64.10	0.00	314	68	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1 11590.00	52.73	74.00	-21.27	60.08	38.09	18.67	64.11	0.00	314	68	PEAK																																																													
2 11590.00	43.24	54.00	-10.76	50.60	38.08	18.66	64.10	0.00	314	68	AVERAGE																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th><th colspan="2"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11590.00</td><td>53.95</td><td>74.00</td><td>-20.05</td><td>61.30</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>382</td><td>282</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>44.87</td><td>54.00</td><td>-9.13</td><td>52.22</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>382</td><td>282</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11590.00	53.95	74.00	-20.05	61.30	38.09	18.67	64.11	0.00	382	282	PEAK	2 11590.00	44.87	54.00	-9.13	52.22	38.09	18.67	64.11	0.00	382	282	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1 11590.00	53.95	74.00	-20.05	61.30	38.09	18.67	64.11	0.00	382	282	PEAK																																																													
2 11590.00	44.87	54.00	-9.13	52.22	38.09	18.67	64.11	0.00	382	282	AVERAGE																																																													





Mode	50																																																																																															
	Band Edge																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																															
ANT	0+1																																																																																															
Pol.	Horizontal																																																																																															
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5638.00</td><td>55.87</td><td>68.20</td><td>-12.33</td><td>38.55</td><td>34.58</td><td>12.57</td><td>29.83</td><td>0.00</td><td>105</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>53.47</td><td>68.20</td><td>-14.73</td><td>36.15</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>105</td><td>242</td><td>PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>55.80</td><td>105.52</td><td>-49.72</td><td>38.55</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>105</td><td>242</td><td>PEAK</td></tr><tr><td>4</td><td>5722.40</td><td>63.07</td><td>116.37</td><td>-53.30</td><td>45.70</td><td>34.64</td><td>12.67</td><td>29.94</td><td>0.00</td><td>105</td><td>242</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5638.00	55.87	68.20	-12.33	38.55	34.58	12.57	29.83	0.00	105	242	PEAK	2	5658.00	53.47	68.20	-14.73	36.15	34.60	12.58	29.86	0.00	105	242	PEAK	3	5700.80	55.80	105.52	-49.72	38.55	34.60	12.65	30.00	0.00	105	242	PEAK	4	5722.40	63.07	116.37	-53.30	45.70	34.64	12.67	29.94	0.00	105	242	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5638.00	55.87	68.20	-12.33	38.55	34.58	12.57	29.83	0.00	105	242	PEAK																																																																																				
2	5658.00	53.47	68.20	-14.73	36.15	34.60	12.58	29.86	0.00	105	242	PEAK																																																																																				
3	5700.80	55.80	105.52	-49.72	38.55	34.60	12.65	30.00	0.00	105	242	PEAK																																																																																				
4	5722.40	63.07	116.37	-53.30	45.70	34.64	12.67	29.94	0.00	105	242	PEAK																																																																																				
Avg	Blank																																																																																															
																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.51</td><td>-----</td><td>-----</td><td>87.01</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>105</td><td>242</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.51	-----	-----	87.01	34.69	12.70	29.89	0.00	105	242	PEAK																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5745.00	104.51	-----	-----	87.01	34.69	12.70	29.89	0.00	105	242	PEAK																																																																																				
Avg	Blank																																																																																															
																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>97.89</td><td>-----</td><td>-----</td><td>80.42</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>105</td><td>242</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.89	-----	-----	80.42	34.68	12.69	29.90	0.00	105	242	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5745.00	97.89	-----	-----	80.42	34.68	12.69	29.90	0.00	105	242	AVERAGE																																																																																				



Mode	50																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																									
ANT	0+1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5605.60</td><td>56.03</td><td>68.20</td><td>-12.17</td><td>38.74</td><td>34.51</td><td>12.53</td><td>29.75</td><td>0.00</td><td>245</td><td>217</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.90</td><td>68.20</td><td>-15.30</td><td>35.58</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>245</td><td>217</td><td>PEAK</td></tr><tr><td>3</td><td>5715.20</td><td>63.95</td><td>109.56</td><td>-45.61</td><td>46.62</td><td>34.63</td><td>12.66</td><td>29.96</td><td>0.00</td><td>245</td><td>217</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>62.84</td><td>110.90</td><td>-48.06</td><td>45.48</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>245</td><td>217</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5605.60	56.03	68.20	-12.17	38.74	34.51	12.53	29.75	0.00	245	217	PEAK	2	5650.00	52.90	68.20	-15.30	35.58	34.60	12.58	29.86	0.00	245	217	PEAK	3	5715.20	63.95	109.56	-45.61	46.62	34.63	12.66	29.96	0.00	245	217	PEAK	4	5720.00	62.84	110.90	-48.06	45.48	34.64	12.67	29.95	0.00	245	217	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.56</td><td>-----</td><td>-----</td><td>92.06</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>245</td><td>217</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.56	-----	-----	92.06	34.69	12.70	29.89	0.00	245	217
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5605.60	56.03	68.20	-12.17	38.74	34.51	12.53	29.75	0.00	245	217	PEAK																																																																																																																														
2	5650.00	52.90	68.20	-15.30	35.58	34.60	12.58	29.86	0.00	245	217	PEAK																																																																																																																														
3	5715.20	63.95	109.56	-45.61	46.62	34.63	12.66	29.96	0.00	245	217	PEAK																																																																																																																														
4	5720.00	62.84	110.90	-48.06	45.48	34.64	12.67	29.95	0.00	245	217	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	109.56	-----	-----	92.06	34.69	12.70	29.89	0.00	245	217	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.10</td><td>-----</td><td>-----</td><td>84.63</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>245</td><td>217</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.10	-----	-----	84.63	34.68	12.69	29.90	0.00	245	217	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.10</td><td>-----</td><td>-----</td><td>84.63</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>245</td><td>217</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.10	-----	-----	84.63	34.68	12.69	29.90	0.00	245	217	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	102.10	-----	-----	84.63	34.68	12.69	29.90	0.00	245	217	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	102.10	-----	-----	84.63	34.68	12.69	29.90	0.00	245	217	AVERAGE																																																																																																																														



Mode	50																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																													
ANT	0+1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>55.42</td><td>74.00</td><td>-18.58</td><td>62.94</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>374</td><td>65</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>45.44</td><td>54.00</td><td>-8.56</td><td>52.96</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>374</td><td>65</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	55.42	74.00	-18.58	62.94	38.00	18.58	64.10	0.00	374	65	PEAK	2	11490.00	45.44	54.00	-8.56	52.96	38.00	18.58	64.10	0.00	374	65	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>55.97</td><td>74.00</td><td>-18.03</td><td>63.49</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>343</td><td>273</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>45.66</td><td>54.00</td><td>-8.34</td><td>53.18</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>343</td><td>273</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	55.97	74.00	-18.03	63.49	38.00	18.58	64.10	0.00	343	273	PEAK	2	11490.00	45.66	54.00	-8.34	53.18	38.00	18.58	64.10	0.00	343	273
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11490.00	55.42	74.00	-18.58	62.94	38.00	18.58	64.10	0.00	374	65	PEAK																																																																																																																		
2	11490.00	45.44	54.00	-8.56	52.96	38.00	18.58	64.10	0.00	374	65	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	11490.00	55.97	74.00	-18.03	63.49	38.00	18.58	64.10	0.00	343	273	PEAK																																																																																																																		
2	11490.00	45.66	54.00	-8.34	53.18	38.00	18.58	64.10	0.00	343	273	AVERAGE																																																																																																																		

Mode

51

Harmonic

U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz

ANT

0+1

Pol.

Horizontal

Vertical

Peak

Avg

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

7000

9200

11400

13600

15800

18000

U-NII-3

U-NII-3(AVG)

Frequency (MHz)

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 11570.00	55.97	74.00	-18.03	63.35	38.07	18.65	64.10	0.00	300	67 PEAK
2 11570.00	45.90	54.00	-8.10	53.28	38.07	18.65	64.10	0.00	300	67 AVERAGE

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

7000

9200

11400

13600

15800

18000




U-NII-3

U-NII-3(AVG)




Frequency (MHz)


	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 11570.00	56.08	74.00	-17.92	63.46	38.07	18.65	64.10	0.00	393	277 PEAK
2 11570.00	46.64	54.00	-7.36	54.02	38.07	18.65	64.10	0.00	393	277 AVERAGE




Mode	52																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																							
ANT	0+1																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are identified and numbered 1 to 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5853.60</td><td>62.90</td><td>114.09</td><td>-51.19</td><td>45.03</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td></tr><tr><td>2</td><td>5856.00</td><td>64.39</td><td>110.62</td><td>-46.23</td><td>46.50</td><td>34.84</td><td>12.87</td><td>29.82</td><td>0.00</td></tr><tr><td>3</td><td>5924.80</td><td>54.62</td><td>68.35</td><td>-13.73</td><td>36.39</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td></tr><tr><td>4</td><td>5983.60</td><td>56.07</td><td>68.20</td><td>-12.13</td><td>37.69</td><td>35.10</td><td>13.00</td><td>29.80</td><td>0.00</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5853.60	62.90	114.09	-51.19	45.03	34.82	12.86	29.81	0.00	2	5856.00	64.39	110.62	-46.23	46.50	34.84	12.87	29.82	0.00	3	5924.80	54.62	68.35	-13.73	36.39	35.10	12.98	29.85	0.00	4	5983.60	56.07	68.20	-12.13	37.69	35.10	13.00	29.80	0.00	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5825.00</td><td>105.27</td><td>-----</td><td>-----</td><td>87.44</td><td>34.80</td><td>12.80</td><td>29.77</td><td>0.00</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5825.00	105.27	-----	-----	87.44	34.80	12.80	29.77	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																															
1	5853.60	62.90	114.09	-51.19	45.03	34.82	12.86	29.81	0.00																																																																																																															
2	5856.00	64.39	110.62	-46.23	46.50	34.84	12.87	29.82	0.00																																																																																																															
3	5924.80	54.62	68.35	-13.73	36.39	35.10	12.98	29.85	0.00																																																																																																															
4	5983.60	56.07	68.20	-12.13	37.69	35.10	13.00	29.80	0.00																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																															
1	5825.00	105.27	-----	-----	87.44	34.80	12.80	29.77	0.00																																																																																																															
Avg	Blank					 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5825.00</td><td>97.24</td><td>-----</td><td>-----</td><td>79.41</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5825.00	97.24	-----	-----	79.41	34.80	12.82	29.79	0.00																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																															
1	5825.00	97.24	-----	-----	79.41	34.80	12.82	29.79	0.00																																																																																																															




Mode	52																																																																																																																																																				
	Band Edge																																																																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																																				
ANT	0+1																																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																																														
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>68.28</td><td>111.36</td><td>-43.08</td><td>50.41</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>258</td><td>339</td><td>PEAK</td></tr><tr><td>2</td><td>5866.00</td><td>65.76</td><td>107.82</td><td>-42.06</td><td>47.81</td><td>34.90</td><td>12.88</td><td>29.83</td><td>0.00</td><td>258</td><td>339</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>55.34</td><td>69.23</td><td>-13.89</td><td>37.11</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>258</td><td>339</td><td>PEAK</td></tr><tr><td>4</td><td>5925.20</td><td>57.11</td><td>68.20</td><td>-11.09</td><td>38.88</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>258</td><td>339</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5854.00	68.28	111.36	-43.08	50.41	34.83	12.86	29.82	0.00	258	339	PEAK	2	5866.00	65.76	107.82	-42.06	47.81	34.90	12.88	29.83	0.00	258	339	PEAK	3	5923.60	55.34	69.23	-13.89	37.11	35.10	12.98	29.85	0.00	258	339	PEAK	4	5925.20	57.11	68.20	-11.09	38.88	35.10	12.98	29.85	0.00	258	339	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.38</td><td>-----</td><td>-----</td><td>92.55</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>258</td><td>339</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	110.38	-----	-----	92.55	34.80	12.82	29.79	0.00	258	339	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	5854.00	68.28	111.36	-43.08	50.41	34.83	12.86	29.82	0.00	258	339	PEAK																																																																																																																																									
2	5866.00	65.76	107.82	-42.06	47.81	34.90	12.88	29.83	0.00	258	339	PEAK																																																																																																																																									
3	5923.60	55.34	69.23	-13.89	37.11	35.10	12.98	29.85	0.00	258	339	PEAK																																																																																																																																									
4	5925.20	57.11	68.20	-11.09	38.88	35.10	12.98	29.85	0.00	258	339	PEAK																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	5825.00	110.38	-----	-----	92.55	34.80	12.82	29.79	0.00	258	339	PEAK																																																																																																																																									
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.08</td><td>-----</td><td>-----</td><td>84.25</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>258</td><td>339</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	102.08	-----	-----	84.25	34.80	12.82	29.79	0.00	258	339	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	5825.00	102.08	-----	-----	84.25	34.80	12.82	29.79	0.00	258	339	AVERAGE																																																																																																																																									

Mode	52																																																																			
	Harmonic																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																			
ANT	0+1																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>58.46</td><td>74.00</td><td>-15.54</td><td>65.68</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>283</td><td>243 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.33</td><td>54.00</td><td>-7.67</td><td>53.55</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>283</td><td>243 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	58.46	74.00	-15.54	65.68	38.20	18.72	64.14	0.00	283	243 PEAK	2	11650.00	46.33	54.00	-7.67	53.55	38.20	18.72	64.14	0.00	283	243 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	11650.00	58.46	74.00	-15.54	65.68	38.20	18.72	64.14	0.00	283	243 PEAK																																																									
2	11650.00	46.33	54.00	-7.67	53.55	38.20	18.72	64.14	0.00	283	243 AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>57.83</td><td>74.00</td><td>-16.17</td><td>65.05</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>399</td><td>279 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>48.12</td><td>54.00</td><td>-5.88</td><td>55.34</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>399</td><td>279 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	57.83	74.00	-16.17	65.05	38.20	18.72	64.14	0.00	399	279 PEAK	2	11650.00	48.12	54.00	-5.88	55.34	38.20	18.72	64.14	0.00	399	279 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	11650.00	57.83	74.00	-16.17	65.05	38.20	18.72	64.14	0.00	399	279 PEAK																																																									
2	11650.00	48.12	54.00	-5.88	55.34	38.20	18.72	64.14	0.00	399	279 AVERAGE																																																									











Mode	53										
	Band Edge - L										
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz										
ANT	0+1										
Pol.	Horizontal										
Peak	Level (dBuV/m) </										

Mode	53																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																							
ANT	0+1																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5854.84</td><td>54.68</td><td>111.26</td><td>-56.58</td><td>36.81</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100 243 PEAK</td></tr><tr><td>2 5872.20</td><td>55.53</td><td>106.08</td><td>-50.55</td><td>37.55</td><td>34.93</td><td>12.89</td><td>29.84</td><td>0.00</td><td>100 243 PEAK</td></tr><tr><td>3 5922.70</td><td>56.58</td><td>69.90</td><td>-13.32</td><td>38.35</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100 243 PEAK</td></tr><tr><td>4 5942.59</td><td>56.59</td><td>68.20</td><td>-11.61</td><td>38.32</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>100 243 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5854.84	54.68	111.26	-56.58	36.81	34.83	12.86	29.82	0.00	100 243 PEAK	2 5872.20	55.53	106.08	-50.55	37.55	34.93	12.89	29.84	0.00	100 243 PEAK	3 5922.70	56.58	69.90	-13.32	38.35	35.10	12.98	29.85	0.00	100 243 PEAK	4 5942.59	56.59	68.20	-11.61	38.32	35.10	13.01	29.84	0.00	100 243 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1 5854.84	54.68	111.26	-56.58	36.81	34.83	12.86	29.82	0.00	100 243 PEAK																																																															
2 5872.20	55.53	106.08	-50.55	37.55	34.93	12.89	29.84	0.00	100 243 PEAK																																																															
3 5922.70	56.58	69.90	-13.32	38.35	35.10	12.98	29.85	0.00	100 243 PEAK																																																															
4 5942.59	56.59	68.20	-11.61	38.32	35.10	13.01	29.84	0.00	100 243 PEAK																																																															







Mode	53																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																									
ANT	0+1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.65</td><td>56.70</td><td>68.20</td><td>-11.50</td><td>39.40</td><td>34.55</td><td>12.55</td><td>29.00</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>54.10</td><td>68.36</td><td>-14.26</td><td>36.79</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr><tr><td>3</td><td>5718.58</td><td>75.21</td><td>110.50</td><td>-35.29</td><td>57.85</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr><tr><td>4</td><td>5721.21</td><td>77.91</td><td>113.66</td><td>-35.75</td><td>60.55</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5624.65	56.70	68.20	-11.50	39.40	34.55	12.55	29.00	0.00	300	243	PEAK	2	5650.22	54.10	68.36	-14.26	36.79	34.60	12.58	29.87	0.00	300	243	PEAK	3	5718.58	75.21	110.50	-35.29	57.85	34.64	12.67	29.95	0.00	300	243	PEAK	4	5721.21	77.91	113.66	-35.75	60.55	34.64	12.67	29.95	0.00	300	243	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>106.14</td><td>-----</td><td>-----</td><td>88.55</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	106.14	-----	-----	88.55	34.72	12.72	29.85	0.00	300	243
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5624.65	56.70	68.20	-11.50	39.40	34.55	12.55	29.00	0.00	300	243	PEAK																																																																																																																														
2	5650.22	54.10	68.36	-14.26	36.79	34.60	12.58	29.87	0.00	300	243	PEAK																																																																																																																														
3	5718.58	75.21	110.50	-35.29	57.85	34.64	12.67	29.95	0.00	300	243	PEAK																																																																																																																														
4	5721.21	77.91	113.66	-35.75	60.55	34.64	12.67	29.95	0.00	300	243	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	106.14	-----	-----	88.55	34.72	12.72	29.85	0.00	300	243	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>98.63</td><td>-----</td><td>-----</td><td>81.04</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>300</td><td>243</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	98.63	-----	-----	81.04	34.72	12.72	29.85	0.00	300	243	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	98.63	-----	-----	81.04	34.72	12.72	29.85	0.00	300	243	AVERAGE																																																																																																																														

Mode	53																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																									
ANT	0+1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.45</td><td>54.52</td><td>112.15</td><td>-57.63</td><td>36.65</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr><tr><td>2 5868.69</td><td>56.96</td><td>107.07</td><td>-50.11</td><td>38.99</td><td>34.91</td><td>12.89</td><td>29.83</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr><tr><td>3 5922.70</td><td>57.01</td><td>69.90</td><td>-12.89</td><td>38.78</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr><tr><td>4 5926.80</td><td>57.49</td><td>68.20</td><td>-10.71</td><td>39.25</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.45	54.52	112.15	-57.63	36.65	34.83	12.86	29.82	0.00	300	243	PEAK	2 5868.69	56.96	107.07	-50.11	38.99	34.91	12.89	29.83	0.00	300	243	PEAK	3 5922.70	57.01	69.90	-12.89	38.78	35.10	12.98	29.85	0.00	300	243	PEAK	4 5926.80	57.49	68.20	-10.71	39.25	35.10	12.99	29.85	0.00	300	243	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5854.45	54.52	112.15	-57.63	36.65	34.83	12.86	29.82	0.00	300	243	PEAK																																																																															
2 5868.69	56.96	107.07	-50.11	38.99	34.91	12.89	29.83	0.00	300	243	PEAK																																																																															
3 5922.70	57.01	69.90	-12.89	38.78	35.10	12.98	29.85	0.00	300	243	PEAK																																																																															
4 5926.80	57.49	68.20	-10.71	39.25	35.10	12.99	29.85	0.00	300	243	PEAK																																																																															




Mode	53																																																																																																					
	Harmonic																																																																																																					
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																					
ANT	0+1																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11510.00</td><td>49.12</td><td>74.00</td><td>-24.88</td><td>56.58</td><td>38.01</td><td>18.60</td><td>64.07</td></tr><tr><td>2</td><td>11510.00</td><td>39.18</td><td>54.00</td><td>-14.82</td><td>46.65</td><td>38.00</td><td>18.59</td><td>64.06</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11510.00	49.12	74.00	-24.88	56.58	38.01	18.60	64.07	2	11510.00	39.18	54.00	-14.82	46.65	38.00	18.59	64.06	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>11510.00</td><td>49.27</td><td>74.00</td><td>-24.73</td><td>56.73</td><td>38.01</td><td>18.60</td><td>64.07</td></tr><tr><td>2</td><td>11510.00</td><td>40.97</td><td>54.00</td><td>-13.03</td><td>48.44</td><td>38.00</td><td>18.59</td><td>64.06</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11510.00	49.27	74.00	-24.73	56.73	38.01	18.60	64.07	2	11510.00	40.97	54.00	-13.03	48.44	38.00	18.59	64.06
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																														
1	11510.00	49.12	74.00	-24.88	56.58	38.01	18.60	64.07																																																																																														
2	11510.00	39.18	54.00	-14.82	46.65	38.00	18.59	64.06																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																														
1	11510.00	49.27	74.00	-24.73	56.73	38.01	18.60	64.07																																																																																														
2	11510.00	40.97	54.00	-13.03	48.44	38.00	18.59	64.06																																																																																														
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td></tr><tr><td>1</td><td>11510.00</td><td>49.12</td><td>74.00</td><td>-24.88</td><td>56.58</td><td>38.01</td><td>18.60</td><td>300</td></tr><tr><td>2</td><td>11510.00</td><td>39.18</td><td>54.00</td><td>-14.82</td><td>46.65</td><td>38.00</td><td>18.59</td><td>300</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11510.00	49.12	74.00	-24.88	56.58	38.01	18.60	300	2	11510.00	39.18	54.00	-14.82	46.65	38.00	18.59	300	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td></tr><tr><td>1</td><td>11510.00</td><td>49.27</td><td>74.00</td><td>-24.73</td><td>56.73</td><td>38.01</td><td>18.60</td><td>100</td></tr><tr><td>2</td><td>11510.00</td><td>40.97</td><td>54.00</td><td>-13.03</td><td>48.44</td><td>38.00</td><td>18.59</td><td>100</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11510.00	49.27	74.00	-24.73	56.73	38.01	18.60	100	2	11510.00	40.97	54.00	-13.03	48.44	38.00	18.59	100	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																														
1	11510.00	49.12	74.00	-24.88	56.58	38.01	18.60	300																																																																																														
2	11510.00	39.18	54.00	-14.82	46.65	38.00	18.59	300																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																														
1	11510.00	49.27	74.00	-24.73	56.73	38.01	18.60	100																																																																																														
2	11510.00	40.97	54.00	-13.03	48.44	38.00	18.59	100																																																																																														




Mode	54																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.20</td><td>56.86</td><td>68.20</td><td>-11.34</td><td>39.55</td><td>34.57</td><td>12.57</td><td>29.83</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>53.12</td><td>68.20</td><td>-15.08</td><td>35.80</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>3</td><td>5782.80</td><td>55.01</td><td>106.09</td><td>-51.08</td><td>37.74</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>56.03</td><td>113.64</td><td>-57.61</td><td>38.67</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.20	56.86	68.20	-11.34	39.55	34.57	12.57	29.83	0.00	100	239	PEAK	2	5658.00	53.12	68.20	-15.08	35.80	34.60	12.58	29.86	0.00	100	239	PEAK	3	5782.80	55.01	106.09	-51.08	37.74	34.61	12.65	29.99	0.00	100	239	PEAK	4	5721.20	56.03	113.64	-57.61	38.67	34.64	12.67	29.95	0.00	100	239	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>102.30</td><td>-----</td><td>-----</td><td>84.54</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	102.30	-----	-----	84.54	34.78	12.76	29.78	0.00	100	239	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5637.20	56.86	68.20	-11.34	39.55	34.57	12.57	29.83	0.00	100	239	PEAK																																																																																																																															
2	5658.00	53.12	68.20	-15.08	35.80	34.60	12.58	29.86	0.00	100	239	PEAK																																																																																																																															
3	5782.80	55.01	106.09	-51.08	37.74	34.61	12.65	29.99	0.00	100	239	PEAK																																																																																																																															
4	5721.20	56.03	113.64	-57.61	38.67	34.64	12.67	29.95	0.00	100	239	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5795.00	102.30	-----	-----	84.54	34.78	12.76	29.78	0.00	100	239	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>94.40</td><td>-----</td><td>-----</td><td>76.58</td><td>34.80</td><td>12.77</td><td>29.75</td><td>0.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	94.40	-----	-----	76.58	34.80	12.77	29.75	0.00	100	239	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5795.00	94.40	-----	-----	76.58	34.80	12.77	29.75	0.00	100	239	AVERAGE																																																																																																																															



Mode	54																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																
ANT	0+1																																																																																
Pol.	Horizontal						Fundamental																																																																										
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5853.60</td><td>61.72</td><td>114.09</td><td>-52.37</td><td>43.85</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>100 239 PEAK</td></tr><tr><td>2 5857.20</td><td>62.24</td><td>110.28</td><td>-48.04</td><td>44.35</td><td>34.84</td><td>12.87</td><td>29.82</td><td>0.00</td><td>100 239 PEAK</td></tr><tr><td>3 5923.20</td><td>54.19</td><td>69.53</td><td>-15.34</td><td>35.96</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100 239 PEAK</td></tr><tr><td>4 5984.40</td><td>57.25</td><td>68.20</td><td>-10.95</td><td>38.87</td><td>35.10</td><td>13.00</td><td>29.80</td><td>0.00</td><td>100 239 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5853.60	61.72	114.09	-52.37	43.85	34.82	12.86	29.81	0.00	100 239 PEAK	2 5857.20	62.24	110.28	-48.04	44.35	34.84	12.87	29.82	0.00	100 239 PEAK	3 5923.20	54.19	69.53	-15.34	35.96	35.10	12.98	29.85	0.00	100 239 PEAK	4 5984.40	57.25	68.20	-10.95	38.87	35.10	13.00	29.80	0.00	100 239 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																								
1 5853.60	61.72	114.09	-52.37	43.85	34.82	12.86	29.81	0.00	100 239 PEAK																																																																								
2 5857.20	62.24	110.28	-48.04	44.35	34.84	12.87	29.82	0.00	100 239 PEAK																																																																								
3 5923.20	54.19	69.53	-15.34	35.96	35.10	12.98	29.85	0.00	100 239 PEAK																																																																								
4 5984.40	57.25	68.20	-10.95	38.87	35.10	13.00	29.80	0.00	100 239 PEAK																																																																								





Mode	54																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue test signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5618.40</td><td>55.45</td><td>68.20</td><td>-12.75</td><td>38.15</td><td>34.54</td><td>12.54</td><td>29.78</td><td>0.00</td><td>300</td><td>224</td><td>PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>55.69</td><td>69.99</td><td>-14.30</td><td>38.37</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>300</td><td>224</td><td>PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>54.39</td><td>105.52</td><td>-51.13</td><td>37.14</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>300</td><td>224</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>55.76</td><td>112.72</td><td>-56.96</td><td>38.40</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>224</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5618.40	55.45	68.20	-12.75	38.15	34.54	12.54	29.78	0.00	300	224	PEAK	2	5652.40	55.69	69.99	-14.30	38.37	34.60	12.59	29.87	0.00	300	224	PEAK	3	5700.80	54.39	105.52	-51.13	37.14	34.60	12.65	30.00	0.00	300	224	PEAK	4	5720.80	55.76	112.72	-56.96	38.40	34.64	12.67	29.95	0.00	300	224	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A single peak is marked with a vertical line and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>106.36</td><td>-----</td><td>-----</td><td>88.60</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>300</td><td>224</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	106.36	-----	-----	88.60	34.78	12.76	29.78	0.00	300	224	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5618.40	55.45	68.20	-12.75	38.15	34.54	12.54	29.78	0.00	300	224	PEAK																																																																																																																															
2	5652.40	55.69	69.99	-14.30	38.37	34.60	12.59	29.87	0.00	300	224	PEAK																																																																																																																															
3	5700.80	54.39	105.52	-51.13	37.14	34.60	12.65	30.00	0.00	300	224	PEAK																																																																																																																															
4	5720.80	55.76	112.72	-56.96	38.40	34.64	12.67	29.95	0.00	300	224	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	106.36	-----	-----	88.60	34.78	12.76	29.78	0.00	300	224	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A single peak is marked with a vertical line and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.09</td><td>-----</td><td>-----</td><td>81.30</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>300</td><td>224</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	99.09	-----	-----	81.30	34.79	12.76	29.76	0.00	300	224	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	99.09	-----	-----	81.30	34.79	12.76	29.76	0.00	300	224	AVERAGE																																																																																																																															





Mode	54																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																													
ANT	0+1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5852.00</td><td>64.83</td><td>117.74</td><td>-52.91</td><td>46.97</td><td>34.81</td><td>12.86</td><td>29.81</td><td>0.00</td><td>300</td><td>224</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>57.72</td><td>106.25</td><td>-48.53</td><td>39.74</td><td>34.93</td><td>12.89</td><td>29.84</td><td>0.00</td><td>300</td><td>224</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.17</td><td>68.35</td><td>-14.18</td><td>35.94</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>224</td><td>PEAK</td></tr><tr><td>4</td><td>5932.00</td><td>56.43</td><td>68.20</td><td>-11.77</td><td>38.18</td><td>35.10</td><td>12.99</td><td>29.84</td><td>0.00</td><td>300</td><td>224</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5852.00	64.83	117.74	-52.91	46.97	34.81	12.86	29.81	0.00	300	224	PEAK	2	5871.60	57.72	106.25	-48.53	39.74	34.93	12.89	29.84	0.00	300	224	PEAK	3	5924.80	54.17	68.35	-14.18	35.94	35.10	12.98	29.85	0.00	300	224	PEAK	4	5932.00	56.43	68.20	-11.77	38.18	35.10	12.99	29.84	0.00	300	224	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5852.00	64.83	117.74	-52.91	46.97	34.81	12.86	29.81	0.00	300	224	PEAK																																																																																		
2	5871.60	57.72	106.25	-48.53	39.74	34.93	12.89	29.84	0.00	300	224	PEAK																																																																																		
3	5924.80	54.17	68.35	-14.18	35.94	35.10	12.98	29.85	0.00	300	224	PEAK																																																																																		
4	5932.00	56.43	68.20	-11.77	38.18	35.10	12.99	29.84	0.00	300	224	PEAK																																																																																		



		54																																																										
Mode		Harmonic																																																										
		U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																										
ANT		0+1																																																										
Pol.		Horizontal																																																										
Peak Avg																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>52.86</td><td>74.00</td><td>-21.14</td><td>60.21</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>309</td><td>67 PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>43.84</td><td>54.00</td><td>-10.16</td><td>51.21</td><td>38.08</td><td>18.66</td><td>64.11</td><td>0.00</td><td>309</td><td>67 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				cm	deg	Remark	1	11590.00	52.86	74.00	-21.14	60.21	38.09	18.67	64.11	0.00	309	67 PEAK	2	11590.00	43.84	54.00	-10.16	51.21	38.08	18.66	64.11	0.00	309	67 AVERAGE
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				cm	deg	Remark																																																	
1	11590.00	52.86	74.00	-21.14	60.21	38.09	18.67	64.11	0.00	309	67 PEAK																																																	
2	11590.00	43.84	54.00	-10.16	51.21	38.08	18.66	64.11	0.00	309	67 AVERAGE																																																	
		Vertical																																																										
Peak Avg																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>52.69</td><td>74.00</td><td>-21.31</td><td>60.04</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>300</td><td>267 PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>44.24</td><td>54.00</td><td>-9.76</td><td>51.58</td><td>38.10</td><td>18.67</td><td>64.11</td><td>0.00</td><td>300</td><td>267 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				cm	deg	Remark	1	11590.00	52.69	74.00	-21.31	60.04	38.09	18.67	64.11	0.00	300	267 PEAK	2	11590.00	44.24	54.00	-9.76	51.58	38.10	18.67	64.11	0.00	300	267 AVERAGE
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				cm	deg	Remark																																																	
1	11590.00	52.69	74.00	-21.31	60.04	38.09	18.67	64.11	0.00	300	267 PEAK																																																	
2	11590.00	44.24	54.00	-9.76	51.58	38.10	18.67	64.11	0.00	300	267 AVERAGE																																																	



	55																																																																																																				
Mode	Harmonic																																																																																																				
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																				
ANT	0+1																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 11440.00</td><td>53.14</td><td>74.00</td><td>-20.86</td><td>60.89</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td></tr><tr><td>2 11440.00</td><td>43.55</td><td>54.00</td><td>-10.45</td><td>51.30</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	53.14	74.00	-20.86	60.89	38.00	18.54	64.29	0.00	2 11440.00	43.55	54.00	-10.45	51.30	38.00	18.54	64.29	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 11440.00</td><td>52.81</td><td>74.00</td><td>-21.19</td><td>60.56</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td></tr><tr><td>2 11440.00</td><td>43.13</td><td>54.00</td><td>-10.87</td><td>50.88</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	52.81	74.00	-21.19	60.56	38.00	18.54	64.29	0.00	2 11440.00	43.13	54.00	-10.87	50.88	38.00	18.54	64.29	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																													
1 11440.00	53.14	74.00	-20.86	60.89	38.00	18.54	64.29	0.00																																																																																													
2 11440.00	43.55	54.00	-10.45	51.30	38.00	18.54	64.29	0.00																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																													
1 11440.00	52.81	74.00	-21.19	60.56	38.00	18.54	64.29	0.00																																																																																													
2 11440.00	43.13	54.00	-10.87	50.88	38.00	18.54	64.29	0.00																																																																																													
Remark						Remark																																																																																															
49 PEAK						105 PEAK																																																																																															
49 AVERAGE						105 AVERAGE																																																																																															





Mode	56																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																																																																																								
ANT	0+1																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																			
Peak Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11440.00</td><td>55.07</td><td>74.00</td><td>-18.93</td><td>62.82</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>305</td><td>68 PEAK</td></tr><tr><td>2 11440.00</td><td>45.64</td><td>54.00</td><td>-8.36</td><td>53.39</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>305</td><td>68 AVERAGE</td></tr><tr><td>3 17160.00</td><td>52.11</td><td>68.20</td><td>-16.09</td><td>53.13</td><td>41.46</td><td>22.78</td><td>65.26</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	55.07	74.00	-18.93	62.82	38.00	18.54	64.29	0.00	305	68 PEAK	2 11440.00	45.64	54.00	-8.36	53.39	38.00	18.54	64.29	0.00	305	68 AVERAGE	3 17160.00	52.11	68.20	-16.09	53.13	41.46	22.78	65.26	0.00	--	-- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11440.00</td><td>55.03</td><td>74.00</td><td>-18.97</td><td>62.78</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>368</td><td>271 PEAK</td></tr><tr><td>2 11440.00</td><td>44.93</td><td>54.00</td><td>-9.07</td><td>52.68</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>368</td><td>271 AVERAGE</td></tr><tr><td>3 17160.00</td><td>52.55</td><td>68.20</td><td>-15.65</td><td>53.55</td><td>41.46</td><td>22.79</td><td>65.25</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	55.03	74.00	-18.97	62.78	38.00	18.54	64.29	0.00	368	271 PEAK	2 11440.00	44.93	54.00	-9.07	52.68	38.00	18.54	64.29	0.00	368	271 AVERAGE	3 17160.00	52.55	68.20	-15.65	53.55	41.46	22.79	65.25	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 11440.00	55.07	74.00	-18.93	62.82	38.00	18.54	64.29	0.00	305	68 PEAK																																																																																																																															
2 11440.00	45.64	54.00	-8.36	53.39	38.00	18.54	64.29	0.00	305	68 AVERAGE																																																																																																																															
3 17160.00	52.11	68.20	-16.09	53.13	41.46	22.78	65.26	0.00	--	-- PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 11440.00	55.03	74.00	-18.97	62.78	38.00	18.54	64.29	0.00	368	271 PEAK																																																																																																																															
2 11440.00	44.93	54.00	-9.07	52.68	38.00	18.54	64.29	0.00	368	271 AVERAGE																																																																																																																															
3 17160.00	52.55	68.20	-15.65	53.55	41.46	22.79	65.25	0.00	--	-- PEAK																																																																																																																															



Mode	57																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_5720MHz																																																																																																																																																					
ANT	0+1																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak Avg																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11440.00</td><td>53.78</td><td>74.00</td><td>-20.22</td><td>61.53</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>300</td><td>70</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>44.12</td><td>54.00</td><td>-9.88</td><td>51.87</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>300</td><td>70</td><td>AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>55.61</td><td>68.20</td><td>-12.59</td><td>56.64</td><td>41.45</td><td>22.78</td><td>65.26</td><td>0.00</td><td>100</td><td>266</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11440.00	53.78	74.00	-20.22	61.53	38.00	18.54	64.29	0.00	300	70	PEAK	2	11440.00	44.12	54.00	-9.88	51.87	38.00	18.54	64.29	0.00	300	70	AVERAGE	3	17160.00	55.61	68.20	-12.59	56.64	41.45	22.78	65.26	0.00	100	266	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11440.00</td><td>53.27</td><td>74.00</td><td>-20.73</td><td>61.02</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>127</td><td>105</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>44.44</td><td>54.00</td><td>-9.56</td><td>52.19</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>127</td><td>105</td><td>AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>57.14</td><td>68.20</td><td>-11.06</td><td>58.14</td><td>41.46</td><td>22.79</td><td>65.25</td><td>0.00</td><td>312</td><td>327</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11440.00	53.27	74.00	-20.73	61.02	38.00	18.54	64.29	0.00	127	105	PEAK	2	11440.00	44.44	54.00	-9.56	52.19	38.00	18.54	64.29	0.00	127	105	AVERAGE	3	17160.00	57.14	68.20	-11.06	58.14	41.46	22.79	65.25	0.00	312	327	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																														
1	11440.00	53.78	74.00	-20.22	61.53	38.00	18.54	64.29	0.00	300	70	PEAK																																																																																																																																										
2	11440.00	44.12	54.00	-9.88	51.87	38.00	18.54	64.29	0.00	300	70	AVERAGE																																																																																																																																										
3	17160.00	55.61	68.20	-12.59	56.64	41.45	22.78	65.26	0.00	100	266	PEAK																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																														
1	11440.00	53.27	74.00	-20.73	61.02	38.00	18.54	64.29	0.00	127	105	PEAK																																																																																																																																										
2	11440.00	44.44	54.00	-9.56	52.19	38.00	18.54	64.29	0.00	127	105	AVERAGE																																																																																																																																										
3	17160.00	57.14	68.20	-11.06	58.14	41.46	22.79	65.25	0.00	312	327	PEAK																																																																																																																																										

Mode	58																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz																																																																																																																																						
ANT	0+1																																																																																																																																						
Pol.	Horizontal								Vertical																																																																																																																														
Peak Avg																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11420.00</td><td>51.21</td><td>74.00</td><td>-22.79</td><td>59.06</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>309 70 PEAK</td></tr><tr><td>2 11420.00</td><td>43.03</td><td>54.00</td><td>-10.97</td><td>50.88</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>309 70 AVERAGE</td></tr><tr><td>3 17130.00</td><td>50.28</td><td>68.20</td><td>-17.92</td><td>51.32</td><td>41.45</td><td>22.77</td><td>65.26</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	51.21	74.00	-22.79	59.06	38.00	18.52	64.37	0.00	309 70 PEAK	2 11420.00	43.03	54.00	-10.97	50.88	38.00	18.52	64.37	0.00	309 70 AVERAGE	3 17130.00	50.28	68.20	-17.92	51.32	41.45	22.77	65.26	0.00	-- -- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11420.00</td><td>52.23</td><td>74.00</td><td>-21.77</td><td>60.08</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>379 280 PEAK</td></tr><tr><td>2 11420.00</td><td>43.17</td><td>54.00</td><td>-10.83</td><td>51.02</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>379 280 AVERAGE</td></tr><tr><td>3 17130.00</td><td>50.60</td><td>68.20</td><td>-17.60</td><td>51.70</td><td>41.42</td><td>22.75</td><td>65.27</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	52.23	74.00	-21.77	60.08	38.00	18.52	64.37	0.00	379 280 PEAK	2 11420.00	43.17	54.00	-10.83	51.02	38.00	18.52	64.37	0.00	379 280 AVERAGE	3 17130.00	50.60	68.20	-17.60	51.70	41.42	22.75	65.27	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1 11420.00	51.21	74.00	-22.79	59.06	38.00	18.52	64.37	0.00	309 70 PEAK																																																																																																																														
2 11420.00	43.03	54.00	-10.97	50.88	38.00	18.52	64.37	0.00	309 70 AVERAGE																																																																																																																														
3 17130.00	50.28	68.20	-17.92	51.32	41.45	22.77	65.26	0.00	-- -- PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1 11420.00	52.23	74.00	-21.77	60.08	38.00	18.52	64.37	0.00	379 280 PEAK																																																																																																																														
2 11420.00	43.17	54.00	-10.83	51.02	38.00	18.52	64.37	0.00	379 280 AVERAGE																																																																																																																														
3 17130.00	50.60	68.20	-17.60	51.70	41.42	22.75	65.27	0.00	-- -- PEAK																																																																																																																														





Mode	59																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_5710MHz																																																																																																																																																				
ANT	0+1																																																																																																																																																				
Pol.	Horizontal								Vertical																																																																																																																																												
Peak Avg																																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11420.00</td><td>51.22</td><td>74.00</td><td>-22.78</td><td>59.07</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>300</td><td>69</td><td>PEAK</td></tr><tr><td>2 11420.00</td><td>43.04</td><td>54.00</td><td>-10.96</td><td>50.89</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>300</td><td>69</td><td>AVERAGE</td></tr><tr><td>3 17130.00</td><td>50.11</td><td>68.20</td><td>-18.09</td><td>51.22</td><td>41.41</td><td>22.75</td><td>65.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11420.00	51.22	74.00	-22.78	59.07	38.00	18.52	64.37	0.00	300	69	PEAK	2 11420.00	43.04	54.00	-10.96	50.89	38.00	18.52	64.37	0.00	300	69	AVERAGE	3 17130.00	50.11	68.20	-18.09	51.22	41.41	22.75	65.27	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11420.00</td><td>52.01</td><td>74.00</td><td>-21.99</td><td>59.06</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>391</td><td>283</td><td>PEAK</td></tr><tr><td>2 11420.00</td><td>42.49</td><td>54.00</td><td>-11.51</td><td>50.34</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>391</td><td>283</td><td>AVERAGE</td></tr><tr><td>3 17130.00</td><td>50.53</td><td>68.20</td><td>-17.67</td><td>51.65</td><td>41.41</td><td>22.74</td><td>65.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11420.00	52.01	74.00	-21.99	59.06	38.00	18.52	64.37	0.00	391	283	PEAK	2 11420.00	42.49	54.00	-11.51	50.34	38.00	18.52	64.37	0.00	391	283	AVERAGE	3 17130.00	50.53	68.20	-17.67	51.65	41.41	22.74	65.27	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1 11420.00	51.22	74.00	-22.78	59.07	38.00	18.52	64.37	0.00	300	69	PEAK																																																																																																																																										
2 11420.00	43.04	54.00	-10.96	50.89	38.00	18.52	64.37	0.00	300	69	AVERAGE																																																																																																																																										
3 17130.00	50.11	68.20	-18.09	51.22	41.41	22.75	65.27	0.00	--	--	PEAK																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1 11420.00	52.01	74.00	-21.99	59.06	38.00	18.52	64.37	0.00	391	283	PEAK																																																																																																																																										
2 11420.00	42.49	54.00	-11.51	50.34	38.00	18.52	64.37	0.00	391	283	AVERAGE																																																																																																																																										
3 17130.00	50.53	68.20	-17.67	51.65	41.41	22.74	65.27	0.00	--	--	PEAK																																																																																																																																										

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	95.14	2.055	0.487	0.51Khz
802.11n HT20	94.35	1.92	0.521	0.56Khz
802.11n HT40	89.24	0.945	1.058	1.1Khz
802.11ax HE20	93.82	1.745	0.573	0.62Khz
802.11ax HE40	88.73	0.905	1.105	1.2Khz

802.11a






802.11n HT40





802.11ax HE20



802.11ax HE40

