


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2450MHz	2500MHz	2400MHz	2450MHz	2500MHz
	0.89	1.39	1.57	-3.1	-0.31	0.29
MAX. Gain	1.57dBi					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	38.20mm					
Manufacture	ZHUHAI JIELI TECHNOLOGY CO.,LTD					


Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBi)

Max: 2.15 Min: -37.85 Scale: 5/div




Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
2400	-0.88826	-27.9301	-5.03716
2450	1.384198	-34.4104	-5.33023
2500	1.564418	-19.8815	-4.44127

Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBi)

Max: 2.15 Min: -27.85 Scale: 5/div



Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
2400	-3.1037	-19.9924	-10.2794
2450	-0.3152	-22.4337	-8.3202
2500	0.2888	-27.3714	-7.05432

ANT Test Labs: Attestation of Global Compliance Co., Ltd.