



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Magic Mirror Appliance

Test Model: MMA21-4-A

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	1.004	N/A	Pass
NVNT	1-DH5	2441	Ant1	1.02	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.959	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.283	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.284	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.287	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.289	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.298	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.288	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.37	21	Pass
NVNT	1-DH5	2441	Ant1	-0.01	21	Pass
NVNT	1-DH5	2480	Ant1	-1.09	21	Pass
NVNT	2-DH5	2402	Ant1	-1.1	21	Pass
NVNT	2-DH5	2441	Ant1	-0.64	21	Pass
NVNT	2-DH5	2480	Ant1	0.63	21	Pass
NVNT	3-DH5	2402	Ant1	-0.69	21	Pass
NVNT	3-DH5	2441	Ant1	-0.25	21	Pass
NVNT	3-DH5	2480	Ant1	0.94	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1








Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1









Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.844	2403.032	1.188	0.680	Pass
NVNT	2-DH5	Ant1	2402.022	2403.166	1.144	0.858	Pass
NVNT	3-DH5	Ant1	2402.01	2403.002	0.992	0.865	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.909	325.808	112	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.898	321.678	111	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	289.7	100	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs


Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-55.41	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-55.5	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-49.37	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-54.57	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-51.73	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-54.75	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-54.97	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-56.52	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-55.33	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-55.98	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-54.88	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-56.93	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-54.5	-20	Pass
NVNT	1-DH5	2441	Ant1	-54.75	-20	Pass
NVNT	1-DH5	2480	Ant1	-52.51	-20	Pass
NVNT	2-DH5	2402	Ant1	-52.16	-20	Pass
NVNT	2-DH5	2441	Ant1	-51.54	-20	Pass
NVNT	2-DH5	2480	Ant1	-52.29	-20	Pass
NVNT	3-DH5	2402	Ant1	-52.17	-20	Pass
NVNT	3-DH5	2441	Ant1	-53.17	-20	Pass
NVNT	3-DH5	2480	Ant1	-53.78	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission




MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N		f	2.401 7 GHz	-7.214 dBm			
2	N		f	26.034 1 GHz	-55.428 dBm			
3	N		f	4.804 3 GHz	-64.605 dBm			
4	N		f	7.385 1 GHz	-66.474 dBm			
5	N		f	9.606 8 GHz	-66.017 dBm			
6								
7								
8								
9								
10								
11								






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2480	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-51.01	2.09	-	46.34	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-59.07	2.09	1.1	39.38	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2345.712	-46.89	2.09	-	50.46	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2388.624	-57.53	2.09	1.1	40.92	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-51.27	2.09	-	46.08	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.33	2.09	1.1	40.12	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-49.69	2.09	-	47.66	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-57.78	2.09	1.1	40.67	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2484.088	-47.24	2.09	-	50.11	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2485.312	-57.03	2.09	1.1	41.42	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-47.89	2.09	-	49.46	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.01	2.09	1.1	40.44	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-49.39	2.09	-	47.96	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.98	2.09	1.12	39.49	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2322.672	-48.1	2.09	-	49.25	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2386.8	-57.62	2.09	1.12	40.85	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-51.66	2.09	-	45.69	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.31	2.09	1.12	40.16	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-46.12	2.09	-	51.23	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-56.61	2.09	1.12	41.86	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.68	-45.45	2.09	-	51.90	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.776	-56.48	2.09	1.12	41.99	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-49.9	2.09	-	47.45	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-57.81	2.09	1.12	40.66	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.72	2.09	-	46.63	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-59.25	2.09	1.12	39.22	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2352.72	-47.78	2.09	-	49.57	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2384.496	-57.64	2.09	1.12	40.83	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-50.44	2.09	-	46.91	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.74	2.09	1.12	39.73	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-49.63	2.09	-	47.72	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.06	2.09	1.12	41.41	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2484.712	-46.42	2.09	-	50.93	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.56	-56.88	2.09	1.12	41.59	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-50.12	2.09	-	47.23	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.2	2.09	1.12	40.27	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average








Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

