


















Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.























Temperature:	26 °C	Relative Humidity:	54%
Pressure:	101KPa	Test Voltage:	AC 120V/60Hz
Test Mode:	(5500-5700MHz)		



Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)		99% OBW (MHz)		Verdict
			Ant A	Ant B	Ant A	Ant B	
NVNT	a	5500	18.32	18.424	16.341	16.342	Pass
NVNT	a	5580	18.377	18.325	16.342	16.347	Pass
NVNT	a	5700	18.372	18.399	16.332	16.34	Pass
NVNT	n20	5500	19.295	19.328	17.527	17.539	Pass
NVNT	n20	5580	19.387	19.28	17.516	17.545	Pass
NVNT	n20	5700	19.219	19.197	17.523	17.518	Pass
NVNT	n40	5510	40.806	41.278	36.052	36.026	Pass
NVNT	n40	5550	40.69	41.07	36.112	36.043	Pass
NVNT	n40	5670	40.787	40.598	36.038	36.051	Pass
NVNT	ac20	5500	19.305	19.212	17.527	17.531	Pass
NVNT	ac20	5580	19.183	19.33	17.526	17.54	Pass
NVNT	ac20	5700	19.256	19.216	17.518	17.522	Pass
NVNT	ac40	5510	40.288	40.824	36.005	36.011	Pass
NVNT	ac40	5550	41.027	41.209	36.047	36.062	Pass
NVNT	ac40	5670	40.173	40.785	36.021	36.033	Pass
NVNT	ac80	5530	80.614	80.828	74.784	74.533	Pass







Note: A(B) Represent the value of antenna A and B, The worst data is Antenna B, only shown Antenna B Plot.
































Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.



























Temperature:	26 °C	Relative Humidity:	54%
Pressure:	101KPa	Test Voltage:	AC 120V/60Hz
Test Mode:	(5745-5825MHz)		



Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)		99% OBW (MHz)		Limit -6 dB Bandwidth (MHz)	Verdict
			Ant A	Ant B	Ant A	Ant B		
NVNT	a	5745	16.32	16.338	16.36	16.355	0.5	Pass
NVNT	a	5785	16.316	16.324	16.362	16.327	0.5	Pass
NVNT	a	5825	16.318	16.294	16.334	16.347	0.5	Pass
NVNT	n20	5745	17.549	17.575	17.541	17.539	0.5	Pass
NVNT	n20	5785	17.559	17.545	17.533	17.533	0.5	Pass
NVNT	n20	5825	17.36	17.182	17.522	17.52	0.5	Pass
NVNT	n40	5755	35.058	33.89	36.067	36.02	0.5	Pass
NVNT	n40	5795	35.127	35.059	36.03	36.05	0.5	Pass
NVNT	ac20	5745	17.304	17.551	17.538	17.527	0.5	Pass
NVNT	ac20	5785	17.553	17.533	17.534	17.518	0.5	Pass
NVNT	ac20	5825	17.551	17.543	17.534	17.531	0.5	Pass
NVNT	ac40	5755	34.878	35.105	36.059	35.977	0.5	Pass
NVNT	ac40	5795	35.083	35.032	36.051	36.007	0.5	Pass
NVNT	ac80	5775	72.578	73.836	74.496	74.76	0.5	Pass







Note: A(B) Represent the value of antenna A and B, The worst data is Antenna B, only shown Antenna B Plot.



















Note: A(B) Represent the value of antenna A and B, The worst data is Antenna B, only shown Antenna B Plot.

