

TEST REPORT


11N40MIM O	Ant1	High	5795	5855~5875	-30.23	≤12.70	PASS
11N40MIM O	Ant1	High	5795	5875~5925	-33.94	≤-26.59	PASS
11N40MIM O	Ant1	High	5795	5925~5935	-31.43	≤-27	PASS
11N40MIM O	Ant2	High	5795	5850~5855	-34.42	≤15.66	PASS
11N40MIM O	Ant2	High	5795	5855~5875	-35.7	≤10.25	PASS
11N40MIM O	Ant2	High	5795	5875~5925	-35.48	≤-26.59	PASS
11N40MIM O	Ant2	High	5795	5925~5935	-33.87	≤-27	PASS
11AC20MI MO	Ant1	Low	5745	5720~5725	-23.34	≤18.70	PASS
11AC20MI MO	Ant1	Low	5745	5700~5720	-25.7	≤15.24	PASS
11AC20MI MO	Ant1	Low	5745	5650~5700	-32.81	≤-26.70	PASS
11AC20MI MO	Ant1	Low	5745	5760~5650	-32.33	≤-27	PASS
11AC20MI MO	Ant2	Low	5745	5720~5725	-29.67	≤16.87	PASS
11AC20MI MO	Ant2	Low	5745	5700~5720	-32.67	≤10.02	PASS
11AC20MI MO	Ant2	Low	5745	5650~5700	-35.88	≤-26.70	PASS
11AC20MI MO	Ant2	Low	5745	5760~5650	-34.8	≤-27	PASS
11AC20MI MO	Ant1	High	5825	5850~5855	-23.97	≤20.34	PASS
11AC20MI MO	Ant1	High	5825	5855~5875	-28.29	≤15.09	PASS
11AC20MI MO	Ant1	High	5825	5875~5925	-33.24	≤-26.51	PASS
11AC20MI MO	Ant1	High	5825	5925~5935	-32.09	≤-27	PASS
11AC20MI MO	Ant2	High	5825	5850~5855	-33.47	≤16.03	PASS
11AC20MI MO	Ant2	High	5825	5855~5875	-30.52	≤15.01	PASS
11AC20MI MO	Ant2	High	5825	5875~5925	-36.68	≤-26.91	PASS
11AC20MI MO	Ant2	High	5825	5925~5935	-34.2	≤-27	PASS
11AC40MI MO	Ant1	Low	5755	5720~5725	-17.93	≤16.66	PASS
11AC40MI MO	Ant1	Low	5755	5700~5720	-17.87	≤15.58	PASS
11AC40MI MO	Ant1	Low	5755	5650~5700	-32.98	≤-26.50	PASS
11AC40MI MO	Ant1	Low	5755	5780~5650	-33.23	≤-27	PASS
11AC40MI MO	Ant2	Low	5755	5720~5725	-25.02	≤15.74	PASS
11AC40MI MO	Ant2	Low	5755	5700~5720	-23.24	≤15.50	PASS
11AC40MI MO	Ant2	Low	5755	5650~5700	-34.4	≤-25.61	PASS
11AC40MI MO	Ant2	Low	5755	5780~5650	-34.64	≤-27	PASS

TEST REPORT


11AC40MI MO	Ant1	High	5795	5850~5855	-31.75	≤15.66	PASS
11AC40MI MO	Ant1	High	5795	5855~5875	-33.67	≤10.20	PASS
11AC40MI MO	Ant1	High	5795	5875~5925	-32.32	≤-26.71	PASS
11AC40MI MO	Ant1	High	5795	5925~5935	-32.32	≤-27	PASS
11AC40MI MO	Ant2	High	5795	5850~5855	-36.4	≤15.66	PASS
11AC40MI MO	Ant2	High	5795	5855~5875	-35.4	≤10.06	PASS
11AC40MI MO	Ant2	High	5795	5875~5925	-33.89	≤-26.10	PASS
11AC40MI MO	Ant2	High	5795	5925~5935	-33.3	≤-27	PASS
11AC80MI MO	Ant1	Low	5775	5720~5725	-19.54	≤16.00	PASS
11AC80MI MO	Ant1	Low	5775	5700~5720	-23.51	≤10.18	PASS
11AC80MI MO	Ant1	Low	5775	5650~5700	-33.27	≤-26.91	PASS
11AC80MI MO	Ant1	Low	5775	5800~5650	-32.7	≤-27	PASS
11AC80MI MO	Ant1	High	5775	5850~5855	-23.2	≤17.95	PASS
11AC80MI MO	Ant1	High	5775	5855~5875	-24.24	≤11.59	PASS
11AC80MI MO	Ant1	High	5775	5875~5925	-31.69	≤-26.32	PASS
11AC80MI MO	Ant1	High	5775	5925~5935	-31.99	≤-27	PASS
11AC80MI MO	Ant2	Low	5775	5720~5725	-24.01	≤16.00	PASS
11AC80MI MO	Ant2	Low	5775	5700~5720	-25.86	≤10.27	PASS
11AC80MI MO	Ant2	Low	5775	5650~5700	-33.94	≤-26.57	PASS
11AC80MI MO	Ant2	Low	5775	5800~5650	-33.99	≤-27	PASS
11AC80MI MO	Ant2	High	5775	5850~5855	-30.78	≤15.84	PASS
11AC80MI MO	Ant2	High	5775	5855~5875	-29.71	≤11.17	PASS
11AC80MI MO	Ant2	High	5775	5875~5925	-33.91	≤-26.87	PASS
11AC80MI MO	Ant2	High	5775	5925~5935	-33.58	≤-27	PASS


TEST REPORT


Test Graphs




TEST REPORT








11N20MIMO-Ant2-5180-PASS




11N20MIMO-Ant1-5320-PASS



11N20MIMO-Ant2-5320-PASS







TEST REPORT



11N40MIMO-Ant1-5310-PASS



11N40MIMO-Ant2-5310-PASS



11N40MIMO-Ant1-5510-PASS

TEST REPORT




11N40MIMO-Ant2-5510-PASS



11N40MIMO-Ant1-5670-PASS




11N40MIMO-Ant2-5670-PASS



11AC20MIMO-Ant1-5180-PASS



11AC20MIMO-Ant2-5180-PASS



11AC20MIMO-Ant1-5320-PASS




11AC20MIMO-Ant2-5320-PASS




11AC20MIMO-Ant1-5500-PASS




11AC20MIMO-Ant2-5500-PASS






11AC40MIMO-Ant2-5190-PASS



11AC40MIMO-Ant1-5310-PASS



11AC40MIMO-Ant2-5310-PASS



11AC40MIMO-Ant1-5510-PASS




11AC40MIMO-Ant2-5510-PASS




11AC40MIMO-Ant1-5670-PASS

TEST REPORT






11AC80MIMO-Ant1-5290-PASS



11AC80MIMO-Ant2-5290-PASS



11AC80MIMO-Ant1-5530-PASS



11AC80MIMO-Ant2-5530-PASS



11AC80MIMO-Ant1-5610-PASS



11AC80MIMO-Ant2-5610-PASS



TEST REPORT





11N20MIMO-Ant1-5825-PASS



11N20MIMO-Ant2-5825-PASS



11N40MIMO-Ant1-5755-PASS

TEST REPORT



11N40MIMO-Ant2-5755-PASS



11N40MIMO-Ant1-5795-PASS




11N40MIMO-Ant2-5795-PASS

TEST REPORT



11AC20MIMO-Ant1-5745-PASS



11AC20MIMO-Ant2-5745-PASS



11AC20MIMO-Ant1-5825-PASS



11AC20MIMO-Ant2-5825-PASS



11AC40MIMO-Ant1-5755-PASS



11AC40MIMO-Ant2-5755-PASS

TEST REPORT



11AC40MIMO-Ant1-5795-PASS



11AC40MIMO-Ant2-5795-PASS



11AC80MIMO-Ant1-5775-PASS

TEST REPORT



TEST REPORT

Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	5135.06	-42.95	≤-27	PASS
11A	Ant2	5180	30~5140	5137.96	-38.53	≤-27	PASS
11A	Ant1	5180	5360~40000	10358.55	-51.26	≤-27	PASS
11A	Ant2	5180	5360~40000	10356.24	-44.85	≤-27	PASS
11A	Ant1	5200	30~5140	2438.17	-42.88	≤-27	PASS
11A	Ant2	5200	30~5140	5138.64	-49.54	≤-27	PASS
11A	Ant1	5200	5360~40000	5368.08	-49.75	≤-27	PASS
11A	Ant2	5200	5360~40000	10392.04	-51.56	≤-27	PASS
11A	Ant1	5240	30~5140	5076.81	-45.76	≤-27	PASS
11A	Ant2	5240	30~5140	5133.36	-49.43	≤-27	PASS
11A	Ant1	5240	5360~40000	5366.93	-50.33	≤-27	PASS
11A	Ant2	5240	5360~40000	5396.95	-52	≤-27	PASS
11A	Ant1	5260	30~5140	5108.49	-48.12	≤-27	PASS
11A	Ant2	5260	30~5140	5140	-52.14	≤-27	PASS
11A	Ant1	5260	5360~40000	5361.15	-49.09	≤-27	PASS
11A	Ant2	5260	5360~40000	10514.43	-49.1	≤-27	PASS
11A	Ant1	5280	30~5140	5115.13	-46.18	≤-27	PASS
11A	Ant2	5280	30~5140	5118.71	-49.58	≤-27	PASS
11A	Ant1	5280	5360~40000	5362.31	-47.67	≤-27	PASS
11A	Ant2	5280	5360~40000	5379.63	-49.83	≤-27	PASS
11A	Ant1	5320	30~5140	5125.52	-50.56	≤-27	PASS
11A	Ant2	5320	30~5140	2401.72	-52.67	≤-27	PASS
11A	Ant1	5320	5360~40000	5363.46	-43.83	≤-27	PASS
11A	Ant2	5320	5360~40000	5363.46	-44.5	≤-27	PASS
11A	Ant1	5500	30~5460	5459.64	-42.46	≤-27	PASS
11A	Ant2	5500	30~5460	5455.29	-45.27	≤-27	PASS
11A	Ant1	5500	5735~40000	11001.53	-47.29	≤-27	PASS
11A	Ant2	5500	5735~40000	11004.96	-53.02	≤-27	PASS
11A	Ant1	5580	30~5460	5427.42	-50.31	≤-27	PASS
11A	Ant2	5580	30~5460	5418.37	-46.07	≤-27	PASS
11A	Ant1	5580	5735~40000	5747.56	-50.64	≤-27	PASS
11A	Ant2	5580	5735~40000	11160.29	-53.36	≤-27	PASS
11A	Ant1	5700	30~5460	2480.02	-50.2	≤-27	PASS
11A	Ant2	5700	30~5460	5455.66	-55.45	≤-27	PASS
11A	Ant1	5700	5735~40000	5735	-40.64	≤-27	PASS
11A	Ant2	5700	5735~40000	5737.28	-46.67	≤-27	PASS
11A	Ant1	5745	30~5650	4039.12	-41.32	≤-27	PASS
11A	Ant2	5745	30~5650	3995.1	-41.45	≤-27	PASS
11A	Ant1	5745	5925~40000	39122	-33.72	≤-27	PASS
11A	Ant2	5745	5925~40000	35993.92	-32.94	≤-27	PASS
11A	Ant1	5785	30~5650	4857.02	-41.11	≤-27	PASS
11A	Ant2	5785	30~5650	4005.59	-41.34	≤-27	PASS
11A	Ant1	5785	5925~40000	38499.56	-31.93	≤-27	PASS
11A	Ant2	5785	5925~40000	39466.16	-33.31	≤-27	PASS
11A	Ant1	5825	30~5650	4070.97	-39.78	≤-27	PASS
11A	Ant2	5825	30~5650	4039.5	-41.29	≤-27	PASS
11A	Ant1	5825	5925~40000	38657.45	-31.45	≤-27	PASS
11A	Ant2	5825	5925~40000	39131.09	-33.22	≤-27	PASS
11N20MIMO	Ant1	5180	30~5140	5135.57	-41.36	≤-27	PASS
11N20MIMO	Ant2	5180	30~5140	5135.06	-44.58	≤-27	PASS
11N20MIMO	Ant1	5180	5360~40000	10355.09	-49.98	≤-27	PASS
11N20MIMO	Ant2	5180	5360~40000	10363.17	-45.91	≤-27	PASS
11N20MIMO	Ant1	5200	30~5140	5133.53	-45.76	≤-27	PASS
11N20MIMO	Ant2	5200	30~5140	5113.77	-47.36	≤-27	PASS
11N20MIMO	Ant1	5200	5360~40000	10404.74	-51.74	≤-27	PASS

TEST REPORT

11N20MIMO	Ant2	5200	5360~40000	10394.35	-51.84	≤-27	PASS
11N20MIMO	Ant1	5240	30~5140	5072.04	-46.1	≤-27	PASS
11N20MIMO	Ant2	5240	30~5140	5079.87	-49.08	≤-27	PASS
11N20MIMO	Ant1	5240	5360~40000	38604.01	-51.88	≤-27	PASS
11N20MIMO	Ant2	5240	5360~40000	5399.26	-47.61	≤-27	PASS
11N20MIMO	Ant1	5260	30~5140	5131.99	-48.07	≤-27	PASS
11N20MIMO	Ant2	5260	30~5140	5103.04	-48.69	≤-27	PASS
11N20MIMO	Ant1	5260	5360~40000	5365.77	-49.59	≤-27	PASS
11N20MIMO	Ant2	5260	5360~40000	5360	-47.83	≤-27	PASS
11N20MIMO	Ant1	5280	30~5140	5115.98	-44.23	≤-27	PASS
11N20MIMO	Ant2	5280	30~5140	5110.7	-51.45	≤-27	PASS
11N20MIMO	Ant1	5280	5360~40000	5360	-49.37	≤-27	PASS
11N20MIMO	Ant2	5280	5360~40000	5368.08	-49.54	≤-27	PASS
11N20MIMO	Ant1	5320	30~5140	5124.33	-52.21	≤-27	PASS
11N20MIMO	Ant2	5320	30~5140	5138.47	-56.28	≤-27	PASS
11N20MIMO	Ant1	5320	5360~40000	5360	-43.02	≤-27	PASS
11N20MIMO	Ant2	5320	5360~40000	5362.31	-45.95	≤-27	PASS
11N20MIMO	Ant1	5500	30~5460	5419.64	-42.16	≤-27	PASS
11N20MIMO	Ant2	5500	30~5460	5460	-40.07	≤-27	PASS
11N20MIMO	Ant1	5500	5735~40000	11000.39	-47.34	≤-27	PASS
11N20MIMO	Ant2	5500	5735~40000	11003.81	-51.57	≤-27	PASS
11N20MIMO	Ant1	5580	30~5460	5430.14	-50.18	≤-27	PASS
11N20MIMO	Ant2	5580	30~5460	2411.42	-44.21	≤-27	PASS
11N20MIMO	Ant1	5580	5735~40000	11156.87	-50.36	≤-27	PASS
11N20MIMO	Ant2	5580	5735~40000	5748.71	-50.57	≤-27	PASS
11N20MIMO	Ant1	5700	30~5460	5457.47	-57.99	≤-27	PASS
11N20MIMO	Ant2	5700	30~5460	5423.62	-56.02	≤-27	PASS
11N20MIMO	Ant1	5700	5735~40000	5737.28	-41.7	≤-27	PASS
11N20MIMO	Ant2	5700	5735~40000	5741.85	-45.47	≤-27	PASS
11N20MIMO	Ant1	5745	30~5650	4849.71	-41.18	≤-27	PASS
11N20MIMO	Ant2	5745	30~5650	4074.34	-42.03	≤-27	PASS
11N20MIMO	Ant1	5745	5925~40000	39042.49	-32.27	≤-27	PASS
11N20MIMO	Ant2	5745	5925~40000	38625.64	-34.06	≤-27	PASS
11N20MIMO	Ant1	5785	30~5650	4061.79	-40.47	≤-27	PASS
11N20MIMO	Ant2	5785	30~5650	3800.83	-41.94	≤-27	PASS
11N20MIMO	Ant1	5785	5925~40000	38769.89	-32.54	≤-27	PASS
11N20MIMO	Ant2	5785	5925~40000	38790.34	-33.23	≤-27	PASS
11N20MIMO	Ant1	5825	30~5650	4848.96	-40.48	≤-27	PASS
11N20MIMO	Ant2	5825	30~5650	3811.51	-41.53	≤-27	PASS
11N20MIMO	Ant1	5825	5925~40000	39234.45	-32.64	≤-27	PASS
11N20MIMO	Ant2	5825	5925~40000	39220.82	-32.79	≤-27	PASS
11N40MIMO	Ant1	5190	30~5140	5129.27	-41.22	≤-27	PASS
11N40MIMO	Ant2	5190	30~5140	5140	-31.23	≤-27	PASS
11N40MIMO	Ant1	5190	5360~40000	10380.49	-52.47	≤-27	PASS
11N40MIMO	Ant2	5190	5360~40000	10370.1	-49.75	≤-27	PASS
11N40MIMO	Ant1	5230	30~5140	2413.47	-45.53	≤-27	PASS
11N40MIMO	Ant2	5230	30~5140	2413.3	-47.7	≤-27	PASS
11N40MIMO	Ant1	5230	5360~40000	5372.7	-49.84	≤-27	PASS
11N40MIMO	Ant2	5230	5360~40000	5383.09	-52.44	≤-27	PASS
11N40MIMO	Ant1	5270	30~5140	5099.97	-46.91	≤-27	PASS
11N40MIMO	Ant2	5270	30~5140	5130.46	-51.97	≤-27	PASS
11N40MIMO	Ant1	5270	5360~40000	5429.28	-49.2	≤-27	PASS
11N40MIMO	Ant2	5270	5360~40000	5363.46	-47.54	≤-27	PASS
11N40MIMO	Ant1	5310	30~5140	3405.33	-37.13	≤-27	PASS
11N40MIMO	Ant2	5310	30~5140	2415.52	-47.24	≤-27	PASS
11N40MIMO	Ant1	5310	5360~40000	5361.15	-39.01	≤-27	PASS
11N40MIMO	Ant2	5310	5360~40000	5360	-33.75	≤-27	PASS
11N40MIMO	Ant1	5510	30~5460	5455.66	-37.92	≤-27	PASS
11N40MIMO	Ant2	5510	30~5460	5459.1	-33.55	≤-27	PASS
11N40MIMO	Ant1	5510	5735~40000	11019.81	-50.6	≤-27	PASS
11N40MIMO	Ant2	5510	5735~40000	39352.39	-52.27	≤-27	PASS

TEST REPORT


11N40MIMO	Ant1	5550	30~5460	5382.17	-44.71	≤-27	PASS
11N40MIMO	Ant2	5550	30~5460	5382.17	-45.53	≤-27	PASS
11N40MIMO	Ant1	5550	5735~40000	11099.76	-49.77	≤-27	PASS
11N40MIMO	Ant2	5550	5735~40000	39129.67	-53.99	≤-27	PASS
11N40MIMO	Ant1	5670	30~5460	2409.79	-52.44	≤-27	PASS
11N40MIMO	Ant2	5670	30~5460	5452.76	-54.46	≤-27	PASS
11N40MIMO	Ant1	5670	5735~40000	5736.14	-42.24	≤-27	PASS
11N40MIMO	Ant2	5670	5735~40000	5735	-48.65	≤-27	PASS
11N40MIMO	Ant1	5755	30~5650	3770.11	-41.46	≤-27	PASS
11N40MIMO	Ant2	5755	30~5650	3833.24	-40.36	≤-27	PASS
11N40MIMO	Ant1	5755	5925~40000	38864.17	-32.58	≤-27	PASS
11N40MIMO	Ant2	5755	5925~40000	38852.81	-33.81	≤-27	PASS
11N40MIMO	Ant1	5795	30~5650	4040.24	-40.93	≤-27	PASS
11N40MIMO	Ant2	5795	30~5650	3748.38	-41.61	≤-27	PASS
11N40MIMO	Ant1	5795	5925~40000	38301.93	-33.06	≤-27	PASS
11N40MIMO	Ant2	5795	5925~40000	38582.48	-33.25	≤-27	PASS
11AC20MIMO	Ant1	5180	30~5140	5082.94	-43.11	≤-27	PASS
11AC20MIMO	Ant2	5180	30~5140	5136.42	-43.35	≤-27	PASS
11AC20MIMO	Ant1	5180	5360~40000	10365.48	-51.15	≤-27	PASS
11AC20MIMO	Ant2	5180	5360~40000	10357.4	-48.77	≤-27	PASS
11AC20MIMO	Ant1	5200	30~5140	5121.09	-41.92	≤-27	PASS
11AC20MIMO	Ant2	5200	30~5140	5124.16	-45.89	≤-27	PASS
11AC20MIMO	Ant1	5200	5360~40000	10400.12	-47.53	≤-27	PASS
11AC20MIMO	Ant2	5200	5360~40000	10395.5	-48.86	≤-27	PASS
11AC20MIMO	Ant1	5240	30~5140	5133.87	-46.51	≤-27	PASS
11AC20MIMO	Ant2	5240	30~5140	5081.58	-47.63	≤-27	PASS
11AC20MIMO	Ant1	5240	5360~40000	5365.77	-52.49	≤-27	PASS
11AC20MIMO	Ant2	5240	5360~40000	10471.71	-49.4	≤-27	PASS
11AC20MIMO	Ant1	5260	30~5140	5102.87	-42.64	≤-27	PASS
11AC20MIMO	Ant2	5260	30~5140	5099.46	-51.65	≤-27	PASS
11AC20MIMO	Ant1	5260	5360~40000	5361.15	-49.57	≤-27	PASS
11AC20MIMO	Ant2	5260	5360~40000	5364.62	-50.09	≤-27	PASS
11AC20MIMO	Ant1	5280	30~5140	5127.74	-48.18	≤-27	PASS
11AC20MIMO	Ant2	5280	30~5140	5116.15	-51.16	≤-27	PASS
11AC20MIMO	Ant1	5280	5360~40000	5387.71	-49.39	≤-27	PASS
11AC20MIMO	Ant2	5280	5360~40000	10562.93	-50.07	≤-27	PASS
11AC20MIMO	Ant1	5320	30~5140	5133.7	-51.47	≤-27	PASS
11AC20MIMO	Ant2	5320	30~5140	5134.21	-56.82	≤-27	PASS
11AC20MIMO	Ant1	5320	5360~40000	5385.4	-45.46	≤-27	PASS
11AC20MIMO	Ant2	5320	5360~40000	5364.62	-46.55	≤-27	PASS
11AC20MIMO	Ant1	5500	30~5460	5458.19	-39.62	≤-27	PASS
11AC20MIMO	Ant2	5500	30~5460	5459.46	-40.51	≤-27	PASS
11AC20MIMO	Ant1	5500	5735~40000	10994.68	-48.27	≤-27	PASS
11AC20MIMO	Ant2	5500	5735~40000	10990.11	-53.97	≤-27	PASS
11AC20MIMO	Ant1	5580	30~5460	5411.67	-46.08	≤-27	PASS
11AC20MIMO	Ant2	5580	30~5460	5411.67	-45.51	≤-27	PASS
11AC20MIMO	Ant1	5580	5735~40000	11161.43	-47.26	≤-27	PASS
11AC20MIMO	Ant2	5580	5735~40000	39129.67	-53.46	≤-27	PASS
11AC20MIMO	Ant1	5700	30~5460	5421.63	-57.24	≤-27	PASS
11AC20MIMO	Ant2	5700	30~5460	5434.48	-55.68	≤-27	PASS
11AC20MIMO	Ant1	5700	5735~40000	5737.28	-42.09	≤-27	PASS
11AC20MIMO	Ant2	5700	5735~40000	5735	-46.63	≤-27	PASS
11AC20MIMO	Ant1	5745	30~5650	3755.69	-41.54	≤-27	PASS
11AC20MIMO	Ant2	5745	30~5650	3979.36	-41.73	≤-27	PASS
11AC20MIMO	Ant1	5745	5925~40000	38667.67	-32.76	≤-27	PASS
11AC20MIMO	Ant2	5745	5925~40000	35612.28	-33.39	≤-27	PASS
11AC20MIMO	Ant1	5785	30~5650	3803.08	-40.98	≤-27	PASS
11AC20MIMO	Ant2	5785	30~5650	4815.43	-42.07	≤-27	PASS
11AC20MIMO	Ant1	5785	5925~40000	39129.95	-32.63	≤-27	PASS
11AC20MIMO	Ant2	5785	5925~40000	38579.07	-33.56	≤-27	PASS
11AC20MIMO	Ant1	5825	30~5650	4856.46	-40.22	≤-27	PASS

TEST REPORT

11AC20MIMO	Ant2	5825	30~5650	3778.73	-41.97	≤-27	PASS
11AC20MIMO	Ant1	5825	5925~40000	38574.53	-31.37	≤-27	PASS
11AC20MIMO	Ant2	5825	5925~40000	36054.12	-33.52	≤-27	PASS
11AC40MIMO	Ant1	5190	30~5140	5133.7	-37.65	≤-27	PASS
11AC40MIMO	Ant2	5190	30~5140	5136.25	-39.4	≤-27	PASS
11AC40MIMO	Ant1	5190	5360~40000	38590.15	-53.11	≤-27	PASS
11AC40MIMO	Ant2	5190	5360~40000	10370.1	-51.59	≤-27	PASS
11AC40MIMO	Ant1	5230	30~5140	5075.27	-44.95	≤-27	PASS
11AC40MIMO	Ant2	5230	30~5140	5137.79	-46.19	≤-27	PASS
11AC40MIMO	Ant1	5230	5360~40000	5396.95	-49.24	≤-27	PASS
11AC40MIMO	Ant2	5230	5360~40000	5386.56	-51.39	≤-27	PASS
11AC40MIMO	Ant1	5270	30~5140	5112.92	-45.46	≤-27	PASS
11AC40MIMO	Ant2	5270	30~5140	5139.49	-51.25	≤-27	PASS
11AC40MIMO	Ant1	5270	5360~40000	5360	-48.65	≤-27	PASS
11AC40MIMO	Ant2	5270	5360~40000	5362.31	-48.24	≤-27	PASS
11AC40MIMO	Ant1	5310	30~5140	5131.65	-50.66	≤-27	PASS
11AC40MIMO	Ant2	5310	30~5140	5137.62	-51.2	≤-27	PASS
11AC40MIMO	Ant1	5310	5360~40000	5368.08	-38.35	≤-27	PASS
11AC40MIMO	Ant2	5310	5360~40000	5360	-33.91	≤-27	PASS
11AC40MIMO	Ant1	5510	30~5460	5454.57	-39.58	≤-27	PASS
11AC40MIMO	Ant2	5510	30~5460	5456.02	-34.15	≤-27	PASS
11AC40MIMO	Ant1	5510	5735~40000	38262.76	-53.44	≤-27	PASS
11AC40MIMO	Ant2	5510	5735~40000	38709.35	-54.22	≤-27	PASS
11AC40MIMO	Ant1	5550	30~5460	5383.08	-45.75	≤-27	PASS
11AC40MIMO	Ant2	5550	30~5460	5391.4	-47.29	≤-27	PASS
11AC40MIMO	Ant1	5550	5735~40000	11099.76	-50.59	≤-27	PASS
11AC40MIMO	Ant2	5550	5735~40000	39029.16	-53.56	≤-27	PASS
11AC40MIMO	Ant1	5670	30~5460	3401.85	-50	≤-27	PASS
11AC40MIMO	Ant2	5670	30~5460	5448.05	-54.08	≤-27	PASS
11AC40MIMO	Ant1	5670	5735~40000	5738.43	-42.31	≤-27	PASS
11AC40MIMO	Ant2	5670	5735~40000	5740.71	-46.91	≤-27	PASS
11AC40MIMO	Ant1	5755	30~5650	4855.52	-41.23	≤-27	PASS
11AC40MIMO	Ant2	5755	30~5650	4025.07	-40.84	≤-27	PASS
11AC40MIMO	Ant1	5755	5925~40000	35990.51	-33.24	≤-27	PASS
11AC40MIMO	Ant2	5755	5925~40000	38667.67	-33.68	≤-27	PASS
11AC40MIMO	Ant1	5795	30~5650	3811.51	-39.67	≤-27	PASS
11AC40MIMO	Ant2	5795	30~5650	4049.05	-41.57	≤-27	PASS
11AC40MIMO	Ant1	5795	5925~40000	39476.38	-32.55	≤-27	PASS
11AC40MIMO	Ant2	5795	5925~40000	38708.56	-33.38	≤-27	PASS
11AC80MIMO	Ant1	5210	30~5140	5123.65	-31.63	≤-27	PASS
11AC80MIMO	Ant2	5210	30~5140	5139.49	-29.94	≤-27	PASS
11AC80MIMO	Ant1	5210	5360~40000	5366.93	-50.52	≤-27	PASS
11AC80MIMO	Ant2	5210	5360~40000	5361.15	-50.28	≤-27	PASS
11AC80MIMO	Ant1	5290	30~5140	5135.06	-42.19	≤-27	PASS
11AC80MIMO	Ant2	5290	30~5140	5117.01	-48.65	≤-27	PASS
11AC80MIMO	Ant1	5290	5360~40000	5386.56	-37.9	≤-27	PASS
11AC80MIMO	Ant2	5290	5360~40000	5362.31	-47.22	≤-27	PASS
11AC80MIMO	Ant1	5530	30~5460	5455.48	-30.99	≤-27	PASS
11AC80MIMO	Ant2	5530	30~5460	5454.93	-30.67	≤-27	PASS
11AC80MIMO	Ant1	5530	5735~40000	11089.48	-51.87	≤-27	PASS
11AC80MIMO	Ant2	5530	5735~40000	39037.15	-54.14	≤-27	PASS
11AC80MIMO	Ant1	5610	30~5460	60.05	-43.61	≤-27	PASS
11AC80MIMO	Ant2	5610	30~5460	5447.51	-48.38	≤-27	PASS
11AC80MIMO	Ant1	5610	5735~40000	5737.28	-45.7	≤-27	PASS
11AC80MIMO	Ant2	5610	5735~40000	5736.14	-51.22	≤-27	PASS
11AC80MIMO	Ant1	5775	30~5650	59.97	-40.49	≤-27	PASS
11AC80MIMO	Ant2	5775	30~5650	5647.19	-40.99	≤-27	PASS
11AC80MIMO	Ant1	5775	5925~40000	39204.92	-33.12	≤-27	PASS
11AC80MIMO	Ant2	5775	5925~40000	38607.47	-32.7	≤-27	PASS

TEST REPORT


Test Graphs



11A-Ant1-5180-30~5140-PASS




11A-Ant2-5180-30~5140-PASS




11A-Ant1-5180-5360~40000-PASS



















11A-Ant1-5500-30~5460-PASS



11A-Ant2-5500-30~5460-PASS



11A-Ant1-5500-5735~40000-PASS