






Band2-9262-1-0.009~0.15MHz-PASS



Band2-9262-1-0.15~30MHz-PASS




Band2-9262-1-30~1000MHz-PASS



Band2-9262-1-1000~20000MHz-PASS



Band2-9262-2-0.009~0.15MHz-PASS




Band2-9262-2-0.15~30MHz-PASS











Band2-9262-2-30~1000MHz-PASS



Band2-9262-2-1000~20000MHz-PASS








Band2-9400-2-0.009~0.15MHz-PASS



Band2-9400-2-0.15~30MHz-PASS




Band2-9400-2-30~1000MHz-PASS



Band2-9400-2-1000~20000MHz-PASS



Band2-9400-3-0.009~0.15MHz-PASS











Band2-9400-3-0.15~30MHz-PASS




















Band2-9400-3-30~1000MHz-PASS




Band2-9400-3-1000~20000MHz-PASS










Band2-9538-5-0.009~0.15MHz-PASS



Band2-9538-5-0.15~30MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-5-1000~20000MHz-PASS

Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	4.46	0.002408	±2.5	PASS
Band2	9262	VL	NT	5.81	0.003136	±2.5	PASS
Band2	9262	VH	NT	4.50	0.002429	±2.5	PASS
Band2	9400	VN	NT	-0.17	-0.000090	±2.5	PASS
Band2	9400	VL	NT	-0.41	-0.000218	±2.5	PASS
Band2	9400	VH	NT	0.02	0.000011	±2.5	PASS
Band2	9538	VN	NT	-6.57	-0.003444	±2.5	PASS
Band2	9538	VL	NT	-7.06	-0.003701	±2.5	PASS
Band2	9538	VH	NT	-7.82	-0.004099	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	5.80	0.003131	±2.5	PASS
Band2	9262	NV	-20	5.97	0.003223	±2.5	PASS
Band2	9262	NV	-10	3.78	0.002041	±2.5	PASS
Band2	9262	NV	0	4.98	0.002688	±2.5	PASS
Band2	9262	NV	10	5.94	0.003207	±2.5	PASS
Band2	9262	NV	20	6.17	0.003331	±2.5	PASS
Band2	9262	NV	30	6.66	0.003595	±2.5	PASS
Band2	9262	NV	40	5.35	0.002888	±2.5	PASS
Band2	9262	NV	50	6.05	0.003266	±2.5	PASS
Band2	9400	NV	-30	-1.70	-0.000904	±2.5	PASS
Band2	9400	NV	-20	0.01	0.000005	±2.5	PASS
Band2	9400	NV	-10	-0.47	-0.000250	±2.5	PASS
Band2	9400	NV	0	-0.52	-0.000277	±2.5	PASS
Band2	9400	NV	10	1.34	0.000713	±2.5	PASS
Band2	9400	NV	20	0.39	0.000207	±2.5	PASS
Band2	9400	NV	30	-0.23	-0.000122	±2.5	PASS
Band2	9400	NV	40	-0.33	-0.000176	±2.5	PASS
Band2	9400	NV	50	1.62	0.000862	±2.5	PASS
Band2	9538	NV	-30	-6.70	-0.003512	±2.5	PASS
Band2	9538	NV	-20	-7.20	-0.003774	±2.5	PASS
Band2	9538	NV	-10	-7.32	-0.003837	±2.5	PASS

Band2	9538	NV	0	-6.11	-0.003203	±2.5	PASS
Band2	9538	NV	10	-6.04	-0.003166	±2.5	PASS
Band2	9538	NV	20	-7.38	-0.003869	±2.5	PASS
Band2	9538	NV	30	-7.19	-0.003769	±2.5	PASS
Band2	9538	NV	40	-6.49	-0.003402	±2.5	PASS
Band2	9538	NV	50	-8.76	-0.004592	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	2.12	0.001144	±2.5	PASS
Band2	9262	1	VL	NT	1.35	0.000729	±2.5	PASS
Band2	9262	1	VH	NT	1.83	0.000988	±2.5	PASS
Band2	9262	2	VN	NT	3.45	0.001862	±2.5	PASS
Band2	9262	2	VL	NT	3.41	0.001841	±2.5	PASS
Band2	9262	2	VH	NT	3.11	0.001679	±2.5	PASS
Band2	9262	3	VN	NT	3.50	0.001889	±2.5	PASS
Band2	9262	3	VL	NT	4.12	0.002224	±2.5	PASS
Band2	9262	3	VH	NT	3.75	0.002024	±2.5	PASS
Band2	9262	4	VN	NT	2.86	0.001544	±2.5	PASS
Band2	9262	4	VL	NT	3.83	0.002068	±2.5	PASS
Band2	9262	4	VH	NT	4.50	0.002429	±2.5	PASS
Band2	9400	1	VN	NT	-1.90	-0.001011	±2.5	PASS
Band2	9400	1	VL	NT	-1.65	-0.000878	±2.5	PASS
Band2	9400	1	VH	NT	-1.24	-0.000660	±2.5	PASS
Band2	9400	2	VN	NT	-0.36	-0.000191	±2.5	PASS
Band2	9400	2	VL	NT	-1.35	-0.000718	±2.5	PASS
Band2	9400	2	VH	NT	-0.74	-0.000394	±2.5	PASS
Band2	9400	3	VN	NT	-2.63	-0.001399	±2.5	PASS
Band2	9400	3	VL	NT	-1.79	-0.000952	±2.5	PASS
Band2	9400	3	VH	NT	-0.96	-0.000511	±2.5	PASS
Band2	9400	4	VN	NT	-2.62	-0.001394	±2.5	PASS
Band2	9400	4	VL	NT	-2.11	-0.001122	±2.5	PASS
Band2	9400	4	VH	NT	-1.26	-0.000670	±2.5	PASS
Band2	9538	1	VN	NT	-8.30	-0.004351	±2.5	PASS
Band2	9538	1	VL	NT	-6.77	-0.003549	±2.5	PASS
Band2	9538	1	VH	NT	-8.54	-0.004477	±2.5	PASS
Band2	9538	2	VN	NT	-6.50	-0.003407	±2.5	PASS
Band2	9538	2	VL	NT	-5.38	-0.002820	±2.5	PASS
Band2	9538	2	VH	NT	-6.62	-0.003470	±2.5	PASS
Band2	9538	3	VN	NT	-5.66	-0.002967	±2.5	PASS
Band2	9538	3	VL	NT	-6.91	-0.003622	±2.5	PASS

Band2	9538	3	VH	NT	-6.26	-0.003282	±2.5	PASS
Band2	9538	4	VN	NT	-8.46	-0.004435	±2.5	PASS
Band2	9538	4	VL	NT	-7.19	-0.003769	±2.5	PASS
Band2	9538	4	VH	NT	-7.00	-0.003670	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	1.31	0.000707	±2.5	PASS
Band2	9262	1	NV	-20	2.09	0.001128	±2.5	PASS
Band2	9262	1	NV	-10	2.80	0.001512	±2.5	PASS
Band2	9262	1	NV	0	3.09	0.001668	±2.5	PASS
Band2	9262	1	NV	10	0.78	0.000421	±2.5	PASS
Band2	9262	1	NV	20	2.24	0.001209	±2.5	PASS
Band2	9262	1	NV	30	2.39	0.001290	±2.5	PASS
Band2	9262	1	NV	40	3.38	0.001825	±2.5	PASS
Band2	9262	1	NV	50	2.96	0.001598	±2.5	PASS
Band2	9262	2	NV	-30	2.91	0.001571	±2.5	PASS
Band2	9262	2	NV	-20	3.49	0.001884	±2.5	PASS
Band2	9262	2	NV	-10	2.77	0.001495	±2.5	PASS
Band2	9262	2	NV	0	3.46	0.001868	±2.5	PASS
Band2	9262	2	NV	10	3.81	0.002057	±2.5	PASS
Band2	9262	2	NV	20	3.49	0.001884	±2.5	PASS
Band2	9262	2	NV	30	3.79	0.002046	±2.5	PASS
Band2	9262	2	NV	40	3.65	0.001970	±2.5	PASS
Band2	9262	2	NV	50	2.93	0.001582	±2.5	PASS
Band2	9262	3	NV	-30	4.23	0.002284	±2.5	PASS
Band2	9262	3	NV	-20	3.32	0.001792	±2.5	PASS
Band2	9262	3	NV	-10	4.56	0.002462	±2.5	PASS
Band2	9262	3	NV	0	4.93	0.002661	±2.5	PASS
Band2	9262	3	NV	10	3.06	0.001652	±2.5	PASS
Band2	9262	3	NV	20	4.19	0.002262	±2.5	PASS
Band2	9262	3	NV	30	5.32	0.002872	±2.5	PASS
Band2	9262	3	NV	40	4.48	0.002418	±2.5	PASS
Band2	9262	3	NV	50	5.12	0.002764	±2.5	PASS
Band2	9262	4	NV	-30	5.42	0.002926	±2.5	PASS
Band2	9262	4	NV	-20	4.47	0.002413	±2.5	PASS
Band2	9262	4	NV	-10	4.12	0.002224	±2.5	PASS
Band2	9262	4	NV	0	5.13	0.002769	±2.5	PASS
Band2	9262	4	NV	10	5.35	0.002888	±2.5	PASS
Band2	9262	4	NV	20	5.02	0.002710	±2.5	PASS
Band2	9262	4	NV	30	3.76	0.002030	±2.5	PASS

Band2	9262	4	NV	40	6.28	0.003390	±2.5	PASS
Band2	9262	4	NV	50	4.99	0.002694	±2.5	PASS
Band2	9400	1	NV	-30	-1.20	-0.000638	±2.5	PASS
Band2	9400	1	NV	-20	-1.73	-0.000920	±2.5	PASS
Band2	9400	1	NV	-10	-2.69	-0.001431	±2.5	PASS
Band2	9400	1	NV	0	-0.77	-0.000410	±2.5	PASS
Band2	9400	1	NV	10	-1.92	-0.001021	±2.5	PASS
Band2	9400	1	NV	20	-0.69	-0.000367	±2.5	PASS
Band2	9400	1	NV	30	-2.69	-0.001431	±2.5	PASS
Band2	9400	1	NV	40	-0.81	-0.000431	±2.5	PASS
Band2	9400	1	NV	50	-0.08	-0.000043	±2.5	PASS
Band2	9400	2	NV	-30	-0.45	-0.000239	±2.5	PASS
Band2	9400	2	NV	-20	-1.65	-0.000878	±2.5	PASS
Band2	9400	2	NV	-10	-1.46	-0.000777	±2.5	PASS
Band2	9400	2	NV	0	-0.99	-0.000527	±2.5	PASS
Band2	9400	2	NV	10	-1.27	-0.000676	±2.5	PASS
Band2	9400	2	NV	20	-2.10	-0.001117	±2.5	PASS
Band2	9400	2	NV	30	-0.86	-0.000457	±2.5	PASS
Band2	9400	2	NV	40	-0.07	-0.000037	±2.5	PASS
Band2	9400	2	NV	50	0.59	0.000314	±2.5	PASS
Band2	9400	3	NV	-30	-1.78	-0.000947	±2.5	PASS
Band2	9400	3	NV	-20	-0.08	-0.000043	±2.5	PASS
Band2	9400	3	NV	-10	-0.09	-0.000048	±2.5	PASS
Band2	9400	3	NV	0	-1.90	-0.001011	±2.5	PASS
Band2	9400	3	NV	10	-0.11	-0.000059	±2.5	PASS
Band2	9400	3	NV	20	-0.71	-0.000378	±2.5	PASS
Band2	9400	3	NV	30	0.00	0.000000	±2.5	PASS
Band2	9400	3	NV	40	-0.81	-0.000431	±2.5	PASS
Band2	9400	3	NV	50	-0.92	-0.000489	±2.5	PASS
Band2	9400	4	NV	-30	-1.32	-0.000702	±2.5	PASS
Band2	9400	4	NV	-20	-0.66	-0.000351	±2.5	PASS
Band2	9400	4	NV	-10	-0.19	-0.000101	±2.5	PASS
Band2	9400	4	NV	0	-0.77	-0.000410	±2.5	PASS
Band2	9400	4	NV	10	-0.26	-0.000138	±2.5	PASS
Band2	9400	4	NV	20	-0.21	-0.000112	±2.5	PASS
Band2	9400	4	NV	30	-2.22	-0.001181	±2.5	PASS
Band2	9400	4	NV	40	-2.51	-0.001335	±2.5	PASS
Band2	9400	4	NV	50	-0.93	-0.000495	±2.5	PASS
Band2	9538	1	NV	-30	-6.64	-0.003481	±2.5	PASS
Band2	9538	1	NV	-20	-6.49	-0.003402	±2.5	PASS
Band2	9538	1	NV	-10	-7.99	-0.004189	±2.5	PASS

Band2	9538	1	NV	0	-8.13	-0.004262	±2.5	PASS
Band2	9538	1	NV	10	-5.50	-0.002883	±2.5	PASS
Band2	9538	1	NV	20	-5.78	-0.003030	±2.5	PASS
Band2	9538	1	NV	30	-5.47	-0.002867	±2.5	PASS
Band2	9538	1	NV	40	-6.28	-0.003292	±2.5	PASS
Band2	9538	1	NV	50	-6.93	-0.003633	±2.5	PASS
Band2	9538	2	NV	-30	-5.69	-0.002983	±2.5	PASS
Band2	9538	2	NV	-20	-6.46	-0.003386	±2.5	PASS
Band2	9538	2	NV	-10	-7.97	-0.004178	±2.5	PASS
Band2	9538	2	NV	0	-7.16	-0.003753	±2.5	PASS
Band2	9538	2	NV	10	-5.00	-0.002621	±2.5	PASS
Band2	9538	2	NV	20	-6.01	-0.003151	±2.5	PASS
Band2	9538	2	NV	30	-5.48	-0.002873	±2.5	PASS
Band2	9538	2	NV	40	-6.44	-0.003376	±2.5	PASS
Band2	9538	2	NV	50	-3.84	-0.002013	±2.5	PASS
Band2	9538	3	NV	-30	-6.72	-0.003523	±2.5	PASS
Band2	9538	3	NV	-20	-8.05	-0.004220	±2.5	PASS
Band2	9538	3	NV	-10	-6.96	-0.003649	±2.5	PASS
Band2	9538	3	NV	0	-7.30	-0.003827	±2.5	PASS
Band2	9538	3	NV	10	-7.52	-0.003942	±2.5	PASS
Band2	9538	3	NV	20	-7.57	-0.003968	±2.5	PASS
Band2	9538	3	NV	30	-7.52	-0.003942	±2.5	PASS
Band2	9538	3	NV	40	-6.87	-0.003601	±2.5	PASS
Band2	9538	3	NV	50	-5.79	-0.003035	±2.5	PASS
Band2	9538	4	NV	-30	-6.98	-0.003659	±2.5	PASS
Band2	9538	4	NV	-20	-6.12	-0.003208	±2.5	PASS
Band2	9538	4	NV	-10	-7.47	-0.003916	±2.5	PASS
Band2	9538	4	NV	0	-6.68	-0.003502	±2.5	PASS
Band2	9538	4	NV	10	-7.17	-0.003759	±2.5	PASS
Band2	9538	4	NV	20	-6.23	-0.003266	±2.5	PASS
Band2	9538	4	NV	30	-6.37	-0.003339	±2.5	PASS
Band2	9538	4	NV	40	-6.67	-0.003497	±2.5	PASS
Band2	9538	4	NV	50	-7.43	-0.003895	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-4.16	-0.002246	±2.5	PASS
Band2	9262	1	VL	NT	-3.73	-0.002014	±2.5	PASS
Band2	9262	1	VH	NT	-2.68	-0.001447	±2.5	PASS
Band2	9262	2	VN	NT	0.61	0.000329	±2.5	PASS
Band2	9262	2	VL	NT	0.54	0.000292	±2.5	PASS
Band2	9262	2	VH	NT	0.99	0.000534	±2.5	PASS
Band2	9262	3	VN	NT	1.62	0.000875	±2.5	PASS
Band2	9262	3	VL	NT	1.79	0.000966	±2.5	PASS
Band2	9262	3	VH	NT	1.75	0.000945	±2.5	PASS
Band2	9262	4	VN	NT	1.98	0.001069	±2.5	PASS
Band2	9262	4	VL	NT	2.13	0.001150	±2.5	PASS
Band2	9262	4	VH	NT	1.98	0.001069	±2.5	PASS
Band2	9262	5	VN	NT	2.59	0.001398	±2.5	PASS
Band2	9262	5	VL	NT	1.32	0.000713	±2.5	PASS
Band2	9262	5	VH	NT	4.04	0.002181	±2.5	PASS
Band2	9400	1	VN	NT	-3.25	-0.001729	±2.5	PASS
Band2	9400	1	VL	NT	-4.65	-0.002473	±2.5	PASS
Band2	9400	1	VH	NT	-2.77	-0.001473	±2.5	PASS
Band2	9400	2	VN	NT	-1.50	-0.000798	±2.5	PASS
Band2	9400	2	VL	NT	-1.51	-0.000803	±2.5	PASS
Band2	9400	2	VH	NT	-1.63	-0.000867	±2.5	PASS
Band2	9400	3	VN	NT	-1.68	-0.000894	±2.5	PASS
Band2	9400	3	VL	NT	-2.89	-0.001537	±2.5	PASS
Band2	9400	3	VH	NT	-2.50	-0.001330	±2.5	PASS
Band2	9400	4	VN	NT	-0.56	-0.000298	±2.5	PASS
Band2	9400	4	VL	NT	-1.57	-0.000835	±2.5	PASS
Band2	9400	4	VH	NT	-2.00	-0.001064	±2.5	PASS
Band2	9400	5	VN	NT	-1.36	-0.000723	±2.5	PASS
Band2	9400	5	VL	NT	-2.98	-0.001585	±2.5	PASS
Band2	9400	5	VH	NT	-1.70	-0.000904	±2.5	PASS
Band2	9538	1	VN	NT	-5.99	-0.003140	±2.5	PASS
Band2	9538	1	VL	NT	-5.98	-0.003135	±2.5	PASS
Band2	9538	1	VH	NT	-6.36	-0.003334	±2.5	PASS
Band2	9538	2	VN	NT	-4.62	-0.002422	±2.5	PASS
Band2	9538	2	VL	NT	-6.27	-0.003287	±2.5	PASS
Band2	9538	2	VH	NT	-5.16	-0.002705	±2.5	PASS
Band2	9538	3	VN	NT	-5.91	-0.003098	±2.5	PASS
Band2	9538	3	VL	NT	-5.71	-0.002993	±2.5	PASS
Band2	9538	3	VH	NT	-6.21	-0.003255	±2.5	PASS

Band2	9538	4	VN	NT	-5.33	-0.002794	±2.5	PASS
Band2	9538	4	VL	NT	-6.00	-0.003145	±2.5	PASS
Band2	9538	4	VH	NT	-8.78	-0.004603	±2.5	PASS
Band2	9538	5	VN	NT	-7.10	-0.003722	±2.5	PASS
Band2	9538	5	VL	NT	-7.32	-0.003837	±2.5	PASS
Band2	9538	5	VH	NT	-8.69	-0.004555	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-2.35	-0.001269	±2.5	PASS
Band2	9262	1	NV	-20	-1.87	-0.001010	±2.5	PASS
Band2	9262	1	NV	-10	-1.13	-0.000610	±2.5	PASS
Band2	9262	1	NV	0	-0.61	-0.000329	±2.5	PASS
Band2	9262	1	NV	10	-0.55	-0.000297	±2.5	PASS
Band2	9262	1	NV	20	0.00	0.000000	±2.5	PASS
Band2	9262	1	NV	30	0.17	0.000092	±2.5	PASS
Band2	9262	1	NV	40	0.86	0.000464	±2.5	PASS
Band2	9262	1	NV	50	0.94	0.000507	±2.5	PASS
Band2	9262	2	NV	-30	1.17	0.000632	±2.5	PASS
Band2	9262	2	NV	-20	1.09	0.000588	±2.5	PASS
Band2	9262	2	NV	-10	1.28	0.000691	±2.5	PASS
Band2	9262	2	NV	0	2.13	0.001150	±2.5	PASS
Band2	9262	2	NV	10	2.17	0.001171	±2.5	PASS
Band2	9262	2	NV	20	2.19	0.001182	±2.5	PASS
Band2	9262	2	NV	30	2.26	0.001220	±2.5	PASS
Band2	9262	2	NV	40	2.29	0.001236	±2.5	PASS
Band2	9262	2	NV	50	2.73	0.001474	±2.5	PASS
Band2	9262	3	NV	-30	2.10	0.001134	±2.5	PASS
Band2	9262	3	NV	-20	1.97	0.001063	±2.5	PASS
Band2	9262	3	NV	-10	2.84	0.001533	±2.5	PASS
Band2	9262	3	NV	0	2.40	0.001296	±2.5	PASS
Band2	9262	3	NV	10	2.81	0.001517	±2.5	PASS
Band2	9262	3	NV	20	2.76	0.001490	±2.5	PASS
Band2	9262	3	NV	30	3.72	0.002008	±2.5	PASS
Band2	9262	3	NV	40	3.14	0.001695	±2.5	PASS
Band2	9262	3	NV	50	3.27	0.001765	±2.5	PASS
Band2	9262	4	NV	-30	2.54	0.001371	±2.5	PASS
Band2	9262	4	NV	-20	2.53	0.001366	±2.5	PASS
Band2	9262	4	NV	-10	2.28	0.001231	±2.5	PASS
Band2	9262	4	NV	0	3.02	0.001630	±2.5	PASS
Band2	9262	4	NV	10	3.15	0.001700	±2.5	PASS

Band2	9262	4	NV	20	3.38	0.001825	±2.5	PASS
Band2	9262	4	NV	30	3.01	0.001625	±2.5	PASS
Band2	9262	4	NV	40	3.32	0.001792	±2.5	PASS
Band2	9262	4	NV	50	3.16	0.001706	±2.5	PASS
Band2	9262	5	NV	-30	2.93	0.001582	±2.5	PASS
Band2	9262	5	NV	-20	2.25	0.001215	±2.5	PASS
Band2	9262	5	NV	-10	2.26	0.001220	±2.5	PASS
Band2	9262	5	NV	0	1.78	0.000961	±2.5	PASS
Band2	9262	5	NV	10	1.51	0.000815	±2.5	PASS
Band2	9262	5	NV	20	3.17	0.001711	±2.5	PASS
Band2	9262	5	NV	30	2.84	0.001533	±2.5	PASS
Band2	9262	5	NV	40	3.98	0.002149	±2.5	PASS
Band2	9262	5	NV	50	3.69	0.001992	±2.5	PASS
Band2	9400	1	NV	-30	-1.06	-0.000564	±2.5	PASS
Band2	9400	1	NV	-20	-3.33	-0.001771	±2.5	PASS
Band2	9400	1	NV	-10	-1.53	-0.000814	±2.5	PASS
Band2	9400	1	NV	0	-1.70	-0.000904	±2.5	PASS
Band2	9400	1	NV	10	-0.98	-0.000521	±2.5	PASS
Band2	9400	1	NV	20	-2.15	-0.001144	±2.5	PASS
Band2	9400	1	NV	30	-1.26	-0.000670	±2.5	PASS
Band2	9400	1	NV	40	-2.25	-0.001197	±2.5	PASS
Band2	9400	1	NV	50	-2.49	-0.001324	±2.5	PASS
Band2	9400	2	NV	-30	-1.40	-0.000745	±2.5	PASS
Band2	9400	2	NV	-20	-0.70	-0.000372	±2.5	PASS
Band2	9400	2	NV	-10	-1.56	-0.000830	±2.5	PASS
Band2	9400	2	NV	0	-1.94	-0.001032	±2.5	PASS
Band2	9400	2	NV	10	-3.01	-0.001601	±2.5	PASS
Band2	9400	2	NV	20	-0.81	-0.000431	±2.5	PASS
Band2	9400	2	NV	30	-2.93	-0.001559	±2.5	PASS
Band2	9400	2	NV	40	-0.37	-0.000197	±2.5	PASS
Band2	9400	2	NV	50	-1.00	-0.000532	±2.5	PASS
Band2	9400	3	NV	-30	-1.31	-0.000697	±2.5	PASS
Band2	9400	3	NV	-20	-0.41	-0.000218	±2.5	PASS
Band2	9400	3	NV	-10	-1.04	-0.000553	±2.5	PASS
Band2	9400	3	NV	0	-0.90	-0.000479	±2.5	PASS
Band2	9400	3	NV	10	-1.05	-0.000559	±2.5	PASS
Band2	9400	3	NV	20	-2.54	-0.001351	±2.5	PASS
Band2	9400	3	NV	30	-2.04	-0.001085	±2.5	PASS
Band2	9400	3	NV	40	-0.64	-0.000340	±2.5	PASS
Band2	9400	3	NV	50	-1.90	-0.001011	±2.5	PASS
Band2	9400	4	NV	-30	-2.66	-0.001415	±2.5	PASS

Band2	9400	4	NV	-20	-1.42	-0.000755	±2.5	PASS
Band2	9400	4	NV	-10	-1.28	-0.000681	±2.5	PASS
Band2	9400	4	NV	0	-0.23	-0.000122	±2.5	PASS
Band2	9400	4	NV	10	-1.56	-0.000830	±2.5	PASS
Band2	9400	4	NV	20	-1.30	-0.000691	±2.5	PASS
Band2	9400	4	NV	30	-1.18	-0.000628	±2.5	PASS
Band2	9400	4	NV	40	1.60	0.000851	±2.5	PASS
Band2	9400	4	NV	50	-0.93	-0.000495	±2.5	PASS
Band2	9400	5	NV	-30	-2.29	-0.001218	±2.5	PASS
Band2	9400	5	NV	-20	-1.68	-0.000894	±2.5	PASS
Band2	9400	5	NV	-10	-1.82	-0.000968	±2.5	PASS
Band2	9400	5	NV	0	-2.12	-0.001128	±2.5	PASS
Band2	9400	5	NV	10	-0.87	-0.000463	±2.5	PASS
Band2	9400	5	NV	20	-2.83	-0.001505	±2.5	PASS
Band2	9400	5	NV	30	-0.85	-0.000452	±2.5	PASS
Band2	9400	5	NV	40	-1.20	-0.000638	±2.5	PASS
Band2	9400	5	NV	50	-1.18	-0.000628	±2.5	PASS
Band2	9538	1	NV	-30	-5.45	-0.002857	±2.5	PASS
Band2	9538	1	NV	-20	-7.51	-0.003937	±2.5	PASS
Band2	9538	1	NV	-10	-5.42	-0.002841	±2.5	PASS
Band2	9538	1	NV	0	-5.57	-0.002920	±2.5	PASS
Band2	9538	1	NV	10	-7.19	-0.003769	±2.5	PASS
Band2	9538	1	NV	20	-7.45	-0.003905	±2.5	PASS
Band2	9538	1	NV	30	-5.22	-0.002736	±2.5	PASS
Band2	9538	1	NV	40	-5.15	-0.002700	±2.5	PASS
Band2	9538	1	NV	50	-6.55	-0.003434	±2.5	PASS
Band2	9538	2	NV	-30	-5.71	-0.002993	±2.5	PASS
Band2	9538	2	NV	-20	-6.50	-0.003407	±2.5	PASS
Band2	9538	2	NV	-10	-6.48	-0.003397	±2.5	PASS
Band2	9538	2	NV	0	-5.33	-0.002794	±2.5	PASS
Band2	9538	2	NV	10	-6.45	-0.003381	±2.5	PASS
Band2	9538	2	NV	20	-4.64	-0.002432	±2.5	PASS
Band2	9538	2	NV	30	-6.69	-0.003507	±2.5	PASS
Band2	9538	2	NV	40	-4.07	-0.002134	±2.5	PASS
Band2	9538	2	NV	50	-5.40	-0.002831	±2.5	PASS
Band2	9538	3	NV	-30	-6.26	-0.003282	±2.5	PASS
Band2	9538	3	NV	-20	-6.65	-0.003486	±2.5	PASS
Band2	9538	3	NV	-10	-6.70	-0.003512	±2.5	PASS
Band2	9538	3	NV	0	-5.89	-0.003088	±2.5	PASS
Band2	9538	3	NV	10	-6.60	-0.003460	±2.5	PASS
Band2	9538	3	NV	20	-4.70	-0.002464	±2.5	PASS

Band2	9538	3	NV	30	-4.88	-0.002558	±2.5	PASS
Band2	9538	3	NV	40	-6.04	-0.003166	±2.5	PASS
Band2	9538	3	NV	50	-5.97	-0.003130	±2.5	PASS
Band2	9538	4	NV	-30	-5.23	-0.002742	±2.5	PASS
Band2	9538	4	NV	-20	-5.92	-0.003103	±2.5	PASS
Band2	9538	4	NV	-10	-6.53	-0.003423	±2.5	PASS
Band2	9538	4	NV	0	-5.03	-0.002637	±2.5	PASS
Band2	9538	4	NV	10	-6.83	-0.003580	±2.5	PASS
Band2	9538	4	NV	20	-4.04	-0.002118	±2.5	PASS
Band2	9538	4	NV	30	-5.02	-0.002632	±2.5	PASS
Band2	9538	4	NV	40	-6.20	-0.003250	±2.5	PASS
Band2	9538	4	NV	50	-6.71	-0.003518	±2.5	PASS
Band2	9538	5	NV	-30	-6.68	-0.003502	±2.5	PASS
Band2	9538	5	NV	-20	-5.75	-0.003014	±2.5	PASS
Band2	9538	5	NV	-10	-7.80	-0.004089	±2.5	PASS
Band2	9538	5	NV	0	-6.45	-0.003381	±2.5	PASS
Band2	9538	5	NV	10	-5.88	-0.003082	±2.5	PASS
Band2	9538	5	NV	20	-5.17	-0.002710	±2.5	PASS
Band2	9538	5	NV	30	-7.03	-0.003685	±2.5	PASS
Band2	9538	5	NV	40	-6.16	-0.003229	±2.5	PASS
Band2	9538	5	NV	50	-6.71	-0.003518	±2.5	PASS

----- THE END -----