




















Band4-1513-3-0.009~0.15MHz-PASS



Band4-1513-3-0.15~30MHz-PASS




Band4-1513-3-30~1000MHz-PASS




Band4-1513-3-1000~20000MHz-PASS



Band4-1513-4-0.009~0.15MHz-PASS




Band4-1513-4-0.15~30MHz-PASS









Band4-1513-4-30~1000MHz-PASS












Band4-1513-4-1000~20000MHz-PASS















Band4-1513-1-0.009~0.15MHz-PASS




Band4-1513-1-0.15~30MHz-PASS




Band4-1513-1-30~1000MHz-PASS



Band4-1513-1-1000~20000MHz-PASS



Band4-1513-2-0.009~0.15MHz-PASS













Band4-1513-2-0.15~30MHz-PASS




Band4-1513-2-30~1000MHz-PASS




Band4-1513-2-1000~20000MHz-PASS





Band4-1513-5-0.009~0.15MHz-PASS



Band4-1513-5-0.15~30MHz-PASS



Band4-1513-5-30~1000MHz-PASS



Band4-1513-5-1000~20000MHz-PASS

Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	VN	NT	9.51	0.005554	±2.5	PASS
Band4	1312	VL	NT	11.35	0.006628	±2.5	PASS
Band4	1312	VH	NT	11.99	0.007002	±2.5	PASS
Band4	1413	VN	NT	-2.11	-0.001218	±2.5	PASS
Band4	1413	VL	NT	-2.74	-0.001581	±2.5	PASS
Band4	1413	VH	NT	-3.12	-0.001801	±2.5	PASS
Band4	1513	VN	NT	-15.96	-0.009106	±2.5	PASS
Band4	1513	VL	NT	-17.18	-0.009803	±2.5	PASS
Band4	1513	VH	NT	-16.84	-0.009609	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	NV	-30	10.28	0.006003	±2.5	PASS
Band4	1312	NV	-20	12.10	0.007066	±2.5	PASS
Band4	1312	NV	-10	11.83	0.006908	±2.5	PASS
Band4	1312	NV	0	12.31	0.007189	±2.5	PASS
Band4	1312	NV	10	12.40	0.007241	±2.5	PASS
Band4	1312	NV	20	13.29	0.007761	±2.5	PASS
Band4	1312	NV	30	13.23	0.007726	±2.5	PASS
Band4	1312	NV	40	11.83	0.006908	±2.5	PASS
Band4	1312	NV	50	12.46	0.007276	±2.5	PASS
Band4	1413	NV	-30	-3.06	-0.001766	±2.5	PASS
Band4	1413	NV	-20	-2.07	-0.001195	±2.5	PASS
Band4	1413	NV	-10	-2.30	-0.001327	±2.5	PASS
Band4	1413	NV	0	-1.58	-0.000912	±2.5	PASS
Band4	1413	NV	10	-1.45	-0.000837	±2.5	PASS
Band4	1413	NV	20	-1.25	-0.000721	±2.5	PASS
Band4	1413	NV	30	-1.32	-0.000762	±2.5	PASS
Band4	1413	NV	40	-1.41	-0.000814	±2.5	PASS
Band4	1413	NV	50	-1.60	-0.000923	±2.5	PASS
Band4	1513	NV	-30	-15.45	-0.008815	±2.5	PASS
Band4	1513	NV	-20	-16.23	-0.009261	±2.5	PASS
Band4	1513	NV	-10	-15.85	-0.009044	±2.5	PASS

Band4	1513	NV	0	-16.15	-0.009215	±2.5	PASS
Band4	1513	NV	10	-16.60	-0.009472	±2.5	PASS
Band4	1513	NV	20	-15.74	-0.008981	±2.5	PASS
Band4	1513	NV	30	-16.31	-0.009306	±2.5	PASS
Band4	1513	NV	40	-16.60	-0.009472	±2.5	PASS
Band4	1513	NV	50	-17.16	-0.009791	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VN	NT	4.39	0.002564	±2.5	PASS
Band4	1312	1	VL	NT	4.71	0.002751	±2.5	PASS
Band4	1312	1	VH	NT	5.52	0.003224	±2.5	PASS
Band4	1312	2	VN	NT	11.99	0.007002	±2.5	PASS
Band4	1312	2	VL	NT	11.68	0.006821	±2.5	PASS
Band4	1312	2	VH	NT	11.74	0.006856	±2.5	PASS
Band4	1312	3	VN	NT	12.89	0.007527	±2.5	PASS
Band4	1312	3	VL	NT	13.50	0.007884	±2.5	PASS
Band4	1312	3	VH	NT	12.21	0.007130	±2.5	PASS
Band4	1312	4	VN	NT	16.98	0.009916	±2.5	PASS
Band4	1312	4	VL	NT	14.67	0.008567	±2.5	PASS
Band4	1312	4	VH	NT	14.70	0.008584	±2.5	PASS
Band4	1413	1	VN	NT	-1.19	-0.000687	±2.5	PASS
Band4	1413	1	VL	NT	-0.89	-0.000514	±2.5	PASS
Band4	1413	1	VH	NT	-0.84	-0.000485	±2.5	PASS
Band4	1413	2	VN	NT	-0.52	-0.000300	±2.5	PASS
Band4	1413	2	VL	NT	-0.83	-0.000479	±2.5	PASS
Band4	1413	2	VH	NT	0.35	0.000202	±2.5	PASS
Band4	1413	3	VN	NT	0.40	0.000231	±2.5	PASS
Band4	1413	3	VL	NT	-1.37	-0.000791	±2.5	PASS
Band4	1413	3	VH	NT	-1.67	-0.000964	±2.5	PASS
Band4	1413	4	VN	NT	0.12	0.000069	±2.5	PASS
Band4	1413	4	VL	NT	-0.11	-0.000063	±2.5	PASS
Band4	1413	4	VH	NT	-0.17	-0.000098	±2.5	PASS
Band4	1513	1	VN	NT	-16.28	-0.009289	±2.5	PASS
Band4	1513	1	VL	NT	-15.74	-0.008981	±2.5	PASS
Band4	1513	1	VH	NT	-16.93	-0.009660	±2.5	PASS
Band4	1513	2	VN	NT	-14.82	-0.008456	±2.5	PASS
Band4	1513	2	VL	NT	-14.50	-0.008273	±2.5	PASS
Band4	1513	2	VH	NT	-15.96	-0.009106	±2.5	PASS
Band4	1513	3	VN	NT	-16.09	-0.009181	±2.5	PASS
Band4	1513	3	VL	NT	-13.58	-0.007748	±2.5	PASS

Band4	1513	3	VH	NT	-15.82	-0.009027	±2.5	PASS
Band4	1513	4	VN	NT	-15.28	-0.008718	±2.5	PASS
Band4	1513	4	VL	NT	-15.19	-0.008667	±2.5	PASS
Band4	1513	4	VH	NT	-13.83	-0.007891	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	NV	-30	8.77	0.005121	±2.5	PASS
Band4	1312	1	NV	-20	6.71	0.003918	±2.5	PASS
Band4	1312	1	NV	-10	9.05	0.005285	±2.5	PASS
Band4	1312	1	NV	0	10.92	0.006377	±2.5	PASS
Band4	1312	1	NV	10	10.03	0.005857	±2.5	PASS
Band4	1312	1	NV	20	11.48	0.006704	±2.5	PASS
Band4	1312	1	NV	30	11.28	0.006587	±2.5	PASS
Band4	1312	1	NV	40	10.10	0.005898	±2.5	PASS
Band4	1312	1	NV	50	12.53	0.007317	±2.5	PASS
Band4	1312	2	NV	-30	11.77	0.006873	±2.5	PASS
Band4	1312	2	NV	-20	13.40	0.007825	±2.5	PASS
Band4	1312	2	NV	-10	12.30	0.007183	±2.5	PASS
Band4	1312	2	NV	0	12.59	0.007352	±2.5	PASS
Band4	1312	2	NV	10	12.80	0.007475	±2.5	PASS
Band4	1312	2	NV	20	12.63	0.007376	±2.5	PASS
Band4	1312	2	NV	30	12.70	0.007416	±2.5	PASS
Band4	1312	2	NV	40	14.96	0.008736	±2.5	PASS
Band4	1312	2	NV	50	13.87	0.008100	±2.5	PASS
Band4	1312	3	NV	-30	13.68	0.007989	±2.5	PASS
Band4	1312	3	NV	-20	14.45	0.008438	±2.5	PASS
Band4	1312	3	NV	-10	14.84	0.008666	±2.5	PASS
Band4	1312	3	NV	0	14.52	0.008479	±2.5	PASS
Band4	1312	3	NV	10	15.70	0.009168	±2.5	PASS
Band4	1312	3	NV	20	14.23	0.008310	±2.5	PASS
Band4	1312	3	NV	30	15.78	0.009215	±2.5	PASS
Band4	1312	3	NV	40	16.36	0.009554	±2.5	PASS
Band4	1312	3	NV	50	15.52	0.009063	±2.5	PASS
Band4	1312	4	NV	-30	13.99	0.008170	±2.5	PASS
Band4	1312	4	NV	-20	14.33	0.008368	±2.5	PASS
Band4	1312	4	NV	-10	15.59	0.009104	±2.5	PASS
Band4	1312	4	NV	0	15.12	0.008830	±2.5	PASS
Band4	1312	4	NV	10	14.30	0.008351	±2.5	PASS
Band4	1312	4	NV	20	15.53	0.009069	±2.5	PASS
Band4	1312	4	NV	30	16.40	0.009577	±2.5	PASS

Band4	1312	4	NV	40	15.41	0.008999	±2.5	PASS
Band4	1312	4	NV	50	16.53	0.009653	±2.5	PASS
Band4	1413	1	NV	-30	-0.39	-0.000225	±2.5	PASS
Band4	1413	1	NV	-20	-1.42	-0.000820	±2.5	PASS
Band4	1413	1	NV	-10	-0.61	-0.000352	±2.5	PASS
Band4	1413	1	NV	0	0.86	0.000496	±2.5	PASS
Band4	1413	1	NV	10	-1.67	-0.000964	±2.5	PASS
Band4	1413	1	NV	20	-0.92	-0.000531	±2.5	PASS
Band4	1413	1	NV	30	0.14	0.000081	±2.5	PASS
Band4	1413	1	NV	40	-0.75	-0.000433	±2.5	PASS
Band4	1413	1	NV	50	0.05	0.000029	±2.5	PASS
Band4	1413	2	NV	-30	0.40	0.000231	±2.5	PASS
Band4	1413	2	NV	-20	-1.40	-0.000808	±2.5	PASS
Band4	1413	2	NV	-10	0.68	0.000392	±2.5	PASS
Band4	1413	2	NV	0	-1.79	-0.001033	±2.5	PASS
Band4	1413	2	NV	10	-1.65	-0.000952	±2.5	PASS
Band4	1413	2	NV	20	1.03	0.000594	±2.5	PASS
Band4	1413	2	NV	30	-1.30	-0.000750	±2.5	PASS
Band4	1413	2	NV	40	-0.82	-0.000473	±2.5	PASS
Band4	1413	2	NV	50	0.12	0.000069	±2.5	PASS
Band4	1413	3	NV	-30	0.36	0.000208	±2.5	PASS
Band4	1413	3	NV	-20	-0.27	-0.000156	±2.5	PASS
Band4	1413	3	NV	-10	-1.23	-0.000710	±2.5	PASS
Band4	1413	3	NV	0	-3.03	-0.001749	±2.5	PASS
Band4	1413	3	NV	10	-1.18	-0.000681	±2.5	PASS
Band4	1413	3	NV	20	-0.52	-0.000300	±2.5	PASS
Band4	1413	3	NV	30	-0.51	-0.000294	±2.5	PASS
Band4	1413	3	NV	40	0.75	0.000433	±2.5	PASS
Band4	1413	3	NV	50	-0.23	-0.000133	±2.5	PASS
Band4	1413	4	NV	-30	-1.20	-0.000693	±2.5	PASS
Band4	1413	4	NV	-20	0.99	0.000571	±2.5	PASS
Band4	1413	4	NV	-10	-1.60	-0.000923	±2.5	PASS
Band4	1413	4	NV	0	-1.04	-0.000600	±2.5	PASS
Band4	1413	4	NV	10	-0.74	-0.000427	±2.5	PASS
Band4	1413	4	NV	20	-0.53	-0.000306	±2.5	PASS
Band4	1413	4	NV	30	-2.24	-0.001293	±2.5	PASS
Band4	1413	4	NV	40	-0.50	-0.000289	±2.5	PASS
Band4	1413	4	NV	50	0.19	0.000110	±2.5	PASS
Band4	1513	1	NV	-30	-15.67	-0.008941	±2.5	PASS
Band4	1513	1	NV	-20	-16.46	-0.009392	±2.5	PASS
Band4	1513	1	NV	-10	-16.42	-0.009369	±2.5	PASS

Band4	1513	1	NV	0	-16.98	-0.009688	±2.5	PASS
Band4	1513	1	NV	10	-16.10	-0.009186	±2.5	PASS
Band4	1513	1	NV	20	-16.67	-0.009512	±2.5	PASS
Band4	1513	1	NV	30	-18.30	-0.010442	±2.5	PASS
Band4	1513	1	NV	40	-17.79	-0.010151	±2.5	PASS
Band4	1513	1	NV	50	-16.36	-0.009335	±2.5	PASS
Band4	1513	2	NV	-30	-15.59	-0.008895	±2.5	PASS
Band4	1513	2	NV	-20	-15.45	-0.008815	±2.5	PASS
Band4	1513	2	NV	-10	-14.84	-0.008467	±2.5	PASS
Band4	1513	2	NV	0	-15.77	-0.008998	±2.5	PASS
Band4	1513	2	NV	10	-16.21	-0.009249	±2.5	PASS
Band4	1513	2	NV	20	-15.65	-0.008930	±2.5	PASS
Band4	1513	2	NV	30	-17.76	-0.010134	±2.5	PASS
Band4	1513	2	NV	40	-16.19	-0.009238	±2.5	PASS
Band4	1513	2	NV	50	-16.47	-0.009397	±2.5	PASS
Band4	1513	3	NV	-30	-15.60	-0.008901	±2.5	PASS
Band4	1513	3	NV	-20	-15.55	-0.008873	±2.5	PASS
Band4	1513	3	NV	-10	-14.35	-0.008188	±2.5	PASS
Band4	1513	3	NV	0	-16.35	-0.009329	±2.5	PASS
Band4	1513	3	NV	10	-14.79	-0.008439	±2.5	PASS
Band4	1513	3	NV	20	-15.23	-0.008690	±2.5	PASS
Band4	1513	3	NV	30	-16.54	-0.009437	±2.5	PASS
Band4	1513	3	NV	40	-15.85	-0.009044	±2.5	PASS
Band4	1513	3	NV	50	-15.70	-0.008958	±2.5	PASS
Band4	1513	4	NV	-30	-15.55	-0.008873	±2.5	PASS
Band4	1513	4	NV	-20	-15.30	-0.008730	±2.5	PASS
Band4	1513	4	NV	-10	-16.02	-0.009141	±2.5	PASS
Band4	1513	4	NV	0	-16.30	-0.009300	±2.5	PASS
Band4	1513	4	NV	10	-17.30	-0.009871	±2.5	PASS
Band4	1513	4	NV	20	-15.24	-0.008696	±2.5	PASS
Band4	1513	4	NV	30	-16.75	-0.009557	±2.5	PASS
Band4	1513	4	NV	40	-15.27	-0.008713	±2.5	PASS
Band4	1513	4	NV	50	-17.71	-0.010105	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VN	NT	6.07	0.003545	±2.5	PASS
Band4	1312	1	VL	NT	6.99	0.004082	±2.5	PASS
Band4	1312	1	VH	NT	8.26	0.004824	±2.5	PASS
Band4	1312	2	VN	NT	10.38	0.006062	±2.5	PASS
Band4	1312	2	VL	NT	10.70	0.006249	±2.5	PASS
Band4	1312	2	VH	NT	11.13	0.006500	±2.5	PASS
Band4	1312	3	VN	NT	10.43	0.006091	±2.5	PASS
Band4	1312	3	VL	NT	11.26	0.006576	±2.5	PASS
Band4	1312	3	VH	NT	11.53	0.006733	±2.5	PASS
Band4	1312	4	VN	NT	10.74	0.006272	±2.5	PASS
Band4	1312	4	VL	NT	10.89	0.006359	±2.5	PASS
Band4	1312	4	VH	NT	11.65	0.006803	±2.5	PASS
Band4	1312	5	VN	NT	10.08	0.005886	±2.5	PASS
Band4	1312	5	VL	NT	11.19	0.006535	±2.5	PASS
Band4	1312	5	VH	NT	9.87	0.005764	±2.5	PASS
Band4	1413	1	VN	NT	-1.56	-0.000900	±2.5	PASS
Band4	1413	1	VL	NT	-4.44	-0.002563	±2.5	PASS
Band4	1413	1	VH	NT	-2.34	-0.001351	±2.5	PASS
Band4	1413	2	VN	NT	-1.53	-0.000883	±2.5	PASS
Band4	1413	2	VL	NT	-2.50	-0.001443	±2.5	PASS
Band4	1413	2	VH	NT	-2.44	-0.001408	±2.5	PASS
Band4	1413	3	VN	NT	0.09	0.000052	±2.5	PASS
Band4	1413	3	VL	NT	-1.30	-0.000750	±2.5	PASS
Band4	1413	3	VH	NT	-2.12	-0.001224	±2.5	PASS
Band4	1413	4	VN	NT	-1.33	-0.000768	±2.5	PASS
Band4	1413	4	VL	NT	-1.38	-0.000796	±2.5	PASS
Band4	1413	4	VH	NT	-2.26	-0.001304	±2.5	PASS
Band4	1413	5	VN	NT	-1.18	-0.000681	±2.5	PASS
Band4	1413	5	VL	NT	-2.29	-0.001322	±2.5	PASS
Band4	1413	5	VH	NT	-0.96	-0.000554	±2.5	PASS
Band4	1513	1	VN	NT	-12.77	-0.007286	±2.5	PASS
Band4	1513	1	VL	NT	-12.09	-0.006898	±2.5	PASS
Band4	1513	1	VH	NT	-11.81	-0.006739	±2.5	PASS
Band4	1513	2	VN	NT	-10.20	-0.005820	±2.5	PASS
Band4	1513	2	VL	NT	-12.88	-0.007349	±2.5	PASS
Band4	1513	2	VH	NT	-12.25	-0.006990	±2.5	PASS
Band4	1513	3	VN	NT	-11.11	-0.006339	±2.5	PASS
Band4	1513	3	VL	NT	-13.20	-0.007532	±2.5	PASS
Band4	1513	3	VH	NT	-10.91	-0.006225	±2.5	PASS

Band4	1513	4	VN	NT	-11.23	-0.006408	±2.5	PASS
Band4	1513	4	VL	NT	-12.33	-0.007035	±2.5	PASS
Band4	1513	4	VH	NT	-10.52	-0.006003	±2.5	PASS
Band4	1513	5	VN	NT	-10.49	-0.005985	±2.5	PASS
Band4	1513	5	VL	NT	-10.17	-0.005803	±2.5	PASS
Band4	1513	5	VH	NT	-13.26	-0.007566	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	NV	-30	9.01	0.005262	±2.5	PASS
Band4	1312	1	NV	-20	9.63	0.005624	±2.5	PASS
Band4	1312	1	NV	-10	10.02	0.005851	±2.5	PASS
Band4	1312	1	NV	0	10.32	0.006027	±2.5	PASS
Band4	1312	1	NV	10	11.31	0.006605	±2.5	PASS
Band4	1312	1	NV	20	11.14	0.006505	±2.5	PASS
Band4	1312	1	NV	30	12.03	0.007025	±2.5	PASS
Band4	1312	1	NV	40	12.34	0.007206	±2.5	PASS
Band4	1312	1	NV	50	12.08	0.007054	±2.5	PASS
Band4	1312	2	NV	-30	11.06	0.006459	±2.5	PASS
Band4	1312	2	NV	-20	11.93	0.006967	±2.5	PASS
Band4	1312	2	NV	-10	12.10	0.007066	±2.5	PASS
Band4	1312	2	NV	0	12.14	0.007089	±2.5	PASS
Band4	1312	2	NV	10	12.18	0.007113	±2.5	PASS
Band4	1312	2	NV	20	12.33	0.007200	±2.5	PASS
Band4	1312	2	NV	30	12.82	0.007487	±2.5	PASS
Band4	1312	2	NV	40	13.15	0.007679	±2.5	PASS
Band4	1312	2	NV	50	12.81	0.007481	±2.5	PASS
Band4	1312	3	NV	-30	12.03	0.007025	±2.5	PASS
Band4	1312	3	NV	-20	11.87	0.006932	±2.5	PASS
Band4	1312	3	NV	-10	12.09	0.007060	±2.5	PASS
Band4	1312	3	NV	0	12.18	0.007113	±2.5	PASS
Band4	1312	3	NV	10	12.92	0.007545	±2.5	PASS
Band4	1312	3	NV	20	12.52	0.007311	±2.5	PASS
Band4	1312	3	NV	30	12.99	0.007586	±2.5	PASS
Band4	1312	3	NV	40	12.87	0.007516	±2.5	PASS
Band4	1312	3	NV	50	13.28	0.007755	±2.5	PASS
Band4	1312	4	NV	-30	11.86	0.006926	±2.5	PASS
Band4	1312	4	NV	-20	11.94	0.006973	±2.5	PASS
Band4	1312	4	NV	-10	12.50	0.007300	±2.5	PASS
Band4	1312	4	NV	0	12.50	0.007300	±2.5	PASS
Band4	1312	4	NV	10	12.92	0.007545	±2.5	PASS

Band4	1312	4	NV	20	12.84	0.007498	±2.5	PASS
Band4	1312	4	NV	30	13.26	0.007744	±2.5	PASS
Band4	1312	4	NV	40	13.20	0.007708	±2.5	PASS
Band4	1312	4	NV	50	13.39	0.007819	±2.5	PASS
Band4	1312	5	NV	-30	12.18	0.007113	±2.5	PASS
Band4	1312	5	NV	-20	11.48	0.006704	±2.5	PASS
Band4	1312	5	NV	-10	11.60	0.006774	±2.5	PASS
Band4	1312	5	NV	0	11.19	0.006535	±2.5	PASS
Band4	1312	5	NV	10	11.41	0.006663	±2.5	PASS
Band4	1312	5	NV	20	11.77	0.006873	±2.5	PASS
Band4	1312	5	NV	30	12.12	0.007078	±2.5	PASS
Band4	1312	5	NV	40	12.33	0.007200	±2.5	PASS
Band4	1312	5	NV	50	12.84	0.007498	±2.5	PASS
Band4	1413	1	NV	-30	-2.22	-0.001281	±2.5	PASS
Band4	1413	1	NV	-20	-1.71	-0.000987	±2.5	PASS
Band4	1413	1	NV	-10	-2.59	-0.001495	±2.5	PASS
Band4	1413	1	NV	0	-2.14	-0.001235	±2.5	PASS
Band4	1413	1	NV	10	-1.28	-0.000739	±2.5	PASS
Band4	1413	1	NV	20	-1.07	-0.000618	±2.5	PASS
Band4	1413	1	NV	30	-0.17	-0.000098	±2.5	PASS
Band4	1413	1	NV	40	-1.61	-0.000929	±2.5	PASS
Band4	1413	1	NV	50	-0.73	-0.000421	±2.5	PASS
Band4	1413	2	NV	-30	-1.39	-0.000802	±2.5	PASS
Band4	1413	2	NV	-20	-0.87	-0.000502	±2.5	PASS
Band4	1413	2	NV	-10	-0.43	-0.000248	±2.5	PASS
Band4	1413	2	NV	0	0.30	0.000173	±2.5	PASS
Band4	1413	2	NV	10	-1.45	-0.000837	±2.5	PASS
Band4	1413	2	NV	20	0.22	0.000127	±2.5	PASS
Band4	1413	2	NV	30	-1.68	-0.000970	±2.5	PASS
Band4	1413	2	NV	40	-1.00	-0.000577	±2.5	PASS
Band4	1413	2	NV	50	-0.43	-0.000248	±2.5	PASS
Band4	1413	3	NV	-30	-1.48	-0.000854	±2.5	PASS
Band4	1413	3	NV	-20	-0.63	-0.000364	±2.5	PASS
Band4	1413	3	NV	-10	-2.90	-0.001674	±2.5	PASS
Band4	1413	3	NV	0	1.52	0.000877	±2.5	PASS
Band4	1413	3	NV	10	-0.01	-0.000006	±2.5	PASS
Band4	1413	3	NV	20	-1.05	-0.000606	±2.5	PASS
Band4	1413	3	NV	30	-0.82	-0.000473	±2.5	PASS
Band4	1413	3	NV	40	-0.43	-0.000248	±2.5	PASS
Band4	1413	3	NV	50	1.33	0.000768	±2.5	PASS
Band4	1413	4	NV	-30	-1.50	-0.000866	±2.5	PASS

Band4	1413	4	NV	-20	0.01	0.000006	±2.5	PASS
Band4	1413	4	NV	-10	-0.72	-0.000416	±2.5	PASS
Band4	1413	4	NV	0	-2.74	-0.001581	±2.5	PASS
Band4	1413	4	NV	10	0.04	0.000023	±2.5	PASS
Band4	1413	4	NV	20	-1.29	-0.000745	±2.5	PASS
Band4	1413	4	NV	30	-2.60	-0.001501	±2.5	PASS
Band4	1413	4	NV	40	1.20	0.000693	±2.5	PASS
Band4	1413	4	NV	50	1.47	0.000848	±2.5	PASS
Band4	1413	5	NV	-30	-0.47	-0.000271	±2.5	PASS
Band4	1413	5	NV	-20	-0.68	-0.000392	±2.5	PASS
Band4	1413	5	NV	-10	1.29	0.000745	±2.5	PASS
Band4	1413	5	NV	0	-0.31	-0.000179	±2.5	PASS
Band4	1413	5	NV	10	-1.78	-0.001027	±2.5	PASS
Band4	1413	5	NV	20	0.13	0.000075	±2.5	PASS
Band4	1413	5	NV	30	-0.63	-0.000364	±2.5	PASS
Band4	1413	5	NV	40	-0.88	-0.000508	±2.5	PASS
Band4	1413	5	NV	50	-0.80	-0.000462	±2.5	PASS
Band4	1513	1	NV	-30	-12.70	-0.007246	±2.5	PASS
Band4	1513	1	NV	-20	-12.95	-0.007389	±2.5	PASS
Band4	1513	1	NV	-10	-11.79	-0.006727	±2.5	PASS
Band4	1513	1	NV	0	-13.43	-0.007663	±2.5	PASS
Band4	1513	1	NV	10	-15.36	-0.008764	±2.5	PASS
Band4	1513	1	NV	20	-12.22	-0.006972	±2.5	PASS
Band4	1513	1	NV	30	-12.33	-0.007035	±2.5	PASS
Band4	1513	1	NV	40	-13.28	-0.007577	±2.5	PASS
Band4	1513	1	NV	50	-13.66	-0.007794	±2.5	PASS
Band4	1513	2	NV	-30	-12.32	-0.007030	±2.5	PASS
Band4	1513	2	NV	-20	-12.23	-0.006978	±2.5	PASS
Band4	1513	2	NV	-10	-12.37	-0.007058	±2.5	PASS
Band4	1513	2	NV	0	-11.43	-0.006522	±2.5	PASS
Band4	1513	2	NV	10	-12.08	-0.006893	±2.5	PASS
Band4	1513	2	NV	20	-13.28	-0.007577	±2.5	PASS
Band4	1513	2	NV	30	-13.71	-0.007823	±2.5	PASS
Band4	1513	2	NV	40	-13.30	-0.007589	±2.5	PASS
Band4	1513	2	NV	50	-12.12	-0.006915	±2.5	PASS
Band4	1513	3	NV	-30	-12.25	-0.006990	±2.5	PASS
Band4	1513	3	NV	-20	-12.71	-0.007252	±2.5	PASS
Band4	1513	3	NV	-10	-10.35	-0.005906	±2.5	PASS
Band4	1513	3	NV	0	-13.53	-0.007720	±2.5	PASS
Band4	1513	3	NV	10	-11.11	-0.006339	±2.5	PASS
Band4	1513	3	NV	20	-12.48	-0.007121	±2.5	PASS

Band4	1513	3	NV	30	-13.00	-0.007418	±2.5	PASS
Band4	1513	3	NV	40	-12.67	-0.007229	±2.5	PASS
Band4	1513	3	NV	50	-12.25	-0.006990	±2.5	PASS
Band4	1513	4	NV	-30	-11.38	-0.006493	±2.5	PASS
Band4	1513	4	NV	-20	-12.34	-0.007041	±2.5	PASS
Band4	1513	4	NV	-10	-12.73	-0.007263	±2.5	PASS
Band4	1513	4	NV	0	-13.48	-0.007691	±2.5	PASS
Band4	1513	4	NV	10	-13.44	-0.007669	±2.5	PASS
Band4	1513	4	NV	20	-12.61	-0.007195	±2.5	PASS
Band4	1513	4	NV	30	-15.03	-0.008576	±2.5	PASS
Band4	1513	4	NV	40	-14.04	-0.008011	±2.5	PASS
Band4	1513	4	NV	50	-13.13	-0.007492	±2.5	PASS
Band4	1513	5	NV	-30	-11.36	-0.006482	±2.5	PASS
Band4	1513	5	NV	-20	-12.82	-0.007315	±2.5	PASS
Band4	1513	5	NV	-10	-11.67	-0.006659	±2.5	PASS
Band4	1513	5	NV	0	-12.27	-0.007001	±2.5	PASS
Band4	1513	5	NV	10	-12.50	-0.007132	±2.5	PASS
Band4	1513	5	NV	20	-12.78	-0.007292	±2.5	PASS
Band4	1513	5	NV	30	-13.69	-0.007811	±2.5	PASS
Band4	1513	5	NV	40	-11.70	-0.006676	±2.5	PASS
Band4	1513	5	NV	50	-13.00	-0.007418	±2.5	PASS

----- THE END -----