








































Band2-9538-5-0.009~0.15MHz-PASS



Band2-9538-5-0.15~30MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-5-1000~20000MHz-PASS

Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	0.14	0.000076	±2.5	PASS
Band2	9262	VL	NT	-0.98	-0.000529	±2.5	PASS
Band2	9262	VH	NT	0.14	0.000076	±2.5	PASS
Band2	9400	VN	NT	-0.41	-0.000218	±2.5	PASS
Band2	9400	VL	NT	-1.01	-0.000537	±2.5	PASS
Band2	9400	VH	NT	0.00	0.000000	±2.5	PASS
Band2	9538	VN	NT	-1.46	-0.000765	±2.5	PASS
Band2	9538	VL	NT	-1.19	-0.000624	±2.5	PASS
Band2	9538	VH	NT	-1.89	-0.000991	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	-2.40	-0.001296	±2.5	PASS
Band2	9262	NV	-20	-0.13	-0.000070	±2.5	PASS
Band2	9262	NV	-10	1.16	0.000626	±2.5	PASS
Band2	9262	NV	0	-0.50	-0.000270	±2.5	PASS
Band2	9262	NV	10	0.05	0.000027	±2.5	PASS
Band2	9262	NV	20	-0.62	-0.000335	±2.5	PASS
Band2	9262	NV	30	0.30	0.000162	±2.5	PASS
Band2	9262	NV	40	-0.56	-0.000302	±2.5	PASS
Band2	9262	NV	50	-0.82	-0.000443	±2.5	PASS
Band2	9400	NV	-30	-0.93	-0.000495	±2.5	PASS
Band2	9400	NV	-20	-1.19	-0.000633	±2.5	PASS
Band2	9400	NV	-10	-0.64	-0.000340	±2.5	PASS
Band2	9400	NV	0	-1.88	-0.001000	±2.5	PASS
Band2	9400	NV	10	-2.50	-0.001330	±2.5	PASS
Band2	9400	NV	20	-0.47	-0.000250	±2.5	PASS
Band2	9400	NV	30	-1.56	-0.000830	±2.5	PASS
Band2	9400	NV	40	-1.23	-0.000654	±2.5	PASS
Band2	9400	NV	50	0.77	0.000410	±2.5	PASS
Band2	9538	NV	-30	-1.42	-0.000744	±2.5	PASS
Band2	9538	NV	-20	1.10	0.000577	±2.5	PASS
Band2	9538	NV	-10	-1.44	-0.000755	±2.5	PASS
Band2	9538	NV	0	-1.73	-0.000907	±2.5	PASS
Band2	9538	NV	10	-1.69	-0.000886	±2.5	PASS

Band2	9538	NV	20	-2.83	-0.001484	±2.5	PASS
Band2	9538	NV	30	-2.64	-0.001384	±2.5	PASS
Band2	9538	NV	40	-2.63	-0.001379	±2.5	PASS
Band2	9538	NV	50	-1.94	-0.001017	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-1.81	-0.000977	±2.5	PASS
Band2	9262	1	VL	NT	0.22	0.000119	±2.5	PASS
Band2	9262	1	VH	NT	-2.91	-0.001571	±2.5	PASS
Band2	9262	2	VN	NT	0.01	0.000005	±2.5	PASS
Band2	9262	2	VL	NT	-0.18	-0.000097	±2.5	PASS
Band2	9262	2	VH	NT	0.42	0.000227	±2.5	PASS
Band2	9262	3	VN	NT	-0.55	-0.000297	±2.5	PASS
Band2	9262	3	VL	NT	-1.35	-0.000729	±2.5	PASS
Band2	9262	3	VH	NT	-0.51	-0.000275	±2.5	PASS
Band2	9262	4	VN	NT	0.24	0.000130	±2.5	PASS
Band2	9262	4	VL	NT	-1.44	-0.000777	±2.5	PASS
Band2	9262	4	VH	NT	-7.01	-0.003784	±2.5	PASS
Band2	9400	1	VN	NT	-1.63	-0.000867	±2.5	PASS
Band2	9400	1	VL	NT	0.11	0.000059	±2.5	PASS
Band2	9400	1	VH	NT	-2.84	-0.001511	±2.5	PASS
Band2	9400	2	VN	NT	-0.79	-0.000420	±2.5	PASS
Band2	9400	2	VL	NT	-0.85	-0.000452	±2.5	PASS
Band2	9400	2	VH	NT	1.21	0.000644	±2.5	PASS
Band2	9400	3	VN	NT	-0.98	-0.000521	±2.5	PASS
Band2	9400	3	VL	NT	-0.90	-0.000479	±2.5	PASS
Band2	9400	3	VH	NT	-1.57	-0.000835	±2.5	PASS
Band2	9400	4	VN	NT	-1.65	-0.000878	±2.5	PASS
Band2	9400	4	VL	NT	-0.41	-0.000218	±2.5	PASS
Band2	9400	4	VH	NT	-0.18	-0.000096	±2.5	PASS
Band2	9538	1	VN	NT	-4.42	-0.002317	±2.5	PASS
Band2	9538	1	VL	NT	-3.22	-0.001688	±2.5	PASS
Band2	9538	1	VH	NT	-0.62	-0.000325	±2.5	PASS
Band2	9538	2	VN	NT	-0.95	-0.000498	±2.5	PASS
Band2	9538	2	VL	NT	-2.17	-0.001138	±2.5	PASS
Band2	9538	2	VH	NT	-2.28	-0.001195	±2.5	PASS
Band2	9538	3	VN	NT	-1.70	-0.000891	±2.5	PASS
Band2	9538	3	VL	NT	-2.65	-0.001389	±2.5	PASS
Band2	9538	3	VH	NT	-1.75	-0.000917	±2.5	PASS
Band2	9538	4	VN	NT	-0.81	-0.000425	±2.5	PASS

Band2	9538	4	VL	NT	-2.74	-0.001436	±2.5	PASS
Band2	9538	4	VH	NT	-1.50	-0.000786	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-1.79	-0.000966	±2.5	PASS
Band2	9262	1	NV	-20	-1.90	-0.001026	±2.5	PASS
Band2	9262	1	NV	-10	-1.14	-0.000615	±2.5	PASS
Band2	9262	1	NV	0	-0.24	-0.000130	±2.5	PASS
Band2	9262	1	NV	10	-0.08	-0.000043	±2.5	PASS
Band2	9262	1	NV	20	0.88	0.000475	±2.5	PASS
Band2	9262	1	NV	30	-0.30	-0.000162	±2.5	PASS
Band2	9262	1	NV	40	-1.18	-0.000637	±2.5	PASS
Band2	9262	1	NV	50	0.42	0.000227	±2.5	PASS
Band2	9262	2	NV	-30	0.31	0.000167	±2.5	PASS
Band2	9262	2	NV	-20	1.55	0.000837	±2.5	PASS
Band2	9262	2	NV	-10	-1.20	-0.000648	±2.5	PASS
Band2	9262	2	NV	0	-0.11	-0.000059	±2.5	PASS
Band2	9262	2	NV	10	1.13	0.000610	±2.5	PASS
Band2	9262	2	NV	20	0.11	0.000059	±2.5	PASS
Band2	9262	2	NV	30	0.40	0.000216	±2.5	PASS
Band2	9262	2	NV	40	2.14	0.001155	±2.5	PASS
Band2	9262	2	NV	50	-0.29	-0.000157	±2.5	PASS
Band2	9262	3	NV	-30	-0.19	-0.000103	±2.5	PASS
Band2	9262	3	NV	-20	0.31	0.000167	±2.5	PASS
Band2	9262	3	NV	-10	0.56	0.000302	±2.5	PASS
Band2	9262	3	NV	0	-0.55	-0.000297	±2.5	PASS
Band2	9262	3	NV	10	0.56	0.000302	±2.5	PASS
Band2	9262	3	NV	20	-1.20	-0.000648	±2.5	PASS
Band2	9262	3	NV	30	-0.17	-0.000092	±2.5	PASS
Band2	9262	3	NV	40	-0.96	-0.000518	±2.5	PASS
Band2	9262	3	NV	50	0.39	0.000211	±2.5	PASS
Band2	9262	4	NV	-30	0.50	0.000270	±2.5	PASS
Band2	9262	4	NV	-20	-0.18	-0.000097	±2.5	PASS
Band2	9262	4	NV	-10	0.08	0.000043	±2.5	PASS
Band2	9262	4	NV	0	-0.77	-0.000416	±2.5	PASS
Band2	9262	4	NV	10	0.57	0.000308	±2.5	PASS
Band2	9262	4	NV	20	1.53	0.000826	±2.5	PASS
Band2	9262	4	NV	30	0.68	0.000367	±2.5	PASS
Band2	9262	4	NV	40	0.42	0.000227	±2.5	PASS
Band2	9262	4	NV	50	-0.24	-0.000130	±2.5	PASS

Band2	9400	1	NV	-30	-0.66	-0.000351	±2.5	PASS
Band2	9400	1	NV	-20	-1.03	-0.000548	±2.5	PASS
Band2	9400	1	NV	-10	-0.42	-0.000223	±2.5	PASS
Band2	9400	1	NV	0	1.27	0.000676	±2.5	PASS
Band2	9400	1	NV	10	-1.39	-0.000739	±2.5	PASS
Band2	9400	1	NV	20	0.24	0.000128	±2.5	PASS
Band2	9400	1	NV	30	0.30	0.000160	±2.5	PASS
Band2	9400	1	NV	40	-0.65	-0.000346	±2.5	PASS
Band2	9400	1	NV	50	0.89	0.000473	±2.5	PASS
Band2	9400	2	NV	-30	-2.33	-0.001239	±2.5	PASS
Band2	9400	2	NV	-20	0.65	0.000346	±2.5	PASS
Band2	9400	2	NV	-10	0.40	0.000213	±2.5	PASS
Band2	9400	2	NV	0	-0.08	-0.000043	±2.5	PASS
Band2	9400	2	NV	10	-0.29	-0.000154	±2.5	PASS
Band2	9400	2	NV	20	-0.89	-0.000473	±2.5	PASS
Band2	9400	2	NV	30	-0.19	-0.000101	±2.5	PASS
Band2	9400	2	NV	40	-0.33	-0.000176	±2.5	PASS
Band2	9400	2	NV	50	-0.21	-0.000112	±2.5	PASS
Band2	9400	3	NV	-30	-0.81	-0.000431	±2.5	PASS
Band2	9400	3	NV	-20	-0.89	-0.000473	±2.5	PASS
Band2	9400	3	NV	-10	-0.02	-0.000011	±2.5	PASS
Band2	9400	3	NV	0	0.15	0.000080	±2.5	PASS
Band2	9400	3	NV	10	-0.30	-0.000160	±2.5	PASS
Band2	9400	3	NV	20	0.44	0.000234	±2.5	PASS
Band2	9400	3	NV	30	-1.06	-0.000564	±2.5	PASS
Band2	9400	3	NV	40	-2.43	-0.001293	±2.5	PASS
Band2	9400	3	NV	50	1.22	0.000649	±2.5	PASS
Band2	9400	4	NV	-30	-0.58	-0.000309	±2.5	PASS
Band2	9400	4	NV	-20	-0.43	-0.000229	±2.5	PASS
Band2	9400	4	NV	-10	0.06	0.000032	±2.5	PASS
Band2	9400	4	NV	0	-0.73	-0.000388	±2.5	PASS
Band2	9400	4	NV	10	-0.07	-0.000037	±2.5	PASS
Band2	9400	4	NV	20	-1.65	-0.000878	±2.5	PASS
Band2	9400	4	NV	30	-0.97	-0.000516	±2.5	PASS
Band2	9400	4	NV	40	-0.94	-0.000500	±2.5	PASS
Band2	9400	4	NV	50	-1.48	-0.000787	±2.5	PASS
Band2	9538	1	NV	-30	-1.59	-0.000834	±2.5	PASS
Band2	9538	1	NV	-20	-1.99	-0.001043	±2.5	PASS
Band2	9538	1	NV	-10	-2.63	-0.001379	±2.5	PASS
Band2	9538	1	NV	0	-2.90	-0.001520	±2.5	PASS
Band2	9538	1	NV	10	-1.10	-0.000577	±2.5	PASS

Band2	9538	1	NV	20	-1.55	-0.000813	±2.5	PASS
Band2	9538	1	NV	30	-2.58	-0.001352	±2.5	PASS
Band2	9538	1	NV	40	-1.16	-0.000608	±2.5	PASS
Band2	9538	1	NV	50	-1.36	-0.000713	±2.5	PASS
Band2	9538	2	NV	-30	-1.69	-0.000886	±2.5	PASS
Band2	9538	2	NV	-20	-1.19	-0.000624	±2.5	PASS
Band2	9538	2	NV	-10	-1.70	-0.000891	±2.5	PASS
Band2	9538	2	NV	0	-0.80	-0.000419	±2.5	PASS
Band2	9538	2	NV	10	-1.31	-0.000687	±2.5	PASS
Band2	9538	2	NV	20	0.09	0.000047	±2.5	PASS
Band2	9538	2	NV	30	-1.01	-0.000529	±2.5	PASS
Band2	9538	2	NV	40	-1.74	-0.000912	±2.5	PASS
Band2	9538	2	NV	50	-2.25	-0.001179	±2.5	PASS
Band2	9538	3	NV	-30	-2.06	-0.001080	±2.5	PASS
Band2	9538	3	NV	-20	-2.44	-0.001279	±2.5	PASS
Band2	9538	3	NV	-10	-0.94	-0.000493	±2.5	PASS
Band2	9538	3	NV	0	-1.86	-0.000975	±2.5	PASS
Band2	9538	3	NV	10	-1.45	-0.000760	±2.5	PASS
Band2	9538	3	NV	20	-0.39	-0.000204	±2.5	PASS
Band2	9538	3	NV	30	-0.98	-0.000514	±2.5	PASS
Band2	9538	3	NV	40	-2.01	-0.001054	±2.5	PASS
Band2	9538	3	NV	50	-1.70	-0.000891	±2.5	PASS
Band2	9538	4	NV	-30	-0.88	-0.000461	±2.5	PASS
Band2	9538	4	NV	-20	-2.14	-0.001122	±2.5	PASS
Band2	9538	4	NV	-10	-0.91	-0.000477	±2.5	PASS
Band2	9538	4	NV	0	-3.25	-0.001704	±2.5	PASS
Band2	9538	4	NV	10	-1.81	-0.000949	±2.5	PASS
Band2	9538	4	NV	20	-2.22	-0.001164	±2.5	PASS
Band2	9538	4	NV	30	-0.32	-0.000168	±2.5	PASS
Band2	9538	4	NV	40	-1.07	-0.000561	±2.5	PASS
Band2	9538	4	NV	50	-2.63	-0.001379	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-6.28	-0.003390	±2.5	PASS
Band2	9262	1	VL	NT	-5.23	-0.002823	±2.5	PASS
Band2	9262	1	VH	NT	-4.65	-0.002510	±2.5	PASS
Band2	9262	2	VN	NT	-2.84	-0.001533	±2.5	PASS
Band2	9262	2	VL	NT	-1.68	-0.000907	±2.5	PASS
Band2	9262	2	VH	NT	-1.49	-0.000804	±2.5	PASS
Band2	9262	3	VN	NT	-1.08	-0.000583	±2.5	PASS

Band2	9262	3	VL	NT	-2.69	-0.001452	±2.5	PASS
Band2	9262	3	VH	NT	-1.54	-0.000831	±2.5	PASS
Band2	9262	4	VN	NT	-1.55	-0.000837	±2.5	PASS
Band2	9262	4	VL	NT	-1.63	-0.000880	±2.5	PASS
Band2	9262	4	VH	NT	-1.74	-0.000939	±2.5	PASS
Band2	9262	5	VN	NT	-1.28	-0.000691	±2.5	PASS
Band2	9262	5	VL	NT	-2.87	-0.001549	±2.5	PASS
Band2	9262	5	VH	NT	-1.28	-0.000691	±2.5	PASS
Band2	9400	1	VN	NT	-2.18	-0.001160	±2.5	PASS
Band2	9400	1	VL	NT	-2.23	-0.001186	±2.5	PASS
Band2	9400	1	VH	NT	-0.86	-0.000457	±2.5	PASS
Band2	9400	2	VN	NT	-2.73	-0.001452	±2.5	PASS
Band2	9400	2	VL	NT	-1.35	-0.000718	±2.5	PASS
Band2	9400	2	VH	NT	-0.67	-0.000356	±2.5	PASS
Band2	9400	3	VN	NT	-0.47	-0.000250	±2.5	PASS
Band2	9400	3	VL	NT	-2.21	-0.001176	±2.5	PASS
Band2	9400	3	VH	NT	-1.18	-0.000628	±2.5	PASS
Band2	9400	4	VN	NT	-1.39	-0.000739	±2.5	PASS
Band2	9400	4	VL	NT	-0.53	-0.000282	±2.5	PASS
Band2	9400	4	VH	NT	-0.39	-0.000207	±2.5	PASS
Band2	9400	5	VN	NT	-2.05	-0.001090	±2.5	PASS
Band2	9400	5	VL	NT	-1.29	-0.000686	±2.5	PASS
Band2	9400	5	VH	NT	-0.42	-0.000223	±2.5	PASS
Band2	9538	1	VN	NT	-0.36	-0.000189	±2.5	PASS
Band2	9538	1	VL	NT	-3.10	-0.001625	±2.5	PASS
Band2	9538	1	VH	NT	-2.77	-0.001452	±2.5	PASS
Band2	9538	2	VN	NT	-1.31	-0.000687	±2.5	PASS
Band2	9538	2	VL	NT	-1.27	-0.000666	±2.5	PASS
Band2	9538	2	VH	NT	-1.91	-0.001001	±2.5	PASS
Band2	9538	3	VN	NT	-2.08	-0.001090	±2.5	PASS
Band2	9538	3	VL	NT	-2.73	-0.001431	±2.5	PASS
Band2	9538	3	VH	NT	-2.56	-0.001342	±2.5	PASS
Band2	9538	4	VN	NT	-2.33	-0.001221	±2.5	PASS
Band2	9538	4	VL	NT	-1.57	-0.000823	±2.5	PASS
Band2	9538	4	VH	NT	-1.95	-0.001022	±2.5	PASS
Band2	9538	5	VN	NT	-3.23	-0.001693	±2.5	PASS
Band2	9538	5	VL	NT	-3.14	-0.001646	±2.5	PASS
Band2	9538	5	VH	NT	-2.29	-0.001200	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict

Band2	9262	1	NV	-30	-4.15	-0.002240	±2.5	PASS
Band2	9262	1	NV	-20	-4.32	-0.002332	±2.5	PASS
Band2	9262	1	NV	-10	-3.12	-0.001684	±2.5	PASS
Band2	9262	1	NV	0	-1.80	-0.000972	±2.5	PASS
Band2	9262	1	NV	10	-1.66	-0.000896	±2.5	PASS
Band2	9262	1	NV	20	-2.26	-0.001220	±2.5	PASS
Band2	9262	1	NV	30	-1.68	-0.000907	±2.5	PASS
Band2	9262	1	NV	40	-2.26	-0.001220	±2.5	PASS
Band2	9262	1	NV	50	-2.58	-0.001393	±2.5	PASS
Band2	9262	2	NV	-30	-3.74	-0.002019	±2.5	PASS
Band2	9262	2	NV	-20	-2.30	-0.001242	±2.5	PASS
Band2	9262	2	NV	-10	0.05	0.000027	±2.5	PASS
Band2	9262	2	NV	0	-1.46	-0.000788	±2.5	PASS
Band2	9262	2	NV	10	-2.06	-0.001112	±2.5	PASS
Band2	9262	2	NV	20	-1.56	-0.000842	±2.5	PASS
Band2	9262	2	NV	30	-0.79	-0.000426	±2.5	PASS
Band2	9262	2	NV	40	-0.74	-0.000399	±2.5	PASS
Band2	9262	2	NV	50	0.24	0.000130	±2.5	PASS
Band2	9262	3	NV	-30	-2.73	-0.001474	±2.5	PASS
Band2	9262	3	NV	-20	-0.61	-0.000329	±2.5	PASS
Band2	9262	3	NV	-10	-1.54	-0.000831	±2.5	PASS
Band2	9262	3	NV	0	-0.04	-0.000022	±2.5	PASS
Band2	9262	3	NV	10	-0.90	-0.000486	±2.5	PASS
Band2	9262	3	NV	20	-0.38	-0.000205	±2.5	PASS
Band2	9262	3	NV	30	-0.89	-0.000480	±2.5	PASS
Band2	9262	3	NV	40	-0.45	-0.000243	±2.5	PASS
Band2	9262	3	NV	50	-2.00	-0.001080	±2.5	PASS
Band2	9262	4	NV	-30	-2.01	-0.001085	±2.5	PASS
Band2	9262	4	NV	-20	-1.06	-0.000572	±2.5	PASS
Band2	9262	4	NV	-10	-1.46	-0.000788	±2.5	PASS
Band2	9262	4	NV	0	-0.35	-0.000189	±2.5	PASS
Band2	9262	4	NV	10	-0.97	-0.000524	±2.5	PASS
Band2	9262	4	NV	20	-0.48	-0.000259	±2.5	PASS
Band2	9262	4	NV	30	0.35	0.000189	±2.5	PASS
Band2	9262	4	NV	40	0.79	0.000426	±2.5	PASS
Band2	9262	4	NV	50	1.02	0.000551	±2.5	PASS
Band2	9262	5	NV	-30	-0.71	-0.000383	±2.5	PASS
Band2	9262	5	NV	-20	-0.83	-0.000448	±2.5	PASS
Band2	9262	5	NV	-10	0.56	0.000302	±2.5	PASS
Band2	9262	5	NV	0	-0.46	-0.000248	±2.5	PASS
Band2	9262	5	NV	10	-0.34	-0.000184	±2.5	PASS

Band2	9262	5	NV	20	0.26	0.000140	±2.5	PASS
Band2	9262	5	NV	30	0.14	0.000076	±2.5	PASS
Band2	9262	5	NV	40	0.01	0.000005	±2.5	PASS
Band2	9262	5	NV	50	-0.57	-0.000308	±2.5	PASS
Band2	9400	1	NV	-30	-3.01	-0.001601	±2.5	PASS
Band2	9400	1	NV	-20	-2.64	-0.001404	±2.5	PASS
Band2	9400	1	NV	-10	-1.67	-0.000888	±2.5	PASS
Band2	9400	1	NV	0	-1.45	-0.000771	±2.5	PASS
Band2	9400	1	NV	10	0.97	0.000516	±2.5	PASS
Band2	9400	1	NV	20	-1.73	-0.000920	±2.5	PASS
Band2	9400	1	NV	30	-1.88	-0.001000	±2.5	PASS
Band2	9400	1	NV	40	0.44	0.000234	±2.5	PASS
Band2	9400	1	NV	50	0.47	0.000250	±2.5	PASS
Band2	9400	2	NV	-30	0.72	0.000383	±2.5	PASS
Band2	9400	2	NV	-20	0.38	0.000202	±2.5	PASS
Band2	9400	2	NV	-10	-1.53	-0.000814	±2.5	PASS
Band2	9400	2	NV	0	-0.18	-0.000096	±2.5	PASS
Band2	9400	2	NV	10	-1.67	-0.000888	±2.5	PASS
Band2	9400	2	NV	20	-0.45	-0.000239	±2.5	PASS
Band2	9400	2	NV	30	-0.14	-0.000074	±2.5	PASS
Band2	9400	2	NV	40	-1.29	-0.000686	±2.5	PASS
Band2	9400	2	NV	50	-1.78	-0.000947	±2.5	PASS
Band2	9400	3	NV	-30	-0.78	-0.000415	±2.5	PASS
Band2	9400	3	NV	-20	-1.41	-0.000750	±2.5	PASS
Band2	9400	3	NV	-10	-0.27	-0.000144	±2.5	PASS
Band2	9400	3	NV	0	-1.18	-0.000628	±2.5	PASS
Band2	9400	3	NV	10	-2.18	-0.001160	±2.5	PASS
Band2	9400	3	NV	20	-0.58	-0.000309	±2.5	PASS
Band2	9400	3	NV	30	-1.42	-0.000755	±2.5	PASS
Band2	9400	3	NV	40	0.60	0.000319	±2.5	PASS
Band2	9400	3	NV	50	-1.46	-0.000777	±2.5	PASS
Band2	9400	4	NV	-30	0.36	0.000191	±2.5	PASS
Band2	9400	4	NV	-20	-0.50	-0.000266	±2.5	PASS
Band2	9400	4	NV	-10	-1.17	-0.000622	±2.5	PASS
Band2	9400	4	NV	0	-1.21	-0.000644	±2.5	PASS
Band2	9400	4	NV	10	-1.04	-0.000553	±2.5	PASS
Band2	9400	4	NV	20	-0.42	-0.000223	±2.5	PASS
Band2	9400	4	NV	30	-0.57	-0.000303	±2.5	PASS
Band2	9400	4	NV	40	-0.39	-0.000207	±2.5	PASS
Band2	9400	4	NV	50	-0.64	-0.000340	±2.5	PASS
Band2	9400	5	NV	-30	-1.18	-0.000628	±2.5	PASS

Band2	9400	5	NV	-20	-1.61	-0.000856	±2.5	PASS
Band2	9400	5	NV	-10	-0.19	-0.000101	±2.5	PASS
Band2	9400	5	NV	0	-1.06	-0.000564	±2.5	PASS
Band2	9400	5	NV	10	-0.52	-0.000277	±2.5	PASS
Band2	9400	5	NV	20	-0.11	-0.000059	±2.5	PASS
Band2	9400	5	NV	30	-1.00	-0.000532	±2.5	PASS
Band2	9400	5	NV	40	0.32	0.000170	±2.5	PASS
Band2	9400	5	NV	50	-0.19	-0.000101	±2.5	PASS
Band2	9538	1	NV	-30	-0.90	-0.000472	±2.5	PASS
Band2	9538	1	NV	-20	-3.15	-0.001651	±2.5	PASS
Band2	9538	1	NV	-10	-1.46	-0.000765	±2.5	PASS
Band2	9538	1	NV	0	-3.14	-0.001646	±2.5	PASS
Band2	9538	1	NV	10	-1.49	-0.000781	±2.5	PASS
Band2	9538	1	NV	20	-0.10	-0.000052	±2.5	PASS
Band2	9538	1	NV	30	-0.09	-0.000047	±2.5	PASS
Band2	9538	1	NV	40	-1.65	-0.000865	±2.5	PASS
Band2	9538	1	NV	50	-2.08	-0.001090	±2.5	PASS
Band2	9538	2	NV	-30	-1.84	-0.000965	±2.5	PASS
Band2	9538	2	NV	-20	0.04	0.000021	±2.5	PASS
Band2	9538	2	NV	-10	-1.91	-0.001001	±2.5	PASS
Band2	9538	2	NV	0	-0.54	-0.000283	±2.5	PASS
Band2	9538	2	NV	10	0.20	0.000105	±2.5	PASS
Band2	9538	2	NV	20	-0.16	-0.000084	±2.5	PASS
Band2	9538	2	NV	30	0.10	0.000052	±2.5	PASS
Band2	9538	2	NV	40	-1.09	-0.000571	±2.5	PASS
Band2	9538	2	NV	50	0.10	0.000052	±2.5	PASS
Band2	9538	3	NV	-30	-1.45	-0.000760	±2.5	PASS
Band2	9538	3	NV	-20	-1.32	-0.000692	±2.5	PASS
Band2	9538	3	NV	-10	-1.19	-0.000624	±2.5	PASS
Band2	9538	3	NV	0	-1.41	-0.000739	±2.5	PASS
Band2	9538	3	NV	10	-0.89	-0.000467	±2.5	PASS
Band2	9538	3	NV	20	-0.26	-0.000136	±2.5	PASS
Band2	9538	3	NV	30	-0.42	-0.000220	±2.5	PASS
Band2	9538	3	NV	40	-1.41	-0.000739	±2.5	PASS
Band2	9538	3	NV	50	-2.45	-0.001284	±2.5	PASS
Band2	9538	4	NV	-30	-3.40	-0.001782	±2.5	PASS
Band2	9538	4	NV	-20	-0.28	-0.000147	±2.5	PASS
Band2	9538	4	NV	-10	-2.46	-0.001290	±2.5	PASS
Band2	9538	4	NV	0	0.78	0.000409	±2.5	PASS
Band2	9538	4	NV	10	-2.87	-0.001505	±2.5	PASS
Band2	9538	4	NV	20	-1.45	-0.000760	±2.5	PASS

Band2	9538	4	NV	30	-0.96	-0.000503	±2.5	PASS
Band2	9538	4	NV	40	-1.50	-0.000786	±2.5	PASS
Band2	9538	4	NV	50	-0.15	-0.000079	±2.5	PASS
Band2	9538	5	NV	-30	-2.88	-0.001510	±2.5	PASS
Band2	9538	5	NV	-20	-1.54	-0.000807	±2.5	PASS
Band2	9538	5	NV	-10	-2.31	-0.001211	±2.5	PASS
Band2	9538	5	NV	0	-1.74	-0.000912	±2.5	PASS
Band2	9538	5	NV	10	-2.69	-0.001410	±2.5	PASS
Band2	9538	5	NV	20	-1.98	-0.001038	±2.5	PASS
Band2	9538	5	NV	30	-1.82	-0.000954	±2.5	PASS
Band2	9538	5	NV	40	-0.70	-0.000367	±2.5	PASS
Band2	9538	5	NV	50	-1.51	-0.000792	±2.5	PASS

----- THE END -----