
















Band5-4132-3-0.009~0.15MHz-PASS




Band5-4132-3-0.15~30MHz-PASS




Band5-4132-3-30~1000MHz-PASS




Band5-4132-3-1000~10000MHz-PASS



Band5-4132-4-0.009~0.15MHz-PASS




Band5-4132-4-0.15~30MHz-PASS




Band5-4132-4-30~1000MHz-PASS




Band5-4132-4-1000~10000MHz-PASS




Band5-4132-5-0.009~0.15MHz-PASS




Band5-4132-5-0.15~30MHz-PASS




Band5-4132-5-30~1000MHz-PASS




Band5-4132-5-1000~10000MHz-PASS



Band5-4182-1-0.009~0.15MHz-PASS




Band5-4182-1-0.15~30MHz-PASS




Band5-4182-1-30~1000MHz-PASS




Band5-4182-1-1000~10000MHz-PASS




Band5-4182-2-0.009~0.15MHz-PASS




Band5-4182-2-0.15~30MHz-PASS




Band5-4182-2-30~1000MHz-PASS




Band5-4182-2-1000~10000MHz-PASS




Band5-4182-3-0.009~0.15MHz-PASS





Band5-4182-3-0.15~30MHz-PASS



Band5-4182-3-30~1000MHz-PASS





Band5-4182-3-1000~10000MHz-PASS





Band5-4182-4-0.009~0.15MHz-PASS

Band5-4182-4-0.15~30MHz-PASS





Band5-4182-4-30~1000MHz-PASS

Band5-4182-4-1000~10000MHz-PASS





Band5-4182-5-0.009~0.15MHz-PASS

Band5-4182-5-0.15~30MHz-PASS





Band5-4182-5-30~1000MHz-PASS

Band5-4182-5-1000~10000MHz-PASS





Band5-4233-1-0.009~0.15MHz-PASS

Band5-4233-1-0.15~30MHz-PASS




Band5-4233-1-30~1000MHz-PASS

Band5-4233-1-1000~10000MHz-PASS





Band5-4233-2-0.009~0.15MHz-PASS

Band5-4233-2-0.15~30MHz-PASS





Band5-4233-2-30~1000MHz-PASS

Band5-4233-2-1000~10000MHz-PASS





Band5-4233-3-0.009~0.15MHz-PASS

Band5-4233-3-0.15~30MHz-PASS




Band5-4233-3-30~1000MHz-PASS

Band5-4233-3-1000~10000MHz-PASS




Band5-4233-4-0.009~0.15MHz-PASS

Band5-4233-4-0.15~30MHz-PASS




Band5-4233-4-30~1000MHz-PASS


Band5-4233-4-1000~10000MHz-PASS




Band5-4233-5-0.009~0.15MHz-PASS



Band5-4233-5-0.15~30MHz-PASS



Band5-4233-5-30~1000MHz-PASS



Band5-4233-5-1000~10000MHz-PASS

Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	VN	NT	-2.12	-0.002565	±2.5	PASS
Band5	4132	VL	NT	-2.20	-0.002662	±2.5	PASS
Band5	4132	VH	NT	-1.66	-0.002009	±2.5	PASS
Band5	4182	VN	NT	-0.64	-0.000765	±2.5	PASS
Band5	4182	VL	NT	-0.17	-0.000203	±2.5	PASS
Band5	4182	VH	NT	-0.31	-0.000371	±2.5	PASS
Band5	4233	VN	NT	-0.28	-0.000331	±2.5	PASS
Band5	4233	VL	NT	-0.57	-0.000673	±2.5	PASS
Band5	4233	VH	NT	-0.38	-0.000449	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	NV	-30	-1.62	-0.001960	±2.5	PASS
Band5	4132	NV	-20	-1.11	-0.001343	±2.5	PASS
Band5	4132	NV	-10	-0.75	-0.000908	±2.5	PASS
Band5	4132	NV	0	-0.66	-0.000799	±2.5	PASS
Band5	4132	NV	10	-0.70	-0.000847	±2.5	PASS
Band5	4132	NV	20	-0.38	-0.000460	±2.5	PASS
Band5	4132	NV	30	-0.23	-0.000278	±2.5	PASS
Band5	4132	NV	40	-0.35	-0.000424	±2.5	PASS
Band5	4132	NV	50	-0.37	-0.000448	±2.5	PASS
Band5	4182	NV	-30	-0.16	-0.000191	±2.5	PASS
Band5	4182	NV	-20	-0.08	-0.000096	±2.5	PASS
Band5	4182	NV	-10	-0.28	-0.000335	±2.5	PASS
Band5	4182	NV	0	-0.31	-0.000371	±2.5	PASS
Band5	4182	NV	10	-0.09	-0.000108	±2.5	PASS
Band5	4182	NV	20	-0.22	-0.000263	±2.5	PASS
Band5	4182	NV	30	-0.19	-0.000227	±2.5	PASS
Band5	4182	NV	40	-0.14	-0.000167	±2.5	PASS
Band5	4182	NV	50	-0.42	-0.000502	±2.5	PASS
Band5	4233	NV	-30	-0.19	-0.000224	±2.5	PASS
Band5	4233	NV	-20	-0.52	-0.000614	±2.5	PASS
Band5	4233	NV	-10	-0.53	-0.000626	±2.5	PASS
Band5	4233	NV	0	-0.59	-0.000697	±2.5	PASS
Band5	4233	NV	10	-0.52	-0.000614	±2.5	PASS

Band5	4233	NV	20	-2.58	-0.003047	±2.5	PASS
Band5	4233	NV	30	-3.11	-0.003674	±2.5	PASS
Band5	4233	NV	40	-0.55	-0.000650	±2.5	PASS
Band5	4233	NV	50	2.29	0.002705	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-0.44	-0.000532	±2.5	PASS
Band5	4132	1	VL	NT	-0.17	-0.000206	±2.5	PASS
Band5	4132	1	VH	NT	0.30	0.000363	±2.5	PASS
Band5	4132	2	VN	NT	-0.49	-0.000593	±2.5	PASS
Band5	4132	2	VL	NT	0.14	0.000169	±2.5	PASS
Band5	4132	2	VH	NT	0.35	0.000424	±2.5	PASS
Band5	4132	3	VN	NT	-0.24	-0.000290	±2.5	PASS
Band5	4132	3	VL	NT	0.66	0.000799	±2.5	PASS
Band5	4132	3	VH	NT	-0.12	-0.000145	±2.5	PASS
Band5	4132	4	VN	NT	-0.53	-0.000641	±2.5	PASS
Band5	4132	4	VL	NT	-0.68	-0.000823	±2.5	PASS
Band5	4132	4	VH	NT	0.63	0.000762	±2.5	PASS
Band5	4182	1	VN	NT	-2.20	-0.002630	±2.5	PASS
Band5	4182	1	VL	NT	-0.67	-0.000801	±2.5	PASS
Band5	4182	1	VH	NT	-0.51	-0.000610	±2.5	PASS
Band5	4182	2	VN	NT	0.01	0.000012	±2.5	PASS
Band5	4182	2	VL	NT	0.33	0.000395	±2.5	PASS
Band5	4182	2	VH	NT	-0.34	-0.000407	±2.5	PASS
Band5	4182	3	VN	NT	-0.29	-0.000347	±2.5	PASS
Band5	4182	3	VL	NT	-0.27	-0.000323	±2.5	PASS
Band5	4182	3	VH	NT	0.88	0.001052	±2.5	PASS
Band5	4182	4	VN	NT	-0.01	-0.000012	±2.5	PASS
Band5	4182	4	VL	NT	-0.03	-0.000036	±2.5	PASS
Band5	4182	4	VH	NT	0.36	0.000430	±2.5	PASS
Band5	4233	1	VN	NT	-0.26	-0.000307	±2.5	PASS
Band5	4233	1	VL	NT	-0.78	-0.000921	±2.5	PASS
Band5	4233	1	VH	NT	-1.75	-0.002067	±2.5	PASS
Band5	4233	2	VN	NT	-0.26	-0.000307	±2.5	PASS
Band5	4233	2	VL	NT	0.16	0.000189	±2.5	PASS
Band5	4233	2	VH	NT	-1.25	-0.001476	±2.5	PASS
Band5	4233	3	VN	NT	-0.20	-0.000236	±2.5	PASS
Band5	4233	3	VL	NT	-0.39	-0.000461	±2.5	PASS
Band5	4233	3	VH	NT	-0.87	-0.001028	±2.5	PASS
Band5	4233	4	VN	NT	-0.49	-0.000579	±2.5	PASS

Band5	4233	4	VL	NT	-0.17	-0.000201	±2.5	PASS
Band5	4233	4	VH	NT	-0.25	-0.000295	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-1.23	-0.001488	±2.5	PASS
Band5	4132	1	NV	-20	-0.79	-0.000956	±2.5	PASS
Band5	4132	1	NV	-10	-0.45	-0.000545	±2.5	PASS
Band5	4132	1	NV	0	-0.59	-0.000714	±2.5	PASS
Band5	4132	1	NV	10	-0.92	-0.001113	±2.5	PASS
Band5	4132	1	NV	20	-0.59	-0.000714	±2.5	PASS
Band5	4132	1	NV	30	0.31	0.000375	±2.5	PASS
Band5	4132	1	NV	40	0.56	0.000678	±2.5	PASS
Band5	4132	1	NV	50	-0.80	-0.000968	±2.5	PASS
Band5	4132	2	NV	-30	0.36	0.000436	±2.5	PASS
Band5	4132	2	NV	-20	-0.33	-0.000399	±2.5	PASS
Band5	4132	2	NV	-10	0.81	0.000980	±2.5	PASS
Band5	4132	2	NV	0	0.31	0.000375	±2.5	PASS
Band5	4132	2	NV	10	-0.16	-0.000194	±2.5	PASS
Band5	4132	2	NV	20	0.34	0.000411	±2.5	PASS
Band5	4132	2	NV	30	-0.04	-0.000048	±2.5	PASS
Band5	4132	2	NV	40	-0.13	-0.000157	±2.5	PASS
Band5	4132	2	NV	50	-0.03	-0.000036	±2.5	PASS
Band5	4132	3	NV	-30	-0.39	-0.000472	±2.5	PASS
Band5	4132	3	NV	-20	0.53	0.000641	±2.5	PASS
Band5	4132	3	NV	-10	-0.30	-0.000363	±2.5	PASS
Band5	4132	3	NV	0	0.26	0.000315	±2.5	PASS
Band5	4132	3	NV	10	0.83	0.001004	±2.5	PASS
Band5	4132	3	NV	20	0.56	0.000678	±2.5	PASS
Band5	4132	3	NV	30	0.83	0.001004	±2.5	PASS
Band5	4132	3	NV	40	0.26	0.000315	±2.5	PASS
Band5	4132	3	NV	50	-0.01	-0.000012	±2.5	PASS
Band5	4132	4	NV	-30	0.34	0.000411	±2.5	PASS
Band5	4132	4	NV	-20	0.41	0.000496	±2.5	PASS
Band5	4132	4	NV	-10	-1.27	-0.001537	±2.5	PASS
Band5	4132	4	NV	0	-0.01	-0.000012	±2.5	PASS
Band5	4132	4	NV	10	0.07	0.000085	±2.5	PASS
Band5	4132	4	NV	20	-0.44	-0.000532	±2.5	PASS
Band5	4132	4	NV	30	0.54	0.000653	±2.5	PASS
Band5	4132	4	NV	40	0.69	0.000835	±2.5	PASS
Band5	4132	4	NV	50	0.35	0.000424	±2.5	PASS

Band5	4182	1	NV	-30	-0.33	-0.000395	±2.5	PASS
Band5	4182	1	NV	-20	-0.23	-0.000275	±2.5	PASS
Band5	4182	1	NV	-10	-0.52	-0.000622	±2.5	PASS
Band5	4182	1	NV	0	0.00	0.000000	±2.5	PASS
Band5	4182	1	NV	10	-1.26	-0.001506	±2.5	PASS
Band5	4182	1	NV	20	0.18	0.000215	±2.5	PASS
Band5	4182	1	NV	30	0.18	0.000215	±2.5	PASS
Band5	4182	1	NV	40	0.52	0.000622	±2.5	PASS
Band5	4182	1	NV	50	-1.11	-0.001327	±2.5	PASS
Band5	4182	2	NV	-30	0.04	0.000048	±2.5	PASS
Band5	4182	2	NV	-20	0.46	0.000550	±2.5	PASS
Band5	4182	2	NV	-10	-0.74	-0.000885	±2.5	PASS
Band5	4182	2	NV	0	-0.45	-0.000538	±2.5	PASS
Band5	4182	2	NV	10	0.44	0.000526	±2.5	PASS
Band5	4182	2	NV	20	0.48	0.000574	±2.5	PASS
Band5	4182	2	NV	30	-1.27	-0.001518	±2.5	PASS
Band5	4182	2	NV	40	0.39	0.000466	±2.5	PASS
Band5	4182	2	NV	50	-0.32	-0.000383	±2.5	PASS
Band5	4182	3	NV	-30	-0.57	-0.000681	±2.5	PASS
Band5	4182	3	NV	-20	-1.08	-0.001291	±2.5	PASS
Band5	4182	3	NV	-10	-0.29	-0.000347	±2.5	PASS
Band5	4182	3	NV	0	-0.03	-0.000036	±2.5	PASS
Band5	4182	3	NV	10	0.11	0.000132	±2.5	PASS
Band5	4182	3	NV	20	0.32	0.000383	±2.5	PASS
Band5	4182	3	NV	30	-0.22	-0.000263	±2.5	PASS
Band5	4182	3	NV	40	0.44	0.000526	±2.5	PASS
Band5	4182	3	NV	50	0.11	0.000132	±2.5	PASS
Band5	4182	4	NV	-30	0.13	0.000155	±2.5	PASS
Band5	4182	4	NV	-20	0.08	0.000096	±2.5	PASS
Band5	4182	4	NV	-10	-0.44	-0.000526	±2.5	PASS
Band5	4182	4	NV	0	0.45	0.000538	±2.5	PASS
Band5	4182	4	NV	10	-0.60	-0.000717	±2.5	PASS
Band5	4182	4	NV	20	0.62	0.000741	±2.5	PASS
Band5	4182	4	NV	30	-0.31	-0.000371	±2.5	PASS
Band5	4182	4	NV	40	-0.90	-0.001076	±2.5	PASS
Band5	4182	4	NV	50	0.10	0.000120	±2.5	PASS
Band5	4233	1	NV	-30	-0.53	-0.000626	±2.5	PASS
Band5	4233	1	NV	-20	-0.24	-0.000283	±2.5	PASS
Band5	4233	1	NV	-10	-0.14	-0.000165	±2.5	PASS
Band5	4233	1	NV	0	-1.25	-0.001476	±2.5	PASS
Band5	4233	1	NV	10	-0.59	-0.000697	±2.5	PASS

Band5	4233	1	NV	20	-0.71	-0.000839	±2.5	PASS
Band5	4233	1	NV	30	-1.09	-0.001288	±2.5	PASS
Band5	4233	1	NV	40	-0.65	-0.000768	±2.5	PASS
Band5	4233	1	NV	50	-0.95	-0.001122	±2.5	PASS
Band5	4233	2	NV	-30	0.09	0.000106	±2.5	PASS
Band5	4233	2	NV	-20	-0.59	-0.000697	±2.5	PASS
Band5	4233	2	NV	-10	-0.28	-0.000331	±2.5	PASS
Band5	4233	2	NV	0	-0.35	-0.000413	±2.5	PASS
Band5	4233	2	NV	10	-1.02	-0.001205	±2.5	PASS
Band5	4233	2	NV	20	-0.30	-0.000354	±2.5	PASS
Band5	4233	2	NV	30	0.10	0.000118	±2.5	PASS
Band5	4233	2	NV	40	-0.79	-0.000933	±2.5	PASS
Band5	4233	2	NV	50	-0.78	-0.000921	±2.5	PASS
Band5	4233	3	NV	-30	-0.52	-0.000614	±2.5	PASS
Band5	4233	3	NV	-20	-0.36	-0.000425	±2.5	PASS
Band5	4233	3	NV	-10	-0.43	-0.000508	±2.5	PASS
Band5	4233	3	NV	0	-0.54	-0.000638	±2.5	PASS
Band5	4233	3	NV	10	-0.88	-0.001039	±2.5	PASS
Band5	4233	3	NV	20	-0.26	-0.000307	±2.5	PASS
Band5	4233	3	NV	30	-0.12	-0.000142	±2.5	PASS
Band5	4233	3	NV	40	-0.45	-0.000532	±2.5	PASS
Band5	4233	3	NV	50	-1.28	-0.001512	±2.5	PASS
Band5	4233	4	NV	-30	-6.86	-0.008103	±2.5	PASS
Band5	4233	4	NV	-20	-0.38	-0.000449	±2.5	PASS
Band5	4233	4	NV	-10	-0.84	-0.000992	±2.5	PASS
Band5	4233	4	NV	0	-0.73	-0.000862	±2.5	PASS
Band5	4233	4	NV	10	-0.59	-0.000697	±2.5	PASS
Band5	4233	4	NV	20	-0.74	-0.000874	±2.5	PASS
Band5	4233	4	NV	30	-0.73	-0.000862	±2.5	PASS
Band5	4233	4	NV	40	-0.96	-0.001134	±2.5	PASS
Band5	4233	4	NV	50	0.29	0.000343	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-2.29	-0.002771	±2.5	PASS
Band5	4132	1	VL	NT	-1.46	-0.001767	±2.5	PASS
Band5	4132	1	VH	NT	-1.86	-0.002251	±2.5	PASS
Band5	4132	2	VN	NT	-1.04	-0.001258	±2.5	PASS
Band5	4132	2	VL	NT	-0.66	-0.000799	±2.5	PASS
Band5	4132	2	VH	NT	-0.95	-0.001150	±2.5	PASS
Band5	4132	3	VN	NT	-1.32	-0.001597	±2.5	PASS

Band5	4132	3	VL	NT	-1.16	-0.001404	±2.5	PASS
Band5	4132	3	VH	NT	-0.79	-0.000956	±2.5	PASS
Band5	4132	4	VN	NT	-0.61	-0.000738	±2.5	PASS
Band5	4132	4	VL	NT	-0.91	-0.001101	±2.5	PASS
Band5	4132	4	VH	NT	-0.93	-0.001125	±2.5	PASS
Band5	4132	5	VN	NT	-1.38	-0.001670	±2.5	PASS
Band5	4132	5	VL	NT	-1.41	-0.001706	±2.5	PASS
Band5	4132	5	VH	NT	-1.42	-0.001718	±2.5	PASS
Band5	4182	1	VN	NT	-1.56	-0.001865	±2.5	PASS
Band5	4182	1	VL	NT	-2.07	-0.002475	±2.5	PASS
Band5	4182	1	VH	NT	-0.86	-0.001028	±2.5	PASS
Band5	4182	2	VN	NT	-0.81	-0.000968	±2.5	PASS
Band5	4182	2	VL	NT	-0.45	-0.000538	±2.5	PASS
Band5	4182	2	VH	NT	-0.99	-0.001184	±2.5	PASS
Band5	4182	3	VN	NT	-0.26	-0.000311	±2.5	PASS
Band5	4182	3	VL	NT	-0.06	-0.000072	±2.5	PASS
Band5	4182	3	VH	NT	-1.41	-0.001686	±2.5	PASS
Band5	4182	4	VN	NT	-1.23	-0.001471	±2.5	PASS
Band5	4182	4	VL	NT	-1.65	-0.001973	±2.5	PASS
Band5	4182	4	VH	NT	0.68	0.000813	±2.5	PASS
Band5	4182	5	VN	NT	-1.12	-0.001339	±2.5	PASS
Band5	4182	5	VL	NT	-0.80	-0.000956	±2.5	PASS
Band5	4182	5	VH	NT	-1.01	-0.001208	±2.5	PASS
Band5	4233	1	VN	NT	-0.92	-0.001087	±2.5	PASS
Band5	4233	1	VL	NT	-0.90	-0.001063	±2.5	PASS
Band5	4233	1	VH	NT	0.03	0.000035	±2.5	PASS
Band5	4233	2	VN	NT	-0.11	-0.000130	±2.5	PASS
Band5	4233	2	VL	NT	0.55	0.000650	±2.5	PASS
Band5	4233	2	VH	NT	-0.02	-0.000024	±2.5	PASS
Band5	4233	3	VN	NT	-0.52	-0.000614	±2.5	PASS
Band5	4233	3	VL	NT	-0.39	-0.000461	±2.5	PASS
Band5	4233	3	VH	NT	-0.14	-0.000165	±2.5	PASS
Band5	4233	4	VN	NT	-0.51	-0.000602	±2.5	PASS
Band5	4233	4	VL	NT	-0.96	-0.001134	±2.5	PASS
Band5	4233	4	VH	NT	0.00	0.000000	±2.5	PASS
Band5	4233	5	VN	NT	-0.94	-0.001110	±2.5	PASS
Band5	4233	5	VL	NT	-1.35	-0.001595	±2.5	PASS
Band5	4233	5	VH	NT	-0.08	-0.000094	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict

Band5	4132	1	NV	-30	-1.85	-0.002239	±2.5	PASS
Band5	4132	1	NV	-20	-1.27	-0.001537	±2.5	PASS
Band5	4132	1	NV	-10	-1.82	-0.002202	±2.5	PASS
Band5	4132	1	NV	0	-1.66	-0.002009	±2.5	PASS
Band5	4132	1	NV	10	-1.98	-0.002396	±2.5	PASS
Band5	4132	1	NV	20	-0.40	-0.000484	±2.5	PASS
Band5	4132	1	NV	30	-0.94	-0.001137	±2.5	PASS
Band5	4132	1	NV	40	-1.82	-0.002202	±2.5	PASS
Band5	4132	1	NV	50	-0.96	-0.001162	±2.5	PASS
Band5	4132	2	NV	-30	-0.60	-0.000726	±2.5	PASS
Band5	4132	2	NV	-20	0.22	0.000266	±2.5	PASS
Band5	4132	2	NV	-10	0.07	0.000085	±2.5	PASS
Band5	4132	2	NV	0	-0.38	-0.000460	±2.5	PASS
Band5	4132	2	NV	10	-0.70	-0.000847	±2.5	PASS
Band5	4132	2	NV	20	-0.07	-0.000085	±2.5	PASS
Band5	4132	2	NV	30	-1.02	-0.001234	±2.5	PASS
Band5	4132	2	NV	40	-0.12	-0.000145	±2.5	PASS
Band5	4132	2	NV	50	-0.74	-0.000895	±2.5	PASS
Band5	4132	3	NV	-30	-0.78	-0.000944	±2.5	PASS
Band5	4132	3	NV	-20	-1.26	-0.001525	±2.5	PASS
Band5	4132	3	NV	-10	-1.19	-0.001440	±2.5	PASS
Band5	4132	3	NV	0	0.25	0.000303	±2.5	PASS
Band5	4132	3	NV	10	-0.36	-0.000436	±2.5	PASS
Band5	4132	3	NV	20	0.04	0.000048	±2.5	PASS
Band5	4132	3	NV	30	0.08	0.000097	±2.5	PASS
Band5	4132	3	NV	40	-1.03	-0.001246	±2.5	PASS
Band5	4132	3	NV	50	-0.22	-0.000266	±2.5	PASS
Band5	4132	4	NV	-30	-1.43	-0.001730	±2.5	PASS
Band5	4132	4	NV	-20	-0.30	-0.000363	±2.5	PASS
Band5	4132	4	NV	-10	0.04	0.000048	±2.5	PASS
Band5	4132	4	NV	0	-0.16	-0.000194	±2.5	PASS
Band5	4132	4	NV	10	-0.03	-0.000036	±2.5	PASS
Band5	4132	4	NV	20	0.23	0.000278	±2.5	PASS
Band5	4132	4	NV	30	-1.10	-0.001331	±2.5	PASS
Band5	4132	4	NV	40	-0.27	-0.000327	±2.5	PASS
Band5	4132	4	NV	50	-0.26	-0.000315	±2.5	PASS
Band5	4132	5	NV	-30	-0.08	-0.000097	±2.5	PASS
Band5	4132	5	NV	-20	-0.81	-0.000980	±2.5	PASS
Band5	4132	5	NV	-10	-0.85	-0.001029	±2.5	PASS
Band5	4132	5	NV	0	-0.63	-0.000762	±2.5	PASS
Band5	4132	5	NV	10	-0.66	-0.000799	±2.5	PASS

Band5	4132	5	NV	20	-0.08	-0.000097	±2.5	PASS
Band5	4132	5	NV	30	-0.05	-0.000061	±2.5	PASS
Band5	4132	5	NV	40	-0.26	-0.000315	±2.5	PASS
Band5	4132	5	NV	50	-0.49	-0.000593	±2.5	PASS
Band5	4182	1	NV	-30	-1.87	-0.002236	±2.5	PASS
Band5	4182	1	NV	-20	-0.41	-0.000490	±2.5	PASS
Band5	4182	1	NV	-10	-0.96	-0.001148	±2.5	PASS
Band5	4182	1	NV	0	-0.42	-0.000502	±2.5	PASS
Band5	4182	1	NV	10	-0.64	-0.000765	±2.5	PASS
Band5	4182	1	NV	20	-0.35	-0.000418	±2.5	PASS
Band5	4182	1	NV	30	-0.39	-0.000466	±2.5	PASS
Band5	4182	1	NV	40	-0.73	-0.000873	±2.5	PASS
Band5	4182	1	NV	50	-0.36	-0.000430	±2.5	PASS
Band5	4182	2	NV	-30	-0.81	-0.000968	±2.5	PASS
Band5	4182	2	NV	-20	-0.68	-0.000813	±2.5	PASS
Band5	4182	2	NV	-10	-0.58	-0.000693	±2.5	PASS
Band5	4182	2	NV	0	-0.26	-0.000311	±2.5	PASS
Band5	4182	2	NV	10	-0.71	-0.000849	±2.5	PASS
Band5	4182	2	NV	20	1.15	0.001375	±2.5	PASS
Band5	4182	2	NV	30	-0.53	-0.000634	±2.5	PASS
Band5	4182	2	NV	40	-0.55	-0.000658	±2.5	PASS
Band5	4182	2	NV	50	-0.57	-0.000681	±2.5	PASS
Band5	4182	3	NV	-30	-0.47	-0.000562	±2.5	PASS
Band5	4182	3	NV	-20	-0.60	-0.000717	±2.5	PASS
Band5	4182	3	NV	-10	-0.39	-0.000466	±2.5	PASS
Band5	4182	3	NV	0	-0.93	-0.001112	±2.5	PASS
Band5	4182	3	NV	10	-0.04	-0.000048	±2.5	PASS
Band5	4182	3	NV	20	-0.05	-0.000060	±2.5	PASS
Band5	4182	3	NV	30	-0.17	-0.000203	±2.5	PASS
Band5	4182	3	NV	40	-0.72	-0.000861	±2.5	PASS
Band5	4182	3	NV	50	-0.35	-0.000418	±2.5	PASS
Band5	4182	4	NV	-30	-0.52	-0.000622	±2.5	PASS
Band5	4182	4	NV	-20	0.84	0.001004	±2.5	PASS
Band5	4182	4	NV	-10	-0.03	-0.000036	±2.5	PASS
Band5	4182	4	NV	0	-0.27	-0.000323	±2.5	PASS
Band5	4182	4	NV	10	0.22	0.000263	±2.5	PASS
Band5	4182	4	NV	20	-0.54	-0.000646	±2.5	PASS
Band5	4182	4	NV	30	-0.54	-0.000646	±2.5	PASS
Band5	4182	4	NV	40	-0.89	-0.001064	±2.5	PASS
Band5	4182	4	NV	50	-0.18	-0.000215	±2.5	PASS
Band5	4182	5	NV	-30	-1.09	-0.001303	±2.5	PASS

Band5	4182	5	NV	-20	-0.19	-0.000227	±2.5	PASS
Band5	4182	5	NV	-10	-0.88	-0.001052	±2.5	PASS
Band5	4182	5	NV	0	-0.66	-0.000789	±2.5	PASS
Band5	4182	5	NV	10	-1.20	-0.001435	±2.5	PASS
Band5	4182	5	NV	20	-0.23	-0.000275	±2.5	PASS
Band5	4182	5	NV	30	-0.29	-0.000347	±2.5	PASS
Band5	4182	5	NV	40	-0.51	-0.000610	±2.5	PASS
Band5	4182	5	NV	50	-0.05	-0.000060	±2.5	PASS
Band5	4233	1	NV	-30	-0.29	-0.000343	±2.5	PASS
Band5	4233	1	NV	-20	-1.24	-0.001465	±2.5	PASS
Band5	4233	1	NV	-10	-0.73	-0.000862	±2.5	PASS
Band5	4233	1	NV	0	-1.51	-0.001784	±2.5	PASS
Band5	4233	1	NV	10	-0.01	-0.000012	±2.5	PASS
Band5	4233	1	NV	20	1.34	0.001583	±2.5	PASS
Band5	4233	1	NV	30	0.05	0.000059	±2.5	PASS
Band5	4233	1	NV	40	-0.27	-0.000319	±2.5	PASS
Band5	4233	1	NV	50	-0.12	-0.000142	±2.5	PASS
Band5	4233	2	NV	-30	-0.11	-0.000130	±2.5	PASS
Band5	4233	2	NV	-20	0.41	0.000484	±2.5	PASS
Band5	4233	2	NV	-10	0.05	0.000059	±2.5	PASS
Band5	4233	2	NV	0	0.30	0.000354	±2.5	PASS
Band5	4233	2	NV	10	-0.71	-0.000839	±2.5	PASS
Band5	4233	2	NV	20	0.34	0.000402	±2.5	PASS
Band5	4233	2	NV	30	0.12	0.000142	±2.5	PASS
Band5	4233	2	NV	40	0.27	0.000319	±2.5	PASS
Band5	4233	2	NV	50	-0.14	-0.000165	±2.5	PASS
Band5	4233	3	NV	-30	-0.62	-0.000732	±2.5	PASS
Band5	4233	3	NV	-20	0.34	0.000402	±2.5	PASS
Band5	4233	3	NV	-10	0.17	0.000201	±2.5	PASS
Band5	4233	3	NV	0	0.20	0.000236	±2.5	PASS
Band5	4233	3	NV	10	-0.26	-0.000307	±2.5	PASS
Band5	4233	3	NV	20	0.18	0.000213	±2.5	PASS
Band5	4233	3	NV	30	-0.25	-0.000295	±2.5	PASS
Band5	4233	3	NV	40	-0.28	-0.000331	±2.5	PASS
Band5	4233	3	NV	50	0.48	0.000567	±2.5	PASS
Band5	4233	4	NV	-30	-0.95	-0.001122	±2.5	PASS
Band5	4233	4	NV	-20	-0.90	-0.001063	±2.5	PASS
Band5	4233	4	NV	-10	-1.19	-0.001406	±2.5	PASS
Band5	4233	4	NV	0	-0.16	-0.000189	±2.5	PASS
Band5	4233	4	NV	10	-0.79	-0.000933	±2.5	PASS
Band5	4233	4	NV	20	-0.02	-0.000024	±2.5	PASS

Band5	4233	4	NV	30	-1.17	-0.001382	±2.5	PASS
Band5	4233	4	NV	40	-1.00	-0.001181	±2.5	PASS
Band5	4233	4	NV	50	-0.04	-0.000047	±2.5	PASS
Band5	4233	5	NV	-30	-0.09	-0.000106	±2.5	PASS
Band5	4233	5	NV	-20	-1.06	-0.001252	±2.5	PASS
Band5	4233	5	NV	-10	-0.38	-0.000449	±2.5	PASS
Band5	4233	5	NV	0	-0.56	-0.000661	±2.5	PASS
Band5	4233	5	NV	10	-0.65	-0.000768	±2.5	PASS
Band5	4233	5	NV	20	-0.18	-0.000213	±2.5	PASS
Band5	4233	5	NV	30	-0.78	-0.000921	±2.5	PASS
Band5	4233	5	NV	40	-1.06	-0.001252	±2.5	PASS
Band5	4233	5	NV	50	-0.80	-0.000945	±2.5	PASS

----- THE END -----