







Conducted Spurious Emission


Test Graphs




Band2-9262-0.009~0.15MHz-PASS




Band2-9262-0.15~30MHz-PASS




Band2-9262-30~1000MHz-PASS




Band2-9262-1000~20000MHz-PASS




Band2-9400-0.009~0.15MHz-PASS




Band2-9400-0.15~30MHz-PASS




Band2-9400-30~1000MHz-PASS




Band2-9400-1000~20000MHz-PASS




Band2-9538-0.009~0.15MHz-PASS




Band2-9538-0.15~30MHz-PASS




Band2-9538-30~1000MHz-PASS




Band2-9538-1000~20000MHz-PASS




Band2-9262-1-0.009~0.15MHz-PASS




Band2-9262-1-0.15~30MHz-PASS



Band2-9262-1-30~1000MHz-PASS




Band2-9262-1-1000~20000MHz-PASS




Band2-9262-2-0.009~0.15MHz-PASS




Band2-9262-2-0.15~30MHz-PASS




Band2-9262-2-30~1000MHz-PASS




Band2-9262-2-1000~20000MHz-PASS




Band2-9262-3-0.009~0.15MHz-PASS




Band2-9262-3-0.15~30MHz-PASS




Band2-9262-3-30~1000MHz-PASS




Band2-9262-3-1000~20000MHz-PASS




Band2-9262-4-0.009~0.15MHz-PASS




Band2-9262-4-0.15~30MHz-PASS




Band2-9262-4-30~1000MHz-PASS




Band2-9262-4-1000~20000MHz-PASS




Band2-9400-1-0.009~0.15MHz-PASS




Band2-9400-1-0.15~30MHz-PASS




Band2-9400-1-30~1000MHz-PASS




Band2-9400-1-1000~20000MHz-PASS




Band2-9400-2-0.009~0.15MHz-PASS




Band2-9400-2-0.15~30MHz-PASS




Band2-9400-2-30~1000MHz-PASS




Band2-9400-2-1000~20000MHz-PASS




Band2-9400-3-0.009~0.15MHz-PASS




Band2-9400-3-0.15~30MHz-PASS



Band2-9400-3-30~1000MHz-PASS




Band2-9400-3-1000~20000MHz-PASS




Band2-9400-4-0.009~0.15MHz-PASS




Band2-9400-4-0.15~30MHz-PASS




Band2-9400-4-30~1000MHz-PASS




Band2-9400-4-1000~20000MHz-PASS




Band2-9538-1-0.009~0.15MHz-PASS




Band2-9538-1-0.15~30MHz-PASS




Band2-9538-1-30~1000MHz-PASS




Band2-9538-1-1000~20000MHz-PASS




Band2-9538-2-0.009~0.15MHz-PASS




Band2-9538-2-0.15~30MHz-PASS




Band2-9538-2-30~1000MHz-PASS




Band2-9538-2-1000~20000MHz-PASS




Band2-9538-3-0.009~0.15MHz-PASS




Band2-9538-3-0.15~30MHz-PASS




Band2-9538-3-30~1000MHz-PASS




Band2-9538-3-1000~20000MHz-PASS




Band2-9538-4-0.009~0.15MHz-PASS




Band2-9538-4-0.15~30MHz-PASS




Band2-9538-4-30~1000MHz-PASS




Band2-9538-4-1000~20000MHz-PASS




Band2-9262-1-0.009~0.15MHz-PASS




Band2-9262-1-0.15~30MHz-PASS




Band2-9262-1-30~1000MHz-PASS




Band2-9262-1-1000~20000MHz-PASS




Band2-9262-2-0.009~0.15MHz-PASS




Band2-9262-2-0.15~30MHz-PASS




Band2-9262-2-30~1000MHz-PASS




Band2-9262-2-1000~20000MHz-PASS




Band2-9262-3-0.009~0.15MHz-PASS




Band2-9262-3-0.15~30MHz-PASS



Band2-9262-3-30~1000MHz-PASS




Band2-9262-3-1000~20000MHz-PASS




Band2-9262-4-0.009~0.15MHz-PASS




Band2-9262-4-0.15~30MHz-PASS




Band2-9262-4-30~1000MHz-PASS




Band2-9262-4-1000~20000MHz-PASS




Band2-9262-5-0.009~0.15MHz-PASS




Band2-9262-5-0.15~30MHz-PASS



Band2-9262-5-30~1000MHz-PASS




Band2-9262-5-1000~20000MHz-PASS




Band2-9400-1-0.009~0.15MHz-PASS




Band2-9400-1-0.15~30MHz-PASS




Band2-9400-1-30~1000MHz-PASS




Band2-9400-1-1000~20000MHz-PASS




Band2-9400-2-0.009~0.15MHz-PASS




Band2-9400-2-0.15~30MHz-PASS



Band2-9400-2-30~1000MHz-PASS




Band2-9400-2-1000~20000MHz-PASS




Band2-9400-3-0.009~0.15MHz-PASS




Band2-9400-3-0.15~30MHz-PASS




Band2-9400-3-30~1000MHz-PASS




Band2-9400-3-1000~20000MHz-PASS




Band2-9400-4-0.009~0.15MHz-PASS




Band2-9400-4-0.15~30MHz-PASS



Band2-9400-4-30~1000MHz-PASS




Band2-9400-4-1000~20000MHz-PASS




Band2-9400-5-0.009~0.15MHz-PASS




Band2-9400-5-0.15~30MHz-PASS




Band2-9400-5-30~1000MHz-PASS




Band2-9400-5-1000~20000MHz-PASS




Band2-9538-1-0.009~0.15MHz-PASS




Band2-9538-1-0.15~30MHz-PASS




Band2-9538-1-30~1000MHz-PASS




Band2-9538-1-1000~20000MHz-PASS




Band2-9538-2-0.009~0.15MHz-PASS




Band2-9538-2-0.15~30MHz-PASS




Band2-9538-2-30~1000MHz-PASS




Band2-9538-2-1000~20000MHz-PASS




Band2-9538-3-0.009~0.15MHz-PASS




Band2-9538-3-0.15~30MHz-PASS




Band2-9538-3-30~1000MHz-PASS




Band2-9538-3-1000~20000MHz-PASS




Band2-9538-4-0.009~0.15MHz-PASS




Band2-9538-4-0.15~30MHz-PASS




Band2-9538-4-30~1000MHz-PASS




Band2-9538-4-1000~20000MHz-PASS




Band2-9538-5-0.009~0.15MHz-PASS



Band2-9538-5-0.15~30MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-5-1000~20000MHz-PASS

Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	-0.05	-0.000027	±2.5	PASS
Band2	9262	VL	NT	-0.71	-0.000383	±2.5	PASS
Band2	9262	VH	NT	-0.39	-0.000211	±2.5	PASS
Band2	9400	VN	NT	-0.58	-0.000309	±2.5	PASS
Band2	9400	VL	NT	-1.26	-0.000670	±2.5	PASS
Band2	9400	VH	NT	0.54	0.000287	±2.5	PASS
Band2	9538	VN	NT	-1.64	-0.000860	±2.5	PASS
Band2	9538	VL	NT	-1.50	-0.000786	±2.5	PASS
Band2	9538	VH	NT	-2.33	-0.001221	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	-0.84	-0.000453	±2.5	PASS
Band2	9262	NV	-20	-1.33	-0.000718	±2.5	PASS
Band2	9262	NV	-10	0.03	0.000016	±2.5	PASS
Band2	9262	NV	0	-0.83	-0.000448	±2.5	PASS
Band2	9262	NV	10	0.38	0.000205	±2.5	PASS
Band2	9262	NV	20	-0.50	-0.000270	±2.5	PASS
Band2	9262	NV	30	-0.59	-0.000319	±2.5	PASS
Band2	9262	NV	40	-1.22	-0.000659	±2.5	PASS
Band2	9262	NV	50	1.15	0.000621	±2.5	PASS
Band2	9400	NV	-30	-1.03	-0.000548	±2.5	PASS
Band2	9400	NV	-20	-2.01	-0.001069	±2.5	PASS
Band2	9400	NV	-10	0.91	0.000484	±2.5	PASS
Band2	9400	NV	0	-1.26	-0.000670	±2.5	PASS
Band2	9400	NV	10	-1.23	-0.000654	±2.5	PASS
Band2	9400	NV	20	0.61	0.000324	±2.5	PASS
Band2	9400	NV	30	-0.70	-0.000372	±2.5	PASS
Band2	9400	NV	40	-1.15	-0.000612	±2.5	PASS
Band2	9400	NV	50	0.24	0.000128	±2.5	PASS
Band2	9538	NV	-30	-1.33	-0.000697	±2.5	PASS
Band2	9538	NV	-20	-0.38	-0.000199	±2.5	PASS
Band2	9538	NV	-10	-1.53	-0.000802	±2.5	PASS
Band2	9538	NV	0	-1.77	-0.000928	±2.5	PASS
Band2	9538	NV	10	-1.46	-0.000765	±2.5	PASS

Band2	9538	NV	20	-1.01	-0.000529	±2.5	PASS
Band2	9538	NV	30	-2.32	-0.001216	±2.5	PASS
Band2	9538	NV	40	-0.08	-0.000042	±2.5	PASS
Band2	9538	NV	50	-0.89	-0.000467	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-2.68	-0.001447	±2.5	PASS
Band2	9262	1	VL	NT	-1.42	-0.000767	±2.5	PASS
Band2	9262	1	VH	NT	-3.00	-0.001620	±2.5	PASS
Band2	9262	2	VN	NT	-0.58	-0.000313	±2.5	PASS
Band2	9262	2	VL	NT	-0.35	-0.000189	±2.5	PASS
Band2	9262	2	VH	NT	1.57	0.000848	±2.5	PASS
Band2	9262	3	VN	NT	-2.06	-0.001112	±2.5	PASS
Band2	9262	3	VL	NT	-0.67	-0.000362	±2.5	PASS
Band2	9262	3	VH	NT	-2.39	-0.001290	±2.5	PASS
Band2	9262	4	VN	NT	-0.78	-0.000421	±2.5	PASS
Band2	9262	4	VL	NT	-1.06	-0.000572	±2.5	PASS
Band2	9262	4	VH	NT	-1.54	-0.000831	±2.5	PASS
Band2	9400	1	VN	NT	-3.13	-0.001665	±2.5	PASS
Band2	9400	1	VL	NT	-2.07	-0.001101	±2.5	PASS
Band2	9400	1	VH	NT	-1.72	-0.000915	±2.5	PASS
Band2	9400	2	VN	NT	-1.92	-0.001021	±2.5	PASS
Band2	9400	2	VL	NT	-2.63	-0.001399	±2.5	PASS
Band2	9400	2	VH	NT	-0.60	-0.000319	±2.5	PASS
Band2	9400	3	VN	NT	-0.80	-0.000426	±2.5	PASS
Band2	9400	3	VL	NT	-1.90	-0.001011	±2.5	PASS
Band2	9400	3	VH	NT	-2.18	-0.001160	±2.5	PASS
Band2	9400	4	VN	NT	-0.71	-0.000378	±2.5	PASS
Band2	9400	4	VL	NT	0.02	0.000011	±2.5	PASS
Band2	9400	4	VH	NT	-1.13	-0.000601	±2.5	PASS
Band2	9538	1	VN	NT	-1.83	-0.000959	±2.5	PASS
Band2	9538	1	VL	NT	-1.06	-0.000556	±2.5	PASS
Band2	9538	1	VH	NT	-1.37	-0.000718	±2.5	PASS
Band2	9538	2	VN	NT	-0.94	-0.000493	±2.5	PASS
Band2	9538	2	VL	NT	-0.01	-0.000005	±2.5	PASS
Band2	9538	2	VH	NT	-1.01	-0.000529	±2.5	PASS
Band2	9538	3	VN	NT	-1.20	-0.000629	±2.5	PASS
Band2	9538	3	VL	NT	-0.68	-0.000356	±2.5	PASS
Band2	9538	3	VH	NT	-0.39	-0.000204	±2.5	PASS
Band2	9538	4	VN	NT	-1.01	-0.000529	±2.5	PASS

Band2	9538	4	VL	NT	-1.20	-0.000629	±2.5	PASS
Band2	9538	4	VH	NT	-2.17	-0.001138	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-1.00	-0.000540	±2.5	PASS
Band2	9262	1	NV	-20	-3.21	-0.001733	±2.5	PASS
Band2	9262	1	NV	-10	-0.94	-0.000507	±2.5	PASS
Band2	9262	1	NV	0	-0.60	-0.000324	±2.5	PASS
Band2	9262	1	NV	10	-0.98	-0.000529	±2.5	PASS
Band2	9262	1	NV	20	-2.06	-0.001112	±2.5	PASS
Band2	9262	1	NV	30	0.47	0.000254	±2.5	PASS
Band2	9262	1	NV	40	-0.17	-0.000092	±2.5	PASS
Band2	9262	1	NV	50	-0.48	-0.000259	±2.5	PASS
Band2	9262	2	NV	-30	-0.10	-0.000054	±2.5	PASS
Band2	9262	2	NV	-20	-1.45	-0.000783	±2.5	PASS
Band2	9262	2	NV	-10	-0.56	-0.000302	±2.5	PASS
Band2	9262	2	NV	0	-0.46	-0.000248	±2.5	PASS
Band2	9262	2	NV	10	-1.73	-0.000934	±2.5	PASS
Band2	9262	2	NV	20	-0.29	-0.000157	±2.5	PASS
Band2	9262	2	NV	30	-0.79	-0.000426	±2.5	PASS
Band2	9262	2	NV	40	-1.35	-0.000729	±2.5	PASS
Band2	9262	2	NV	50	-0.10	-0.000054	±2.5	PASS
Band2	9262	3	NV	-30	-0.48	-0.000259	±2.5	PASS
Band2	9262	3	NV	-20	-1.21	-0.000653	±2.5	PASS
Band2	9262	3	NV	-10	-1.59	-0.000858	±2.5	PASS
Band2	9262	3	NV	0	-0.01	-0.000005	±2.5	PASS
Band2	9262	3	NV	10	-0.02	-0.000011	±2.5	PASS
Band2	9262	3	NV	20	1.00	0.000540	±2.5	PASS
Band2	9262	3	NV	30	-0.94	-0.000507	±2.5	PASS
Band2	9262	3	NV	40	-0.14	-0.000076	±2.5	PASS
Band2	9262	3	NV	50	0.50	0.000270	±2.5	PASS
Band2	9262	4	NV	-30	-0.25	-0.000135	±2.5	PASS
Band2	9262	4	NV	-20	-0.84	-0.000453	±2.5	PASS
Band2	9262	4	NV	-10	-0.23	-0.000124	±2.5	PASS
Band2	9262	4	NV	0	-0.03	-0.000016	±2.5	PASS
Band2	9262	4	NV	10	-0.95	-0.000513	±2.5	PASS
Band2	9262	4	NV	20	-1.46	-0.000788	±2.5	PASS
Band2	9262	4	NV	30	-0.04	-0.000022	±2.5	PASS
Band2	9262	4	NV	40	6.37	0.003439	±2.5	PASS
Band2	9262	4	NV	50	-0.84	-0.000453	±2.5	PASS

Band2	9400	1	NV	-30	-1.53	-0.000814	±2.5	PASS
Band2	9400	1	NV	-20	-2.35	-0.001250	±2.5	PASS
Band2	9400	1	NV	-10	-1.71	-0.000910	±2.5	PASS
Band2	9400	1	NV	0	-1.72	-0.000915	±2.5	PASS
Band2	9400	1	NV	10	-0.52	-0.000277	±2.5	PASS
Band2	9400	1	NV	20	-0.78	-0.000415	±2.5	PASS
Band2	9400	1	NV	30	-0.45	-0.000239	±2.5	PASS
Band2	9400	1	NV	40	-1.80	-0.000957	±2.5	PASS
Band2	9400	1	NV	50	-1.08	-0.000574	±2.5	PASS
Band2	9400	2	NV	-30	-1.53	-0.000814	±2.5	PASS
Band2	9400	2	NV	-20	-0.91	-0.000484	±2.5	PASS
Band2	9400	2	NV	-10	-0.99	-0.000527	±2.5	PASS
Band2	9400	2	NV	0	-0.36	-0.000191	±2.5	PASS
Band2	9400	2	NV	10	-0.16	-0.000085	±2.5	PASS
Band2	9400	2	NV	20	-1.03	-0.000548	±2.5	PASS
Band2	9400	2	NV	30	-0.24	-0.000128	±2.5	PASS
Band2	9400	2	NV	40	-0.18	-0.000096	±2.5	PASS
Band2	9400	2	NV	50	-0.04	-0.000021	±2.5	PASS
Band2	9400	3	NV	-30	-0.43	-0.000229	±2.5	PASS
Band2	9400	3	NV	-20	-0.41	-0.000218	±2.5	PASS
Band2	9400	3	NV	-10	0.47	0.000250	±2.5	PASS
Band2	9400	3	NV	0	-0.08	-0.000043	±2.5	PASS
Band2	9400	3	NV	10	-1.42	-0.000755	±2.5	PASS
Band2	9400	3	NV	20	-0.52	-0.000277	±2.5	PASS
Band2	9400	3	NV	30	0.39	0.000207	±2.5	PASS
Band2	9400	3	NV	40	0.17	0.000090	±2.5	PASS
Band2	9400	3	NV	50	-0.55	-0.000293	±2.5	PASS
Band2	9400	4	NV	-30	-1.20	-0.000638	±2.5	PASS
Band2	9400	4	NV	-20	-1.61	-0.000856	±2.5	PASS
Band2	9400	4	NV	-10	-0.08	-0.000043	±2.5	PASS
Band2	9400	4	NV	0	1.48	0.000787	±2.5	PASS
Band2	9400	4	NV	10	-3.09	-0.001644	±2.5	PASS
Band2	9400	4	NV	20	-1.00	-0.000532	±2.5	PASS
Band2	9400	4	NV	30	-0.74	-0.000394	±2.5	PASS
Band2	9400	4	NV	40	-1.12	-0.000596	±2.5	PASS
Band2	9400	4	NV	50	-0.57	-0.000303	±2.5	PASS
Band2	9538	1	NV	-30	-0.30	-0.000157	±2.5	PASS
Band2	9538	1	NV	-20	-1.24	-0.000650	±2.5	PASS
Band2	9538	1	NV	-10	-1.76	-0.000923	±2.5	PASS
Band2	9538	1	NV	0	-0.37	-0.000194	±2.5	PASS
Band2	9538	1	NV	10	-1.08	-0.000566	±2.5	PASS

Band2	9538	1	NV	20	-1.47	-0.000771	±2.5	PASS
Band2	9538	1	NV	30	-0.59	-0.000309	±2.5	PASS
Band2	9538	1	NV	40	-1.94	-0.001017	±2.5	PASS
Band2	9538	1	NV	50	-0.85	-0.000446	±2.5	PASS
Band2	9538	2	NV	-30	-0.81	-0.000425	±2.5	PASS
Band2	9538	2	NV	-20	-1.52	-0.000797	±2.5	PASS
Band2	9538	2	NV	-10	-0.13	-0.000068	±2.5	PASS
Band2	9538	2	NV	0	-0.65	-0.000341	±2.5	PASS
Band2	9538	2	NV	10	-2.06	-0.001080	±2.5	PASS
Band2	9538	2	NV	20	1.15	0.000603	±2.5	PASS
Band2	9538	2	NV	30	-0.40	-0.000210	±2.5	PASS
Band2	9538	2	NV	40	-0.72	-0.000377	±2.5	PASS
Band2	9538	2	NV	50	-0.49	-0.000257	±2.5	PASS
Band2	9538	3	NV	-30	-0.84	-0.000440	±2.5	PASS
Band2	9538	3	NV	-20	-2.39	-0.001253	±2.5	PASS
Band2	9538	3	NV	-10	-0.58	-0.000304	±2.5	PASS
Band2	9538	3	NV	0	-0.92	-0.000482	±2.5	PASS
Band2	9538	3	NV	10	-0.41	-0.000215	±2.5	PASS
Band2	9538	3	NV	20	-2.55	-0.001337	±2.5	PASS
Band2	9538	3	NV	30	-0.04	-0.000021	±2.5	PASS
Band2	9538	3	NV	40	-2.14	-0.001122	±2.5	PASS
Band2	9538	3	NV	50	-0.79	-0.000414	±2.5	PASS
Band2	9538	4	NV	-30	-0.33	-0.000173	±2.5	PASS
Band2	9538	4	NV	-20	-0.71	-0.000372	±2.5	PASS
Band2	9538	4	NV	-10	-1.48	-0.000776	±2.5	PASS
Band2	9538	4	NV	0	-0.19	-0.000100	±2.5	PASS
Band2	9538	4	NV	10	-1.09	-0.000571	±2.5	PASS
Band2	9538	4	NV	20	0.17	0.000089	±2.5	PASS
Band2	9538	4	NV	30	-1.38	-0.000723	±2.5	PASS
Band2	9538	4	NV	40	0.07	0.000037	±2.5	PASS
Band2	9538	4	NV	50	-1.57	-0.000823	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-3.57	-0.001927	±2.5	PASS
Band2	9262	1	VL	NT	-2.42	-0.001306	±2.5	PASS
Band2	9262	1	VH	NT	-2.40	-0.001296	±2.5	PASS
Band2	9262	2	VN	NT	-1.96	-0.001058	±2.5	PASS
Band2	9262	2	VL	NT	-2.68	-0.001447	±2.5	PASS
Band2	9262	2	VH	NT	-1.79	-0.000966	±2.5	PASS
Band2	9262	3	VN	NT	-1.38	-0.000745	±2.5	PASS

Band2	9262	3	VL	NT	-2.43	-0.001312	±2.5	PASS
Band2	9262	3	VH	NT	-1.94	-0.001047	±2.5	PASS
Band2	9262	4	VN	NT	-1.29	-0.000696	±2.5	PASS
Band2	9262	4	VL	NT	-2.74	-0.001479	±2.5	PASS
Band2	9262	4	VH	NT	-1.05	-0.000567	±2.5	PASS
Band2	9262	5	VN	NT	-1.96	-0.001058	±2.5	PASS
Band2	9262	5	VL	NT	-1.64	-0.000885	±2.5	PASS
Band2	9262	5	VH	NT	-3.28	-0.001771	±2.5	PASS
Band2	9400	1	VN	NT	-3.18	-0.001691	±2.5	PASS
Band2	9400	1	VL	NT	-3.33	-0.001771	±2.5	PASS
Band2	9400	1	VH	NT	-2.73	-0.001452	±2.5	PASS
Band2	9400	2	VN	NT	-2.07	-0.001101	±2.5	PASS
Band2	9400	2	VL	NT	-2.38	-0.001266	±2.5	PASS
Band2	9400	2	VH	NT	-2.34	-0.001245	±2.5	PASS
Band2	9400	3	VN	NT	-1.60	-0.000851	±2.5	PASS
Band2	9400	3	VL	NT	-2.54	-0.001351	±2.5	PASS
Band2	9400	3	VH	NT	-0.89	-0.000473	±2.5	PASS
Band2	9400	4	VN	NT	-2.35	-0.001250	±2.5	PASS
Band2	9400	4	VL	NT	-0.96	-0.000511	±2.5	PASS
Band2	9400	4	VH	NT	0.50	0.000266	±2.5	PASS
Band2	9400	5	VN	NT	-2.97	-0.001580	±2.5	PASS
Band2	9400	5	VL	NT	-2.11	-0.001122	±2.5	PASS
Band2	9400	5	VH	NT	-0.56	-0.000298	±2.5	PASS
Band2	9538	1	VN	NT	-2.31	-0.001211	±2.5	PASS
Band2	9538	1	VL	NT	-2.36	-0.001237	±2.5	PASS
Band2	9538	1	VH	NT	-1.42	-0.000744	±2.5	PASS
Band2	9538	2	VN	NT	-1.07	-0.000561	±2.5	PASS
Band2	9538	2	VL	NT	-0.79	-0.000414	±2.5	PASS
Band2	9538	2	VH	NT	-2.04	-0.001069	±2.5	PASS
Band2	9538	3	VN	NT	-1.03	-0.000540	±2.5	PASS
Band2	9538	3	VL	NT	-1.50	-0.000786	±2.5	PASS
Band2	9538	3	VH	NT	-1.39	-0.000729	±2.5	PASS
Band2	9538	4	VN	NT	-1.36	-0.000713	±2.5	PASS
Band2	9538	4	VL	NT	-1.33	-0.000697	±2.5	PASS
Band2	9538	4	VH	NT	-0.60	-0.000315	±2.5	PASS
Band2	9538	5	VN	NT	-2.91	-0.001525	±2.5	PASS
Band2	9538	5	VL	NT	-1.38	-0.000723	±2.5	PASS
Band2	9538	5	VH	NT	-1.69	-0.000886	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict

Band2	9262	1	NV	-30	-2.62	-0.001414	±2.5	PASS
Band2	9262	1	NV	-20	-1.73	-0.000934	±2.5	PASS
Band2	9262	1	NV	-10	-2.37	-0.001279	±2.5	PASS
Band2	9262	1	NV	0	-1.24	-0.000669	±2.5	PASS
Band2	9262	1	NV	10	-0.67	-0.000362	±2.5	PASS
Band2	9262	1	NV	20	-1.73	-0.000934	±2.5	PASS
Band2	9262	1	NV	30	0.81	0.000437	±2.5	PASS
Band2	9262	1	NV	40	-0.45	-0.000243	±2.5	PASS
Band2	9262	1	NV	50	-1.73	-0.000934	±2.5	PASS
Band2	9262	2	NV	-30	-1.18	-0.000637	±2.5	PASS
Band2	9262	2	NV	-20	-1.61	-0.000869	±2.5	PASS
Band2	9262	2	NV	-10	-0.31	-0.000167	±2.5	PASS
Band2	9262	2	NV	0	-1.46	-0.000788	±2.5	PASS
Band2	9262	2	NV	10	-1.54	-0.000831	±2.5	PASS
Band2	9262	2	NV	20	-1.61	-0.000869	±2.5	PASS
Band2	9262	2	NV	30	-0.20	-0.000108	±2.5	PASS
Band2	9262	2	NV	40	-2.19	-0.001182	±2.5	PASS
Band2	9262	2	NV	50	-1.76	-0.000950	±2.5	PASS
Band2	9262	3	NV	-30	-2.09	-0.001128	±2.5	PASS
Band2	9262	3	NV	-20	-1.18	-0.000637	±2.5	PASS
Band2	9262	3	NV	-10	-2.05	-0.001107	±2.5	PASS
Band2	9262	3	NV	0	-2.68	-0.001447	±2.5	PASS
Band2	9262	3	NV	10	0.03	0.000016	±2.5	PASS
Band2	9262	3	NV	20	-0.35	-0.000189	±2.5	PASS
Band2	9262	3	NV	30	-1.01	-0.000545	±2.5	PASS
Band2	9262	3	NV	40	-0.03	-0.000016	±2.5	PASS
Band2	9262	3	NV	50	-1.17	-0.000632	±2.5	PASS
Band2	9262	4	NV	-30	-1.23	-0.000664	±2.5	PASS
Band2	9262	4	NV	-20	-2.83	-0.001528	±2.5	PASS
Band2	9262	4	NV	-10	-0.99	-0.000534	±2.5	PASS
Band2	9262	4	NV	0	0.16	0.000086	±2.5	PASS
Band2	9262	4	NV	10	-1.86	-0.001004	±2.5	PASS
Band2	9262	4	NV	20	-1.46	-0.000788	±2.5	PASS
Band2	9262	4	NV	30	-0.30	-0.000162	±2.5	PASS
Band2	9262	4	NV	40	0.87	0.000470	±2.5	PASS
Band2	9262	4	NV	50	-1.69	-0.000912	±2.5	PASS
Band2	9262	5	NV	-30	-2.91	-0.001571	±2.5	PASS
Band2	9262	5	NV	-20	-0.36	-0.000194	±2.5	PASS
Band2	9262	5	NV	-10	-2.62	-0.001414	±2.5	PASS
Band2	9262	5	NV	0	-0.35	-0.000189	±2.5	PASS
Band2	9262	5	NV	10	-1.19	-0.000642	±2.5	PASS

Band2	9262	5	NV	20	-2.08	-0.001123	±2.5	PASS
Band2	9262	5	NV	30	-1.00	-0.000540	±2.5	PASS
Band2	9262	5	NV	40	-0.47	-0.000254	±2.5	PASS
Band2	9262	5	NV	50	-0.19	-0.000103	±2.5	PASS
Band2	9400	1	NV	-30	-2.69	-0.001431	±2.5	PASS
Band2	9400	1	NV	-20	-1.15	-0.000612	±2.5	PASS
Band2	9400	1	NV	-10	-2.23	-0.001186	±2.5	PASS
Band2	9400	1	NV	0	-0.92	-0.000489	±2.5	PASS
Band2	9400	1	NV	10	-1.43	-0.000761	±2.5	PASS
Band2	9400	1	NV	20	-2.40	-0.001277	±2.5	PASS
Band2	9400	1	NV	30	-0.12	-0.000064	±2.5	PASS
Band2	9400	1	NV	40	-1.21	-0.000644	±2.5	PASS
Band2	9400	1	NV	50	-1.38	-0.000734	±2.5	PASS
Band2	9400	2	NV	-30	-2.24	-0.001191	±2.5	PASS
Band2	9400	2	NV	-20	-1.01	-0.000537	±2.5	PASS
Band2	9400	2	NV	-10	-0.05	-0.000027	±2.5	PASS
Band2	9400	2	NV	0	-1.60	-0.000851	±2.5	PASS
Band2	9400	2	NV	10	-1.09	-0.000580	±2.5	PASS
Band2	9400	2	NV	20	-1.70	-0.000904	±2.5	PASS
Band2	9400	2	NV	30	-0.43	-0.000229	±2.5	PASS
Band2	9400	2	NV	40	-2.12	-0.001128	±2.5	PASS
Band2	9400	2	NV	50	-1.43	-0.000761	±2.5	PASS
Band2	9400	3	NV	-30	-1.54	-0.000819	±2.5	PASS
Band2	9400	3	NV	-20	-1.02	-0.000543	±2.5	PASS
Band2	9400	3	NV	-10	0.10	0.000053	±2.5	PASS
Band2	9400	3	NV	0	-1.63	-0.000867	±2.5	PASS
Band2	9400	3	NV	10	-1.06	-0.000564	±2.5	PASS
Band2	9400	3	NV	20	-1.35	-0.000718	±2.5	PASS
Band2	9400	3	NV	30	-1.10	-0.000585	±2.5	PASS
Band2	9400	3	NV	40	-0.70	-0.000372	±2.5	PASS
Band2	9400	3	NV	50	-1.58	-0.000840	±2.5	PASS
Band2	9400	4	NV	-30	0.56	0.000298	±2.5	PASS
Band2	9400	4	NV	-20	-2.01	-0.001069	±2.5	PASS
Band2	9400	4	NV	-10	-0.87	-0.000463	±2.5	PASS
Band2	9400	4	NV	0	-0.84	-0.000447	±2.5	PASS
Band2	9400	4	NV	10	-2.12	-0.001128	±2.5	PASS
Band2	9400	4	NV	20	-0.92	-0.000489	±2.5	PASS
Band2	9400	4	NV	30	1.37	0.000729	±2.5	PASS
Band2	9400	4	NV	40	-1.43	-0.000761	±2.5	PASS
Band2	9400	4	NV	50	-1.42	-0.000755	±2.5	PASS
Band2	9400	5	NV	-30	-1.68	-0.000894	±2.5	PASS

Band2	9400	5	NV	-20	-2.22	-0.001181	±2.5	PASS
Band2	9400	5	NV	-10	-0.82	-0.000436	±2.5	PASS
Band2	9400	5	NV	0	-0.10	-0.000053	±2.5	PASS
Band2	9400	5	NV	10	-1.68	-0.000894	±2.5	PASS
Band2	9400	5	NV	20	0.34	0.000181	±2.5	PASS
Band2	9400	5	NV	30	-0.11	-0.000059	±2.5	PASS
Band2	9400	5	NV	40	-2.19	-0.001165	±2.5	PASS
Band2	9400	5	NV	50	-1.20	-0.000638	±2.5	PASS
Band2	9538	1	NV	-30	-1.68	-0.000881	±2.5	PASS
Band2	9538	1	NV	-20	-0.06	-0.000031	±2.5	PASS
Band2	9538	1	NV	-10	-0.89	-0.000467	±2.5	PASS
Band2	9538	1	NV	0	-0.85	-0.000446	±2.5	PASS
Band2	9538	1	NV	10	-0.33	-0.000173	±2.5	PASS
Band2	9538	1	NV	20	-0.64	-0.000336	±2.5	PASS
Band2	9538	1	NV	30	0.25	0.000131	±2.5	PASS
Band2	9538	1	NV	40	-0.97	-0.000508	±2.5	PASS
Band2	9538	1	NV	50	-0.36	-0.000189	±2.5	PASS
Band2	9538	2	NV	-30	-1.64	-0.000860	±2.5	PASS
Band2	9538	2	NV	-20	-0.58	-0.000304	±2.5	PASS
Band2	9538	2	NV	-10	-1.56	-0.000818	±2.5	PASS
Band2	9538	2	NV	0	-0.17	-0.000089	±2.5	PASS
Band2	9538	2	NV	10	-1.13	-0.000592	±2.5	PASS
Band2	9538	2	NV	20	-0.72	-0.000377	±2.5	PASS
Band2	9538	2	NV	30	-0.60	-0.000315	±2.5	PASS
Band2	9538	2	NV	40	-0.31	-0.000163	±2.5	PASS
Band2	9538	2	NV	50	-1.49	-0.000781	±2.5	PASS
Band2	9538	3	NV	-30	-1.72	-0.000902	±2.5	PASS
Band2	9538	3	NV	-20	-1.34	-0.000702	±2.5	PASS
Band2	9538	3	NV	-10	-1.32	-0.000692	±2.5	PASS
Band2	9538	3	NV	0	-1.49	-0.000781	±2.5	PASS
Band2	9538	3	NV	10	0.23	0.000121	±2.5	PASS
Band2	9538	3	NV	20	-0.42	-0.000220	±2.5	PASS
Band2	9538	3	NV	30	-1.44	-0.000755	±2.5	PASS
Band2	9538	3	NV	40	-2.13	-0.001117	±2.5	PASS
Band2	9538	3	NV	50	-2.01	-0.001054	±2.5	PASS
Band2	9538	4	NV	-30	-1.57	-0.000823	±2.5	PASS
Band2	9538	4	NV	-20	-0.31	-0.000163	±2.5	PASS
Band2	9538	4	NV	-10	-1.05	-0.000550	±2.5	PASS
Band2	9538	4	NV	0	-0.30	-0.000157	±2.5	PASS
Band2	9538	4	NV	10	-0.91	-0.000477	±2.5	PASS
Band2	9538	4	NV	20	0.60	0.000315	±2.5	PASS

Band2	9538	4	NV	30	-1.97	-0.001033	±2.5	PASS
Band2	9538	4	NV	40	-0.23	-0.000121	±2.5	PASS
Band2	9538	4	NV	50	1.06	0.000556	±2.5	PASS
Band2	9538	5	NV	-30	-1.65	-0.000865	±2.5	PASS
Band2	9538	5	NV	-20	-1.26	-0.000661	±2.5	PASS
Band2	9538	5	NV	-10	-0.17	-0.000089	±2.5	PASS
Band2	9538	5	NV	0	-1.36	-0.000713	±2.5	PASS
Band2	9538	5	NV	10	-0.03	-0.000016	±2.5	PASS
Band2	9538	5	NV	20	-0.44	-0.000231	±2.5	PASS
Band2	9538	5	NV	30	-1.27	-0.000666	±2.5	PASS
Band2	9538	5	NV	40	0.48	0.000252	±2.5	PASS
Band2	9538	5	NV	50	-1.04	-0.000545	±2.5	PASS

----- THE END -----