

Applicant: OXAA Corp.

Product: OXAA StormOX

Model No.: OXSP1250, OXSP2250

Trademark: **OXAA**

Test Standards: FCC Part 15.249

It is herewith confirmed and found to comply with the Test result:

requirements set up by ANSI C63.10 & FCC Part 15 Subpart C, 15.249 regulations for the evaluation

electromagnetic compatibility

Approved By

Terry Tang

Manager

Dated: March 03, 2025

Results appearing herein relate only to the sample tested The technical reports is issued errors and omissions exempt and is subject to

withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com

Report No.: TW2501125-01E Page 2 of 51

Date: 2025-03-03



Special Statement:

FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

Industry Canada (IC) — Registration No.:5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

A2LA (Certification Number:5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

CAB identifier: CN0033

Date: 2025-03-03



Test Report Conclusion Content

1.0	General Details	4
1.1	Test Lab Details	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Submitted Sample	4
1.5	Test Duration.	5
1.6	Test Uncertainty.	5
1.7	Test By	5
2.0	List of Measurement Equipment.	6
3.0	Technical Details	7
3.1	Summary of Test Results	7
3.2	Test Standards.	7
4.0	EUT Modification	7
5.0	Power Line Conducted Emission Test.	8
5.1	Schematics of the Test.	8
5.2	Test Method and Test Procedure.	8
5.3	Configuration of the EUT	8
5.4	EUT Operating Condition	9
5.5	Conducted Emission Limit.	9
5.6	Test Result.	9
6.0	Radiated Emission test.	12
5.1	Test Method and Test Procedure.	12
5.2	Configuration of the EUT	13
5.3	EUT Operation Condition.	13
5.4	Radiated Emission Limit.	13
5.5	Test Result.	15
7.0	Band Edge	23
7.1	Test Method and Test Procedure	23
7.2	Radiated Test Setup	23
7.3	Configuration of the EUT	23
7.4	EUT Operating Condition	23
7.5	Band Edge Limit	23
7.6	Band Edge Test Result.	24
8.0	Antenna Requirement	28
9.0	20dB bandwidth measurement	29
10.0	FCC ID Label	36
11.0	Photo of Test Setup and EUT View	37

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2025-03-03



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.

Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le

Village, Nanshan District, Shenzhen, China

Telephone: (755) 83448688 Fax: (755) 83442996

Site on File with the Federal Communications Commission – United States

Registration Number: 744189 For 3m Anechoic Chamber

1.2 Applicant Details

Applicant: OXAA Corp.

Address: 6-3545 Odyssey Dr, Mississauga, Ontario L5M 2S4, Canada

1.3 Description of EUT

Product: OXAA StormOX

Manufacturer: Glory Star Technology Industrial Co., Ltd.

Address: Room2102, Block 1st, Yi Luan Building, Xixiang Road 230, BaoAn District,

Shenzhen, China

Trademark: OXAA

Model Number: OXSP1250

Additional Model Name OXSP2250

Rating: Input: DC5V, 2A

Battery: DC7.4V, 5400mAh Li-ion battery

Serial No.: GSP96202503050001

Hardware Version: Ver:1.6 Software Version: Ver:1.1

Operation Frequency: 2402-2480 MHzModulation Type: GFSK, JI/4DQPSK

Number of Channels: 79 Channel Separation: 1MHz

Antenna Designation PCB antenna with gain -0.58dBi maximum (Get from the antenna specification)

1.4 Submitted Sample: 2 Samples

1.5 Test Duration

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2025-03-03



Page 5 of 51

2025-01-11 to 2025-03-03

1.6 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB

Radiated Emissions below 1GHz Uncertainty =4.7dB

Radiated Emissions above 1GHz Uncertainty =6.0dB

Conducted Power Uncertainty =6.0dB

Occupied Channel Bandwidth Uncertainty = 5%

Conducted Emissions Uncertainty =3.6dB

Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.

1.7 Test Engineer

The sample tested by

Print Name: Andy Xing

Page 6 of 51

Report No.: TW2501125-01E

Date: 2025-03-03



2.0 Test Equipment					
Instrument Type	Manufacturer	Model	Serial No.	Date of Cal.	Due Date
ESPI Test Receiver	R&S	ESPI 3	100379	2024-07-12	2025-07-11
LISN	R&S	EZH3-Z5	100294	2024-07-12	2025-07-11
LISN	R&S	EZH3-Z5	100253	2024-07-12	2025-07-11
Impuls-Begrenzer	R&S	ESH3-Z2	100281	2024-07-12	2025-07-11
Loop Antenna	EMCO	6507	00078608	2022-07-18	2025-07-17
Spectrum	R&S	FSIQ26	100292	2024-07-12	2025-07-11
Horn Antenna	A-INFO	LB-180400-KF	J211060660	2022-07-18	2025-07-17
Horn Antenna	R&S	BBHA 9120D	9120D-631	2022-07-18	2025-07-17
Power meter	Anritsu	ML2487A	6K00003613	2024-07-12	2025-07-11
Power sensor	Anritsu	MA2491A	32263	2024-07-12	2025-07-11
Bilog Antenna	Schwarebeck	VULB9163	9163/340	2022-07-18	2025-07-17
9*6*6 Anechoic			N/A	2022-07-26	2025-07-25
EMI Test Receiver	RS	ESVB	826156/011	2024-07-12	2025-07-11
EMI Test Receiver	RS	ESCS 30	834115/006	2024-07-12	2025-07-11
Spectrum	HP/Agilent	E4407B	MY50441392	2024-07-12	2025-07-11
Spectrum	RS	FSP	1164.4391.38	2024-07-12	2025-07-11
RF Cable	Zhengdi	ZT26-NJ-NJ-8M/FA		2024-07-12	2025-07-11
RF Cable	Zhengdi	7m		2024-07-12	2025-07-11
Pre-Amplifier	Schwarebeck	BBV9743	#218	2024-07-12	2025-07-11
Pre-Amplifier	HP/Agilent	8449B	3008A00160	2024-07-12	2025-07-11
LISN	SCHAFFNER	NNB42	00012	2024-07-12	2025-07-11
ESPI Test Receiver	R&S	ESPI 3	100379	2024-07-12	2025-07-11
LISN	R&S	EZH3-Z5	100294	2024-07-12	2025-07-11

2.2 Automation Test Software

For Conducted Emission Test

Name	Version
EZ-EMC	Ver.EMC-CON 3A1.1

For Radiated Emissions

Name	Version
EMI Test Software BL410-EV18.91	V18.905
EMI Test Software BL410-EV18.806 High Frequency	V18.06

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 7 of 51

Report No.: TW2501125-01E

Date: 2025-03-03



3.0 Technical Details

3.1 Summary of test results

The EUT ha	s been tested	l according to	the following	specifications:

Standard	Test Type	Result	Notes
FCC Part 15, Paragraph 15.203	Antenna Requirement	Pass	Complies
FCC Part 15, Paragraph 15.207	Conducted Emission Test	Pass	Complies
FCC Part 15 Subpart C Paragraph 15.249(a) & 15.249(b) Limit	Field Strength of Fundamental	Pass	Complies
FCC Part 15, Paragraph 15.209	Radiated Emission Test	Pass	Complies
FCC Part 15 Subpart C Paragraph 15.249(d) Limit	Band Edge Test	Pass	Complies
FCC Part 15.215(c)	20dB bandwidth	Pass	Complies

3.2 Test Standards

FCC Part 15 Subpart C, Paragraph 15.249, ANSI C63.4:2014 and ANSI C63.10:2013

4.0 EUT Modification


No modification by SHENZHEN TIMEWAY TESTING LABORATORIES

Date: 2025-03-03



5.0 Power Line Conducted Emission Test

5.1 Schematics of the test




EUT: Equipment Under Test

5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.10-2013. The Frequency spectrum from 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.10-2013.

Test Voltage: 120V~, 60Hz Block diagram of Test setup



5.3 Configuration of the EUT

The EUT was configured according to ANSI C63.10-2013. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

79 channels are provided to the EUT

A. EUT

Device	Manufacturer	Model	FCC ID
OXAA StormOX	Glory Star Technology Industrial Co., Ltd.	OXSP1250, OXSP2250	2BNYA-STORMOX

B. Internal Device

Device	Manufacturer	Model	FCC ID/DOC
N/A			

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 9 of 51

Report No.: TW2501125-01E

Date: 2025-03-03



C. Peripherals

Device	Manufacturer	Model	Rating
Power Supply	Xiaomi	CDQ02ZM	Input: 100-240V~, 50/60Hz, 1.2A;
			Output: DC5V, 3A; DC9V, 3A; DC12V,
			3A; DC15V, 3A; DC20V, 2.25A;

5.4 EUT Operating Condition

Operating condition is according to ANSI C63.10-2013

- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition
- 5.5 Power line conducted Emission Limit according to Paragraph 15.207

Frequency	Limits (dB μ V)			
(MHz)	Quasi-peak Level	Average Level		
0.15 ~ 0.50	66.0~56.0*	56.0~46.0*		
$0.50 \sim 5.00$	56.0	46.0		
5.00 ~ 30.00	60.0	50.0		

Notes: 1. *D

- 1. *Decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

5.6 Test Results:

Date: 2025-03-03



A: Conducted Emission on Live Terminal (150kHz to 30MHz)


EUT Operating Environment

Temperature: 25 °C Humidity: 65%RH Atmospheric Pressure: 101 kPa

EUT set Condition: Charging and Communication by BT

Results: Pass

Please refer to following diagram for individual



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.3840	29.68	10.37	40.05	58.19	-18.14	QP	Р
2	0.3840	27.13	10.37	37.50	48.19	-10.69	AVG	Р
3	0.4152	26.58	10.38	36.96	57.54	-20.58	QP	Р
4	0.4152	27.09	10.38	37.47	47.54	-10.07	AVG	J
5	1.2420	23.69	10.70	34.39	56.00	-21.61	QP	Р
6	1.2420	23.91	10.70	34.61	46.00	-11.39	AVG	А
7	1.9518	25.92	11.28	37.20	56.00	-18.80	QP	П
8	1.9518	21.18	11.28	32.46	46.00	-13.54	AVG	Р

Date: 2025-03-03



B: Conducted Emission on Neutral Terminal (150kHz to 30MHz)


EUT Operating Environment

Temperature: 25°C Humidity: 65%RH Atmospheric Pressure: 101 kPa

EUT set Condition: Charging and Communication by BT

Results: Pass

Please refer to following diagram for individual



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.4113	27.54	10.38	37.92	57.62	-19.70	QP	Р
2	0.4113	27.98	10.38	38.36	47.62	-9.26	AVG	Р
3	1.1796	25.04	10.65	35.69	56.00	-20.31	QP	Р
4	1.1796	25.55	10.65	36.20	46.00	-9.80	AVG	Р
5	1.9479	22.03	11.28	33.31	56.00	-22.69	QP	Ъ
6	1.9479	22.53	11.28	33.81	46.00	-12.19	AVG	Ъ
7	5.6637	23.44	12.48	35.92	60.00	-24.08	QP	Р
8	5.6637	23.02	12.48	35.50	50.00	-14.50	AVG	Р

Date: 2025-03-03



6 Radiated Emission Test

- 6.1 Test Method and test Procedure:
- (1) The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 9kHz to 25 GHz was investigated. The frequency spectrum is set as follows:


Frequency	Detector	RBW	VBW	Value
9KHz-150KHz	Quasi-peak	200Hz	600Hz	Quasi-peak
150KHz-30MHz	Quasi-peak	9KHz	30KHz	Quasi-peak
30MHz-1GHz	Quasi-peak	120KHz	300KHz	Quasi-peak
Above 1GHz	Peak	1MHz	3MHz	Peak
ADOVE IGHZ	Peak	1MHz	10Hz	Average

(Note: for Fundamental frequency radiated emission measurement, RBW=3MHz, VBW=10MHz). Measurements were made at 3 meters.

- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) The antenna polarization: Vertical polarization and Horizontal polarization.

Block diagram of Test setup


For radiated emissions from 9kHz to 30MHz




Date: 2025-03-03



For radiated emissions from 30MHz to1GHz



For radiated emissions above 1GHz



- 6.2 Configuration of the EUT
 Same as section 5.3 of this report
- 6.3 EUT Operating Condition

 Same as section 5.4 of this report.
- 6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

A FCC Part 15 Subpart C Paragraph 15.249(a) Limit

Fundamental Frequency	Field Stre	ength of Fundamental (3m)	Field Strength of Harmonics (3m)			
(MHz)	mV/m	dBuV/m	uV/m	dBuV/m		

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2501125-01E Page 14 of 51

Date: 2025-03-03



2400-2483.5	50	94 (Average)	114 (Peak)	500	54 (Average)	74 (Peak)
2700-2703.3	50	JT (Michago)	11+ (1 cak)	500	J+ (Michago)	/ - (1 Cak)

Note: 1. RF Field Strength $(dBuV) = 20 \log RF \text{ Voltage } (uV)$

- 2.Distance refers to the distance in meters between the measuring instrument antenna and the closed point of any part of the device or system.
- 3. The emission limit in this paragraph is based on measurement instrumentation employing an average detector.

B. Frequencies in restricted band are complied to limit on Paragraph 15.209.

Frequency Range (MHz)	Distance (m)	Field strength (dB μ V/m)
0.009-0.490	3	20log(2400/F(kHz)) +40log (300/3)
0.490-1.705	3	20log(24000/F(kHz)) +40log (30/3)
1.705-30	3	69.5
30-80	3	40.0
88-216	3	43.5
216-960	3	46.0
Above 960	3	54.0

Note:

- 1. RF Voltage $(dBuV) = 20 \log RF \text{ Voltage } (uV)$
- 2. In the Above Table, the tighter limit applies at the band edges.
- 3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT
- 4. All scanning using PK detector. And the final emission level was get using QP detector for frequency range from 30-1000MHz.As to 1G-25G, the final emission level got using PK. For fundamental measurement, PK detector used.
- 5. The two modulation modes of GFSK, Pi/4D-QPSK were tested. And only the worst case was recorded in the test report. GFSK was the worst case.
- 6. Battery was fully charged during test

Date: 2025-03-03




Page 15 of 51

6.5 Test result

A Fundamental & Harmonics Radiated Emission Data

Please refer to the following test plots for details: Low Channel-2402MHz

Horizontal




No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2402	89.50	-3.57	114.0	-24.50	Peak	244.00	100	Horizontal	Pass
2	4802.799	49.92	3.12	74.0	-24.08	Peak	255.00	100	Horizontal	Pass

Report No.: TW2501125-01E Page 16 of 51

Date: 2025-03-03



Vertical



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2402	77.18	-3.57	114.0	-36.82	Peak	167.00	100	Vertical	Pass


Report No.: TW2501125-01E Page 17 of 51

Date: 2025-03-03



Please refer to the following test plots for details: Middle Channel-2441MHz

Horizontal




No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2441	88.83	-3.57	114.0	-25.17	Peak	252.00	100	Horizontal	Pass

Report No.: TW2501125-01E Page 18 of 51

Date: 2025-03-03



Vertical



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2441	79.19	-3.57	114.0	-34.81	Peak	157.00	100	Vertical	Pass


Report No.: TW2501125-01E Page 19 of 51

Date: 2025-03-03



Please refer to the following test plots for details: High Channel-2480MHz

Horizontal



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2480	89.37	-3.57	114.0	-24.63	Peak	219.00	100	Horizontal	Pass
2	4960.010	51.49	3.36	74.0	-22.51	Peak	261.00	100	Horizontal	Pass


Page 20 of 51

Report No.: TW2501125-01E

Date: 2025-03-03



Vertical



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2480	77.33	-3.57	114.0	-36.67	Peak	152.00	100	Vertical	Pass

Note: (1) Emission Level = Reading Level + Antenna Factor + Cable Loss-Amplifier

- (2) Margin=Emission-Limits
- (3) According to section 15.35(b), the peak limit is 20dB higher than the average limit
- (4) For test purpose, keep EUT continuous transmitting
- (5) For emission above 18GHz and Below 30MHz, It is only the floor noise and less than the limit for more than 20dB. No necessary to take down.
- (6) the measured PK value less than the AV limit.

Report No.: TW2501125-01E Page 21 of 51

Date: 2025-03-03




B. General Radiated Emission Data Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual



No.	Frequency	Results	Factor	Limit	Margin	Detector	Table	Height	Antenna	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(Degree)	(cm)		
1	143.947	39.52	-9.62	43.5	3.98	Peak	59.00	100	Horizontal	Pass
2*	157.523	38.51	-9.63	43.5	4.99	QP	90.00	100	Horizontal	Pass
3*	159.463	39.54	-9.56	43.5	3.96	QP	90.00	100	Horizontal	Pass
4*	180.070	40.08	-8.06	43.5	3.42	QP	11.00	100	Horizontal	Pass
5*	187.828	39.78	-7.32	43.5	3.72	QP	262.00	100	Horizontal	Pass
6	287.956	41.12	-4.48	46.0	4.88	Peak	350.00	100	Horizontal	Pass

Report No.: TW2501125-01E Page 22 of 51

Date: 2025-03-03




Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual



No.	Frequency	Results	Factor	Limit	Margin	Detector	Table	Height	Antenna	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(Degree)	(cm)		
1	132.067	32.58	-9.09	43.5	10.92	Peak	114.00	100	Vertical	Pass
2	143.947	30.85	-9.62	43.5	12.65	Peak	111.00	100	Vertical	Pass
3	180.070	30.33	-8.06	43.5	13.17	Peak	83.00	100	Vertical	Pass
4	324.079	31.09	-3.65	46.0	14.91	Peak	111.00	100	Vertical	Pass
5	464.694	32.89	-0.57	46.0	13.11	Peak	295.00	100	Vertical	Pass
6	576.458	34.87	1.31	46.0	11.13	Peak	342.00	100	Vertical	Pass

Date: 2025-03-03




7. Band Edge

7.1 Test Method and test Procedure:

- (1) The EUT was tested according to ANSI C63.10–2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) Set Spectrum as RBW=1MHz, VBW=3MHz and Peak detector used for PK value. RBW=1MHz, VBW=10Hz and Peak detector used for AV value.
- (3) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (4) The antenna polarization: Vertical polarization and Horizontal polarization.

7. 2 Radiated Test Setup



For the actual test configuration, please refer to the related items – Photos of Testing

7.3 Configuration of the EUT

Same as section 5.3 of this report

7.4 EUT Operating Condition

Same as section 5.4 of this report.

7.5 Band Edge Limit

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated emission limits in Section 15.209, whichever is the lesser attenuation.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Report No.: TW2501125-01E Page 24 of 51

Date: 2025-03-03



7.6 Test Result

Product:	OXAA StormOX	Polarity	Horizontal
Mode	Keeping Transmitting	Test Voltage	DC7.4V
Temperature	24 deg. C,	Humidity	56% RH
Test Result:	Pass		



No	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2401.857	89.34	-3.57	74.0	15.34	Peak	249.00	100	Horizontal	N/A
2	2400.042	67.10	-3.57	74.0	-6.90	Peak	239.00	100	Horizontal	Pass
2**	2400.042	51.98	-3.57	54.0	-2.02	AV	239.00	100	Horizontal	Pass
3	2390.025	41.02	-3.53	74.0	-32.98	Peak	260.00	100	Horizontal	Pass

Report No.: TW2501125-01E Page 25 of 51

Date: 2025-03-03



]	Product:		OXAA S	tormOX		Detect	or		Vertical	
	Mode	I	Keeping Tr	ansmitting		Test Vol	tage	,	DC7.4V	
Te	mperature		24 de	g. C,		Humid	ity		56% RH	
Te	est Result:		Pas	SS						
	t 15C Class B 1GHz-18GH E+2-	Iz -2					L			
	90-									
								N	M1	
	80-								~	
	70-							f	1	
	60-							M	\	
							M4	M5	$\overline{}$	
level (dBuV/m)	40- 30-	يندف فراسته والمرابات ورواع أسميها	والمعالمة والمالية والمواردة الما	المتعنين المعاولة والمعاددة والمعادد	Wales de després par les castelles de la constitue de la const	M3 المحادث المحسود الم			1	
level (dBuV/m)	40-	general et egeneral kinde op skinisk het et e	ويو الإسراف المراجعة	المراجعة الم	ilikala sainalikaka sailan sailahah	۳۱ میل خصور اید				Anni Andrews
	40- 	en male at agreement his whom which is the state of	ini ikadahada katalik dia i	n, akiroli sinte shefiyadi dha baraba					<u> </u>	241
	40	Results	Factor	Limit	Frequency (MHz) Over Limit	Detector		Height	ANT	1
	30 - 20 - 10 - 2350				Frequency (MHz)		nd sk. No. of the contract of	Height (cm)	ANT	1
No.	30- 20- 10- 2350	Results	Factor	Limit	Frequency (MHz) Over Limit		Table		ANT	1
No.	30- 20- 10- 0.0- 2350 Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Frequency (MHz) Over Limit (dB)	Detector	Table (o)	(cm)		Verdi N/A
No.	30- 20- 10- 2350 Frequency (MHz) 2401.827	Results (dBuV/m) 76.85	Factor (dB) -3.57	Limit (dBuV/m) 74.0	Frequency (MHz) Over Limit (dB) 2.85	Detector Peak	Table (o) 157.00	(cm)	Vertical	Verdi N/A Pass
(w/\ngp) panel	40- 20- 10- 2350 Frequency (MHz) 2401.827 2400.057	Results (dBuV/m) 76.85 53.85	Factor (dB) -3.57	Limit (dBuV/m) 74.0	Frequency (MHz) Over Limit (dB) 2.85 -20.15	Detector Peak Peak	Table (o) 157.00 157.00	(cm) 100 100	Vertical Vertical	Verdi N/A Pass Pass Pass

Report No.: TW2501125-01E Page 26 of 51

Date: 2025-03-03



	Product:		OXAA	StormOX		P	olarity		Horizont	al
	Mode		Keeping T	Transmitting		Test	Voltage		DC7.4V	7
Te	emperature		24 d	leg. C,		Н	ımidity		56% RF	I
Т	est Result:		P	ass						
Part	15C Class B 1GHz-18GHz -	2				•		•		
ġ	90-		M1	•						
8	80-		-/-							
7	70-									
(50-		1	<u> </u>						
		/	/							
;	50-		/							
	10 - 4 11 14 14 14 14 14 14	A STATE OF THE PARTY OF THE PAR	/	M2	A CONTRACTOR OF THE PARTY OF TH				confirment port inches and and an analysis and a	ter the second
4		the production of the second	/	M2	Mary and Carlotte from the	all the grade to be sold		and the large ball of	endicated any in the state of a field.	terthiograph d
	10-Million and the second and the second	A Here Specialism con the part	/	M2	And the second second second	all the same the same to be said	g o <mark>dd addidd ac gellidd d</mark>	nago ang	ondierist erispielindere erispielind	the photos of the same
3	40 - M. M. M	in the second second	/	M2	No. of Concessions	allighory, mit find and all of the chi		organisma and in here with the	podpodet aprijojni kodinera rodnostali.	tarih ing fara
3	40 ************************************	de Amerika de la companya de la comp	/	M2	And the little day of the litt	alliginas, autoriais de la Parlig	de la constitución de la constit	orpograma da kanga d	ondisabet appis pinchentrab variababako	the state of the s
3	40 - M. M. M	de Attent September 1984		2483.5		allighter, maighte ann de Arché	and the second second second	orp _{ere} d a country by the last	podpodet kapis jenislovate valendako	2500
: : : : : : : : : : : : : : : : : : : :	10 10 10 10 10 10 10 10 10 10 10 10 10 1	Results	Factor	2483.5		Detector	Table	Height	ANT	2500
	10 - 10 - 10 - 10 - 10 - 10 - 10 - 2470		Factor (dB)	2483.5	Frequency (MHz)					

No.	Frequency	Results	Factor	Limit	Over	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	Limit (dB)		(o)	(cm)		
1	2479.785	88.67	-3.57	74.0	14.67	Peak	219.00	100	Horizontal	N/A
2	2483.500	54.37	-3.57	74.0	-19.63	Peak	224.00	100	Horizontal	Pass
2**	2483.500	39.61	-3.57	54.0	-14.39	AV	224.00	100	Horizontal	Pass

Page 27 of 51

Report No.: TW2501125-01E

Date: 2025-03-03



]	Product:			OXAA St	tormOX		Detec	tor		Vertical	
	Mode			Keeping Tra	ansmitting		Test Vo	ltage		DC7.4V	
Те	mperature			24 de	g. C,		Humio	lity		56% RH	
Te	est Result:			Pas	ss						
	rt 15C Class B 1GF E+2-	z-18GHz -2	2								
	90-										
				M1							
	80-			par and a second	7						
	70-				1						
	60-			/_							
	00			1	₹.						
Œ	50-			+	A M						
l (dBuV/m)	50-	المالا	و المعالمة		M ²		lle le de	. Ne da å danmalledli	th data at buy dal	nin salisa, kada ak dasa a	al a salkini, cu
level (dBuV/m)	50 - 40 -	d Happing and the second			M2	·	Maria Maria Malaya di	الإوام ويساله أخار فلس	None de la	iiliyaadhaaa bobbaadhaahaah	and the same
level (dBuV/m)	30-	d de plante que de	a pinta da		M2	·	Here were a dressing the way the	A STATE OF THE PARTY OF THE PAR	hindoord, original, copi	iji ka nefesion bejib wili mejana kaka	all property later was
level (dBuV/m)	50 - 40 -	dikapi mingan			M ² 2	Marketon and advisory little state state some	Hirosophus dienstein del stein ste	a de la companya de l	viudoone.enipherijaple	होंदें कुर कर्षे ड्रोबर क्षित्र के क्षेत्र कर के ब्रेस	elippath tay, p.
level (dBuV/m)	30-	d the planting and a			M2		الماسعون فالمناورة والماسعون فالمناورة والماسعون فالمناورة والماسعون فالمناورة والماسعون فالمناورة والماسعون فالمناورة والمناورة والمناو	الإجراء ويعيد أن أو فواد الإنجاء	hindured contact the single	ilikand sinahjib wilawi wandu	
level (dBuV/m)	50 - 40 - 30 - 20 - 10 - 0.0	و دورند و العالم	ry i sik disk der Silver i der in general eine general eine general eine general eine general eine general ein		1M2		Hiteograph Spire of the Spire o	الإجازة وتربيق أو فانه فأرض	Nindowed, or in the sign of the	id and the left of a factorial	
level (dBuV/m)	30- 20-	dikaji minut d			2483		Himaghadhacidhliaigadh	الإنجام الإنجابة فأخذن والمؤدن	hindured while be single	ilikand sinahili welani kanad	
	50 - 40 - 30 - 20 - 10 - 0.0		Results	Factor	2483	5	Detector	Table	Height	ANT	2500
	30 - 20 - 10 - 2470		10 mm	Factor (dB)	1	.5 Frequency (MHz)	Test Voltage DC7.4V Humidity 56% RH mit Detector Table Height ANT (o) (cm)	2500			
No.	30- 20- 10- 2470		Results		Limit	.5 Frequency (MHz)	Detector	Table (o)	Height (cm)	ANT	2500 Verdic

Note: 1. The PK emission level less than the AV limit. No necessary to record the AV emission level.

2. The two modulation modes of GFSK, Pi/4D-QPSK were tested. And only the worst case was recorded in the test report. GFSK was the worst case.

Date: 2025-03-03



Page 28 of 51

8.0 Antenna Requirement

Applicable Standard

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

This product has a PCB antenna with gain -0.58dBi maximum. It fulfills the requirement of this section.

Test Result: Pass

Date: 2025-03-03



Page 29 of 51

9.0 20dB Bandwidth Measurement

Test Configuration



Test Procedure

The transmitter output was connected to the spectrum analyzer through an attenuator. The bandwidth of the fundamental frequency was measured by spectrum analyzer with 30kHz RBW and 100kHz VBW.

The 20dB bandwidth is defined as the total spectrum the power of which is higher than peak power minus 20dB.

Limit

N/A

Page 30 of 51

Report No.: TW2501125-01E

Date: 2025-03-03



Test Result

GFSK		<u> </u>	
Product:	OXAA StormOX	Test Mo	-
Mode	Keeping Transmittir		
Temperature	24 deg. C,	Humid	lity 56% RH
Test Result:	Pass	Detect	tor PK
20dB Bandwidth	972kHz		
Ref 10 dB	*Att 20 dB	*VBW 100 kHz SWT 5 ms	Delta 1 [T1]
20 30 40	20.72 dDm		3DB
50 60	d		arlan
70			
80 90			
	102 GHz 30	00 kHz/	Span 3 MHz

Date: 13.FEB.2025 14:14:27

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 31 of 51

Report No.: TW2501125-01E

Date: 2025-03-03



Product:		OXA.	A StormOX		Test	Mode:		Keep tran	smitting
Mode		Keeping	Transmittin	g	Test `	Voltage		DC7.	.4V
Temperature		24	deg. C,		Humidity		56% RH		RH
Test Result:				Det	tector		Pk	<u> </u>	
20dB Bandwidth		9	84kHz						
Ref 10 di	Bm	* At	t 20 dB	*RBW 30 *VBW 10 SWT 5	00 kHz		-0 .00000	.22 dB 000 kHz	
10						Marker	1 [T1 -19	.48 dBm	
_0			2			2		000 GHz	A
. PK			1	M		Marker	_	.56 dBm	
- 10			1/1			2	.440868	000 GHZ	
		1			<u>لم</u> 1				
<u>20</u> <u>p1</u>	20. 56	dBm /	V		1				
30		<i></i>				A.			
40	1	1				h	M		3DB
50							1	-A	
60								4000	
70									
80				1					
-90									
Center 2.) kHz/		<u> </u>	Q	ın 3 MHz	

Date: 13.FEB.2025 14:50:04

Page 32 of 51

Span 3 MHz

Report No.: TW2501125-01E

Date: 2025-03-03



GFSK	1					T		1		
Product:		O	XAA Sto	rmOX		Test	Mode:		Keep tran	
Mode		Kee	ping Trar	nsmitting		Test '	Voltage		DC7	.4V
Temperature		24 deg. C,			Humidity				56%	RH
Test Result:		Pass				Det	tector		P	K
20dB Bandwidth			984kF	łz						-
Ref 10 d	Bm	,	·Att 2	0 dB	*RBW 30 *VBW 10 SWT 5	0 kHz		-0	.50 dB 000 kHz	•
10				2			Marker	-19	.41 dBm	
-0				Ā	7 -		2 Marker		000 GHz	A
PK IAXH				$ / \sim$	\mathcal{N}		11411161		.60 dBm	
-10				N	7		2	. 479868	900 GHz	
20 <u></u> 1	-20-6	dBm	1	•		\(\frac{1}{\lambda}\)				
30			\(\sqrt{\sq}}}}}}}\sqrt{\sq}}}}}}}}}\sqit{\sqrt{\sqrt{\sqrt{\sq}}}}}}}}\signti\seption}\sqrt{\sqrt{\sq}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}			V	Ĺ,			
		لتمكم					A.			
40		W					V	m		3DB
-50	1							1	www	•
60										
70										
T ,										
80										
-90										

Date: 13.FEB.2025 17:44:51

Center 2.48 GHz

300 kHz/

Page 33 of 51

Report No.: TW2501125-01E

Date: 2025-03-03



Product:	OXAA StormOX	1	Test Mode:	Keep transmitt	
Mode	Keeping Transmitting	7.	Test Voltage	DC7.4V	
Temperature	24 deg. C,		Humidity	56% RH	
Test Result:	Pass		Detector	PK	
20dB Bandwidth	1.236MHz				
Ref 10 dE	8m *Att 20 dB	*RBW 30 1 *VBW 100 SWT 5 ms	kHz s	er 1 [T1]	
			Temp	-20.31 dBm 2.401394000 GHz 2 [T1 ndb] -20.91 dBm 2.402630000 GHz	
30				1	
-5	My			30	
60					
70					
80					
-90 Center 2.4		kHz/		Span 3 MHz	

The report refers only to the sample tested and does not apply to the bulk.

Date: 13.FEB.2025 17:57:59

Page 34 of 51

Report No.: TW2501125-01E

Date: 2025-03-03



Product:	C	XAA Sto	rmOX		Test	Mode:		Keep tran	smitting
Mode	Kee	eping Tran	smitting		Test '	Voltage		DC7	4V
Temperature		24 deg.	C,		Humidity		56% RH		RH
Test Result:		Pass			Det	tector		PF	<u> </u>
0dB Bandwidth		1.236M	Hz						
Ref 10 de	3m	*Att 20) dB	*RBW 30 *VBW 10 SWT 5	00 kHz		1 [T1 -0.440868	.57 dBm	
10						ndB [T	236000	.00 dB 000 MHz	
_0			1			Temp 1	[T1 nd		A
PK			f	\land			-20		
10		1	<u> // // // // // // // // // // // // //</u>	MA	M	Temp 2	.440394 [T1 nd	B)	
			V	· ·	Λ/		-20		
20		7-7				T2 2	.441630	000 GHz	
30									
-40						1	5.50		
-40	V						w	Maria	3DB
50								- W	
60									
70									
80									
-90 Center 2.4				kHz/				n 3 MHz	

Date: 13.FEB.2025 17:55:56

Page 35 of 51

Report No.: TW2501125-01E

Date: 2025-03-03



Product:	C	XAA Sto	rmOX		Test	Mode:		Keep transmi	itting
Mode	Kee	eping Tran	smitting		Test '	Voltage		DC7.4V	r
Temperature		24 deg.	C,		Hur	Humidity		56% RH	
Test Result:		Pass		Detector			PK		
dB Bandwidth		1.278M	Hz						
Ref 10 dF	Эт	*Att 2() dB	*RBW 30 *VBW 10 SWT 5	00 kHz		.479868 1] 20	.59 dBm 000 GHz .00 dB	I
-10		13	\\ <u>\</u>	الممد	<u> </u>	2 Temp 2	.479400 [Tl nd -20	.60 dBm 000 GHz 81 .70 dBm 000 GHz	
30						7			
-40 -56	V~V						VV.	3DE	3
- -70									
80 90									
Center 2.4	18 GHz		300	kHz/			Spa	ın 3 MHz	

Date: 13.FEB.2025 17:46:52

Report No.: TW2501125-01E Page 36 of 51

Date: 2025-03-03




10.0 FCC ID Label

FCC ID: 2BNYA-STORMOX

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



Report No.: TW2501125-01E Page 37 of 51

Date: 2025-03-03



11.0 Photo of testing 11.1



Page 38 of 51

Report No.: TW2501125-01E

Date: 2025-03-03



Radiated emission test view



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2025-03-03



11.2 Photographs – EUT

Outside View - OXSP1250





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 40 of 51

Report No.: TW2501125-01E

Date: 2025-03-03



Outside View - OXSP1250



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.

Date: 2025-03-03



Outside View - OXSP1250



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 42 of 51

Report No.: TW2501125-01E

Date: 2025-03-03



Inside View - OXSP1250





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


Page 43 of 51

Report No.: TW2501125-01E

Date: 2025-03-03



Inside View - OXSP1250





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.


Page 44 of 51


Report No.: TW2501125-01E

Date: 2025-03-03



Inside View - OXSP1250





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Date: 2025-03-03



Inside View - OXSP1250



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Date: 2025-03-03



Outside View - OXSP2250





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 47 of 51


Report No.: TW2501125-01E

Date: 2025-03-03



Outside View - OXSP2250





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.


Page 48 of 51

Report No.: TW2501125-01E

Date: 2025-03-03



Outside View - OXSP2250





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any


discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2025-03-03



Inside View - OXSP2250



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 50 of 51

Report No.: TW2501125-01E

Date: 2025-03-03



Inside View - OXSP2250





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Date: 2025-03-03



Inside View - OXSP2250





-- End of the report--

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to