Rugged Biometric Tablet




Accessories

Main Device ······1Se	t
Battery ·····1Pc	S
Power Adapter 1Pc	S
USB Cable ·····1Pc	S
Stvlus ······2Pc	s

Before using the device, ensure that all the accessories above are included in the package, If you have any problems, please contact the services provider of the distributors.

Battery Charging

- 1- Plug the power adapter into an electrical outlet.
- 2- Plug one end of the DC cable into the device's DC Port.




Note:


Do not remove the battery before removing the power adapter. This may damage the device.


NFC Card Reading


1-Put the NFC card over the designated area and hold.



Product Description







Note:

- 1. Do not disassemble the battery. Because it may lead to an internal short circuit, causing fire, explosion, harmful gas or other problems.
- 2. If battery will not be used for a long time (>6 months), please charge it to 50%-70% battery level, then take it out of the machine, and store it in an environment of 10°C 35°C, 45%RH~85%RH. It is<suggested to recharge every 3 months to prevent damage to the battery.
- 3. If the machine is not used for more than 2 weeks, please unplug the battery to prevent damage to the battery from over-discharge.
- 4. It is suggested that the charging time should not exceed 24 hours to extend the battery life.

FCC Warning

FCC Caution:

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

Specific Absorption Rate (SAR) information:

SAR tests are conducted using standard operating positions accepted by the FCC with the eut transmitting at its highest certified power level in all tested frequency bands, although the SAR is determined at the highest certified power level, the actual SAR level of the eut while operating can be well below the maximum value, in general, the closer you are to a wireless base station antenna, the lower the power output.

Before a new model device is a available for sale to the public, it must be tested and certified to the FCC that it does not exceed the exposure limit established by the FCC, Tests for each device are performed in positions and locations (e.g. at the ear and worn on the body) as required by the FCC. For body worn operation, this model device has been tested and meets the FCC RF exposure guidelines when used with an accessory designated for this product or when used with an accessory that Contains no metal.

Non-compliance with the above restrictions may result in violation of RF exposure guidelines.