



Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ac80 Middle Channel 5775MHz Band 4



No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	11550.000	33.17	15.22	48.39	74.00	25.61	Peak
2	11550.000	21.46	15.22	36.68	54.00	17.32	Average
3	17325.000	33.03	21.46	54.49	68.20	13.71	Peak
4	17925.600	33.60	25.77	59.37	74.00	14.63	Peak
5	17925.600	21.48	25.77	47.25	54.00	6.75	Average


Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ac80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	11550.000	32.52	15.22	47.74	74.00	26.26	Peak
2	11550.000	21.45	15.22	36.67	54.00	17.33	Average
3	17325.000	33.21	21.46	54.67	68.20	13.53	Peak
4	17731.200	33.29	25.81	59.10	74.00	14.90	Peak
5	17731.200	20.88	25.81	46.69	54.00	7.31	Average

Band edge test plots


Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Horizontal
Note: a Low Channel 5180MHz Band 1



Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Vertical
Note: a Low Channel 5180MHz Band 1




Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Horizontal
Note: a High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5350.000	43.46	9.58	53.04	74.00	20.96	Peak
2	5350.000	31.78	9.58	41.36	54.00	12.64	Average

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Vertical
Note: a High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5350.000	43.18	9.58	52.76	74.00	21.24	Peak
2	5350.000	31.69	9.58	41.27	54.00	12.73	Average

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Horizontal
Note: n20 Low Channel 5180MHz Band 1




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5150.000	43.81	9.60	53.41	74.00	20.59	Peak
2	5150.000	31.87	9.60	41.47	54.00	12.53	Average

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Vertical
Note: n20 Low Channel 5180MHz Band 1




Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Horizontal
Note: n20 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5350.000	43.13	9.58	52.71	74.00	21.29	Peak
2	5350.000	31.92	9.58	41.50	54.00	12.50	Average

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Vertical
Note: n20 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5350.000	44.11	9.58	53.69	74.00	20.31	Peak
2	5350.000	31.97	9.58	41.55	54.00	12.45	Average

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Horizontal
Note: n40 Low Channel 5190MHz Band 1




No.	Frequency (MHz)	Reading (dB _u V)	Factor (dB/m)	Result (dB _u V/m)	Limit (dB _u V/m)	Margin (dB)	Remark
1	5149.944	45.52	9.60	55.12	74.00	18.88	Peak
2	5149.944	33.97	9.60	43.57	54.00	10.43	Average

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Vertical
Note: n40 Low Channel 5190MHz Band 1




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5150.000	44.17	9.60	53.77	74.00	20.23	Peak
2	5150.000	32.61	9.60	42.21	54.00	11.79	Average

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Horizontal
Note: n40 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5350.000	43.28	9.58	52.86	74.00	21.14	Peak
2	5350.000	31.70	9.58	41.28	54.00	12.72	Average

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Vertical
Note: n40 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5350.000	43.55	9.58	53.13	74.00	20.87	Peak
2	5350.000	31.89	9.58	41.47	54.00	12.53	Average

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Horizontal
Note: ac80 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5150.000	44.88	9.60	54.48	74.00	19.52	Peak
2	5150.000	33.29	9.60	42.89	54.00	11.11	Average
3	5350.000	43.38	9.58	52.96	74.00	21.04	Peak
4	5350.000	31.67	9.58	41.25	54.00	12.75	Average

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Vertical
Note: ac80 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5150.000	44.00	9.60	53.60	74.00	20.40	Peak
2	5150.000	32.61	9.60	42.21	54.00	11.79	Average
3	5350.000	43.44	9.58	53.02	74.00	20.98	Peak
4	5350.000	31.87	9.58	41.45	54.00	12.55	Average

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: a Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5650.000	43.00	9.72	52.72	68.20	15.48	Peak
2	5700.000	43.39	9.67	53.06	105.20	52.14	Peak
3	5720.000	43.55	9.67	53.22	110.80	57.58	Peak
4	5725.000	45.41	9.67	55.08	122.20	67.12	Peak

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: a Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dB _u V)	Factor (dB/m)	Result (dB _u V/m)	Limit (dB _u V/m)	Margin (dB)	Remark
1	5650.000	44.42	9.72	54.14	68.20	14.06	Peak
2	5700.000	44.42	9.67	54.09	105.20	51.11	Peak
3	5720.000	44.76	9.67	54.43	110.80	56.37	Peak
4	5725.000	45.78	9.67	55.45	122.20	66.75	Peak

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: a High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5850.000	47.89	9.25	57.14	122.20	65.06	Peak
2	5855.000	46.70	9.29	55.99	110.80	54.81	Peak
3	5875.000	45.26	9.43	54.69	105.20	50.51	Peak
4	5925.000	44.69	9.92	54.61	68.20	13.59	Peak

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: a High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5850.000	45.52	9.25	54.77	122.20	67.43	Peak
2	5855.000	45.42	9.29	54.71	110.80	56.09	Peak
3	5875.000	44.26	9.43	53.69	105.20	51.51	Peak
4	5925.000	43.69	9.92	53.61	68.20	14.59	Peak

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: n20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5650.000	43.55	9.72	53.27	68.20	14.93	Peak
2	5700.000	44.34	9.67	54.01	105.20	51.19	Peak
3	5720.000	43.77	9.67	53.44	110.80	57.36	Peak
4	5725.000	44.51	9.67	54.18	122.20	68.02	Peak

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: n20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5650.000	43.99	9.72	53.71	68.20	14.49	Peak
2	5700.000	43.73	9.67	53.40	105.20	51.80	Peak
3	5720.000	44.91	9.67	54.58	110.80	56.22	Peak
4	5725.000	45.53	9.67	55.20	122.20	67.00	Peak

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: n20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5850.000	45.72	9.25	54.97	122.20	67.23	Peak
2	5855.000	44.89	9.29	54.18	110.80	56.62	Peak
3	5875.000	44.55	9.43	53.98	105.20	51.22	Peak
4	5925.000	43.50	9.92	53.42	68.20	14.78	Peak

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: n20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5850.000	46.03	9.25	55.28	122.20	66.92	Peak
2	5855.000	45.59	9.29	54.88	110.80	55.92	Peak
3	5875.000	44.54	9.43	53.97	105.20	51.23	Peak
4	5925.000	44.17	9.92	54.09	68.20	14.11	Peak

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: n40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dB _u V)	Factor (dB/m)	Result (dB _u V/m)	Limit (dB _u V/m)	Margin (dB)	Remark
1	5650.000	44.28	9.72	54.00	68.20	14.20	Peak
2	5700.000	44.00	9.67	53.67	105.20	51.53	Peak
3	5720.000	45.68	9.67	55.35	110.80	55.45	Peak
4	5725.000	46.67	9.67	56.34	122.20	65.86	Peak

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: n40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dB _u V)	Factor (dB/m)	Result (dB _u V/m)	Limit (dB _u V/m)	Margin (dB)	Remark
1	5650.000	43.37	9.72	53.09	68.20	15.11	Peak
2	5700.000	44.38	9.67	54.05	105.20	51.15	Peak
3	5720.000	45.45	9.67	55.12	110.80	55.68	Peak
4	5725.000	46.39	9.67	56.06	122.20	66.14	Peak

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: n40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5850.000	44.96	9.25	54.21	122.20	67.99	Peak
2	5855.000	44.69	9.29	53.98	110.80	56.82	Peak
3	5875.000	44.94	9.43	54.37	105.20	50.83	Peak
4	5895.291	45.72	9.56	55.28	90.15	34.87	Peak
5	5925.000	44.23	9.92	54.15	68.20	14.05	Peak

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: n40 High Channel 5795MHz Band 4




Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: ac80 Middle Channel 5775MHz Band 4



No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5650.000	42.72	9.72	52.44	68.20	15.76	Peak
2	5700.000	44.09	9.67	53.76	105.20	51.44	Peak
3	5720.000	45.24	9.67	54.91	110.80	55.89	Peak
4	5725.000	45.14	9.67	54.81	122.20	67.39	Peak
5	5850.000	45.66	9.25	54.91	122.20	67.29	Peak
6	5855.000	44.21	9.29	53.50	110.80	57.30	Peak
7	5875.000	43.51	9.43	52.94	105.20	52.26	Peak
8	5925.000	43.81	9.92	53.73	68.20	14.47	Peak

Project No.: 2503P42192E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: ac80 Middle Channel 5775MHz Band 4



No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	5650.000	43.09	9.72	52.81	68.20	15.39	Peak
2	5700.000	44.57	9.67	54.24	105.20	50.96	Peak
3	5720.000	46.07	9.67	55.74	110.80	55.06	Peak
4	5725.000	45.97	9.67	55.64	122.20	66.56	Peak
5	5850.000	45.30	9.25	54.55	122.20	67.65	Peak
6	5855.000	44.44	9.29	53.73	110.80	57.07	Peak
7	5875.000	43.40	9.43	52.83	105.20	52.37	Peak
8	5925.000	44.07	9.92	53.99	68.20	14.21	Peak

4.3 RF Conducted Data

Please refer to Annex "2503P42192E-RF-00D_Appendix A" for detail test data.

5. EUT PHOTOGRAPHS

Please refer to the attachment 2503P42192E-RF-EXP EUT EXTERNAL PHOTOGRAPHS and 2503P42192E-RF-INP EUT INTERNAL PHOTOGRAPHS

6. TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2503P42192E-RF-00D-TSP TEST SETUP PHOTOGRAPHS.

===== END OF REPORT =====