



NR66_40 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB




The screenshot displays the Spectrum Analyzer 1 interface. The main display shows a spectrum plot with a noise floor at -74.87 dBm and a peak at 19.86 GHz. The plot is titled "1 Spectrum" and has a scale of "Scale/Div 10 dB". The frequency range is from 10.000 GHz to 20.000 GHz, with a resolution bandwidth of 3.0 MHz. The video bandwidth is 3.0 MHz and the sweep time is approximately 18.5 ms. The interface includes various settings such as "Center Frequency", "Span", "Start Freq", "Stop Freq", "CF Step", "Freq Offset", "X Axis Scale", and "Signal Track". The "KEYSIGHT" logo is visible in the top left corner.


NR66_45 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB




NR66_45 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



NR66_45 M_Conducted Spurious(Above10 G)_High_BPSK_1RB




NR66_5 M_Band Edge_Low_BPSK_1RB




NR66_5 M_Band Edge_Low_BPSK_FullRB



NR66_5 M_Extended Band Edge_Low_BPSK_FullRB




NR66_5 M_Band Edge_High_BPSK_1RB




NR66_5 M_Band Edge_High_BPSK_FullRB



NR66_5 M_Extended Band Edge_High_BPSK_FullRB




NR66_10 M_Band Edge_Low_BPSK_1RB



NR66_10 M_Band Edge_Low_BPSK_FullRB



NR66_10 M_Extended Band Edge_Low_BPSK_FullRB




NR66_10 M_Band Edge_High_BPSK_1RB




NR66_10 M_Band Edge_High_BPSK_FullRB



NR66_10 M_Extended Band Edge_High_BPSK_FullRB




NR66_15 M_Band Edge_Low_BPSK_1RB



NR66_15 M_Band Edge_Low_BPSK_FullRB



NR66_15 M_Extended Band Edge_Low_BPSK_FullRB




NR66_15 M_Band Edge_High_BPSK_1RB




NR66_15 M_Band Edge_High_BPSK_FullRB




NR66_15 M_Extended Band Edge_High_BPSK_FullRB




NR66_20 M_Band Edge_Low_BPSK_1RB




NR66_20 M_Band Edge_Low_BPSK_FullRB



NR66_20 M_Extended Band Edge_Low_BPSK_FullRB




NR66_20 M_Band Edge_High_BPSK_1RB




NR66_20 M_Band Edge_High_BPSK_FullRB



NR66_20 M_Extended Band Edge_High_BPSK_FullRB




NR66_25 M_Band Edge_Low_BPSK_1RB




NR66_25 M_Band Edge_Low_BPSK_FullRB



NR66_25 M_Extended Band Edge_Low_BPSK_FullRB




NR66_25 M_Band Edge_High_BPSK_1RB




NR66_25 M_Band Edge_High_BPSK_FullRB



NR66_25 M_Extended Band Edge_High_BPSK_FullRB




NR66_30 M_Band Edge_Low_BPSK_1RB



NR66_30 M_Band Edge_Low_BPSK_FullRB



NR66_30 M_Extended Band Edge_Low_BPSK_FullRB




NR66_30 M_Band Edge_High_BPSK_1RB



NR66_30 M_Band Edge_High_BPSK_FullRB



NR66_30 M_Extended Band Edge_High_BPSK_FullRB




NR66_35 M_Band Edge_Low_BPSK_1RB



NR66_35 M_Band Edge_Low_BPSK_FullRB



NR66_35 M_Extended Band Edge_Low_BPSK_FullRB




NR66_35 M_Band Edge_High_BPSK_1RB



The screenshot displays a Spectrum Analyzer interface with the following components:

- Top Bar:** Includes a "Spectrum Analyzer 1" title, a "Swept SA" mode indicator, a "+" button, and a "Frequency" dropdown menu.
- Input/Settings Section:**
 - Input:** RF, Coupling: DC, Align: Auto.
 - Input Z:** 50 Ω .
 - Corrections:** Off.
 - Freq Ref:** Int (S).
 - NFE:** Adaptive.
 - #Atten:** 10 dB.
 - Preamp:** Off.
 - μ W Path:** Standard.
 - PNO:** Best Wide.
 - Gate:** Off.
 - IF Gain:** Low.
 - Sig Track:** Off.
 - #Avg Type:** Power (RMS).
 - Trig:** Free Run.
- Display Area:**
 - 1 Spectrum** (dropdown).
 - Scale/Div 10 dB** (dropdown).
 - Log** (checkbox).
 - Ref Lvl Offset 28.10 dB** and **Ref Level 28.10 dBm**.
 - Mkr1 1.780 300 GHz** and **-37.305 dBm** (green text).
 - DL1 -13.00 dBm** (green text).
 - RMS** (text near the trace).
 - Center 1.780000 GHz** and **#Video BW 1.3 MHz**.
 - Span 4.000 MHz** and **#Sweep ~2.01 s (1001 pts)**.
 - #Res BW 430 kHz**.
- Right Panel (Settings):**
 - Center Frequency:** 1.780000000 GHz.
 - Span:** 4.000000000 MHz.
 - Swept Span** (checkbox) and **Zero Span** (checkbox).
 - Full Span** (button).
 - Start Freq:** 1.778000000 GHz.
 - Stop Freq:** 1.782000000 GHz.
 - AUTO TUNE** (button).
 - CF Step:** 400.000 kHz.
 - Auto** (checkbox) and **Man** (checkbox).
 - Freq Offset:** 0 Hz.
 - X Axis Scale:** **Log** (checkbox) and **Lin** (checkbox).
 - Signal Track** (button).


NR66_35 M_Extended Band Edge_High_BPSK_FullRB




NR66_40 M_Band Edge_Low_BPSK_1RB




NR66_40 M_Band Edge_Low_BPSK_FullRB



NR66_40 M_Extended Band Edge_Low_BPSK_FullRB




NR66_40 M_Band Edge_High_BPSK_1RB



NR66_40 M_Band Edge_High_BPSK_FullRB



NR66_40 M_Extended Band Edge_High_BPSK_FullRB




NR66_45 M_Band Edge_Low_BPSK_1RB




NR66_45 M_Band Edge_Low_BPSK_FullRB



NR66_45 M_Extended Band Edge_Low_BPSK_FullRB




NR66_45 M_Band Edge_High_BPSK_1RB



NR66_45 M_Band Edge_High_BPSK_FullRB



NR66_45 M_Extended Band Edge_High_BPSK_FullRB



11. ANNEX A_ TEST SETUP PHOTO

Please refer to test setup photo file no. as follows;

No.	Description
1	HCT-RF-2506-FC069-P